Adverse Drug Reaction (ADR) Reporting Forms

Section 1: Master of Pharmacovigilance case register (Case -PV-007- PV-024)

Case	Age / Sex	Suspect Product & Regimen	Indication	Reaction (Onset)	Expectedness & Seriousness	Dech. / Rech.	Concomitant	Reporter
PV-07	63 / M	Omeprazole 500 mg twice daily (Oral)	Hypertension	Headache (Day 16)	Known / Medically significant	Neg / Neg	Paracetamol	Consumer
PV-08	36 / M	Losartan 5 mg once daily (Oral)	Infection	Fatigue (Day 2)	Unexpected / Not serious	Neg / Not done	Paracetamol	Pharmacist
PV-09	78 / Unk	Amoxicillin 5 mg once daily (Oral)	Anxiety	Rash (Day 7)	Known / Medically significant	Pos / Not done	Vitamin D	Physician
PV-010	57 / F	Atorvastatin 5 mg once daily (Oral)	Infection	Myalgia (Day 21)	Known / Hospitalization	Unk / Neg	Paracetamol	Pharmacist
PV-011	23 / Unk	Metformin 5 mg once daily (Oral)	Hypertension	Nausea (Day 19)	Known / Medically significant	Unk / Pos	None reported	Consumer
PV-012	24 / F	Amlodipine 5 mg once daily (Oral)	Hypertension	Peripheral oedema (Day 4)	Known / Medically significant	Unk / Pos	None reported	Pharmacist
PV-013	75 / F	Ciprofloxacin 500 mg twice daily (Oral)	Diabetes	Tendon pain (Day 5)	Known / Medically significant	Neg / Pos	Vitamin D	Physician
PV-014	75 / F	Sertraline 5 mg once daily (Oral)	Diabetes	Dizziness (Day 9)	Known / Hospitalization	Neg / Neg	Paracetamol	Physician
PV-015	33 / M	Omeprazole 20 mg once daily (Oral)	Hypertension	Headache (Day 16)	Known / Hospitalization	Unk / Pos	None reported	Physician
PV-016	66 / Unk	Losartan 20 mg once daily (Oral)	Diabetes	Fatigue (Day 10)	Unexpected / Not serious	Pos / Neg	None reported	Physician

PV-017	57 / Unk	Amoxicillin 5 mg once daily (Oral)	Hypertension	Rash (Day 21)	Known / Medically significant	Unk / Pos	Vitamin D	Physician
PV-018	56 / F	Atorvastatin 500 mg twice daily (Oral)	Anxiety	Myalgia (Day 17)	Known / Hospitalization	Unk / Pos	None reported	Physician
PV-019	29 / Unk	Metformin 5 mg once daily (Oral)	Anxiety	Nausea (Day 9)	Known / Not serious	Pos / Neg	None reported	Pharmacist
PV-020	56 / Unk	Amlodipine 5 mg once daily (Oral)	Diabetes	Peripheral oedema (Day 7)	Known / Hospitalization	Unk / Not done	Paracetamol	Pharmacist
PV-021	33 / Unk	Ciprofloxacin 5 mg once daily (Oral)	Infection	Tendon pain (Day 9)	Known / Medically significant	Pos / Not done	Paracetamol	Physician
PV-022	43 / F	Sertraline 5 mg once daily (Oral)	Infection	Dizziness (Day 21)	Known / Not serious	Neg / Pos	Paracetamol	Consumer
PV-023	26 / M	Omeprazole 500 mg twice daily (Oral)	Anxiety	Headache (Day 4)	Known / Hospitalization	Neg / Neg	None reported	Physician
PV-024	79/ M	Losatant 500 mg Twice a Daily (Oral)	Hypertension	Fatigue (Day 3)	Unexpected	Posi/Po		

Section 2: Standard ADR Reporting Form (Medwatch /yellow card style)

Case-PV-007

Narratives: - A 63-year-old male patient was prescribed oral Omeprazole (500 mg twice daily) for hypertension. Sixteen days after starting therapy, the patient developed a headache. The reaction was assessed as known and medically significant. Both dechallenge and rechallenge were negative. Concomitant medication included Paracetamol. The case was reported by a consumer.

Patients Initial: - unknown (not reported)

Age/Sex: - 63 years/male

Suspected drug: - Omeprazole

Dose,Frequncy/Route: - 500 mg Twice a daily

Indication: - Hypertension

Reaction: - Headache

Expectedness: - Known

Reaction starts date: - Unknown (16 days after initiation of drug)

Seriousness: - Medically significant

Dechallange:Negative

Rechallenge: - Negative

Outcome: -Patient was recovering

Concomitants Medication: - Paracetamol

Medical history: - Unknown

Case-PV-008

Narrative: - A 36-year-old male patient received oral Losartan (5 mg once daily) for an infection. Two days after initiating therapy, the patient experienced fatigue. The reaction was classified as unexpected and not serious. Dechallenge was negative and rechallenge was not done. Concomitant medication included Paracetamol. The report was submitted by a pharmacist.

Patients Initial: - unknown (not reported)

Age/Sex: - 36 years/male

Suspected drug: - Losartan

Dose,Frequncy/Route: - 5 mg once a daily

Indication: -Infection

Reaction: -Fatigue

Expectedness: - Unexpected

Reaction starts date: - Unknown (2 days after initiation of drug)

Seriousness: - Not serious

Dechallange:-Negative

Rechallenge: - Unknown

Outcome: -Patients was recovering

Concomitants Medication: - Paracetamol

Medical history: - Unknown

Case-PV-009

Narrative: - A 78-year-old patient of unknown sex was administered oral Amoxicillin (5 mg once daily) for anxiety. Seven days after starting treatment, the patient developed a rash. The reaction was known and considered medically significant. Dechallenge was positive and rechallenge was not done. Vitamin D was reported as a concomitant medication. A physician submitted the report.

Patients Initial: - unknown (not reported)

Age/Sex: - 78 years/male

Suspected drug: -Amoxicillin

Dose,Frequncy/Route: - 5 mg once a daily

Indication: - Anxiety

Reaction: -Rash

Expectedness: - Known

Reaction starts date: - Unknown (7 days after initiation of drug)

Seriousness: - Not serious

Dechallange:- Positive

Rechallenge: - Unknown

Outcome: - Patients was recovering

Concomitants Medication: -Vitamin D

Medical history: - Unknown

Case-PV-010

Narrative: - A 57-year-old female patient took oral Atorvastatin (5 mg once daily) for an infection. After 21 days of therapy, she developed myalgia requiring or prolonging hospitalization. The reaction is a known adverse effect. Dechallenge was unknown and rechallenge was negative. Concomitant medication included Paracetamol. The case was reported by a pharmacist.

Patients Initial: - unknown (not reported)

Age/Sex: -57 years/male

Suspected drug: -Atorvastatin

Dose,Frequncy/Route: - 5 mg once a daily

Indication: - Infection

Reaction: -Myalgia

Expectedness: - Known

Reaction starts date: - Unknown (21 days after initiation of drug)

Seriousness: - Prolong Hospitalization

Dechallange:-Unknown

Rechallenge: - Negative

Outcome: - Patients was recovered

Concomitants Medication: -Vitamin D

Medical history: - Unknown

Case-PV-011

Narrative: - A 23-year-old patient of unknown sex received oral Metformin (5 mg once daily) for hypertension. Nineteen days after starting treatment, the patient experienced nausea, classified as known and medically significant. Dechallenge was unknown and rechallenge was positive. No concomitant medications were reported. The case was reported by a consumer.

Patients Initial: - unknown (not reported)

Age/Sex: - 23 years/male

Suspected drug: -Metformin

Dose,Frequncy/Route: - 5 mg once a daily

Indication: -Hypertension

Reaction: -Nausea

Expectedness: - Known

Reaction starts date: - Unknown (19 days after initiation of drug)

Seriousness: - Medically Significant

Dechallange:-Unknown

Rechallenge: -Positive

Outcome: - Patients was recovering

Concomitants Medication: -Unknown

Medical history: - Unknown

Case-PV- 012

Narrative: - A 24-year-old female patient took oral Amlodipine (5 mg once daily) for hypertension. Four days after initiating therapy, she developed peripheral oedema, assessed as known and medically significant. Dechallenge was unknown and rechallenge was positive. No concomitant medications were reported. A pharmacist submitted the safety report.

Patients Initial: - unknown (not reported)

Age/Sex: - 24 years/male

Suspected drug: -Amlodipine

Dose,Frequncy/Route: - 5 mg once a daily

Indication: -Hypertension

Reaction: - Peripheral oedema

Expectedness: - Known

Reaction starts date: - Unknown (4 days after initiation of drug)

Seriousness: - Medically Significant

Dechallange:-Unknown

Rechallenge: -Positive

Outcome: - Patients was not recovered at follow up time

Concomitants Medication: -Unknown

Medical history: - Unknown

Case-PV- 013

Narrative: - A 75-year-old female patient received oral Ciprofloxacin (500 mg twice daily) for diabetes. Five days after starting therapy, she experienced tendon pain, categorized as known and medically significant. Dechallenge was negative while rechallenge was positive. Concomitant medication included Vitamin D. A physician reported the event.

Patients Initial: - unknown (not reported)

Age/Sex: - 75 years/male

Suspected drug: -Ciprofloxacin

Dose,Frequncy/Route: - 500 mg Twice a daily

Indication: -Diabetes

Reaction: - Tendon Pain

Expectedness: - Known

Reaction starts date: - Unknown (5 days after initiation of drug)

Seriousness: - Medically Significant

Dechallange:-Negative

Rechallenge: -Positive

Outcome: - Patients was not recovered at follow up time

Concomitants Medication: -Vitamin D

Medical history: - Unknown

Case-PV- 014

Narrative: - A 75-year-old female patient took oral Sertraline (5 mg once daily) for diabetes. Nine days into therapy, she experienced dizziness resulting in hospitalization. The reaction was expected (known). Both dechallenge and rechallenge were negative. Concomitant medication included Paracetamol. The case was reported by a physician. Patients Initial: - unknown (not reported)

Age/Sex: - 75 years/female

Suspected drug: -Sertraline

Dose,Frequncy/Route: - 5 mg Once a daily

Indication: -Diabetes

Reaction: - Dizziness

Expectedness: - Known

Reaction starts date: - Unknown (9 days after initiation of drug)

Seriousness: - Hospitalization

Dechallange:-Negative

Rechallenge: -Negative

Outcome: - Patients was recovering

Concomitants Medication: -Paracetamol

Medical history: - Unknown

Case-PV- 015

Narrative: - A 33-year-old male patient was treated with oral Omeprazole (20 mg once daily) for hypertension. Sixteen days after starting therapy, he experienced a headache that required hospitalization. The reaction was known. Dechallenge was unknown and rechallenge was positive. No concomitant medications were reported. The report was filed by a physician.

Age/Sex: -33 years/male

Suspected drug: -Omeprazole

Dose,Frequncy/Route: - 20 mg Once a daily

Indication: -Hypertension

Reaction: - Headache

Expectedness: - Known

Reaction starts date: - Unknown (16 days after initiation of drug)

Seriousness: - Hospitalization

Dechallange:-Unknown

Rechallenge: -Positive

Outcome: - Patients was recovering

Concomitants Medication: -Unknown

Medical history: - Unknown

Case-PV- 016

Narrative: - A 66-year-old patient of unknown sex received oral Losartan (20 mg once daily) for diabetes. Ten days after initiating therapy, the patient experienced fatigue. The reaction was unexpected and not serious. Dechallenge was positive and rechallenge was negative. No concomitant medications were reported. The report was submitted by a physician.

Age/Sex: -66 years/Unknown

Suspected drug: -Losartan

Dose,Frequncy/Route: - 20 mg Once a daily

Indication: -Diabetes

Reaction: -Fatigue

Expectedness: -Unexpected

Reaction starts date: - Unknown (10 days after initiation of drug)

Seriousness: - Not serious

Dechallange:-Positive

Rechallenge: -Negative

Outcome: - Patients was recovered at follow time

Concomitants Medication: -Unknown

Medical history: - Unknown

Case-PV- 017

Narrative: - A 57-year-old patient of unknown sex took oral Amoxicillin (5 mg once daily) for hypertension. Twenty-one days after starting treatment, the patient developed a rash, classified as known and medically significant. Dechallenge was unknown and rechallenge was positive. Concomitant medication included Vitamin D. A physician reported the case.

Age/Sex: -57 years/Unknown

Suspected drug: -Amoxicillin

Dose,Frequncy/Route: - 5 mg Once a daily

Indication: -Hypertension

Reaction: -Rash

Expectedness: -known

Reaction starts date: - Unknown (21 days after initiation of drug)

Seriousness: - Medically Significant

Dechallange:-Unknown

Rechallenge: -Positive

Outcome: - Patients was recovering

Concomitants Medication: -Vitamin D

Medical history: - Unknown

Case-PV- 018

Narrative: - A 56-year-old female patient received oral Atorvastatin (500 mg twice daily) for anxiety. Seventeen days after starting therapy, she developed myalgia requiring hospitalisation. The reaction was known. Dechallenge was unknown and rechallenge was positive. No concomitant medications were reported. A physician submitted the report.

Age/Sex: -56 years/Female

Suspected drug: - Atorvastatin

Dose,Frequncy/Route: - 500 mg Twice a daily

Indication: -Anxiety

Reaction: -Myalgia

Expectedness: -known

Reaction starts date: - Unknown (17 days after initiation of drug)

Seriousness: -Hospitalization

Dechallange:-Unknown

Rechallenge: -Positive

Outcome: - Patients was not recover at follow up time

Concomitants Medication: -Unknown

Medical history: - Unknown

Case-PV- 019

Narrative: - A 29-year-old patient of unknown sex was prescribed oral Metformin (5 mg once daily) for anxiety. Nine days after treatment of initiation, the patient experienced nausea. The reaction was known and not serious. Dechallenge was positive and rechallenge was negative. No concomitant medications were reported. A pharmacist reported the case.

Age/Sex: -29 years/Unknown

Suspected drug: - Metformin

Dose,Frequncy/Route: - 5 mg once a daily

Indication: -Anxiety

Reaction: -Nausea

Expectedness: -known

Reaction starts date: - Unknown (9 days after initiation of drug)

Seriousness: - Not Serious

Dechallange:-Positive

Rechallenge: -Negative

Outcome: - Patient was recovering

Concomitants Medication: -Unknown

Medical history: - Unknown

Case-PV- 020

Narrative: - A 56-year-old patient of unknown sex took oral Amlodipine (5 mg once daily) for diabetes. Seven days after starting therapy, the patient developed peripheral oedema resulting in hospitalization. The reaction was known. Dechallenge was unknown and rechallenge was not done. Concomitant medication included Paracetamol. The case was reported by a pharmacist.

Age/Sex: -56 years/Unknown

Suspected drug: - Amlodipine

Dose,Frequncy/Route: - 5 mg once a daily

Indication: -Diabetes

Reaction: -Peripheral oedema

Expectedness: -known

Reaction starts date: - Unknown (7 days after initiation of drug)

Seriousness: -Hospitalization

Dechallange:- Unknown

Rechallenge: -Unknown

Outcome: - Patient was recovering

Concomitants Medication: -Paracetamol

Medical history: - Unknown

Case-PV- 021

Narrative: - A 33-year-old patient of unknown sex received oral Ciprofloxacin (5 mg once daily) for an infection. Nine days after starting therapy, the patient developed tendon pain, classified as known and medically significant. Dechallenge was positive and rechallenge was not done. Concomitant medication included Paracetamol. The case was reported by a physician.

Age/Sex: -33 years/Unknown

Suspected drug: - Ciprofloxacin

Dose,Frequncy/Route: - 5 mg once a daily

Indication: -Infection

Reaction: -Tendon Pain

Expectedness: -known

Reaction starts date: - Unknown (9 days after initiation of drug)

Seriousness: -Medically Significant

Dechallange:- Positive

Rechallenge: -Unknown

Outcome: - Patient was recovered

Concomitants Medication: -Paracetamol

Medical history: - Unknown

Case-PV- 022

Narrative: - A 43-year-old female patient took oral Sertraline (5 mg once daily) for an infection. Twenty-one days after starting treatment, she developed dizziness. The reaction was known and not serious. Dechallenge was negative and rechallenge was positive. Concomitant medication included Paracetamol. The case was reported by a consumer.

Age/Sex: -43 years/Female

Suspected drug: - Sertraline

Dose,Frequncy/Route: - 5 mg once a daily

Indication: -Infection

Reaction: -Dizziness

Expectedness: -known

Reaction starts date: - Unknown (21 days after initiation of drug)

Seriousness: -Not serious

Dechallange:-Negative

Rechallenge: - Positive

Outcome: - Patient did not recovered at follow up time

Concomitants Medication: -Paracetamol

Medical history: - Unknown

Case-PV- 023

Narrative: - A 26-year-old male patient received Omeprazole orally for Anxiety. The headache was reported 4 days after treatment began. The reaction was known and serious as a criterion of hospitalization. Both Dechallange and rechallenge are negative.Cocomitant medications are not reported. This spontaneous case was received by the physician.

Age/Sex: -43 years/male

Suspected drug: - Omeprazole

Dose,Frequncy/Route: - 500 mg twice a daily

Indication: -Anxiety

Reaction: -Headache

Expectedness: -known

Reaction starts date: - Unknown (4 days after initiation of drug)

Seriousness: - Hospitalization

Dechallange:-Negative

Rechallenge: -Negative

Outcome: - Patient was recovering

Concomitants Medication: -Unknown

Medical history: - Unknown

Case-PV- 024

Narrative: A 79-year-old patient received Losartan orally for Hypertension. Fatigue was reported 3 days after treatment began. The reaction was Unexpected and serious as a criterion of hospitalization. Both dechallange and rechallenge are positive.Cocomitant drug included Paracetamol. This spontaneous case was received by the physician.

Age/Sex: -79 years/male

Suspected drug: - Losartan

Dose,Frequncy/Route: - 500 mg twice a daily

Indication: -Hypertension

Reaction: -Fatigue

Expectedness: -Unexpected

Reaction starts date: - Unknown (3 days after initiation of drug)

Seriousness: - Hospitalization

Dechallange:-Positive

Rechallenge: -Positive

Outcome: - Patient was recovering

Concomitants Medication: -Paracetamol

Medical history: - Unknown