

# BQ Performance Patterns


By: Karl Arao

Tool: <https://bqvisualiser.appspot.com/>

## Execution Plan

cache\_hit=true

- Test2 gets re-executed, same everything
- When cache\_hit=true you'll not see an output on the bq visualizer. This means re-executing an executed query will not incur a bill



## Debug Logs

### Step Details

```
{
  "creationTime": "2020-07-25T19:38:03.662Z",
  "startTime": "2020-07-25T19:38:03.880Z",
  "endTime": "2020-07-25T19:38:03.915Z",
  "elapsedMs": "35",
  "estd. slots used": "NaN",
  "totalSlotMs": "NaN",
  "billingTier": "NaN",
  "cacheHit": "true",
  "estimatedBytesProcessed": "NaN",
  "totalBytesProcessed": "0",
  "totalBytesBilled": "0",
  "totalPartitionsProcessed": "NaN"
}
```

## Test Schema

▼ example-prod-284123

▼ dataset01

table01

▼ example-dev-284123

dataset01

table01

table02

table03

Run

Save query

Save view

Schedule query

table01

QUERY TABLE

Schema

Details

Preview

Field name	Type	Mode	Policy tags	Description
col1	STRING	NULLABLE		
col2	STRING	NULLABLE		
col3	STRING	NULLABLE		

Edit schema

```
insert into `example-dev-284123.dataset01.table01` values ('1','2','3');
```