Stat 100 Exam 2

SPRING Key (B)

SPRING 2020

EXAM 2: Statistics 100
READ THE DIRECTIONS BELOW TWICE!

Cover Sheet Questions		
1) What's your name?	1 100	di Caratta
he on operated the last	(Last name)	(First name)
2) What's your net ID (email)	? <u>************</u> @	illinois.edu
3) Which section are you in?		
Circle one: i) L1 (Kelly Fin	dley In-Person ii) L2 (Karl	e Flanagan In-Person) iii) KF (Online)

This test is ALL multiple choice. Circle all answers on this exam and fill in the corresponding bubble on your scantron. All questions have exactly one answer. If you circle/bubble in more than one answer, you will automatically be marked wrong. Make sure to circle the answers on this test and fill out your scantron. If you don't do both, you will get a 0.

SCANTRON Form Directions

- Print and bubble in your LAST NAME with **no spaces** starting in the left most column. Print your FIRST INITIAL in the right-most column.
- Print and bubble in your Student ID number (UIN) in the Student Number box.
- Print and bubble in your NET ID with no spaces in the NETWORK ID box.
- No need to bubble in anything for Section or Form.

READ THIS: Failure to fill out your scantron correctly will result in a loss of 2 points on your exam!


WARNING- The exams look alike but you are sitting next to people who actually have a different version than you. Copying from anyone is equivalent to giving a signed confession.

All cheating including being caught with a non-permissible calculator or formula sheet will result in a 0 and an academic integrity violation on your University record.

Make sure you have all 6 pages including the normal table (78 questions). There is NO CLASS on Thursday or Friday!

Scores will be posted on Compass by Friday afternoon (the deadline to drop a class here at UIUC) and exams will be returned in class next week. Online students may pick up their exam in 23 Illini Hall during office hours next week.

Questions 1-6 pertain to the 6 scatter plots below:



Determine whether the correlation coefficient is appropriate for analyzing the plots. If so, choose the r which best represents the plot.

1. Plot A	(a) $r = 0$	b) $r = +0.8$	c) $r = +0.3$	d) $r = -0.3$	e) Not appropriate to use r
2. Plot B	a) r = 0	(b)r = +0.8	c) $r = +0.3$	d) $r = -0.3$	e) r = -0.8
3. Plot C	a) r = 0	b) $r = +0.8$	c) $r = +0.3$	(d) $r = -0.3$	e) r = -0.8
4. Plot D	a) r = 0	b) $r = +0.8$	c) $r = +0.3$	d) $r = -0.3$	(e) r = -0.8
5. Plot E	a) r = 0	b) $r = +0.8$	c) $r = +0.3$	d) $r = -0.3$	e) Not appropriate to use r
6. Plot F	a) $\mathbf{r} = 0$	b) $r = +0.8$	(c) = +0.3	d) $r = -0.3$	e) r = -0.8
			_		


Questions 7-14 pertain to the following scenario: In the very first survey of the year, we asked students "How old is your mother?" and "How old is your father?". The scatter plot of mother's and father's ages is shown below along with the summary statistics.

- 7. The SD Line and the Regression Line are shown. Which is the SD Line? (a) Line A b) Line B
- 8. The correlation is closest to a) -0.2 b) -0.6 c) 0.2 d) 0.4 (e) 0.8
- 9. About what is the average Mother's Age? a) 55 b) 40 (c) 50 d) 65 e) 60
- 10. About what is the average Father's Age?

 a) 60
 b) 55
 c) 40
 d) 50
 e) 65
- 11. We think that the point circled on the scatter plot is an outlier. What does removing this outlier do to the correlation coefficient?
 - (a) Removing this outlier raises the correlation coefficient.
 - b) Removing this outlier lowers the correlation coefficient.
 - c) Outliers have no effect on the correlation coefficient
- 12. Points above the regression line have prediction errors (residuals) that are: a) equal to zero b) negative (c) positive
- 13. The average of all the prediction errors is always ______. (a) (b) r (c) 1 (d) different depending on the data
- 14. Which must be true if you lie on the SD line?
 - You are exactly average.
 - (b) You have the same z-scores for mother age and father age.
 - Your prediction error is equal to 0.

Question 15: In 2010, millions of students nationwide took the Math and Verbal SAT tests. Within each state, the average verbal and the average math SAT scores were calculated. The correlation between these 50 pairs of averages was 0.97. Does that mean that the correlation between the millions of individual students' Verbal and Math SAT scores would also be 0.97?

- (a) No, the correlation for individuals is likely to be lower than 0.97 since the individuals within each state would add more scatter so the points wouldn't follow a straight line so closely.
- b) No, the correlation for individuals is likely to be higher than 0.97 since it's based on millions of data points instead of just 50.
- c) Yes, since the state averages are computed from the individual scores, the correlation for individual Verbal and Math scores must also be 0.97.



Questions 16-20 pertain to the following situation: For each of the following pairs of variables, check the box that best describes its correlation coefficient r. READ THIS: Each column will be used exactly once!

	Exactly +1	Between 0 and +1	About 0	Between 0 and -1	Exactly -1
16. Two variables that always add up to 1000.	a) 🗆	b) 🗆	c) 🗆	d) 🗆	e) 🗹
17. Weight in pounds and weight in kilograms	a) 🗹	b) 🗆	c) 🗆	d) 🗆	e) 🗆 🗀 🗀 🖟 💮 💮 🕳
18. Number of siblings you have and GPA	a) 🗆	b) 🗆	c) 🗹	d) 🗆	rint e) List on the di ambres ()
19. Ice cream sales and temperature	a) 🗆	b) 🗹	c) 🗆	d) 🗆	e) 🗆 🗡 📥
20. Amount of exercise and percent of body fat	a) 🗆	b) 🗆	c) 🗆	d) 🗹	e) 🗆 💮

Questions 21-26 pertain to this situation about boxplots: Consider the following set of numbers: -3, 1, 3, 3, 6, 6.5, 7.5, 15

- 21. The median for this set of numbers is... a) 4
- b) 5.75

(d) 4.5

e) 5

- 22. The 1st quartile (Q1) is...
- **b**) 7
-) 4
- (d) 2 e) -3

23. The 3nd quartile (Q3) is...

25. Are there any outliers?

a) No


- a) 6.5
- b) 3 (c) 7
- d) 15 e) 5 d) 4 e) 7

- **24.** The IQR is...
- (a) 5) (b) Yes, a high outlier
- c) Yes, a low outlier

b) 18

d) Yes, a high and low outlier

26. Which of the following looks like an appropriate box model for this set of numbers?



Parts A, B, and C pertain to this situation. Compute the correlation coefficient (r) by filling in the table below.

The average of X=4 and SD of X=2. The average of Y=3 and SD of Y=2.

Plot the points on the graph below.

Part A (Questions 27-30):

X	Y	Z-score for X	Z-score for Y	Products	S	Summary Statis	stics
1	2	27.(a) -1.5) b) -1 c) 0.5 d) 1 e) 1.5	-0.5	0.75	loig satu	Average	SD
3	0	-0,5	-1.5	0.75	X	4	2
4	4	0	0,5	28. a) -1.5 b) 0 c) 0.5 d) 1 e) 1.5	Y	3	2
5	3	0,5	non O ne	0	0.70	d d	915
7	6	1.5	29. a) -1.5 b) -1 c) 0.5 d) 1 (e) 1.5	2.25	1807) (1812) 188, EL		
Tot	als	30. Total should = a) 1 (b) 0 c) 20 d) -1	Total should =	Total = 3.75	Sorn notice		

Stat	- 1	nn	Eva	m	2
Stal	ιт	UU	EXd	111	Z

Page 3- SPRING

SPRING 2020

otat 200 Ename			9
Part B (Question 31): Find the co	orrelation coefficient r.	a) 0.5 b) 0.625 c 0 0 ginal X and Y values given in Part A.	.75) d) 1 e) 2.25
Part C (Questions 32-35): X and	Y below refer to the ori	ginal X and Y values given in Part A. V	That happens to the correlation
coefficient r if?			
32 . We add 5 to each Y value.	(a) r stays the same	b) r changes, but we aren't sure how	c) r changes signs
			a) - shanges signs
33. We multiply each X value by	2. (a) It stays the same	b) r changes, but we aren't sure how	c) I changes signs

34. We divide each X value by -4. a) r stays the same b) r changes, but we aren't sure how c) r changes signs

35. We switch all X and Y values. (a) stays the same (b) r changes, but we aren't sure how (c) r changes signs

Questions 36-40 pertain to the following scenario.

Suppose people's scores on a Math skills test and a Social skills test follow the normal curve but have different correlations in different countries. Consider 5 populations where the correlation coefficients between people's Math and Social skills are as given in the table below. If a child is in the 65th percentile in math, estimate her percentile in social skills in each country.

Math Skills Percentile	r	Social Skills Percentile
65th	1	36. a) 35th b) 43rd c) 50th d) 58th e) 65th
65 th	-1	37. (a) 35^{h} b) 43^{rd} c) 50^{th} d) 58^{th} e) 65^{th}
65th	0	38. a) 35^{th} b) 43^{rd} (c) 50^{th} d) 58^{th} e) 65^{th}
65th	0.5	39. a) 35 th b) 43 rd c) 50 th d) 58 th e) 65 th
65 th	-0.5	40. a) 35th (b) 43rd c) 50th d) 58th e) 65th

Questions 41-45 pertain to a roadside drunk driving test. Suppose only 10% of those who get stopped and tested for drunk driving are really drunk. 70% of the drunk drivers will correctly fail the test. But 30% of the sober drivers will also fail the test (due to nervousness or other reasons). Fill in the table for 100 drivers total who get stopped and test.

	Fail Test	Pass Test	Total
Drunk Drivers	41. a) 5 b) 9 c) 1 d) 3 (e) 7	3	10
Sober Drivers	0.30(90) 27	63	42. a) 50 b) 10 c) 30 d) 90 e) 70
Total	34	43. a) 30 b) 70 c) 90 d) 66 e) 50	100

44. If a driver fails the test, what's the chance he or she is really sober?

a) 27% b) 79% c) 21% d) 95% e) 30%

45. If a driver passes the test, what is the chance that he or she is really drunk? (a) 4.5% b) 11% c) 79% d) 30% e) 3%

Questions 46-51 pertain to the following situation

A large study gave the following results on the heights of fathers and the heights of their daughters. Assume the scatter plot is football-shaped and round to two decimal places.

	Average	SD
Father's Height	69"	2.5"
Daughter's Height	64"	15"

Find the regression equation for <u>predicting father's heights</u> from daughter's heights. Y = X + (round the slope and y intercept to two decimal places).

46. First calculate	the slope. Round yo	ur answer to two	decimal places!		(x 器) = 0.7 x	== 1.17
a) 0.42		c) 1.67	(d))1.17	e) 0.60	SDX	1.2
47. Next, calculate	the y-intercept (use	the number you	circled in 56 as th	ne slope).	11-117x+h	69=1.17(64)+6
0) 16.73	(b) 5 88	c) 0.92	d) 35.02	e) 42 12		
48 Using the regre	ession equation predi	ict the height of a	father whose daug	hter is 62 inche	stall. Round to the neare	b = -5.88

48. Using the regression equation, predict the height of a father whose daughter is 62 inches tall. Round to the nearest whole number.

a) 42 inches
b) 67 inches
c) 20 inches
d) 70 inches
e) None of the above

- 49. Suppose our regression line predicts that a father's height is 64 inches, but his actual height is 58 inches. What is his a) 8 b) 6 c) 1.78 (d) -6)
- 50. What is the SD of the prediction errors (the RMSE) when predicting father's heights from daughter's heights?

c) $\sqrt{1-0.7^2} \times 1.5$

(d) $\sqrt{1-0.7^2} \times 2.5$

51. Of course, the prediction we made in part b isn't going to be exactly correct. Instead there's a range of father's ages, with about 95% of them falling within ...

a))2 SDerrors

b) 1 SDerrors

c) 3 SDerrors

d) Not enough info

Questions 52-55 pertain to the following scenario. If someone is in the 38^{th} percentile in Math where r = 0.5, what percentile would you estimate for his social skills? Solve by filling in the table below. Round the middle areas to the nearest whole

Math Skills Percentile	Math Z	r = 0.5	Social Z	Social Skills Percentile
38th Percentile 52. What middle area on the table should you look up to find the Z score? a) 12% b) 24% c) 31% d) 38% e) 62%	53. Z = - 0.3 a) 0.5 b) -0.5 c) 0.3 d) -0.3 e) -0.15	r = 0.5	54. Z = - 0.(5 a) 0.25 b) -0.25 c) 0.5 d) 0.15 e) -0.15	a) 12th b) 20th c) 44th d) 56th e) 60th Hint: the Z score on the graph below. Shade the correct percentile.
100 203 - AU 1070 3100 1070 10		10 + B TH		7.3. A die is rolled once. What is the chance

Questions 56-61 pertain to the survey questions: "What is the fastest you've ever driven in mph?" and "What is the most you have ever drank in a 24-hour period?" To the right are the 5 summary statistics.

非品质和结果	Average	SD
Speed	96mph	20mph
Drinks	Em 10 13	10

Correlation: r = 0.4

Make regression estimates for Students A and B by filling in the table below. For student A, you're given speed and asked to predict drinks using the 3-step process. For student B, you're given drinks and asked to predict speed using the 3-step process so start with drinks.

Speed Z-score	r b	Drinks Z-score	Number of Drinks
56. Z =	× r = 0.4	57.Z= <u>0</u> ,2	58. Drinks = 15
a) -1 b) -0.5 c) 0.4 d) 0.5 e) 1	on William -	a) -1 (b) 0.2 c) 0.4 d) 0.5 e) 1	a) 11 (b) 15 c) 18 3†(0.2)(10 d) 23 e) 100
60. Z = <u>0,8</u>	= r = 0.4	×59. Z =	Student B: 33 Drinks
a) 0.4 (b) 0.8 c) 1 (d) 2.5 (e) 5	Paul is series	a) -2 b) -1 c) 0.4 d) 1 (e) 2	$Z = \frac{33-13}{10} = 2$
	56. Z = 0.5 a) -1 b) -0.5 c) 0.4 d) 0.5 e) 1 $60. Z = 0.8$	$56. Z = 0.5 \times r = 0.4$ $a) -1 b) -0.5 c) 0.4$ $d) 0.5 e) 1$ $60. Z = 0.8 \times r = 0.4$	56. Z = 0.5


Page 5 of 6

Page 5 - SPRING

		Hed deck of 52 cards.	cks, 4 aces, 4 queens, and	Laueen of clubs s in	a deck
	thout replacement.	What is the chance that	t they are both diamonds?		
	b) 13/52*13/			C) 4/32 3/2	1 17 SHEWART DE
a) 16/52	(b) 13/52*13/.		d) 13/52*12/51	e) 4/52*3/5	51
64. Draw one card	at random. What is t	he chance that it's eithe	er a Jack or an Ace?	to small an including	
a) 17/52	b) 13/52*13/	c) 16/52	d) 13/52*12/51	(e) 8/52	
65. Draw one card a	at random. What is th	ne chance that it's eithe	r a Queen or a Club?		
a) 8/52	b) 26/52	(e) 6/52	d) 13/52*13/52	e) 17/52	
Questions 67-73 pe	ertain to rolling fair	6-sided dice	21		
		nce that the sum of the	spots is 3?	1	
	2/6 b) 1		open is a	e) 2/36	
	A. OF - OF BUILDING				
	$(1/6)^4$ (b) (5	e chance of getting no 2 $(5/6)^4$ c) 1- $(1/6)^4$		e) 4/6	
68 One die is rolled	14 times What is the	e chance of at least one	22		
		5/6) ⁴ c) 1- (1/6	(~)	e) 4/6	
		till same !	A Contraction	DS (6 PIE (5	
		chance of getting all 2			
(a)	$(1/6)^3$ b) 3	/6 c) 1- (1/6	d) 1- (5/6) ³	e) $(5/6)^3$	
70. One die is rolled	3 times. What is the	chance of getting not	all 2's?		
a)	$(1/6)^3$ b) (3	(c) 1- $(1/6)$	d) 1- $(5/6)^3$	e) 3/6	
			is a 4 or the second roll is		
a)	1/6 + 1/6 b) 1	6*1/6 c) $4/6+5$	$(d)^{3}/6 + 1/6 - 1/36$	5	
72. One die is rolled	twice. What is the	chance that the first roll	is a 4 and the second roll	is a 5?	
a)	1/6 + 1/6 (b)	6*1/6 c) $4/6+5$	/6 d) 1/6 + 1/6 - 1/36	5	
73. A die is rolled o	nce. What is the cha	nce of getting either a 4	or a 5?		
		6*1/6 c) $4/6+5$		5	
		Annual Control			
			rvey responses of 389 stud-		
& the 201 students	who identified thems	elves as "non-white" to	the question "Who do you	u plan to vote for in t	he 2012 election?"
- In James	Obama	Romney	Undecided/Other	Won't Vote	Totals
White	207	82	77	23	389
Non-White	124	9	25	43	201
Totals	331	91	102	66	590
		t from those who answ			
		tudent voting for Romr			
a) 82/91	(b) 91/590	c) 82/389	e) 9/201		
			ney if you draw only from		
a) 91/590	b) 82/91	c) 9/91	1) 82/389 e)91/389		
	1.40	10.00 mg 17.00 mg			
			ly from Romney voters?		
a) 9/201	b) 82/389	c) 91/389	(e) 82/91		
		. A			
			voting for Obama or whit		da da
a) 207/590	b) 331/590 +	389/390 c) 331/59	0 + 207/590 d) 331/59	90 * 389/590 (e)	513/590
78 Drougetudants	with replacement	What is the change that	at least one of them is a R	omnov support	
(a) 1- (499)					01/500
(a) 1- (499)	(J90) D) 1-	(31/390)	(439/390)	d) $(91/590)^3$ e)	91/590

Stat 100 Exam 2 SPRING 2020

STANDARD NORMAL TABLE



Standard Units

z	Area	z	Area	z	Area
0.00	0.00	1.50	86.64	3.00	99.730
0.05	3.99	1.55	87.89	3.05	99.771
0.10	7.97	1.60	89.04	3.10	99.806
0.15	11.92	1.65	90.11	3.15	99.837
0.20	15.85	1.70	91.09	3.20	99.863
0.25	19.74	1.75	91.99	3.25	99.885
0.30	23.58	1.80	92.81	3.30	99.903
0.35	27.37	1.85	93.57	3.35	99.919
0.40	31.08	1.90	94.26	3.40	99.933
0.45	34.73	1.95	94.88	3.45	99.944
0.50	38.29	2.00	95.45	3.50	99.953
0.55	41.77	2.05	95.96	3.55	99.961
0.60	45.15	2.10	96.43	3.60	99.968
0.65	48.43	2.15	96.84	3.65	99.974
0.70	51.61	2.20	97.22	3.70	99.978
0.75	54.67	2.25	97.56	3.75	99.982
0.80	57.63	2.30	97.86	3.80	99.986
0.85	60.47	2.35	98.12	3.85	99.988
0.90	63.19	2.40	98.36	3.90	99.990
0.95	65.79	2.45	98.57	3.95	99.992
1.00	68.27	2.50	98.76	4.00	99.9937
1.05	70.63	2.55	98.92	4.05	99.9949
1.10	72.87	2.60	99.07	4.10	99.9959
1.15	74.99	2.65	99.20	4.15	99.9967
1.20	76.99	2.70	99.31	4.20	99.9973
1.25	78.87	2.75	99.40	4.25	99.9979
1.30	80.64	2.80	99.49	4.30	99.9983
1.35	82.30	2.85	99.56	4.35	99.9986
1.40	83.85	2.90	99.63	4.40	99.9989
1.45	85.29	2.95	99.68	4.45	99.9991