Manual for Package: open-channel-flow Revision 1:9M

Karl Kästner

August 11, 2020

Contents

1	@Back	xwater1D	9
	1.1	Backwater1D	9
	1.2	backwater_approximation	9
	1.3	backwater_curve_iterative	9
	1.4	backwater_length	9
	1.5	dh_dx	9
	1.6	dh_dx	9
	1.7	dzs_dx	10
	1.8	gvf_x_chow	10
	1.9	invert	10
	1.10	solve	10
	1.11	solve_analytic	10
	1.12		11
2	@Com	pound_Cross_Section	11
	2.1	Compound_Cross_Section	11
	2.2	•	11
	2.3	discharge	11
	2.4	_	11
3	@Cros	s_Section	11
	3.1		11
	3.2		11
	3.3	9	11
	3.4		11
	3.5		12
	3.6	fit_bed_level	12
	3.7		12
	3.8		$\overline{12}$

	3.9	init	12
	3.10	invalidate	12
	3.11	parse_arguments	12
	3.12	wetted_cross_section	12
	3.13	$\operatorname{wetted_width} \ldots \ldots \ldots \ldots \ldots \ldots \ldots \ldots$	12
4	hifurc	ations-and-weirs/@Lateral_Diversion_Finite_Width	13
-	4.1	Jb	13
	4.2	Lateral_Diversion_Finite_Width	13
	4.3	dR	13
	4.4	derive	13
	4.5	evalk	13
	4.6	lateral_outflow_finite_width1	13
	4.7	load_functions	13
	4.8	stagnation_point	13
	4.9	streamline	13
	4.10	u_far	14
	4.10	v_far	14
	4.11	velocity	14
	4.12	velocity_near_bed	14
	4.13	velocity_near_bed	14
5	bifurca	${ m ations-and-weirs/@Lateral_Diversion_Finite_Width_Gineral}$	adual 14
	5.1	Jb	14
	5.2	$Lateral_Diversion_Finite_Width_Gradual $	14
	5.3	coefficients	14
	5.4	$\operatorname{cond} A \dots \dots \dots \dots \dots \dots \dots \dots \dots $	14
	5.5	dR	14
	5.6	derive	15
	5.7	evalk	15
	5.8	$evalk \ldots \ldots \ldots \ldots \ldots$	15
	5.9	$lateral_outflow_finite_width1 $	15
	5.10	load_functions	15
6	bifurca	ations-and-weirs/@Lateral_Diversion_Finite_Width_G	radual/old 1
	6.1	coefficients_old	15
7		${ m ations-and-weirs/@Lateral_Diversion_Finite_Width_Gin}$	
	7.1	stagnation_point	15
	7.2	streamline	15
	7.3	streamline_radius_of_curvature	15
	7.4	u_far	16
	7.5	uv1	16
	7.6	uv_side_branch	16
	7.7	v_far	16

7.8	velocity	16
7.9	velocity_linear	16
7.10	velocity_near_bed	16
7.11	xp	16
8 bifur	cations-and-weirs/@Lateral_Diversion_Wide_Channel	16
8.1	$Lateral_Diversion_Wide_Channel\ .\ .\ .\ .\ .\ .\ .\ .\ .$	16
8.2	derive_lateral_outflow	17
8.3	$derive_lateral_outflow_finite_width \ \dots \dots \dots \dots \dots$	17
8.4	load_functions	17
8.5	$stagnation_point \dots \dots \dots \dots \dots$	17
8.6	$streamline_radius_of_curvature \ . \ . \ . \ . \ . \ . \ . \ . \ . \ $	17
9 bifur	${f cations-and-weirs/@Lateral_Diversion_Wide_Channel_I}$	Maj
9.1	$Lateral_Diversion_Wide_Channel_Map \ . \ . \ . \ . \ . \ . \ . \ . \ .$	17
9.2	streamline	17
10 bifur	${ m cations-and-weirs/@Side_Weir}$	18
10.1	Side_Weir	18
10.2	dzs_dx	18
10.3	$surface_elevation \ . \ . \ . \ . \ . \ . \ . \ . \ . \ $	18
11 bifur	cations-and-weirs	18
11.1	$Lateral_Diversion_Finite_Width_Map $	18
12 bifur	cations-and-weirs/bifurcation-empirical	18
12.1	bifurcation_potential_flow_dividing_streamline_radius	18
12.2	sediment_division_herrero	18
12.3	sediment_division_meijer_ksiazek_1	18
12.4	sediment_division_meijer_ksiazek_2	18
12.5	sediment_division_raudkivi	19
12.6	$sediment_division_van_der_mark $	19
12.7	$sediment_division_wang \dots \dots$	19
13 open	-channel-flow	19
13.1	boundary_layer_height	19
13.2	discharge2stage	19
13.3	eddy_viscosity_depth_averaged	20
13.4	hfilter	20
14 kiner	natik-and-diffusion-wave	20
14.1	diffusion_wave	20
14.2	$flood_wave_diffusion_coefficient \ . \ . \ . \ . \ . \ . \ . \ . \ . \ $	20
14.3	linear_wave	20

15	meand	ler-bend/@Equilibrium_Bend	2 0
	15.1	Equilibrium_Bend	20
	15.2	bed_profile	21
	15.3	bed_profile_uniform	21
	15.4	calibrate	21
	15.5	$\mathrm{d} D_{\text{-}} \mathrm{d} r \dots \dots \dots \dots \dots \dots \dots \dots \dots $	21
	15.6	$dh_dr \ \dots $	21
	15.7	dh_dr_uniform	21
	15.8	grain_size_profile	21
16	meand	ler-bend	22
	16.1	Kinoshita	22
	16.2	bend_transverse_velocity	22
	16.3	bend_velocity_near_bed	22
	16.4	kinoshita	22
	16.5	random_meander	22
	16.6	secondary_velocity_profile_ikeda	22
	16.7	test_rozovskii	22
17	potent	ial-flow/@Potential_Flow	23
	17.1	Potential_Flow	23
	17.2	contour	23
	17.3	infer_bed_level	23
	17.4	infer_bed_level2	23
	17.5	infer_bed_level3	24
	17.6	infer_bed_level_loop	24
	17.7	objective_bed_level	24
	17.8	plot	24
	17.9	quiver	24
	17.10	sediment_transport	24
	17.11	solve_potential	24
	17.12	streamline	24
	17.13	$surface_elevation \ . \ . \ . \ . \ . \ . \ . \ . \ . \ $	25
	17.14	test_case	25
	17.15	velocity_near_bed	25
	17.16	vertical_velocity	25
18	potent	cial-flow/@Potential_Flow_Analytic	25
	18.1	Potential_Flow_Analytic	25
	18.2	streamline	25
19	potent	sial-flow/@Potential_Flow_SM	26
	19.1	Potential_Flow_SM	26
	19.2	assemble_discretization_matrix_rectilinear	

	19.3	assemble_potential_matrix	26
	19.4	boundary_condition_side_outflow	26
	19.5	$boundary_condition_side_outflow_1 \ . \ . \ . \ . \ . \ . \ . \ . \ . \ $	26
	19.6	cut_boundary	26
	19.7	cut_rectangle	27
20	potent	ial-flow/@Potential_Flow_UM	27
	20.1	Potential_Flow_UM	27
	20.2	$assemble_potential_matrix $	27
21	rating-	curve	27
	21.1	ChezyRatingCurve	27
	21.2	DynamicKeuleganRC	27
	21.3	DynamicManningRC	27
	21.4	DynamicPowerRC	27
	21.5	KeuleganRatingCurve	28
	21.6	ManningRatingCurve	28
	21.7	PolyRatingCurve	28
	21.8	PowerRatingCurve	28
	21.9	PowerRatingCurveOffset	28
	21.10	RatingCurve	28
	21.11	csarea	28
	21.12	csdischarge	28
	21.13	csperimeter	29
	21.14	csradius	29
	21.15	cswidth	29
	21.16	test_PowerRatingCurve	29
	21.17	wfunc	29
22	shallov	v-water/@SWE	29
	22.1	SWE	29
	22.2	bc_incoming_non_reflecting	29
	22.3	bc_inflow	29
	22.4	bc_inflow_low_pass	30
	22.5	bc_inflow_non_reflecting	30
	22.6	bc_level	30
	22.7	bc_level_sommerfeld	30
	22.8	bc_nonreflecting	30
	22.9	bc_reflecting	30
	22.10	dot	30
	22.11	dt_cfl	31
	22.12	energy	31
	22.13	flux	31
		flux_lin	31

	22.15	fluxmateig
	22.16	jacobian
	22.17	lindot
	22.18	roe_average
	22.19	solve_analytic
	22.20	solve_stationary
	22.21	source_bed_level
	22.22	source_friction
	22.23	source_width
	22.24	swe_geometry
	22.25	swe_ic
23	shallov	v -water/@SWE_2d 33
	23.1	SWE_2d 33
	23.2	apply_boundary_condition_stationary
	23.3	assemble_stationary
	23.4	solve_stationary
24	shallov	v-water 33
	24.1	sw_reflection
	24.2	sw_reflection_stepwise
25	open-c	hannel-flow 34
	25.1	stage2discharge
26	test/te	est_Backwater1D 34
	26.1	test_bw1d_solve_matrix
27	\mathbf{test}	35
	27.1	test_inverse_backwater_curve
	27.2	test_normal_flow
	27.3	test_nse_nz
28	unifori	m-stationary-flow 35
	28.1	chezy2drag
	28.2	chezy2f
	28.3	chezy2manning
	28.4	chezy2z0
	28.5	critical_flow_depth
	28.6	drag2chezy
	28.7	f2chezy
	28.8	ks2z0
	28.9	manning2chezy
	28.10	manning2drag
	28.11	$\frac{1}{10000000000000000000000000000000000$

	28.12	manning2z0	6
	28.13	normal_flow_depth	66
	28.14	normal_flow_depth	37
	28.15	normal_flow_discharge	7
	28.16	normal_flow_slope	
	28.17	normal_flow_velocity	
	28.18	normal_shear_velocity	
	28.19	shear_velocity	
	28.20	z02chezy	
	28.21	z02ks	
			•
29	velocit	y-profile/@Log_profile 3	8
	29.1	Log_profile	3
	29.2	df_dh	3
	29.3	df_dh_\dots	3
	29.4	df_dln_z0	38
	29.5	df_dln_z0	38
	29.6	profile	38
	29.7	profile	38
	29.8	profile_bias	36
	29.9	regmtx	
	29.10	ubar	g
30	velocit	y -profile/ $@$ Log_profile_with_bend_correction 3	g
	30.1	Log_profile_with_bend_correction	(Ç
	30.2	df_dc	(Ç
	30.3	dfdc	(
	30.4	du_dz	(
	30.5	fit	.(
	30.6	$profile_{-}$.(
	30.7	regmtx	.(
	30.8	u	.(
	30.9	\mathbf{u}_{-}	(
~ -			_
31		y-profile/@Log_profile_with_cubic_wake 4	
	31.1	Log_profile_with_cubic_wake	
	31.2	df_dc	
	31.3	$df_{-}dc_{-}\dots $ 4	
	31.4	profile	
	31.5	regmtx	:1
วา	volosit	y -profile/ $@$ Log_profile_with_dip 4	1
⊿و	32.1	Log_profile_with_dip	
	32.1 22.2	Log_prome_with_dip	

33	velocit	${ m cy-profile/@Log_profile_with_linear_bend_correction}$	41
	33.1	Log_profile_with_linear_bend_correction	41
	33.2	$df_dc \dots $	42
	33.3	$df_{-}dc_{-}\ldots\ldots\ldots\ldots\ldots\ldots$	42
	33.4	$du_dz \ \dots $	42
	33.5	$\operatorname{profile}_{\scriptscriptstyle{-}} \ \ldots \$	42
	33.6	regmtx	42
34	velocit	${ m cy-profile/@Log_profile_with_wake}$	42
	34.1	Log_profile_with_wake	42
	34.2	df_dc	42
	34.3	$\mathrm{df}_{-}\mathrm{dc}_{-}$	42
	34.4	du_dz	43
	34.5	profile	43
	34.6	regmtx	43
35	velocit	sy-profile/@VP	43
00	35.1	VP	43
	35.2	process_joint	43
	35.3	process_transverse_profile	43
	35.4	process_vertical_profile	43
	35.5	profile_prediction_error	44
	00.0	FF	
36	velocit	${ m cy-profile/@Vertical_profile}$	44
	36.1	$\label{thm:continuous} Vertical_profile \ . \ . \ . \ . \ . \ . \ . \ . \ . \ $	44
	36.2	$\mathrm{fit}\ \dots$	44
	36.3	$u \dots $	45
37	velocit	y-profile	45
	37.1	fit_displacement_profile	45
	37.2	lateral_division_method	45
	37.3	test_law_of_the_wall_fit	45
	37.4	transverse_profile_parameter	45
	37.5	transverse_velocity_profile	45
	37.6	transverse_velocity_profile_olesen	46
	37.7	transverse_velocity_profile_rozovskii	46
	37.8	transverse_velocity_profile_shiono_knight	46
	37.9	transverse_velocity_profile_tidal_channel	46
	37.10	transverse_velocity_profile_with_slope	46
	37.11	vertical_profile_of_velocity_vriend	47
	37.12	vertical_velocity_profile	47
	37.13	z2s_rational	47
38	wrapp	er	47

38.1	discharge2stage													47
38.2	stage 2 discharge													47
\otimes D	- 1 - 4 - 1 D													

1 @Backwater1D

1.1 Backwater1D

solve the gradually varied flow equation (backwater equation) in one dimension

c.f. Chow, Bresse

1.2 backwater_approximation

approximation of the backwater curve by an exponential function note: this is not necessarily a good approximation in the case of tide, $\mathbb{Q}t$ can be given

1.3 backwater_curve_iterative

analytic solution of the gradually varied flow equation ${\tt c.f.}$ Bresse, Chow

1.4 backwater_length

backwater length

$1.5 \, dh_dx$

change of depth along channel for the backwater equation beta : momentum coefficient this is effectively an equation in h^3

$1.6 \, dh_{-}dx_{-}$

$1.7 dzs_dx$

change of surface elevation along channel

1.8 gvf_x_chow

```
analytical solution to the gradually varied flow equation (
   backwater equation)
c.f. Chow, Bresse
```

1.9 invert

```
determine bed level from surface elevation
  (inverse backwater equation)
this is ill conditioned, as the surface is smooth for subcritical
     flow,
even if the bed is not smoth

C : chezy
W : width
Q : discharge
S : bed slope
y0 : surface elevation at outflow
lateral inflow
```

1.10 solve

```
solve the gradually varied flow equation (backwater equation)
C : chezy
W : width
Q : discharge
S : bed slope
y0 : surface elevation at outflow
```

1.11 solve_analytic

```
analytical solution to the gradually varied flow equation (bresse method)  u\_. \hat{\ } (n-m)./(1-u\_. \hat{\ } n)
```

1.12 solve_matrix 2 @Compound_Cross_Section 2.1 Compound_Cross_Section 2.2 area 2.3 discharge 2.4 roughness 3 @Cross_Section 3.1 Cross_Section

3.2 average_across_section

 ${\bf 3.3}\quad compute_discharge$

 ${\bf 3.4}\quad compute_sediment_transport$

3.7	flat
3.8	grain_size
3.9	init
3.10	invalidate
3.11	$parse_arguments$
3.12	$wetted_cross_section$
3.13	${f wetted_width}$

3.5 expand

3.6 fit_bed_level

4	$bifurcations- and-weirs/@Lateral_Diversion_Finite_Width$
4.1	Jb
4.2	$Lateral_Diversion_Finite_Width$
4.3	dR
4.4	derive
4.5	evalk
4.6	$lateral_outflow_finite_width1$
4.7	$load_functions$
4.8	$\operatorname{stagnation_point}$
	<pre>fdx = isnan(x);</pre>
4.9	streamline

4.10	u∟far
4.11	$ m v_far$
4.12	velocity
4.13	velocity_near_bed
5 bis	${ m furcations ext{-}and ext{-}weirs/@Lateral_Diversion_Finite_Width_Gradu}$
5.2 L	$ateral_Diversion_Finite_Width_Gradual$
5.3 cc	pefficients
5.4 co	$\operatorname{ond} \mathbf{A}$
5. 5 d.	${f R}$

5.6	derive
5.7	evalk
5.8	evalk_{-}
5.9	$lateral_outflow_finite_width1$
5.10	${f load_functions}$
6 6.1	$bifurcations- and-weirs/@Lateral_Diversion_Finite_Width_Gradual/o\\ coefficients_old$
7 7.1	$bifurcations- and-weirs/@Lateral_Diversion_Finite_Width_Gradual\\ stagnation_point$
	<pre>fdx = isnan(x);</pre>
7.2	streamline

7.4 \mathbf{u}_{-} far
7.5 uv1
7.6 uv_side_branch
$7.7 v_{-}$ far
7.8 velocity
7.9 velocity_linear
7.10 velocity_near_bed
7.11 xp
8 bifurcations-and-weirs/@Lateral_Diversion_Wide_Channel
8.1 Lateral_Diversion_Wide_Channel

8.2 derive_lateral_outflow

derive potential flow solution to lateral outlfow from an
 infinitely
wide main channel

8.3 derive_lateral_outflow_finite_width

derive coefficients for lateral outflow in the case of potential ${\tt flow}$

8.4 load_functions

load analytical solutions for potential flow field at a lateral
 diversion
with an infinitely wide main channel

8.5 stagnation_point

8.6 streamline_radius_of_curvature

- 9 bifurcations-and-weirs/@Lateral_Diversion_Wide_Channel_Map
- 9.1 Lateral_Diversion_Wide_Channel_Map

wrapper to store precomputed streamlines of potential flows

9.2 streamline

10 bifurcations-and-weirs/@Side_Weir

10.1 Side_Weir

side weir, analytical solution to (critical) lateral outflow

$10.2 dzs_dx$

side weir, along channel surface gradient

10.3 surface_elevation

along-channel surface elevation for (critical) lateral outflow over a side-weir

11 bifurcations-and-weirs

11.1 Lateral_Diversion_Finite_Width_Map

- 12 bifurcations-and-weirs/bifurcation-empirical
- 12.1 bifurcation_potential_flow_dividing_streamline_radius
- 12.2 sediment_division_herrero
- 12.3 sediment_division_meijer_ksiazek_1
- 12.4 sediment_division_meijer_ksiazek_2

12.5 sediment_division_raudkivi

12.6 sediment_division_van_der_mark

12.7 sediment_division_wang

13 open-channel-flow

```
functions for open channel flow, sub modules:
@Backwater1D
       gradually varied flow in 1D (backwater)
@Potential_Flow
       depth averaged potential flow, numerical solution
@Potential_Flow_Analytic
       depth averaged potential flow, analytical solution
rating-curve
       empirical rating curves
@Side_Weir
       analytical solution to lateral outflow over a side weir
@SWE
       dynamical solution of the shallow water equation (saint-
           venant-equation)
       in 1D
@SWE_2d
       dynamical solution of the shallow water equation (saint-
           venant-equation)
velocity-profile
       vertical and transverse velocity profiles of the streamwise
           velocity
```

13.1 boundary_layer_height

13.2 discharge2stage

13.3 eddy_viscosity_depth_averaged

13.4 hfilter

14 kinematik-and-diffusion-wave

14.1 diffusion_wave

```
propagation of a diffusion wave (flood wave), c.f. ponce advection diffusion where is the bed slope? friction slope eddy slope chow 1988 d(A+AO)/dt + dQ/dx = q dQ/dt + d/dx \ betaQ^2/A + gA(dh/dx + Sf + Se) - beta \ q_i \ v_i + Wf \ B = 0 A0 ignored inflow and wind shear ignored
```

14.2 flood_wave_diffusion_coefficient

14.3 linear_wave

linear wave routing (linearised kinematic wave)

15 meander-bend/@Equilibrium_Bend

15.1 Equilibrium_Bend

Transverse profile of the bed level and bed material grain size in an equilibrium (infintely long) meander bend

15.2 bed_profile

predict transverse bed profile of an equilibrium meander bend

15.3 bed_profile_uniform

transverse profile of the bed level of an equilibrium meander bend with uniform grain size $\,$

15.4 calibrate

calibrate bend geometry to given profile

$15.5 dD_dr$

$15.6 \, \mathrm{dh_dr}$

across channel derivative of flow depth for a meandering river

15.7 dh_dr_uniform

transverse gradient of the bed level of an equilibrium meander bend for the case of uniform bed material

15.8 grain_size_profile

transverse (across channel) profile of the bed material grain size in a river meander $\,$

16 meander-bend

16.1 Kinoshita

- % Public properties
- % Public get properties
- % Private properties
- % Constructor
- $\mbox{\ensuremath{\mbox{\%}}}$ Setters and getters
- % generic methods

16.2 bend_transverse_velocity

transverse profile of the streamwise velocity in a meander bend

16.3 bend_velocity_near_bed

near-bed-velocity in a meander bend

16.4 kinoshita_

16.5 random_meander

generate a pseudo random meander

16.6 secondary_velocity_profile_ikeda

16.7 test_rozovskii

17 potential-flow/@Potential_Flow

17.1 Potential_Flow

```
numerical potential flow solver by various methods analytic (series) or FDM on non-orthogonal curvilinear grids or FEM by unstructured meshes
```

17.2 contour

contour plot of the potential flow solution

17.3 infer_bed_level

```
note: this is pretty much a broken function for the inference of
    stationary
    morphology
```

Missing:

- rolling down of transverse slope to balance secondary flow in bends
- quasi time steippong

at stationary state:

 changes of discharge along the streamlines of discharge are balanced

by a change in depth, to keep the velocity and sediment transport constant along the streamline $% \left(1\right) =\left(1\right) +\left(1\right) +\left($

17.4 infer_bed_level2

infer the bed level

17.5 infer_bed_level3

17.6 infer_bed_level_loop

the bed level does not completely converge but starts to oscillate, this is presumably due to the non-compact kernel implementation of the laplacian oberator

17.7 objective_bed_level

objective function for determining the bed level

17.8 plot

surface plot

17.9 quiver

17.10 sediment_transport

compute the sediment transport

17.11 solve_potential

solve for the potential

17.12 streamline

compute a streamline

17.13 surface_elevation

compute surface elevation according to Bernoulli's law note: this is likely very different from the true surface elevation,

as streamline curvature causes a transverse pressure gradient

17.14 test_case

17.15 velocity_near_bed

determine the velocity near the bed

17.16 vertical_velocity

determine the vertical velocity by continuity

18 potential-flow/@Potential_Flow_Analytic

18.1 Potential_Flow_Analytic

analytical solutions to various depth-averaged potential flow $\ensuremath{\operatorname{problems}}$

18.2 streamline

numerically follow path along streamline by integrating the velocity $% \left(1\right) =\left(1\right) \left(1\right)$

19 potential-flow/@Potential_Flow_SM

19.1 Potential_Flow_SM

numerical solver for flow on a curvilinear grid (not necessarilly
 orthogonal)
by means of the Finite Difference Method

19.2 assemble_discretization_matrix_rectilinear

assemble the discretisation matrix

19.3 assemble_potential_matrix

assemble the discretisation matrix for potential flow

19.4 boundary_condition_side_outflow

apply boundary conditions for side outflow
p*phi + (1-p)*d/db phi = rhs
y : along channel coordinate
TODO, make this return the bc-struct

19.5 boundary_condition_side_outflow_1

```
apply boundary conditions
p*phi + (1-p)*d/db phi = rhs
TODO, make this return the bc-struct
```

19.6 cut_boundary

cut the boundary from the domain
wa : width of inlet to side channel
wb : width of side channel

19.7 cut_rectangle

cut a rectangle from the domain
TODO, this requires also an adaptation of the derivative matrices
 -> step over to semi-unstructured mesh

20 potential-flow/@Potential_Flow_UM

20.1 Potential_Flow_UM

numerical solver for flow on an unstructured mesh (triangulation) by means of the Finite Element Method

20.2 assemble_potential_matrix

21 rating-curve

21.1 ChezyRatingCurve

rating curve, Chezy formalism

21.2 DynamicKeuleganRC

Dynamic Rating Curve, Keulegan roughness formulation (dynamic = correction for hysteresis loop)

21.3 DynamicManningRC

Dynamic Rating Curve, Manning roughness formulation (dynamic = correction for hysteresis loop)

21.4 DynamicPowerRC

Dynamic Power Law Rating curve
(dynamic = correction for hysteresis loop)

${\bf 21.5}\quad {\bf Keulegan Rating Curve}$

21.6 ManningRatingCurve

21.7 PolyRatingCurve

21.8 PowerRatingCurve

stationary rating curve, power law

${\bf 21.9} \quad {\bf PowerRatingCurveOffset}$

stationary rating curve, stage-discharge follows power law

21.10 RatingCurve

Fri Feb 13 10:02:52 CET 2015 rating curve superclass

21.11 csarea

 $predict\ cross\ sectional\ area\ from\ transverse\ bed\ level\ profile$ and surface elevation

21.12 csdischarge

compute discharge

21.13 csperimeter

compute wetted perimeter

21.14 csradius

compute hydraulic radius of the cross section

21.15 cswidth

determine cross section width

${\bf 21.16} \quad {\bf test_PowerRatingCurve}$

21.17 wfunc

determine channel width

22 shallow-water/@SWE

22.1 SWE

Class to solve the (cross sectionally averaged) shallow water equation (st venant equation)

${\bf 22.2}\quad bc_incoming_non_reflecting$

set non-reflecting boundary condition for the 1D SWE

22.3 bc_inflow

inflow boundary condition

22.4 bc_inflow_low_pass

set low frequency Dirichlet, high frequency pass boundary condition

22.5 bc_inflow_non_reflecting

set non-reflecting boundary condition

22.6 bc_level

set surface level as Dirichlet boundary condition

22.7 bc_level_sommerfeld

set surface level as boundary condition by sommerfeld method

22.8 bc_nonreflecting

set non-reflecting boundary condition extrapolate $\ensuremath{\text{0-order}}$

22.9 bc_reflecting

set reflecting boundary condition extrapolate 0-order and invert \boldsymbol{v}

22.10 dot

time derivative (only for matlab internal ode-solver) TODO this is not swe specific continuity dA/dt + dQ/dx = I

momentum

```
dQ/dt + d/dx(Qu + 1/2 gh^2) = gA(S_f - S_b)

S_b = dz_b/dx

S_f = tau_x/rho_w = C_f u|u|
```

$22.11 dt_cfl$

determine time step required by cfl

22.12 energy

determine total energy as sump of potential and kinetic energy this is preserved for fricitionless flows

22.13 flux

st venant's shallow water equation fluw

22.14 flux_lin

linearised st-venant equation

22.15 fluxmateig

eigenvalues und vectors of the swe

22.16 jacobian

```
Jacobian of the SWE
```

```
dq/dt + J dq/dx = sourceterm
note: d/dx(A*q) = J dq/dx
```

22.17 lindot

linearised SWE width variation not included, goes into rhs force term

[0, 1] [A] = [Q]
[
$$-u^2+gH$$
, $2u$] [Q] dx [Q $^2/A+1/2gA^2/w$] $dx - 1/2gA^2/w^2$ dw/dx force term

22.18 roe_average

roe average for the SWE

22.19 solve_analytic

linearised analytic solution of the swe

22.20 solve_stationary

stationary solution to the SWE

22.21 source_bed_level

source term of the SWE caused by a change of the bed level

Note: this term causes splitting and averaging methods to fail to give accurate predictions of the smooth surface at steps of the bed

22.22 source_friction

friction source term of the SWE

22.23 source_width

source term (reaction term) for channels with variable width

22.24 swe_geometry

predefined functions to set up channel geometry

22.25 swe_ic

predefined functions of channel geometries

23 shallow-water/ $@SWE_2d$

23.1 SWE_2d

Dynamic solution of the shallow water equation (depth average, 2D)

23.2 apply_boundary_condition_stationary

apply boundary condition for stationary flow

23.3 assemble_stationary

TODO, g should be replaced by gx,gy,gz, see chaudhri assemble discretisation matrix for stationary flow

23.4 solve_stationary

solve SWE for statinary flow (dU/dt = dQ/dt = 0)

24 shallow-water

24.1 sw_reflection

reflection coefficients of shallow water waves at a sudden change of the cross section (sudden change of admittance) c.f. lighthill, ippen-harleman

24.2 sw_reflection_stepwise

```
time passes and phase shifts
transmission and reflection coefficient depend on direction !
iterative (recursive) reflection and transmission
```

25 open-channel-flow

```
functions for open channel flow, sub modules:
@Backwater1D
       gradually varied flow in 1D (backwater)
@Potential_Flow
       depth averaged potential flow, numerical solution
@Potential_Flow_Analytic
       depth averaged potential flow, analytical solution
rating-curve
       empirical rating curves
@Side_Weir
       analytical solution to lateral outflow over a side weir
@SWE
       dynamical solution of the shallow water equation (saint-
           venant-equation)
@SWE_2d
       dynamical solution of the shallow water equation (saint-
           venant-equation)
velocity-profile
       vertical and transverse velocity profiles of the streamwise
           velocity
```

25.1 stage2discharge

26 test/test_Backwater1D

26.1 test_bw1d_solve_matrix

27	test
27.1	$test_inverse_backwater_curve$
07.0	
27.2	$test_normal_flow$
27.3	$test_nse_nz$
28	uniform-stationary-flow
28.1	chezy2drag
28.2	${ m chezy2f}$
28.3	chezy2manning
conve	ert chezy to manning
28.4	${ m chezy2z0}$
28.5	$critical_flow_depth$
criti	cal flow depth in uniform stationary flow

28.6 drag2chezy

convert drag coefficient to chezy coefficient
g dz_s/dx + cd w u^2/h = 0 (swe formalism)
 - S + 1/C^2 U^2/H = 0 (chezy formalism)

28.7 f2chezy

28.8 ks2z0

28.9 manning2chezy

manning to chezy conversion

28.10 manning2drag

28.11 manning2kc

28.12 manning2z0

28.13 normal_flow_depth

normal flow depth for uniform stationary flow function H = normal_flow_depth(Q,W,C,S)

28.14 normal_flow_depth_

normal flow depth in uniform stationary flow

28.15 normal_flow_discharge

normal flow discharge for uniform stationary flow

28.16 normal_flow_slope

energy slope (surface slope) for uniform stationary flow normal flow slope in uniform stationary flow

28.17 normal_flow_velocity

normal flow velocity in uniform stationary flow

28.18 normal_shear_velocity

28.19 shear_velocity

28.20 z02chezy

$28.21 \quad z02ks$

29 velocity-profile/@Log_profile

29.1 Log_profile

logarithmic profile of the streamwise velocity

29.2 df_dh

sensitivity of profile with respect to depth

29.3 df_dh_

sensitivity of profile with respect to depth

29.4 df_dln_z0

sensitivity of velocity profile with respect to roughness length

$29.5 df_dln_z0_$

sensitivity of profile with respect to roughness length

29.6 profile

vertical profile of the streamwise velocity

29.7 profile_

scale of velocity at instrument depth to depth average velocity roughness length and associated standard error can change in time, i.e. may be passed as vectors

zs : [1xn] water surface level

zb : [1x1] bottom level
za : [1xn] or [1x1]

```
level of velocity measurement,
   i.e. level of HADCP beam bin centre, coincides with
        instrument level,
   if the HADCP is horizontally aligned
   only needs to be passed as vector if instrument is
        redeployed or
   becomes misaligned
ln_z0 : [1xn] or [1x1]
   natural logarithm of the roughness length
s : [1xn] or [1x1]
   standard error of ln_z0
function [fz_mu fz_s fz_sp fz_bias fz_eps] = log_profile(zs,zb,za,ln_z0,s,sp,e)
```

29.8 profile_bias

29.9 regmtx

regression matrix

29.10 ubar

depth averaged velocity

30 velocity-profile/@Log_profile_with_bend_correction

30.1 Log_profile_with_bend_correction

vertical velocity profile corrected for bend flow

$30.2 df_dc$

sensitivity of the velocity profile with respect to the bend correction parameter c

 $30.3 ext{d}f_{-}dc_{-}$

 $30.4 \quad du_dz$

30.5 fit

fit the vertical velocity profile

30.6 profile_

vertical velocity profile

30.7 regmtx

regression matrix

30.8 u

streamwise velocity

30.9 u₋

streamwise velocity

- ${\it 31} \quad velocity-profile/@Log_profile_with_cubic_wake$
- ${\bf 31.1}\quad Log_profile_with_cubic_wake$

log profile with cubic wake

$31.2 ext{d}f_{-}dc$

sensitivity of profile with respect to wave parameter

$31.3 ext{d}f_{-}dc_{-}$

sensitivity of profile with respect to wake parameter

31.4 profile_

vertical velocity profile

31.5 regmtx

regression matrix

$32 \quad velocity-profile/@Log_profile_with_dip$

32.1 Log_profile_with_dip

Logarithmic profile with dip

32.2 fit

fit the vertical velocity profile

$33 \quad velocity-profile/@Log_profile_with_linear_bend_correction$

${\bf 33.1} \quad Log_profile_with_linear_bend_correction$

log profile with linear bend correction

$33.2 ext{d}f_{-}dc$

sensitivity of profile with respect to wake parameter

$33.3 ext{df_dc_}$

sensitivity of velocity profile with respect to wave parameter

$33.4 du_dz$

velocity shear along vertical

33.5 profile_

velocity profile

33.6 regmtx

regression matrix

$34 \quad velocity-profile/@Log_profile_with_wake$

$34.1 \quad Log_profile_with_wake$

logarithmic velocity profile with wake correction ${\tt c.f.}$ coles

$34.2 ext{d}f_{-}dc$

sensitivity of profile with respect to wake parameter

$34.3 ext{df_dc_}$

sensitivity of velocity profile with respect to wake parameter

$34.4 du_dz$

velocity shear

34.5 profile_

predict velocity profile

34.6 regmtx

```
log law with wake u = us/k \ln(z) - us/k \ln(z0) + us/k (2/H^2 z - 3/H^3 z^2)
```

35 velocity-profile/@VP

35.1 VP

velocity profile

35.2 process_joint

35.3 process_transverse_profile

process the transverse velocity profile

35.4 process_vertical_profile

 $\begin{array}{c} \text{predict vertical profile error distribution parameter for HADCP} \\ \text{error estimate} \end{array}$

35.5 profile_prediction_error

```
input :
      : [nbin x nens]
        - values for each bin (or across section) and ensemble (or
            reference measurement)
        this are estimates estimates of the discharge or the cross
            sectional averaged
        velocity from the raw values
        - the profile should be limited to the effective profiling
           range,
        abobj 75-100m for a 600kHz ADCP
      : distance between HADCP bins
width : cross section width
objput:
      sd_n : expected standard deviation for increasing profiling
          range
function [s_rel s_err s_dat rho res m2 u_pred fdx] =
   velocity_variation(U)
hadcp_prediction_error
TODO take scales and unscaled velocity to do combine with harmmean
    estimate
note: previus versions:
       residual was computed with respect to the predicted local
       mse was not upscaled to cs, as profile was expected to cover
           entire cs
       finite width of cs was not considered
parametric estimate from moments, objliers should be filtered
    beforehand
Note that the median absolute deviation is not a good estimate,
because it may excludes rare events like reverse flow of floods
thus, the only acceptible more robust estimate would be mean
    absolute deviation
```

36 velocity-profile/@Vertical_profile

36.1 Vertical_profile

vertical profile of the streamwise velocity, superclass

36.2 fit

```
fit vertical velocity profile parameter
function obj = fit(obj,U,S,h,binmask)
```

36.3 u

predict velocity along the vertical based on profile

37 velocity-profile

37.1 fit_displacement_profile

fit the log profile to the vertical profile of the streamwise velocity $% \left(1\right) =\left(1\right) \left(1\right) \left($

37.2 lateral_division_method

37.3 test_law_of_the_wall_fit

37.4 transverse_profile_parameter

37.5 transverse_velocity_profile

transverse profile of the streamwise velocity c.f. shiono knight

37.6 transverse_velocity_profile_olesen

transverse profile of the streamwise velocity in a meander bend

37.7 transverse_velocity_profile_rozovskii

```
transversal velocity distribution in a bend
Rososkii,
as in the book central differences along the radius and euler
    forward in space
are used, note that since the advent of the computer more advanced
    schemes
could be used (see build in solvers)
cfl condition is not explicitely checked
Rosovsky assumes a constant water level, e.g. does not consider
    superelevation

I_theta = -1/r dz/d_theta (p. 22)
d_theta = 1/R ds|_R
=> I_theta = -R/r dz/ds = -R/r I_0
It : (1.32) drop of level per unit angle, identical across section
```

37.8 transverse_velocity_profile_shiono_knight

```
transverse profile of the streamwise velocity, determined
    analytically
by the method of shiono and knight
shape of velocity profile only dependent on lambda, f, H, not slope
```

37.9 transverse_velocity_profile_tidal_channel

37.10 transverse_velocity_profile_with_slope

```
stationary 1D shallow water equation across a river section
0 = - g h S0 - tau_b/rho + d/dn (nu h du/dn)
0 = - g h S0 + g u^2/C^2 + d/dn (nu h du/dn)
includes tranvese gradient term

note that shiono/knight 1991 provide an _analytic_ solution,
```

which takes the form of an expontially decaying side wall effect

${\bf 37.11} \quad {\bf vertical_profile_of_velocity_vriend}$

vertical profile of the streamwise velocity, method of de vriend

37.12 vertical_velocity_profile

vertical profile of the streamwise velocity in non-uniform flow

37.13 z2s_rational

38 wrapper

38.1 discharge 2 stage

wrapper function

38.2 stage2discharge