# Manual for Package: sediment-transport
# Revision 1:4M

Karl Kästner

November 10, 2019

## Contents

# 1 t/@Hermite_profile

## 1.1 Hermite_profile

```
suspended sedimen profile in form of a hermite polynomial
```

## 1.2 fit

```
fit suspended sediment profile
```

### 1.3 predict

```
predict suspended sediment concentration
```

### 1.4 regmtx

```
regression matrix
```

### 1.5 transform

```
hermite profile
```

## 2 t/@Nodal_Point

### 2.1 Adot

```
ODE of the nodal point relation (time-derivative of branch cs-area)
```

### 2.2 Nodal_Point

```
Nodal point relation for bifurcations, according to Wang
```

### 2.3 Qs_in

```
sediment entering branches
```

### 2.4 Qs_out

```
sediment leaving branches
```

### 2.5 derive_jacobian

```
derive Jacobian of the nodal point relation
```

### 2.6 discharge

```
discharge through branches
```

### 2.7 geometry

```
cross section geometry of branches
```

### 2.8 jacobian

```
jacobian of the nodal point relation
semi-autogenerated
```

### 2.9 phase_diagram

```
phase diagram
```

### 2.10 phase_diagram_wang

```
phase diagram of Nodal point relation
```

### 2.11 solve

```
solve the nodal point relation for critical points
```

### 2.12 stability_analysis

```
staility analysis for a given configuration
```

## 3 t/@Parabolic_Constant_Profile

### 3.1 Parabolic_Constant_Profile

```
parabolic-constant profile
```

### 3.2 fit

```
fit the suspended sediment concentration profile
```

### 3.3 predict

```
predict suspended sediment concentration
```

### 3.4 regmtx

```
regression matrix
```

### 3.5 transform

```
transformation of vertical coordinate
```

## 4 t/@Rouse_Profile

### 4.1 Rouse_Profile

```
suspended sediment concentration profile
```

### 4.2 fit

```
fit the suspended sediment concentration profile
```

### 4.3 predict

```
predict the suspended sediment concentration
```

### 4.4 regmtx

```
regression matrix
```

### 4.5 rouse_number

```
rouse number (suspension number) for given grain siye and shear
    velocity
```

### 4.6 rouse_number_to_grain_diameter

```
convert known rous number (suspension parameter) to grain size
    diameter
```

### 4.7 set_parameters

### 4.8 transform

```
transform the vertical coordinate
```

## 5 t

### 5.1 Exponential_SSC_Profile

### 5.2 adaptation_length_bed

```
adaptatoion lenght of bed morphology
```

### 5.3 adaptation_length_flow

```
adaption length of the flow
```

### 5.4 bar_mode_crosato

```
bar mode of a river according to crosato
```

### 5.5 bed_layer_thickness

### 5.6 bed_load_einstein

```
bed load transport according to einstein jr.
```

### 5.7 bed_load_engelund_fredsoe

```
bed load transport according to engelund and fredsoe
```

### 5.8 bed_load_transport_mpm

```
bed load transport rate according to meyer-peter-mueller
```

### 5.9 bed_load_transport_rijn

```
bed load transport
method of van Rijn (1984)

function [Q_b q_b Phi_b] = bed_load_transport_rijn(C,d50,d90,U,d,b)

d50 [mm] (converted to m)
d90 [mm] (converted to m)

d : depth
b : width
```

### 5.10 bed_load_transport_wu

```
bed load transport according to Wu
```

### 5.11 bedform_dimension_rijn

```
bed form dimensions
cf. rijn 1984 iii
```

### 5.12 bedform_roughness_rijn

```
form drag according to van Rijn
```

### 5.13 bedload_direction

```
bedload transport direction
```

### 5.14 bifurcation_critical_aspect_ratio

```
critical aspect ratio of a bifurcation
c.f. redolfi and pittaluga
```

### 5.15 chezy_einstein

```
chezey coefficient according to Einstein
```

### 5.16 chezy_roughness_engelund_fredsoe

```
chezy rougness according to engelund and fredsoe
```

### 5.17 chezy_to_manning

```
convert chezy to manning
```

### 5.18 critical_grain_size

```
critical grain size for a given shear velocity
```

### 5.19 critical_shear_stress

```
critical shear Stress
```

### 5.20 critical_shear_stress_ratio

```
critical shields parameter
aka critical shear stress ratio
aka shields curve
```

### 5.21 critical_shear_stress_wu

```
critical shear stress, according to wu
```

### 5.22 critical_shear_velocity

```
critical shear velocity
```

### 5.23 dimensionless_grain_size

```
dimensionless grain size
```

### 5.24 dynamic_shear_stress

```
dynamic shear stress
```

### 5.25 fractional_transport_engelund_hansen

```
fractional sediment transport according to engelund and hansen
```

### 5.26 grain_roughness_rijn

```
grain roughness (skin friction) according to van Rijn
```

### 5.27 hiding_exposure_wu

### 5.28 manning_to_chezy

```
manning to chezy conversion
```

### 5.29 reference_concentration_smith_lean

```
reference concentration according to smith and mclean
```

### 5.30 saltation_layer_thickness

### 5.31 sediment_transport_directed

```
directed sediment transport
```

### 5.32 sediment_transport_engelund_hansen_2

```
sediment transport according to engelund and hansen
```

### 5.33 sediment_transport_waves

```
sediment transport by waves
```

### 5.34 settling_velocity

```
Settling velocity
5.23d in julien-2010
```

### 5.35 settling_velocity_cheng

```
settling velocity according to cheng
```

### 5.36 settling_velocity_gravel

```
settling velocity in water
```

### 5.37 settling_velocity_stokes

```
stokes settling velocity
d : [mm] diameter of sediment particle
ws : [m/s] settling velocity
          signed ws < 0 : falling
(Note: was R, radius in m)

valid for small particles
```

### 5.38 settling_velocity_to_diameter

```
invert settling velocity to diameter
```

### 5.39 shields_number

```
normalized shear stress, shear stress ratio
```

### 5.40 skin_2_total_friction_eh

```
skin friction to total friction conversion according to engelund
    and hansen
```

### 5.41 suspended_grain_size

```
suspended grain size distribution based on bed material grain size
    distribution

assumes that probability of suspension is inverse proportional to
    grain diameter
as in Engelund-Hansen transport relation
- no hiding effects considered
- no threshold for large grains applied
- no flocking considered
```

```
note: actual distribution varies with the depth

d    : [1xnd] grain size in arbitrary units (on linear, not on log
    scale)
h_bed : [nsxnd] fractions of sediment of size d
```

### 5.42 suspended_grain_size_non_linear

```
suspended grain size distribution based on bed material grain size
    distribution

assumes that probability of suspension is inverse proportional to
    grain diameter
as in Engelund-Hansen transport relation
- no hiding effects considered
- no threshold for large grains applied
- no flocking considered
note: actual distribution varies with the depth

d    : [1xnd] grain size in arbitrary units (on linear, not on log
    scale)
h_bed : [nsxnd] fractions of sediment of size d
```

### 5.43 suspended_grain_size_rijn

```
grain size of the suspended sediment according to van rijn,
    empirical
```

### 5.44 suspended_transport_mclean

### 5.45 suspended_transport_rijn

```
suspended load transport according to van Rijn
```

### 5.46 suspended_transport_wu

```
suspended sediment transport according to Wu
```

# 6 t/test

## 6.1 test_adaptation_length_bed

## 6.2 test_critical_shear_stress

## 6.3 test_settling_velocity_to_diameter

# 7 t

## 7.1 total_roughness_engelund_fredsoe

```
roughness lenght according to engelund and fredsoe
```

## 7.2 total_roughness_rijn

```
total roughness according to van rijn
```

## 7.3 total_transport_bagnold

```
total sediment transport accoding to bagnold
```

## 7.4 total_transport_eh_distribution

```
total sediment transport according to engelund hansen
for a given graqin size distribution
```

## 7.5 total_transport_engelund_hansen

```
total sediment transport according to Engelund and Hansen
```

### 7.6 total_transport_rijn

total sediment transport according to van rijn

### 7.7 transport_stage_mclean

transport stage according to McLean

### 7.8 transport_stage_rijn

transport stage as defined by van Rijn

### 7.9 vertical_ssc_profile_mclean

vertical profile of the suspended sediment according to McLean