
Part 2

Objectives

Section 2.1. Application

2.1.1. Application

2.1.1.1. Application

- 1)** This Part applies to all *buildings* covered in this Code. (See Article 1.1.1.1.)

2.1.1.2. Application of Objectives

(See Note A-2.2.1.1.(1).)

- 1)** Except as provided in Sentences (2) to (6), the objectives described in this Part apply

- a) to all *buildings* covered in this Code (see Article 1.1.1.1.), and
- b) only to the extent that they relate to compliance with this Code as required in Article 1.2.1.1.

- 2)** Objective OS4, Resistance to Unwanted Entry, applies only to *dwelling units* in *buildings* covered in Part 9 of Division B. (See Article 1.3.3.3.)

- 3)** Objective OH3, Noise Protection, applies only to *dwelling units*.

- 4)** Objective OH5, Hazardous Substances Containment, applies only to the extent defined in

- a) Book II (Plumbing Systems) of this Code, and
- b) the British Columbia Fire Code.

- 5)** Objective OA, Accessibility (including Objectives OA1, Accessible Path of Travel, and OA2, Accessible Facilities), does not apply to

- a) reserved
- b) *buildings* of Group F, Division 1 *major occupancy*, and
- c) *buildings* that are not intended to be occupied on a daily or full-time basis, including automatic telephone exchanges, pumphouses and substations.

- 6)** Objective OE, Environment, applies only to

- a) *buildings* of *residential occupancy* to which Part 9 of Division B applies,

-
- b) *buildings containing business and personal services, mercantile or low-hazard industrial occupancies* to which Part 9 of Division B applies whose combined total floor area does not exceed 300 m², and
 - c) *buildings containing a mix of the residential and non-residential occupancies* described in Clauses (a) and (b).
- (See Note A-2.1.1.2.(6).) (See also Article 1.3.3.3.)

Section 2.2. Objectives

2.2.1. Objectives

2.2.1.1. Objectives

- 1)** The objectives of this Code are as follows (see Note A-2.2.1.1.(1)):

OS Safety

An objective of this Code is to limit the probability that, as a result of the design, construction or demolition of the *building*, a person in or adjacent to the *building* will be exposed to an unacceptable risk of injury.

OS1 Fire Safety

An objective of this Code is to limit the probability that, as a result of the design or construction of the *building*, a person in or adjacent to the *building* will be exposed to an unacceptable risk of injury due to fire. The risks of injury due to fire addressed in this Code are those caused by-

- OS1.1 — fire or explosion occurring
- OS1.2 — fire or explosion impacting areas beyond its point of origin
- OS1.3 — collapse of physical elements due to a fire or explosion
- OS1.4 — fire safety systems failing to function as expected
- OS1.5 — persons being delayed in or impeded from moving to a safe place during a fire emergency

OS2 Structural Safety

An objective of this Code is to limit the probability that, as a result of the design or construction of the *building*, a person in or adjacent to the *building* will be exposed to an unacceptable risk of injury due to structural failure. The risks of injury due to structural failure addressed in this Code are those caused by-

- OS2.1 — loads bearing on the *building* elements that exceed their *loadbearing* capacity
- OS2.2 — loads bearing on the *building* that exceed the *loadbearing* properties of the supporting medium
- OS2.3 — damage to or deterioration of *building* elements
- OS2.4 — vibration or deflection of *building* elements
- OS2.5 — instability of the *building* or part thereof