

```
+-----+-----+-----+-----+-----+
4 rows in set (0.00 sec)
```

```
mysql> start transaction;
Query OK, 0 rows affected (0.00 sec)
```

```
mysql> save point ini;
ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that corresponds to your MySQL server version for the right syntax to use near 'save point ini' at line 1
```

```
mysql> savepoint ini;
Query OK, 0 rows affected (0.00 sec)
```

```
mysql> insert into book(5,'pip','john',1000,'python.org');
ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that corresponds to your MySQL server version for the right syntax to use near '5,'pip','john',1000,'python.org')' at line 1
mysql> insert into book values(5,'pip','john',1000,'python.org');
Query OK, 1 row affected (0.00 sec)
```

```
mysql> select*from book;
```

s_no	b_name	author	price	publisher
1	c programe	ramesh	7809	c.net
2	data structure	rajesh	9087	structures.net
3	java	ravi	999	java.net
4	java script	rocket	4566	java.org
5	pip	john	1000	python.org

```
+-----+-----+-----+-----+-----+
5 rows in set (0.00 sec)
```

```
mysql> save point ins;
ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that corresponds to your MySQL server version for the right syntax to use near 'save point ins' at line 1
```

```
mysql> savepoint ins;
Query OK, 0 rows affected (0.00 sec)
```

```
mysql> savepoint ini;
Query OK, 0 rows affected (0.00 sec)
```

```
mysql> insert into book _
```

5 rows in set (0.00 sec)

```
mysql> insert into book value(1,'c programe','ramesh',7809,'c.net');
Query OK, 1 row affected (0.01 sec)
```

```
mysql> insert book value(2,'data structure','rajesh',9087,'structures.net');
Query OK, 1 row affected (0.00 sec)
```

```
mysql> insert book value(3,'java','ravi',999,'java.net');
Query OK, 1 row affected (0.00 sec)
```

```
mysql> select*from book;
```

s_no	b_name	author	price	publisher
1	c programe	ramesh	7809	c.net
2	data structure	rajesh	9087	structures.net
3	java	ravi	999	java.net

3 rows in set (0.00 sec)

```
mysql> insert into book value(4,'java script','rocket',4566,'java org');
Query OK, 1 row affected (0.00 sec)
```

```
mysql> select*from book;
```

s_no	b_name	author	price	publisher
1	c programe	ramesh	7809	c.net
2	data structure	rajesh	9087	structures.net
3	java	ravi	999	java.net
4	java script	rocket	4566	java org

4 rows in set (0.00 sec)

```
mysql> start transaction;
Query OK, 0 rows affected (0.00 sec)
```

```
mysql> save point ini;
```

Enter password: *****

Welcome to the MySQL monitor. Commands end with ; or \g.

Your MySQL connection id is 17

Server version: 8.0.30 MySQL Community Server - GPL

Copyright (c) 2000, 2022, Oracle and/or its affiliates.

Oracle is a registered trademark of Oracle Corporation and/or its affiliates. Other names may be trademarks of their respective owners.

Type 'help;' or '\h' for help. Type '\c' to clear the current input statement.

mysql> use dbms;

Database changed

mysql> create table book(s_no int(10),b_name varchar(20),author varchar(20),price int(20),publisher varchar(20));

ERROR 1050 (42S01): Table 'book' already exists

mysql> drop table book;

Query OK, 0 rows affected (0.01 sec)

mysql> create table book(s_no int(10),b_name varchar(20),author varchar(20),price int(20),publisher varchar(20));

Query OK, 0 rows affected, 2 warnings (0.02 sec)

mysql> describe book

-> ;

Field	Type	Null	Key	Default	Extra
s_no	int	YES		NULL	
b_name	varchar(20)	YES		NULL	
author	varchar(20)	YES		NULL	
price	int	YES		NULL	
publisher	varchar(20)	YES		NULL	

5 rows in set (0.00 sec)

mysql> insert into book value(1,'c programe','ramesh',7809,'c.net');

Query OK, 1 row affected (0.01 sec)

mysql> insert book value(2,'data structure','rajesh',9087,'structures.net');