TOP FARM ERP

Module 1: Top Farm Core

Functional Guide with Screenshots and Test Report

Farm / Batch / Cage hierarchy, live bird tracking, flock lifecycle, Batch + Cage analytic costing and farm security roles, tested on a fresh Odoo 19 Enterprise database.

Item	Detail
Module	`top_farm_core` version 19.0.1.0.0 (LGPL-3)
Platform	Odoo 19.0 Enterprise
Test database	`topfarm_enterprise` (new database, no Odoo demo data)
Test date	29 September 2026
Result	**16 / 16 automated tests passed; 7 / 7 acceptance checks passed**

Automated tests	Acceptance checks	Screens verified	Defects found
16 passed, 0 failed, 0 errors	**7 of 7 passed**	**27 screens**, no client errors	**2 code + 1 configuration**, all fixed and re-tested

Contents

1. Summary 3
Results at a glance 3
2. Test environment and test data 4
2.1 Environment 4
2.2 Test users 4
2.3 Farm data set used for testing 4
3. What the module adds 6
3.1 Menus and buttons 6
3.2 Fields added 6
3.3 How costs reach the Batch and Cage 6
4. Screen-by-screen guide 8
4.1 Navigation 8
4.2 Farm, batch and cage hierarchy 10
4.3 Search, filters and grouping 15
4.4 Flock lifecycle 16
4.5 Validation guards 18
4.6 Product set-up 19
4.7 Analytic accounting 20
4.8 Security roles 24
5. Test results 29
5.1 Automated tests 29
5.2 Acceptance checklist (implementation plan section 7) 30
6. Defects found and fixed 31
7. Open items and recommendations 32
Appendix A: Corrections to the implementation plan 33

1. Summary

This document walks through every screen that Module 1 (`top_farm_core`) adds to Odoo 19 Enterprise, explains what each one is for, and records the results of the automated and acceptance testing carried out on a new Enterprise database.

Module 1 is the foundation for the other three Top Farm modules (Operations, Mortality, Dashboard). It adds no daily transactions of its own. Instead it provides:

- **A 3-level location hierarchy**: Farm Facility, then Batch / Flock, then Cage Sublocation. Each cage finds its batch automatically.
- **Flock lifecycle stages** (Pre-Laying, Laying, Spent) held on the batch and followed automatically by its cages, plus flock age in weeks.
- **Live bird counts** read directly from on-hand stock (with hatchery lots) at cage, batch and farm level, with no manual counters.
- **Batch + Cage analytic costing**: every cost-bearing stock move out of a cage (feed, medication, mortality) creates ONE analytic line carrying both the Batch and the Cage account.
- **Two security roles**: Farm Operator / User and Farm Manager / Supervisor.

Results at a glance

Area	Result	Notes
Automated tests (Odoo test runner)	**PASS**	16 of 16 passed on Enterprise in 5.3 s. Same suite also passed on a Community database.
Acceptance checklist (plan section 7)	**PASS**	All 7 scenarios executed in the browser; see section 5.
Screens (27 screenshots)	**PASS**	Every screen loaded without a client error for admin, operator and a plain inventory user.
Defects	**FIXED**	Two code defects and one configuration issue were found during testing, fixed and re-tested; see section 6.

2. Test environment and test data

2.1 Environment

Item	Value
Odoo edition / version	Odoo 19.0 Enterprise (Enterprise addons 19.02)
Database	`topfarm_enterprise`, created for this test, without Odoo demo data
Installed apps	Top Farm Core, Inventory, Accounting (accountant), plus modules Odoo installs automatically
Chart of accounts	Odoo generic chart (generic_coa)
Inventory valuation	Perpetual (real time), standard cost, on the four farm product categories
Settings enabled	Storage Locations, Lots & Serial Numbers, Analytic Accounting
Browser checks	Chrome (headless), 1440 x 900, as admin, Farm Operator and Warehouse Clerk

2.2 Test users

User (login / password)	Role	Purpose in the test
Administrator (admin / admin)	Farm Manager	Superuser; runs configuration and the laying-phase transition
Farm Operator (operator / operator123)	Farm Operator / User	Checks that operators cannot start the laying phase or delete locations
Farm Manager (manager / manager123)	Farm Manager / Supervisor	Manager role holder
Warehouse Clerk (clerk / clerk123)	Inventory User only	Checks that non-farm users do not see the farm app or farm fields

2.3 Farm data set used for testing

Location	Level	Arrival / age	Live birds	Analytic account
WH/Stock/Farm 1	Farm	-	5,328	-
Batch C-01	Batch	12 May, 20.0 wk	2,978	Batch C-01 (Flock Batch Plan)
Cage A-01	Cage	inherits 20.0 wk	988	Cage A-01 (Cage Row Plan)
Cage A-02	Cage	inherits 20.0 wk	980	Cage A-02 (Cage Row Plan)
Cage A-03	Cage	inherits 20.0 wk	1,010	Cage A-03 (Cage Row Plan)
Batch C-02	Batch	21 Jul, 10.0 wk	2,350	Batch C-02 (Flock Batch Plan)

Location	Level	Arrival / age	Live birds	Analytic account
Cage B-01	Cage	inherits 10.0 wk	1,200	Cage B-01 (Cage Row Plan)
Cage B-02	Cage	inherits 10.0 wk	1,150	Cage B-02 (Cage Row Plan)
Feed Silo 1	(none)	-	-	-

Transactions recorded on this data:

- Two hatchery receipts from "Golden Hatchery Co.": 2,990 birds into the C-01 cages (lot LOT-2026-01) and 2,350 into the C-02 cages (lot LOT-2026-02). Product: Layer Hen - Lohmann Brown, cost 2.50.
- Feed receipt of 5,000 kg Layer Mash Feed (cost 0.50/kg) into Feed Silo 1.
- Mortality scrap SP/00002: 12 birds from Cage A-01 to the Mortality Loss location.
- Feed issue WH/INT/00003: 50 kg for Cage A-02 and 40 kg for Cage B-01 from the silo to Feed Consumption (the same issue as WH/INT/00001, re-done after defect D-02 was fixed).
- Laying phase started on Batch C-01 through the button (Figure 12).

3. What the module adds

3.1 Menus and buttons

Where	What it opens / does	Who sees it
Top Farm (app on the home screen)	The Top Farm application	Farm Operators and Farm Managers
Top Farm > Farm Configuration > Farm, Batch & Cage Hierarchy	List of all farm, batch and cage locations, grouped by parent batch	Operators (read and edit), Managers (full)
Location form > Cages (smart button)	The cages under a farm or batch	Farm users
Location form > Live Birds (smart button)	On-hand live birds, per cage and lot	Farm users
Batch form > Start Laying Phase (Week 19)	Moves the flock from Pre-Laying to Laying; its cages follow	Farm Managers only
Product form > Is Live Farm Bird	Marks the products counted as live birds	Anyone who can edit products
Settings > Users > Access Rights > Poultry Farm	Assigns Farm Operator or Farm Manager	Administrators

3.2 Fields added

Field	Where	Meaning
Farm Hierarchy Level	Location	Farm Facility, Batch / Flock or Cage Sublocation
Parent Batch Location	Location	Filled automatically: the batch a cage belongs to (a batch points to itself)
Flock Lifecycle Stage	Location	Pre-Laying, Laying or Spent. Set on the batch; cages always follow their batch
Chick Arrival Date	Location (batch)	Date the chicks or pullets arrived; entered on the batch
Flock Age (Weeks)	Location	Weeks since arrival, recalculated every day; cages show their batch age
Farm Analytic Account	Location	Batch account (Flock Batch Plan) or cage account (Cage Row Plan)
Live Birds / Cages	Location	Birds on hand (from stock) and number of cages below the location
Is Live Farm Bird	Product	Only flagged products are counted as live birds
Farm Cage Location	Stock move (technical)	Cage to charge a move to; set by the feed log / cron in Module 2

3.3 How costs reach the Batch and Cage

When a stock move leaves stock towards a consumption, scrap or production location, the module looks for the cage responsible, in this order: (1) the cage stamped on the move by Module 2 or Module 3, (2) the source location when it is a cage, (3) the cage of the egg-collection manufacturing order (Module 2). It then writes one analytic line with the batch account in the Flock Batch Plan column and the cage

account in the Cage Row Plan column. Incoming moves (birds or eggs arriving) are never tagged, so no cost is counted twice.

4. Screen-by-screen guide

4.1 Navigation

Figure 1: Home screen with the Top Farm app




Figure 1. Home screen with the Top Farm app

After installation, **Top Farm** appears as its own application (green egg icon) next to Inventory and Accounting. Only users with a Poultry Farm role see it (compare Figure 26).

The blue banner is the standard Odoo Enterprise notice for an unregistered test database. It has nothing to do with the module.

Figure 2: Top Farm Core in the Apps list




Figure 2. Top Farm Core in the Apps list

Apps > search "Top Farm". The module **Top Farm Core - Poultry Hierarchy & Analytics** is installed and has its own category, **Poultry Farm Operations**, in the left panel. It depends only on Inventory, Stock Accounting and Analytic.

Figure 3: Top Farm menu structure




Figure 3. Top Farm menu structure

Module 1 adds one configuration menu: **Top Farm > Farm Configuration > Farm, Batch & Cage Hierarchy**. Modules 2 to 4 will add their menus (Farm Operations, Mortality, Dashboard) inside the same Top Farm app.

4.2 Farm, batch and cage hierarchy

Figure 4: Hierarchy list grouped by parent batch




Figure 4. Hierarchy list grouped by parent batch

The main working list. It opens grouped by **Parent Batch**, so each flock is shown with its cages underneath. Farm 1 is listed under "None" because a farm sits above the batches.

Columns: hierarchy level (blue Farm, orange Batch, green Cage), the automatically resolved parent batch, the flock stage, flock age in weeks, live birds counted from stock, and the farm analytic account.

What to check

- Batch C-01 shows 2,978 birds = 988 + 980 + 1,010 (its three cages).
- Farm 1 shows 5,328 = both batches together.
- Cages show the same age as their batch (20.0 and 10.0 weeks).

Figure 5: Farm Facility form (Farm 1)




Figure 5. Farm Facility form (Farm 1)

The standard Inventory location form gains a **Poultry Farm Operations & Analytics** section. For a farm only the level and an optional analytic account apply; stage and arrival date are hidden.

Smart buttons at the top: **Cages 5** (all cages in both batches) and **Live Birds 5,328**.

Figure 6: Batch / Flock form before the laying phase




Figure 6. Batch / Flock form before the laying phase

The batch form shows the **Start Laying Phase (Week 19)** button (managers only) and the lifecycle status bar Pre-Laying > Laying > Spent.

The Chick Arrival Date (12 May) gives a Flock Age of **20.0 weeks**, recalculated every day. The batch is mapped to analytic account **Batch C-01** in the Flock Batch Plan.

What to check

- Smart buttons: Cages 3, Live Birds 2,978.
- Status bar on Pre-Laying (Weeks 1-18).

Figure 7: Cage Sublocation form (Cage A-01)




Figure 7. Cage Sublocation form (Cage A-01)

Parent Batch Location is filled in automatically and cannot be edited. It is taken from the location tree, so moving a cage to another batch updates it.

The cage has no arrival date of its own: its stage and its age (20.0 weeks) come from Batch C-01. Its analytic account is **Cage A-01** in the Cage Row Plan.

What to check

- Live Birds 988 = 1,000 received minus 12 recorded as mortality (Figure 19).

Figure 8: Cages smart button




Figure 8. Cages smart button

Clicking **Cages** on Batch C-01 lists its three cages. Creating a new record from this list pre-fills the parent location (the batch) and the level (Cage).

Figure 9: Live Birds smart button: on-hand birds with their hatchery lot




Figure 9. Live Birds smart button: on-hand birds with their hatchery lot

Clicking **Live Birds** opens the on-hand stock of products flagged "Is Live Farm Bird" in the batch and its cages. The hatchery lot **LOT-2026-01** is kept on every cage.

These numbers come straight from stock, so they update automatically with every receipt, transfer or mortality scrap. There are no manual counters to keep in step.

4.3 Search, filters and grouping

Figure 10: Search filters and group-by options




Figure 10. Search filters and group-by options

New filters: **Farms, Flock Batches, Cages**, and **Pre-Laying Flocks, Active Laying Flocks, Spent Flocks**. New group-by options: **Hierarchy Level, Parent Batch, Flock Stage**.

The same options are also available in the standard Inventory > Configuration > Locations search.

Figure 11: Cages grouped by flock stage (before the transition)




Figure 11. Cages grouped by flock stage (before the transition)

Filter "Cages" combined with group-by "Flock Stage": all five cages are Pre-Laying. Only farm locations carry a stage, so ordinary warehouse locations never appear in these groups.

4.4 Flock lifecycle

Figure 12: Batch C-01 after "Start Laying Phase"




Figure 12. Batch C-01 after "Start Laying Phase"

A Farm Manager clicked **Start Laying Phase (Week 19)**. The stage moved to **Laying Phase (Weeks 19-72)** and the button disappeared, because it is only offered while the flock is Pre-Laying. The server also rejects the action for non-managers and for flocks that are not Pre-Laying.

Figure 13: Stage passed on to the cages




Figure 13. Stage passed on to the cages

All three C-01 cages switched to **Laying** automatically. Batch C-02 (10 weeks old) is unchanged. A cage added later to a laying batch starts directly in Laying.

4.5 Validation guards

Figure 14: Guard: a cage must sit under a batch




Figure 14. Guard: a cage must sit under a batch

We tried to create "Cage X-99" directly under Farm 1 (no batch in between). Odoo refused to save it with a **Validation Error**. The same guard stops a batch from being unclassified while cages are still under it.

Figure 15: Guard: batch and cage accounts must come from different analytic plans




Figure 15. Guard: batch and cage accounts must come from different analytic plans

We tried to give Cage A-02 the account "Batch C-02", which belongs to the Flock Batch Plan like its own batch. Odoo refused.

Why: each cost is written as a single analytic line with one column per plan. Two accounts from the same plan would compete for the same column and one of them would be silently lost. The guard prevents that at set-up time.

4.6 Product set-up

Figure 16: The "Is Live Farm Bird" flag on the product




Figure 16. The "Is Live Farm Bird" flag on the product

A new checkbox, **Is Live Farm Bird**, sits next to Sales / Purchase. Only products with this flag are counted in Live Birds, so feed, medicine and eggs are never counted as birds.

The layer hen product is tracked by lots and belongs to the "Live Birds / Layers" category (perpetual valuation, cost 2.50).

4.7 Analytic accounting

Figure 17: Analytic plans




Figure 17. Analytic plans

Accounting > Configuration > Analytic Plans. **Flock Batch Plan** and **Cage Row Plan** are two separate root plans (implementation plan section 6.1), so each gets its own column on analytic items. "Project" is Odoo's default plan and is not used by the farm.

Figure 18: Analytic items created by the stock-move hook




Figure 18. Analytic items created by the stock-move hook

Each cost-bearing stock move produced **one** analytic line with **both** the Flock Batch Plan and the Cage Row Plan columns filled, so no cost is duplicated.

What to check

- SP/00002 (mortality): -30.00 = 12 birds x 2.50, charged to Batch C-01 / Cage A-01.
- WH/INT/00003 (feed, after the fix): -25.00 (50 kg) to Batch C-01 / Cage A-02 and -20.00 (40 kg) to Batch C-02 / Cage B-01.
- WH/INT/00001 is the same feed issue recorded before defect D-02 was fixed: the two lines had been merged and all -45.00 went to Cage A-02. It is kept as evidence (section 6).

Figure 19: Mortality scrap from a cage




Figure 19. Mortality scrap from a cage

Inventory > Operations > Scrap. 12 birds of lot LOT-2026-01 were scrapped from Cage A-01 to the Mortality Loss location. Because the source location is a cage, the module charged the cost to Batch C-01 / Cage A-01 automatically (Figure 18). Module 3 will create these scraps from the daily mortality log.

Figure 20: Journal entry of the mortality scrap




Figure 20. Journal entry of the mortality scrap

With perpetual valuation the scrap posts **Debit 630100 Mortality Loss 30.00 / Credit 110100 Stock Valuation 30.00**. The Batch / Cage split lives on the analytic items (Figure 18), not on these journal lines, so the cost is not counted twice.

The chatter shows the expense account being corrected from 630000 to 630100: the plan's account codes collide with Odoo's standard chart (finding D-03, section 6).

Figure 21: Feed issue transfer with two cage lines




Figure 21. Feed issue transfer with two cage lines

WH/INT/00003 moves feed from Feed Silo 1 to Feed Consumption: 50 kg and 40 kg, each line charged to a different cage. The cage on each line is set by Module 2's feed log (it is a technical field and not shown on this screen). After the D-02 fix the two lines stay separate when the transfer is confirmed.

4.8 Security roles

Figure 22: Poultry Farm access rights on the user form




Figure 22. Poultry Farm access rights on the user form

Settings > Users > Farm Operator > Access Rights. A new section **Poultry Farm Management** holds the **Poultry Farm** role: Farm Operator / User or Farm Manager / Supervisor. Farm Operator includes Inventory User; Farm Manager includes Inventory Administrator.

Figure 23: Home screen as Farm Operator




Figure 23. Home screen as Farm Operator

The operator sees Top Farm and Inventory, but not Accounting or Settings.

Figure 24: Batch form as Farm Operator




Figure 24. Batch form as Farm Operator

The operator sees the same flock information and status bar, but **no Start Laying Phase button**. The transition is reserved for managers, and the server enforces this too (automated test 08).

Figure 25: Operator actions menu: no Delete or Duplicate




Figure 25. Operator actions menu: no Delete or Duplicate

Operators can view and edit farm locations but cannot create or delete them, so Odoo offers only Location Barcode and Archive in the actions menu. A delete attempted through the API is refused with Access Denied (automated test 08).

Figure 26: Home screen as a plain inventory user




Figure 26. Home screen as a plain inventory user

"Warehouse Clerk" has Inventory access but no Poultry Farm role, so the Top Farm app is not shown.

Figure 27: Location form as a plain inventory user




Figure 27. Location form as a plain inventory user

The same Cage A-01 opened from Inventory > Configuration > Locations shows no farm section, no status bar and no farm smart buttons: all farm fields are limited to the Poultry Farm roles.

5. Test results

5.1 Automated tests

Command: `odoo-bin -d topfarm_enterprise -u top_farm_core --test-enable --test-tags=/top_farm_core`. Runner result: **"0 failed, 0 error(s) of 16 tests"**. The same suite also passed on a separate Community database.

#	Test	What it checks	Result	Time (s)
1	`test_01_parent_batch_auto_resolution`	A cage resolves its batch; a batch resolves to itself; a farm has none.	PASS	0.02
2	`test_01b_parent_batch_through_unclassified_row`	A cage under an unclassified row still finds the batch above the row.	PASS	0.03
3	`test_01c_moving_a_cage_follows_the_new_batch`	Moving a cage to another batch updates its batch and its stage.	PASS	0.04
4	`test_02_orphan_cage_raises_validation_error`	A cage directly under a farm is refused.	PASS	0.03
5	`test_02b_unclassifying_a_batch_orphans_its_cages`	A batch cannot stop being a batch while cages are under it.	PASS	0.04
6	`test_03_flock_age_calculation`	Arrival 140 days ago gives 20.0 weeks on the batch and its cages.	PASS	0.02
7	`test_04_analytic_distribution_format`	Cage distribution is {"batch,cage": 100}; the batch alone uses only its own account.	PASS	0.01
8	`test_04b_same_plan_accounts_rejected`	Batch and cage accounts from the same plan are refused.	PASS	0.07
9	`test_05_stage_transition_propagation`	Manager starts laying; cages follow; a new cage joins at Laying; non-farm locations have no stage; a second start is refused.	PASS	0.10
10	`test_06_live_bird_count`	1,000 birds in a cage count on cage, batch and farm; feed in the same cage is not counted.	PASS	0.16
11	`test_07_analytic_hook_scrap_from_cage`	An outgoing move from a cage creates one line with both plan columns (-25.00); a move without a reference still gets a line name (fix D-01).	PASS	0.41

#	Test	What it checks	Result	Time (s)
12	`test_07a_analytic_hook_mortality_scrap`	A real stock.scrap of 4 birds: one line, both columns, -10.00; live count drops to 96.	PASS	0.19
13	`test_07b_analytic_hook_explicit_cage_on_feed_move`	Feed issued from the silo is charged to the cage stamped on the move.	PASS	0.16
14	`test_07b2_feed_for_two_cages_in_one_picking`	Two cage lines in one transfer are not merged: -25.00 and -20.00 on their own cages (fix D-02).	PASS	0.37
15	`test_07c_incoming_moves_stay_untagged`	Birds arriving into a cage create no analytic cost.	PASS	0.11
16	`test_08_security_access_rights`	An operator can read the counts, but starting the laying phase and deleting a cage both raise Access Denied.	PASS	1.03

5.2 Acceptance checklist (implementation plan section 7)

#	Scenario	Expected	Actual	Status	Evidence
1	Hierarchy creation	Cage A-01 resolves Parent Batch = Batch C-01	Resolved automatically, read-only on the cage	PASS	Fig. 4, 7; test 01
2	Orphan cage guard	A cage under a farm is blocked	Validation Error; record not saved	PASS	Fig. 14; test 02
3	Flock age	Arrival 140 days ago shows 20.0 weeks on batch and cages	20.0 on Batch C-01 and all its cages	PASS	Fig. 6, 7; test 03
4	Lifecycle transition	Manager starts laying; stage passes to the cages	Batch and 3 cages Laying; C-02 unchanged	PASS	Fig. 12, 13; test 05
5	Live bird counter	1,000 birds into Cage A-01 show on the cage and the batch	1,000 received, 12 dead: cage 988; batch 2,978 (3 cages)	PASS	Fig. 4, 9; test 06
6	Analytic hook	Move out of a cage gives one line with batch + cage columns	SP/00002: one line -30.00, C-01 / A-01	PASS	Fig. 18; tests 07, 07a
7	Security	Operator cannot delete or start laying	No button, no Delete; server refuses both	PASS	Fig. 24, 25; test 08

6. Defects found and fixed

Testing on real transactions found three problems. All three are fixed and re-tested.

ID	Found in	Problem	Fix	Re-test
D-01	Automated tests	A cost-bearing move with no picking, scrap or inventory reference crashed on validation: Odoo named the analytic line after the empty reference, and the name is mandatory. Module 2's nightly feed write-off would create exactly such moves.	The analytic line falls back to the product name when the move has no reference.	test 07 PASS
D-02	Enterprise test data (WH/INT/00001)	Two feed lines for different cages in one transfer were merged by Odoo when the transfer was confirmed, so the whole 90 kg (-45.00) was charged to the first cage.	The cage is now a field that keeps moves apart, so lines for different cages are never merged.	test 07b2 PASS; WH/INT/00003 correct (Fig. 18)
D-03	Configuration (plan section 6.3)	The plan's account codes already exist in Odoo's standard chart with other meanings: 600000 Expenses, 610000 Stock Variation (used by Odoo's own valuation), 630000 Salary Expenses. Mortality was first posted to Salary Expenses.	Test database uses dedicated accounts 600100 Feed Expense, 610100 Vet & Medication Expense and 630100 Mortality Loss; entries re-posted.	Fig. 20; confirm codes with the client's chart

7. Open items and recommendations

- **Spent stage**: nothing in Module 1 moves a flock to "Spent Hen / Depleted"; the plan does not define that step. It naturally belongs to Module 3, since it usually goes with moving the birds out.
- **Operator edit rights**: as specified in the plan, operators can edit every location, including analytic accounts and hierarchy levels; only delete and the laying transition are blocked. Decide whether operators should be read-only on configuration.
- **Account codes**: agree the expense account codes with the client before go-live, avoiding codes that are already in their chart (D-03).
- **Reporting source for Module 4**: the Batch / Cage split is held on analytic items. The dashboard's cage and batch P&L must read analytic items, not journal items.
- **Module 2 contract**: Module 2 must create `mrp.production.farm_collection_id` with exactly that name, and should stamp `farm_cage_location_id` on feed moves; the core hook already listens for both.

Appendix A: Corrections to the implementation plan

The plan's code samples were checked against the Odoo 19 source before building. These items were changed so the module installs and behaves correctly on Odoo 19:

Plan item	Problem on Odoo 19	What the module does instead
Security groups with `category_id`	Field removed in Odoo 19; the install would abort	Groups hang off a `res.groups.privilege` (Poultry Farm)
Live Birds button uses `stock.quantsact`	Action no longer exists; the button would crash	Uses Odoo's standard quant action with a farm-bird filter
Live birds matched by category name "Bird"	A "Bird Feed" category would count kilos of feed as birds	Only the Is Live Farm Bird flag counts
`batch_stage` default "Pre-Laying" on every location	Every warehouse location would show as a Pre-Laying flock	Only batches carry a stage; cages follow their batch
Hook reads MO fields directly	Crashes every move when Manufacturing is not installed	MO lookup is guarded; works with or without Module 2
Search view `<group expand string>`	Rejected by the Odoo 19 view validator	Group-by options added to the standard group
`tracking=True` on the location stage	Locations have no chatter; Odoo logs a warning	Removed
"Total Live Birds" sum in the list	Farm, batch and cage rows would be added together (triple count)	Sum removed
Test 05 run as the system bot	The bot is not a Farm Manager, so the test would fail	Tests use real manager and operator users