

Dobry kod w pigułce

Radosław Hryciów

meet  Szczecin

13-14 listopada 2015

- 1. Jak zacząć pisać kod**
- 2. Skąd czerpać wiedzę**
- 3. Zasady dobrego kodu**
- 4. Przykłady złego kodu**
- 5. Produktywność**

1. Jak zacząć pisać kod

Wystarczy dowolny komputer

Przeglądarka internetowa

http://sassmeister.com/

The screenshot shows the Sassmeister web application in a browser. The address bar displays 'sassmeister.com/gist/4731881'. The interface has a pink header with the 'Sassmeister' logo and navigation buttons for 'CSS', 'HTML', and a 'Run' button. Below the header, there are three tabs: 'SCSS', 'CSS', and 'Markdown'. The 'SCSS' tab is active, showing a snippet of SCSS code. The 'CSS' tab shows the compiled CSS output. The 'Markdown' tab shows the generated HTML content, which includes a byline for Dale Sande and a paragraph about icon-fonts. The bottom of the page features social media links and a copyright notice.

```
SCSS
1 $icons: (strategy '\e000') (strate
2
3 %ico-font-base {
4   font-family: 'substantial-ico-fc
5   speak: none;
6   font-style: normal;
7   font-weight: normal;
8   line-height: 1;
9   -webkit-font-smoothing: antiali
10 }
11
12 @each $icon in $icons {
13   @font-face {
14     font-family: $icon;
15     src: url($icon);
16   }
17 }
```

```
CSS
1 @charset "UTF-8";
2 .icon-strategy:after, .icon-strate
3   font-family: 'substantial-ico-fc
4   speak: none;
5   font-style: normal;
6   font-weight: normal;
7   line-height: 1;
8   -webkit-font-smoothing: antiali
9 }
10
11 .icon-strategy:after {
12   content: "\e000";
13 }
```

```
Markdown
1 by [Dale Sande](https://twitter.co
2
3 __*Icon-fonts. They are pretty awe
4
5 [IcoMoon][IcoMoon] is a fantastic
6
7 [IcoMoon]: http://icomoon.io/ "icc
8
9 This leaves us with the task of ma
10
11 The challenge: when applying the s
12
```

by [Dale Sande](#)

Icon-fonts. They are pretty awesome, but much like managing Sprite files, there are issues that make them a real pain to manage. Sure there are full libraries out there that you can grab wholesale and rely on their documentation, but for optimization and performance reasons you do not want to load up a series of libraries just to use a few icons. Leveraging the power of HAML and Sass we can make this less painful and at the same time maintain a living style guide. Basically, winning all over the place.

[IcoMoon](#) is a fantastic resource that allows users to select specific icons from various libraries, as well as upload custom SVG art and download a customized font library. In the download package there is an HTML document that illustrates the library you just created, but for most professional applications this isn't going to work. Mainly because you will probably not use IcoMoon's code verbatim. Customizing the HTML and CSS per your use is very common.

This leaves us with the task of maintaining our own ico-font documentation. Being a strong believer in style guide driven design, my process of developing UIs that self document is essential. Especially when dealing with things like sprites or icon-fonts, good visual documentation is vital. If the

♥ Support Sassmeister 🐦 Follow @sassmeisterapp About © 2015 Jed Foster & Dale Sande

https://jsfiddle.net/

The screenshot shows the JSFiddle website interface. The browser address bar displays `jsfiddle.net/blazeeboy/fNPvf/`. The page title is "Javascript example - JSFiddle". The main navigation bar includes links for "Run", "Update", "Fork", "TidyUp", "JSHint", "Collaboration", "Share", and "Login/Sign up".

On the left sidebar, under "Frameworks & Extensions", the "Mootools 1.4.5" framework is selected. Below this, "Fiddle Options" and "External Resources" are visible. At the bottom of the sidebar, there is a section for "Log in to hide sponsors:" with an advertisement for "ON THE Same PAGE" and a description of "Jumpchart".

The main content area is divided into three panels:


- HTML:** Contains the following code:

```
<h1 id="title">Javascript example no.2</h1>
<input type="text" id="myTextField"/>
<input type="submit" id="byBtn" value="Change" onclick="change()"/>
```
- JavaScript:** Contains the following code:

```
function change(){
  var myNewTitle = document.getElementById('myTextField').value;
  if( myNewTitle.length==0 ){
    alert('Write Some real Text please. ');
    return;
  }
  var title = document.getElementById('title');
  title.innerHTML = myNewTitle;
}
```
- Result:** Displays the rendered output, which is a heading "Javascript example no.2" followed by a text input field and a "Change" button.


The status bar at the bottom of the browser window shows the URL `jsfiddle.net/blazeeboy/fNPvf/#update`.

http://codepen.io/



Edytor tekstu

<https://notepad-plus-plus.org/>




The screenshot displays the Notepad++ application window with two source files open: `Notepad_plus.h` and `Notepad_plus.cpp`. The `Notepad_plus.h` file defines the `Notepad_plus` class, which inherits from `Window`. It includes various methods for initialization, destruction, and file operations. The `Notepad_plus.cpp` file implements these methods, including `charAdded`, `hotSpot`, `MaintainIndentation`, `specialCmd`, `command`, `setTitleWith`, `activateNextDoc`, and `activateDoc`.

```
76 class Notepad_plus : public Window {
77 public:
78     Notepad_plus();
79
80     void init(HINSTANCE, HWND, const char *cmdLine
81
82     // ATTENTION: the order of the destruction is very important
83     // because if the parent's window handle is destroyed before
84     // the destruction of its children's windows handle,
85     // its children's windows handle will be destroyed automatically!
86     virtual ~Notepad_plus() {
87
88
89     void killAllChildren() {
90
91     virtual void destroy() {
92
93     static const char * getClassName() {
94
95     void setTitleWith(const char *filePath);
96
97     void getTaskListInfo(TaskListInfo *tli);
98
99     // For filtering the modeless Dialog message
100     bool isDlgMsg(MSG *msg) const {
101
102     bool doOpen(const char *fileName, bool isReadC
103     bool doSimpleOpen(const char *fileName);
104
105     bool doReload(const char *fileName, bool alert
106
107     void saveScintillaParams(bool whichOne) {
108         ScintillaViewParams svp;
```


```
1738 {
1739
1740     void Notepad_plus::charAdded(char chAdded)
1741
1742     {
1743
1744     void Notepad_plus::hotSpot(char chAdded)
1745
1746     {
1747
1748     void Notepad_plus::MaintainIndentation(char ch)
1749
1750     {
1751     void Notepad_plus::specialCmd(int id, int param)
1752
1753     {
1754
1755     void Notepad_plus::command(int id)
1756
1757     {
1758
1759     void Notepad_plus::setTitleWith(const char *filePat
1760
1761     {
1762         if (!filePath || !strcmp(filePath, ""))
1763             return;
1764
1765         char str2concat[MAX_PATH];
1766         strcat(strcpy(str2concat, _className), " - ");
1767         strcat(str2concat, filePath);
1768         ::SetWindowText(_hSelf, str2concat);
1769
1770     }
1771
1772     void Notepad_plus::activateNextDoc(bool direction)
1773
1774     {
1775
1776     void Notepad_plus::activateDoc(int pos)
```

nb char : 24204 Ln : 125 Col : 28 Sel : 0 Dos\Windows ANSI INS

<http://www.apтана.com/>




<http://www.sublimetext.com/>




```
3
4
5 <head>
6   <meta charset="utf-8">
7   <title>reveal.js</title>
8   <meta name="description" content="A simple HTML5 presentation framework.">
9   <meta name="author" content="Hakim Elia">
10  <meta name="viewport" content="width=device-width, initial-scale=1.0, maximum-scale=1.0, user-scalable=no">
11  <meta name="apple-mobile-web-app-capable" content="yes">
12  <meta name="apple-mobile-web-app-status-bar-style" content="black">
13  <meta name="apple-mobile-web-app-title" content="Reveal.js">
14  <meta name="theme-color" content="#34495e">
15  <link rel="stylesheet" href="css/reveal.css">
16  <link rel="stylesheet" href="css/theme/default.css">
17  <link rel="stylesheet" href="css/theme/serif.css">
18  <link rel="stylesheet" href="css/theme/serif.css">
19  <link rel="stylesheet" href="css/theme/serif.css">
20  <link rel="stylesheet" href="css/theme/serif.css">
21  <link rel="stylesheet" href="css/theme/serif.css">
22  <link rel="stylesheet" href="css/theme/serif.css">
23  <link rel="stylesheet" href="css/theme/serif.css">
24  <link rel="stylesheet" href="css/theme/serif.css">
25  <link rel="stylesheet" href="css/theme/serif.css">
26  <link rel="stylesheet" href="css/theme/serif.css">
27  <link rel="stylesheet" href="css/theme/serif.css">
28  <link rel="stylesheet" href="css/theme/serif.css">
29  <link rel="stylesheet" href="css/theme/serif.css">
30  <link rel="stylesheet" href="css/theme/serif.css">
31  <link rel="stylesheet" href="css/theme/serif.css">
32  <link rel="stylesheet" href="css/theme/serif.css">
33  <link rel="stylesheet" href="css/theme/serif.css">
34  <link rel="stylesheet" href="css/theme/serif.css">
35  <link rel="stylesheet" href="css/theme/serif.css">
36  <link rel="stylesheet" href="css/theme/serif.css">
37  <link rel="stylesheet" href="css/theme/serif.css">
38  <link rel="stylesheet" href="css/theme/serif.css">
39  <link rel="stylesheet" href="css/theme/serif.css">
40  <link rel="stylesheet" href="css/theme/serif.css">
41  <link rel="stylesheet" href="css/theme/serif.css">
42  <link rel="stylesheet" href="css/theme/serif.css">
43  <link rel="stylesheet" href="css/theme/serif.css">
44  <link rel="stylesheet" href="css/theme/serif.css">
45  <link rel="stylesheet" href="css/theme/serif.css">
46  <link rel="stylesheet" href="css/theme/serif.css">
47  <link rel="stylesheet" href="css/theme/serif.css">
48  <link rel="stylesheet" href="css/theme/serif.css">
49  <link rel="stylesheet" href="css/theme/serif.css">
50  <link rel="stylesheet" href="css/theme/serif.css">
51  <link rel="stylesheet" href="css/theme/serif.css">
52  <link rel="stylesheet" href="css/theme/serif.css">
53  <link rel="stylesheet" href="css/theme/serif.css">
54  <link rel="stylesheet" href="css/theme/serif.css">
55  <link rel="stylesheet" href="css/theme/serif.css">
56  <link rel="stylesheet" href="css/theme/serif.css">
57  <link rel="stylesheet" href="css/theme/serif.css">
58  <link rel="stylesheet" href="css/theme/serif.css">
59  <link rel="stylesheet" href="css/theme/serif.css">
60  <link rel="stylesheet" href="css/theme/serif.css">
61  <link rel="stylesheet" href="css/theme/serif.css">
62  <link rel="stylesheet" href="css/theme/serif.css">
63  <link rel="stylesheet" href="css/theme/serif.css">
64  <link rel="stylesheet" href="css/theme/serif.css">
65  <link rel="stylesheet" href="css/theme/serif.css">
66  <link rel="stylesheet" href="css/theme/serif.css">
67  <link rel="stylesheet" href="css/theme/serif.css">
68  <link rel="stylesheet" href="css/theme/serif.css">
69  <link rel="stylesheet" href="css/theme/serif.css">
70  <link rel="stylesheet" href="css/theme/serif.css">
71  <link rel="stylesheet" href="css/theme/serif.css">
72  <link rel="stylesheet" href="css/theme/serif.css">
73  <link rel="stylesheet" href="css/theme/serif.css">
74  <link rel="stylesheet" href="css/theme/serif.css">
75  <link rel="stylesheet" href="css/theme/serif.css">
76  <link rel="stylesheet" href="css/theme/serif.css">
77  <link rel="stylesheet" href="css/theme/serif.css">
78  <link rel="stylesheet" href="css/theme/serif.css">
79  <link rel="stylesheet" href="css/theme/serif.css">
80  <link rel="stylesheet" href="css/theme/serif.css">
81  <link rel="stylesheet" href="css/theme/serif.css">
82  <link rel="stylesheet" href="css/theme/serif.css">
83  <link rel="stylesheet" href="css/theme/serif.css">
84  <link rel="stylesheet" href="css/theme/serif.css">
85  <link rel="stylesheet" href="css/theme/serif.css">
86  <link rel="stylesheet" href="css/theme/serif.css">
87  <link rel="stylesheet" href="css/theme/serif.css">
88  <link rel="stylesheet" href="css/theme/serif.css">
89  <link rel="stylesheet" href="css/theme/serif.css">
90  <link rel="stylesheet" href="css/theme/serif.css">
91  <link rel="stylesheet" href="css/theme/serif.css">
92  <link rel="stylesheet" href="css/theme/serif.css">
93  <link rel="stylesheet" href="css/theme/serif.css">
94  <link rel="stylesheet" href="css/theme/serif.css">
95  <link rel="stylesheet" href="css/theme/serif.css">
96  <link rel="stylesheet" href="css/theme/serif.css">
97  <link rel="stylesheet" href="css/theme/serif.css">
98  <link rel="stylesheet" href="css/theme/serif.css">
99  <link rel="stylesheet" href="css/theme/serif.css">
100 </head>
101
102 <body>
103   <div class="reveal">
104     <div class="slides">
105       <section>
106         <h1>Reveal.js</h1>
107         <h2>The HTML Presentation Framework</h2>
108         <h3>The HTML Presentation Framework</h3>
109       </section>
110     </div>
111   </div>
112 </body>
113 </html>
```


https://www.jetbrains.com/webstorm/



https://atom.io/



<http://brackets.io/>



Git - system kontroli wersji

2. Skąd czerpać wiedzę

net magazine



<http://ebookpoint.pl/>

<http://www.amazon.com/>

Internet




HTML5 i CSS3: pierwsze kroki

[**https://www.facebook.com/groups/742940452405327/**](https://www.facebook.com/groups/742940452405327/)

JavaScript: pierwsze kroki


<https://www.facebook.com/groups/js.pierwsze.kroki/>

tvp.pl



```
9 <meta name="keywords"
10 content="tvp polska telewizja publiczna tvp1 tvp2 tv hd kultura linki polska historia
sport telewizji polskiej Strona główna Dla dzieci Linki vod.tvp.pl Rozrywka Linki Informacje
lokalne Warszawa Wrocław Szczecin Rzeszów Opole Łódź Lublin Kraków Kielce Katowice Gorzów
Wielkopolski Gdańsk Bydgoszcz Białystok Poznań Olsztyn Polecamy Pogoda Informacje polecane info
Linki Sport najważniejsze informacje Linki Fotogaleria Biznes Biznes Linki Publicystyka Linki
Kultura Linki Styl życia Linki Wiedza Linki Forum RSS beta opinie nowe informacje ">
11 <meta name="viewport" content="width=device-width, initial-scale=1, maximum-scale=1, user-
scalable=no, minimal-ui">
12 <meta name="rating" content="general">
13 <meta name="robots" content="index, follow">
14 <!--NOTE: nie wiem skąd to jest (pewnie tvp dodało - więc w sumie można wyciąć)-->
15 <meta name="google-site-verification" content="eiN8V2SRcZGW8j52IKJR79rZaVitwEI0R_2uHWzbzPM"/>
16
17 <!--NOTE: windows8 -->
18 <meta name="application-name" content="TVP.PL">
19 <meta name="msapplication-tap-highlight" content="no"/>
20
21 <!--TODO: facebook OpenGraph.. trzeba dokończyć-->
22 <meta property="og:title" content="Strona główna - tvp.pl - Telewizja Polska S.A.">
23 <meta property="og:description"
24 content="Na tvp.pl obejrzysz wiele programów Telewizji Polskiej, znajdziesz informacje,
program tv, dowiesz się więcej o audycjach i gwiazdach telewizji publicznej.">
25 <meta property="og:image" content="">
26
27 <link type="image/vnd.microsoft.icon" href="//s.tvp.pl/favicon.ico" rel="shortcut icon">
28 <link type="image/vnd.microsoft.icon" href="//s.tvp.pl/favicon.ico" rel="icon">
29
30 <!--NOTE: ustawienie że że można sensownie ustawiać to na homescreenie na ios-ie-->
31 <meta name="apple-mobile-web-app-capable" content="yes">
32 <meta name="apple-mobile-web-app-status-bar-style" content="black">
33 <meta name="apple-mobile-web-app-title" content="">
34
35 <!-- AVAILABILITY STYLES -->
36 <link rel="stylesheet" type="text/css" href="//fonts.googleapis.com/css?
family=Roboto:400,100,300,500,700&subset=latin,latin-ext">
```


<http://glenmaddern.com/articles/css-modules>



3. Zasady dobrego kodu

DRY - Don't repeat yourself

[illegible]

KISS - Keep it simple, stupid



Poznaj swoje narzędzia



Rozmawiaj



Myśl i nie każ myśleć innym za Ciebie



4. Przykłady złego kodu

#DRY

```
134 +function nFormatter(num) {  
135 +    if (num >= 1000000000) {  
136 +        return (num / 1000000000).toFixed(1).replace(/\.0$/, '') + 'G';  
137 +    }  
138 +    if (num >= 1000000) {  
139 +        return (num / 1000000).toFixed(1).replace(/\.0$/, '') + '</span> '+million;  
140 +    }  
141 +    if (num >= 1000) {  
142 +        return (num / 1000).toFixed(1).replace(/\.0$/, '') + '</span> '+thousand;  
143 +    }else {  
144 +        return num;  
145 +    }  
146 + }
```

#DRY

```
function nFormatter(num)
```



Search

We've found 15 code results

Sort: **Best match** ▾

#DRY

<p>1. Introduction</p> <p>2. Background</p> <p>3. Methodology</p> <p>4. Results</p> <p>5. Discussion</p> <p>6. Conclusion</p> <p>7. References</p> <p>8. Appendix</p> <p>9. Index</p> <p>10. Table of Contents</p> <p>11. Figure 1</p> <p>12. Figure 2</p> <p>13. Figure 3</p> <p>14. Figure 4</p> <p>15. Figure 5</p> <p>16. Figure 6</p> <p>17. Figure 7</p> <p>18. Figure 8</p> <p>19. Figure 9</p> <p>20. Figure 10</p> <p>21. Figure 11</p> <p>22. Figure 12</p> <p>23. Figure 13</p> <p>24. Figure 14</p> <p>25. Figure 15</p> <p>26. Figure 16</p> <p>27. Figure 17</p> <p>28. Figure 18</p> <p>29. Figure 19</p> <p>30. Figure 20</p> <p>31. Figure 21</p> <p>32. Figure 22</p> <p>33. Figure 23</p> <p>34. Figure 24</p> <p>35. Figure 25</p> <p>36. Figure 26</p> <p>37. Figure 27</p> <p>38. Figure 28</p> <p>39. Figure 29</p> <p>40. Figure 30</p> <p>41. Figure 31</p> <p>42. Figure 32</p> <p>43. Figure 33</p> <p>44. Figure 34</p> <p>45. Figure 35</p> <p>46. Figure 36</p> <p>47. Figure 37</p> <p>48. Figure 38</p> <p>49. Figure 39</p> <p>50. Figure 40</p> <p>51. Figure 41</p> <p>52. Figure 42</p> <p>53. Figure 43</p> <p>54. Figure 44</p> <p>55. Figure 45</p> <p>56. Figure 46</p> <p>57. Figure 47</p> <p>58. Figure 48</p> <p>59. Figure 49</p> <p>60. Figure 50</p> <p>61. Figure 51</p> <p>62. Figure 52</p> <p>63. Figure 53</p> <p>64. Figure 54</p> <p>65. Figure 55</p> <p>66. Figure 56</p> <p>67. Figure 57</p> <p>68. Figure 58</p> <p>69. Figure 59</p> <p>70. Figure 60</p> <p>71. Figure 61</p> <p>72. Figure 62</p> <p>73. Figure 63</p> <p>74. Figure 64</p> <p>75. Figure 65</p> <p>76. Figure 66</p> <p>77. Figure 67</p> <p>78. Figure 68</p> <p>79. Figure 69</p> <p>80. Figure 70</p> <p>81. Figure 71</p> <p>82. Figure 72</p> <p>83. Figure 73</p> <p>84. Figure 74</p> <p>85. Figure 75</p> <p>86. Figure 76</p> <p>87. Figure 77</p> <p>88. Figure 78</p> <p>89. Figure 79</p> <p>90. Figure 80</p> <p>91. Figure 81</p> <p>92. Figure 82</p> <p>93. Figure 83</p> <p>94. Figure 84</p> <p>95. Figure 85</p> <p>96. Figure 86</p> <p>97. Figure 87</p> <p>98. Figure 88</p> <p>99. Figure 89</p> <p>100. Figure 90</p> <p>101. Figure 91</p> <p>102. Figure 92</p> <p>103. Figure 93</p> <p>104. Figure 94</p> <p>105. Figure 95</p> <p>106. Figure 96</p> <p>107. Figure 97</p> <p>108. Figure 98</p> <p>109. Figure 99</p> <p>110. Figure 100</p> <p>111. Figure 101</p> <p>112. Figure 102</p> <p>113. Figure 103</p> <p>114. Figure 104</p> <p>115. Figure 105</p> <p>116. Figure 106</p> <p>117. Figure 107</p> <p>118. Figure 108</p> <p>119. Figure 109</p> <p>120. Figure 110</p> <p>121. Figure 111</p> <p>122. Figure 112</p> <p>123. Figure 113</p> <p>124. Figure 114</p> <p>125. Figure 115</p> <p>126. Figure 116</p> <p>127. Figure 117</p> <p>128. Figure 118</p> <p>129. Figure 119</p> <p>130. Figure 120</p> <p>131. Figure 121</p> <p>132. Figure 122</p> <p>133. Figure 123</p> <p>134. Figure 124</p> <p>135. Figure 125</p> <p>136. Figure 126</p> <p>137. Figure 127</p> <p>138. Figure 128</p> <p>139. Figure 129</p> <p>140. Figure 130</p> <p>141. Figure 131</p> <p>142. Figure 132</p> <p>143. Figure 133</p> <p>144. Figure 134</p> <p>145. Figure 135</p> <p>146. Figure 136</p> <p>147. Figure 137</p> <p>148. Figure 138</p> <p>149. Figure 139</p> <p>150. Figure 140</p> <p>151. Figure 141</p> <p>152. Figure 142</p> <p>153. Figure 143</p> <p>154. Figure 144</p> <p>155. Figure 145</p> <p>156. Figure 146</p> <p>157. Figure 147</p> <p>158. Figure 148</p> <p>159. Figure 149</p> <p>160. Figure 150</p> <p>161. Figure 151</p> <p>162. Figure 152</p> <p>163. Figure 153</p> <p>164. Figure 154</p> <p>165. Figure 155</p> <p>166. Figure 156</p> <p>167. Figure 157</p> <p>168. Figure 158</p> <p>169. Figure 159</p> <p>170. Figure 160</p> <p>171. Figure 161</p> <p>172. Figure 162</p> <p>173. Figure 163</p> <p>174. Figure 164</p> <p>175. Figure 165</p> <p>176. Figure 166</p> <p>177. Figure 167</p> <p>178. Figure 168</p> <p>179. Figure 169</p> <p>180. Figure 170</p> <p>181. Figure 171</p> <p>182. Figure 172</p> <p>183. Figure 173</p> <p>184. Figure 174</p> <p>185. Figure 175</p> <p>186. Figure 176</p> <p>187. Figure 177</p> <p>188. Figure 178</p> <p>189. Figure 179</p> <p>190. Figure 180</p> <p>191. Figure 181</p> <p>192. Figure 182</p> <p>193. Figure 183</p> <p>194. Figure 184</p> <p>195. Figure 185</p> <p>196. Figure 186</p> <p>197. Figure 187</p> <p>198. Figure 188</p> <p>199. Figure 189</p> <p>200. Figure 190</p> <p>201. Figure 191</p> <p>202. Figure 192</p> <p>203. Figure 193</p> <p>204. Figure 194</p> <p>205. Figure 195</p> <p>206. Figure 196</p> <p>207. Figure 197</p> <p>208. Figure 198</p> <p>209. Figure 199</p> <p>210. Figure 200</p> <p>211. Figure 201</p> <p>212. Figure 202</p> <p>213. Figure 203</p> <p>214. Figure 204</p> <p>215. Figure 205</p> <p>216. Figure 206</p> <p>217. Figure 207</p>

#MYŚL

```
1 function showFun2 {}
```

#MYŚL

174	174	<script> BOA.funnel(); </script>
175		- BOA.getCookies().setTracking();
	175	+<!-- BOA.getCookies().setTracking(); -->
176	176	<script type="text/javascript">

#DRY #MYŚL

```
47 +      a {  
48 +          color: #aea893;  
49 +          /*text-decoration: none;*/  
50 +          color: #e82444;  
51 +          text-decoration: underline;  
52 +      }
```

#POZNAJSWOJENARZĘDZIA

	454	+<<<<<<< HEAD
445	455	<form accept-charset="utf-8" action="https://app
446	456	method="post">
447	457	
	458	+=====
	459	+ <form method="post" accept-charset="UTF-8" actio
	460	+ <input type="hidden" name="me
	461	+ <input type="hidden" name="me
	462	+ <input type="hidden" name="li
	463	+ <input type="hidden" name="re
	464	+ <input type="hidden" name="me
	465	+ <input type="hidden" name="me
	466	+ <input type="hidden" name="me
	467	+ <input type="hidden" name="me
	468	+ <input type="hidden" name="me
	469	+>>>>>>> develop

#MYŚL



#MYŚL #KISS

```
<div id="post-<?php the_ID(); ?>" <?php post_class(); ?>>
    <h2 class="entry-title"><?php the_title() ?></h2>
    <div class="entry-content promotion-aprilFools">
<?php // the_content() ?>
<a class="cta"></a>
    </div>
</div><!-- .post -->
```

#MYŚL #KISS

```
<script type='text/javascript'>  
  $("a.cta").attr("href", "<?php echo get_permalink( icl_object_id( 34713, 'page', true ) ); ?>");  
  var utmCampaign = qs('utm_campaign');  
  if ( utmCampaign == 'april_fools_<?php echo ICL_LANGUAGE_CODE; ?>_fr' ) {
```

#MYŚL #KISS

```
59 + </li>
60 + <div onclick="location.href='<?php echo get_permalink( icl_object_id( 27, 'page
61 + </li>
62 + <li>
63 + <div onclick="location.href='<?php echo get_permalink( icl_object_id( 30, 'page
64 + </li>
65 + <li>
66 + <div onclick="location.href='<?php echo get_permalink( icl_object_id( 42, 'page
67 + </li>
68 + <li>
69 + <div onclick="location.href='<?php echo get_permalink( icl_object_id( 44, 'page
70 + </li>
71 + <li>
72 + <div onclick="location.href='<?php echo get_permalink( icl_object_id( 38, 'page
73 + </li>
74 + <li>
75 + <div onclick="location.href='<?php echo get_permalink( icl_object_id( 40, 'page
76 + </li>
```

#POZNAJSWOJENARZĘDZIA #KISS

	✂	@@ -503,7 +503,24 @@ body {
503	503	left: 49px;
504	504	}
505	505	}
506		-
	506	+.mainSlideHotPrizes {
	507	+ background-image: image-url('mainBanner/mainBanner-hot-prizes.jpg');
	508	+ a {
	509	+ background: none !important;
	510	+ width: 100% !important;
	511	+ height: 100% !important;
	512	+ }
	513	+=}
	514	+.promoHotPrizes{
	515	+ margin: 0 !important;
	516	+ a {
	517	+ background-image: image-url('promo-hot-prizes-lp.jpg');
	518	+ display: block;
	519	+ height: 1220px;
	520	+ cursor: pointer;
	521	+ }
	522	+
	523	+=}

#POZNAJSWOJENARZĘDZIA #KISS

```
67 +      .ru & {
68 +          @extend %fontStack-Serif;
69 +          @include font(30px !important, 1 !important);
70 +          font-weight: bold !important;
71 +
72 +          b {
73 + +          @extend %fontStack-Serif;
74 +          font-weight: bold;
75 +          }
76 +      }
```

Panda zła widząc taki kod



#SAVEPANDA

```
<ul class="wf-sortable" id="wf-sort-id">
  <li class="wf-name" rel="undefined" style="display: block !important;">
    <div class="wf-contbox">
      <div class="wf-inputpos">
        <input type="text" class="validate[required]" name="name" placeholder="Enter Your First Name"></input>
      </div>
      <em class="clearfix clearer"></em>
    </div>
  </li>
  <li class="wf-email" rel="undefined" style="display: block !important;">
    <div class="wf-contbox">
      <div class="wf-inputpos">
        <input type="text" class="validate[required,custom[email]]" name="email" placeholder="Enter Your Primary Email"></input>
      </div>
      <em class="clearfix clearer"></em>
    </div>
  </li>
  <li class="wf-submit" rel="undefined" style="display: block !important;">
    <div class="wf-contbox">
      <div class="wf-inputpos">
        <input type="submit" name="submit" value="GET FREE ACCESS"></input>
      </div>
      <em class="clearfix clearer"></em>
    </div>
  </li>
</ul>
```




#KISS

```
1 body.de #assets h3.assetHead span.items {}
```

#KISS

```
1 body.page-template-home-page.php.user-logged-in #MainContent {}
```

#KISS

```
1 body.js .entry-content #accountTypes Page. accountTypeWrapper ul li { font-size: 13px; }
```

#KISS

```
1 .entry-content.promotion-spring > .content > .table > .row > .right {  
2     float: right;  
3     text-align: right;  
4 }
```

#POZNAJSWOJENARZĘDZIA

The screenshot shows the Bootstrap Customizer interface. At the top, there's a navigation bar with links to Bootstrap, Getting started, CSS, Components, JavaScript, and Customize. The main heading is 'Customize and download', followed by a subtext: 'Customize Bootstrap's components, Less variables, and jQuery plugins to get your very own version.' Below this, there's a 'Less files' section with a 'Toggle all' button. The text says: 'Choose which Less files to compile into your custom build of Bootstrap. Not sure which files to use? Read through the [CSS](#) and [Components](#) pages in the docs.' There are three columns of options: 'Common CSS' (Print media styles, Typography, Code, Grid system, Tables, Forms, Buttons, Responsive utilities), 'Components' (Glyphicons, Button groups, Input groups, Navs, Navbar, Breadcrumbs, Pagination, Pager, Labels, Badges, Jumbotron), and 'JavaScript components' (Component animations (for JS), Dropdowns, Tooltips, Popovers, Modals, Carousel). On the right side, there's a 'Less components' section with links to 'jQuery plugins', 'Less variables', 'Download', and 'Back to top'. An advertisement for Datadog is also visible in the top right corner.

Bootstrap Getting started CSS Components JavaScript Customize Expo Blog

Customize and download

Customize Bootstrap's components, Less variables, and jQuery plugins to get your very own version.

Less files Toggle all

Choose which Less files to compile into your custom build of Bootstrap. Not sure which files to use? Read through the [CSS](#) and [Components](#) pages in the docs.

Common CSS

- ☒ Print media styles
- ☒ Typography
- ☒ Code
- ☒ Grid system
- ☒ Tables
- ☒ Forms
- ☒ Buttons
- ☒ Responsive utilities

Components

- ☒ Glyphicons
- ☒ Button groups
- ☒ Input groups
- ☒ Navs
- ☒ Navbar
- ☒ Breadcrumbs
- ☒ Pagination
- ☒ Pager
- ☒ Labels
- ☒ Badges
- ☒ Jumbotron

JavaScript components

- ☒ Component animations (for JS)
- ☒ Dropdowns
- ☒ Tooltips
- ☒ Popovers
- ☒ Modals
- ☒ Carousel

Less components

- [jQuery plugins](#)
- [Less variables](#)
- [Download](#)
- [Back to top](#)

DATADOG Monitor your stack! Try Datadog for free to see metrics & alerts from your entire stack in one place ads via Carbon

Know when your systems crash before your customers do

Set up your alerts

#POZNAJSWOJENARZĘDZIA

```
17  +.gamesList {  
18  +    width: 685px;  
19  +    margin: auto;  
20  +    &:after {  
21  +        content: '';  
22  +        display: block;  
23  +        clear: both;  
24  +    }  
25  +    a {
```

#POZNAJSWOJENARZĘDZIA

```
@mixin clearfix() {  
  &:before,  
  &:after {  
    content: "";  
    display: table;  
  }  
  &:after {  
    clear: both;  
  }  
}
```

Usage:

```
.article {  
  @include clearfix();  
}
```


5. Produktywność

Zasada 2 minut

Zasada 15 minut

<http://pomodorotechnique.com/>



Dziękuję za uwagę

Radosław Hryciów

radoslaw.hryciow@gmail.com

meet.  **Szczecin**

13-14 listopada 2015