


REST API SKLEPU

(English version below)

Uruchomiona aplikacja



Program umożliwia:

- Dodawanie: /api/Shop/Add
- Edycje: /api/Shop/Edit
- Pobranie jednego elementu o podanym ID: /api/Shop/GetOne
- Pobranie listy wszystkich elementów: /api/Shop/GetAll
- Usunięcie elementu o podanym ID: /api/Shop/Delete

Dodawanie

Aby dodać nowy rekord w bazie, należy w polu ID wpisać 0.

Wpisanie 0 powoduje dodanie rekordu do bazy.

Podanie ID które już w bazie istnieje powoduje wyświetlenie stosownego komunikatu.

Przykład z prawidłowym użyciem:

Shop

POST /api/Shop/Add

Parameters

Cancel

Reset

No parameters

Request body

application/json

```
{  "id": 0,  "nazwaProduktu": "Ananas",  "dataUtworzenia": "2023-04-20T20:54:19.611Z",  "dataEdycji": "2023-04-20T20:54:19.611Z",  "opisArtykulu": "słodki",  "cena": 5}
```

Execute

Clear

Responses

Curl

```
curl -X 'POST' \  'https://localhost:44376/api/Shop/Add' \  -H 'accept: */*' \  -H 'Content-Type: application/json' \  -d '{  "id": 0,  "nazwaProduktu": "Ananas",  "dataUtworzenia": "2023-04-20T20:54:19.611Z",  "dataEdycji": "2023-04-20T20:54:19.611Z",  "opisArtykulu": "słodki",  "cena": 5}'
```

Request URL

https://localhost:44376/api/Shop/Add

Server response

Code	Details
200	<div><div>Response body<div><pre>{ "success": true, "message": "Produkt został dodany do bazy danych."}</pre></div><div><div>Download</div></div></div><div><div>Response headers<div>content-type: application/json; charset=utf-8date: Thu, 20 Apr 2023 20:54:36 GMTserver: Microsoft-IIS/10.0x-powered-by: ASP.NET</div></div></div></div>

Responses

Code	Description	Links
200	Success	No links

Przykład z błędnym użyciem:

Shop

POST

/api/Shop/Add

Parameters

Cancel

Reset

No parameters

Request body

application/json

```
{  "id": 5,  "nazwaProduktu": "Ananas",  "dataUtworzenia": "2023-04-20T20:54:19.611Z",  "dataEdycji": "2023-04-20T20:54:19.611Z",  "opisArtykulu": "słodki",  "cena": 5}
```

Execute

Clear

Responses

Curl

Responses

Curl

```
curl -X 'POST' \  'https://localhost:44376/api/Shop/Add' \  -H 'accept: */*' \  -H 'Content-Type: application/json' \  -d '{  "id": 5,  "nazwaProduktu": "Ananas",  "dataUtworzenia": "2023-04-20T20:54:19.611Z",  "dataEdycji": "2023-04-20T20:54:19.611Z",  "opisArtykulu": "słodki",  "cena": 5}'
```

Request URL

https://localhost:44376/api/Shop/Add

Server response

Code

Details

200

Response body

```
{  "success": false,  "message": "Produkt o ID: 5 już istnieje w bazie danych."}
```

Download

Response headers

```
content-type: application/json; charset=utf-8  date: Thu, 20 Apr 2023 20:55:52 GMT  server: Microsoft-IIS/10.0  x-powered-by: ASP.NET
```

Responses


Code	Description	Links
200	Success	No links

Operacje edycji, usuwania, wyszukiwania działają analogicznie.

ENGLISH

SHOP REST API

Application launched



The program allows you to:

- Adding: /api/Shop/Add
- Editing: /api/Shop/Edit
- Downloading one item with the specified ID: /api/Shop/GetOne
- Downloading a list of all items: /api/Shop/GetAll
- Deleting an item with the specified ID: /api/Shop/Delete

Adding

- To add a new record in the database, enter 0 in the ID field.
- Entering 0 adds a record to the database.
- Entering an ID which already exists in the database will cause an appropriate message to be displayed.

Example with correct usage:

Shop

POST /api/Shop/Add

Parameters

CancelReset

No parameters

Request body

application/json

```
{  "id": 0,  "nazwaProduktu": "Ananas",  "dataLhorzenia": "2023-04-20T20:54:19.611Z",  "dataEdycji": "2023-04-20T20:54:19.611Z",  "opisArtykulu": "slodki",  "cena": 5}
```

ExecuteClear

Responses		
Curl		
<pre>curl -X 'POST' \ 'https://localhost:44376/api/Shop/Add' \ -H 'accept: */*' \ -H 'Content-Type: application/json' \ -d '{ "id": 0, "nazwaProduktu": "Ananas", "dataLhorzenia": "2023-04-20T20:54:19.611Z", "dataEdycji": "2023-04-20T20:54:19.611Z", "opisArtykulu": "slodki", "cena": 5 }'</pre>		
Request URL		
https://localhost:44376/api/Shop/Add		
Server response		
Code	Details	
200	<div><div>Response body</div><div><pre>{ "success": true, "message": "Produkt zostal dodany do bazy danych."}</pre></div><div>Download</div></div> <div><div>Response headers</div><div><pre>content-type: application/json; charset=utf-8 date: Thu, 20 Apr 2023 20:54:36 GMT server: Microsoft-IIS/10.0 x-powered-by: ASP.NET</pre></div></div>	
Responses		
Code	Description	Links
200	Success	No links

Example with incorrect usage:

Shop

POST /api/Shop/Add

Parameters

Cancel

Reset

No parameters

Request body

application/json

```
{
  "id": 5,
  "nazwaProduktu": "Ananas",
  "dataUtworzenia": "2023-04-20T20:54:19.611Z",
  "dataEdycji": "2023-04-20T20:54:19.611Z",
  "opisArtykulu": "slodki",
  "cena": 5
}
```

Execute

Clear

Responses

Curl

Responses

Curl

```
curl -X 'POST' \
  'https://localhost:44376/api/Shop/Add' \
  -H 'accept: */*' \
  -H 'Content-Type: application/json' \
  -d '{
    "id": 5,
    "nazwaProduktu": "Ananas",
    "dataUtworzenia": "2023-04-20T20:54:19.611Z",
    "dataEdycji": "2023-04-20T20:54:19.611Z",
    "opisArtykulu": "slodki",
    "cena": 5
  }'
```

Request URL

https://localhost:44376/api/Shop/Add

Server response

Code

Details

200

Response body

```
{
  "success": false,
  "message": "Produkt o ID: 5 już istnieje w bazie danych."
}
```

Download

Response headers

```
content-type: application/json; charset=utf-8
date: Thu, 20 Apr 2023 20:55:52 GMT
server: Microsoft-IIS/10.0
x-powered-by: ASP.NET
```

Responses

Code

Description

Links

200

Success

No links

Edit, delete, search operations work similarly.