

cotong.com

60.247.130.148

www.cotong.com

60.247.130.148

532 / 950

LAST SCANNED JAN 12 2026

FIRST SCANNED DEC 29 2025

This scan includes results from both cotong.com and www.cotong.com.

14 / 67 checks failed

DMARC policy not found

cotong.com



Domain-based Message Authentication, Reporting and Conformance (DMARC) is an email security feature that works in conjunction with Sender Policy Framework (SPF) and/or DomainKeys Identified Mail (DKIM) to ensure that messages actually originate from the organizations claimed in the From: address. It does this by "aligning" the From: address with either the SPF or DKIM policy in the sender domain. If a message's From: address does not align with either of these policies, DMARC offers options on how to handle the message, including delivering it, quarantining it and blocking it altogether.

One of the most common phishing techniques is called email spoofing. Spoofing is when a malicious actor rewrites their email headers to make it seem as if the message is coming from a different, legitimate email domain. Users are much more likely to fall for phishing scams when the From: address appears legitimate. Phishing scams usually involve the harvesting of credentials and other information from victims who are directed to malicious websites. DMARC helps prevent spoofing by authenticating the From: address to the sender's domain.

DMARC should be established on the email domain. To establish DMARC, you must already have SPF and/or DKIM in place on the email domain. Once one or both of those are ready, a TXT record named _DMARC should be created in DNS. There are several parameters for the _DMARC record, but the most important are to specify v=DMARC1; rua=yourpreferredaddress@yourdomain.com; and p= none, quarantine or reject. The v= value is constant. The rua= value allows you to specify the address to receive reports from DMARC. The p= value provides instructions on what to do with an email that fails DMARC alignment. The p= value should ultimately be set to reject for best security; however, the other options may be introduced first to ensure no false positives are being picked up by the DMARC policy.

Expected	DNS > DMARC: v=DMARC1; p=reject; ...
Actual	[not set]
First detected	Jan 9, 2026

SPF not enabled

cotong.com



When enabled, SPF (Sender Policy Framework) prevents fraudulent emails from being sent by unauthorized domains or IP addresses, which helps to stop spoofing and phishing attacks.

Emails from unauthorized domains or IP addresses can be sent to employees or customers. These emails could contain malicious links, attachments, or fake domains that can trick employees into providing sensitive information or downloading malware.

To remediate this risk, add SPF authentication on all email-enabled domains. This can be done by creating a DNS TXT record that specifies which IP addresses are authorized to send emails from that domain.

Expected	DNS > SPF: v=spf1...
Actual	[not set]
First detected	Jan 9, 2026

HTTP Strict Transport Security (HSTS) not enforced

cotong.com:443

www.cotong.com:443



Secure Sockets Layer (SSL) and Transport Layer Security (TLS) are mechanisms for securing traffic between two systems. They do this by using an encryption algorithm that makes the data unreadable for everyone except the two systems that possess the necessary certificates. These certificates provide a keypair, private and public, that is used to guarantee the encryption. SSL/TLS uses the HTTPS protocol, so all client connections must be rerouted from HTTP to HTTPS when necessary. HTTP Strict Transport Security (HSTS) ensures that no HTTP connections will be allowed from the server. This forces the use of HTTPS, which maintains encryption at all times.

Without HSTS, servers are still allowed to establish unencrypted connections on the HTTP protocol. This can open the door for unexpected and unseen circumstances where a client passes sensitive information in plain text. HTTP to HTTPS redirects can still pass sensitive information, such as credentials in the URL, in plain text. This opens a window for a man-in-the-middle (MITM) attack. Old links that were overlooked might still specify HTTP. Users might create their own browser bookmarks using HTTP. As long as HTTP connections are possible, the risk of data interception is present.

Enable HSTS on the server. This is done by including the Strict-Transport-Security header on the system. The "includeSubDomains" directive should be specified to ensure all subdomains on the system use HTTPS. Submit your domain to Google's HSTS preload service. This preload list is included in most browsers and will automatically make all connections to the domain use an encrypted channel.

Expected	Headers > strict-transport-security: [header set]
Actual	[not set]
First detected	Dec 29, 2025

Secure cookies not used



cotong.com:443
www.cotong.com:443

Cookies are data sent from websites that are stored on your computer. They contain information about your preferences, history and other details. Cookies are used by websites to track users over time, target advertising and personalize the user experience. Some cookies are used in authentication, allowing sessions to be established without re-entering credentials. The Secure cookies attribute restricts the cookie's usability to encrypted channels only, ensuring that cookies are always passed over HTTPS connections.

Without the Secure cookies attribute, cookies can be passed over plain text HTTP channels. This creates an opportunity for a third party to intercept the cookie in transit and use it to impersonate the user or harvest the information it contains. Because some cookies are used in establishing sessions, this can be especially dangerous if an active cookie to a sensitive site is compromised.

Applications and web servers that distribute cookies should be configured to include the Secure attribute. The specifics of how to do this differ by technology. For example in ASP.NET, you add <httpCookies requireSSL="true" /> to the web.config file. In Java, you add <secure>`true`</secure> to the cookie-config session of web.xml. Because the Secure attribute requires SSL connections to work, it is important to verify that SSL is properly configured before enabling it.

Expected	Headers: [all set-cookie headers include 'secure']
Actual	Set-Cookie: lg
First detected	Dec 29, 2025

X-Frame-Options is not deny or sameorigin



cotong.com:443
www.cotong.com:443

X-Frame-Options is a server header that dictates whether a page is allowed to be rendered using the <frame>, <iframe>, <embed> or <object> tags. This measure prevents attackers from rendering a page within a frame they control, where they can then gather inputs to the page like login credentials.

The deny and sameorigin options control if or when a page is allowed to be rendered in a frame. The "deny" option prevents the page from being rendered in a frame and provides blanket protection if there is never a need for the page to be in a frame. The "sameorigin" option specifies that the page can only be rendered in a frame on the same domain, preventing attacker-controlled domains from presenting the page. Missing these directives enables click-jacking attacks where the user interacts with the page without knowing that the attacker can intercept any inputs or actions they take.

Add a server header for X-Frame-Options with an option of "deny" if there is no need for the site to appear in a frame, or "sameorigin" to restrict this option to other pages on the same domain.

Expected	Headers > x-frame-options: [deny or sameorigin]
Actual	[not set]
First detected	Dec 29, 2025

CSP implemented unsafely



cotong.com:443
www.cotong.com:443

A Content-Security-Policy (CSP) header defines directives for what resources can be used by the site as a measure to prevent cross site scripting attacks. The implementation of the CSP for this site uses a directive that potentially allows unsafe content.

The CSP is implemented but meets one of these criteria that potentially allow unwanted scripts to be executed: including "unsafe-inline" without the use of a nonce or hash to ensure the script being executed is approved; overly broad sources such as "https:" inside "object-src" or "script-src"; or not restricting the sources for "object-src" or "script-src." These unsafe conditions could allow an attacker to execute a cross site scripting attack by launching scripts from one of those locations.

To remediate the unsafe conditions in the CSP, identify which of the conditions in the risk details applies. If possible, remove unsafe-inline scripts, or add a hash or nonce to validate its integrity. Review the "object-src" and "script-src" directives and include specific trusted origins.

Expected	Headers > content-security-policy: [implemented safely]
Actual	upgrade-insecure-requests
First detected	Dec 29, 2025

HttpOnly cookies not used



cotong.com:443
www.cotong.com:443

Cookies are data sent from websites that are stored on your computer. They contain information about your preferences, history and other details. Cookies are used by websites to track users over time, target advertising and personalize the user experience. Some cookies are used in authentication, allowing sessions to be established without re-entering credentials. The HttpOnly attribute restricts use of the cookie to web browsers and disallows other applications and scripts from accessing the data.

Without the HttpOnly attribute, cookies can be accessed by applications and scripts other than the web browser. For example, Javascript can be used to access a cookie and perform a cross-site scripting (XSS) attack. XSS attacks inject malicious client-side code into websites, which is unknowingly executed by the victims. This allows malicious actors to circumvent access controls and impersonate users.

Applications and web servers that distribute cookies should be configured to include the HttpOnly attribute. The specifics of how to do this differ by technology. For example in ASP.NET, you add <httpCookies httpOnlyCookies="true" /> to the web.config file. In Java, you add <http-only>true</http-only> to the cookie-config session of web.xml. Because the HttpOnly attribute prevents scripts from accessing cookies, it is important to verify that website functionality will not be lost with this change.

Expected	Headers: [all set-cookie headers include 'httponly']
Actual	Set-Cookie: lg
First detected	Dec 29, 2025

DNSSEC not enabled



cotong.com

Domain Name System (DNS) is the service that translates human-friendly names to IP addresses. When a URL is sent from the browser, it goes to a DNS server that references its database and returns an IP address for the browser to use. Domain Name System Security Extensions (DNSSEC) is an optional feature of DNS that authenticates (but does not encrypt) responses to DNS requests. DNSSEC uses certificates to ensure only authorized DNS translations are returned to a client.

Without DNSSEC, domains are much more susceptible to DNS poisoning attacks. DNS poisoning is when a malicious actor manipulates the response to a DNS request in order to point the client to an IP address of their choosing. This allows them to then impersonate a valid website and capture any credentials or sensitive information given by the client.

Enable DNSSEC on the domain. This is a three step process that involves creating the necessary DNSSEC records in your domain, activating DNSSEC at your domain registrar and enabling DNSSEC signature validation on all DNS servers. The specifics of each step vary depending on the platforms and vendors in play.

Expected	DNSSEC enabled: true
Actual	false
First detected	Dec 29, 2025

Domain registrar or registry update protection not enabled



cotong.com

Domain update protection is a DNS setting that prevents updates to the ownership of the domain until the owner has disabled this setting. It is a DNS security mechanism intended to make it harder for an attacker to make unauthorized modifications to domain ownership through social engineering.

Attackers may attempt to hijack domains by impersonating the domain's owner and modifying domain ownership data.

Look up the whois information for the domain either using the CLI or an online tool. It should have a Domain Status of "serverUpdateProhibited" or "clientUpdateProhibited." Log into your domain registrar's site. Navigate to the settings for this domain. You should have an option to enable this setting and save the configuration.

Expected	Domain > Registrar Update Protection: clientUpdateProhibited: set or serverUpdateProhibited: set
Actual	clientUpdateProhibited:not enabled, serverUpdateProhibited:not enabled
First detected	Dec 29, 2025

X-Content-Type-Options is not nosniff



cotong.com:443
www.cotong.com:443

The X-Content-Type-Options header is not set to "nosniff," an option that prevents MIME type sniffing. This header ensures that the content types defined in the Content-Type header are used and not changed.

Multipurpose Internet Mail Extension (MIME) content types are subject to content sniffing attacks, in which the attacker turns non-executable MIME types into executable MIME types. Without this option, an attacker may attempt cross-site scripting by uploading a non-executable content type (like an image) that contains script content that would be executed when another user accesses the file. The "nosniff" option ensures that content is only treated as an image and not script.

In the file that configures your server headers, add the header X-Content-Type-Options: nosniff. You should also ensure that the Content-Type is set correctly for the content you are expecting to server, and test that the site renders as desired after the change.

Expected	Headers > x-content-type-options: nosniff
Actual	[not set]
First detected	Dec 29, 2025

CAA not enabled



cotong.com
www.cotong.com

Certificate Authority Authorization (CAA) is a security mechanism that allows domain owners to specify which Certificate Authorities (CAs) are permitted to issue SSL/TLS certificates for their domain. The CAA policy is enforced through DNS (Domain Name System) records, providing an extra layer of security against unauthorized certificate issuance.

When a Certificate Authority receives a certificate request for a domain, it is required to check the domain's CAA records before issuing the certificate. Without a CAA, it is possible to have certificates issued for a domain by an unapproved certificate authority.

CAA is implemented as a DNS resource record (type CAA). Domain owners add CAA records to their DNS zone file, specifying which CAs are allowed to issue certificates for that domain. To allow Let's Encrypt to issue certificates, the record would look like: example.com. IN CAA 0 issue "letsencrypt.org".

Expected	CAA: [set]
Actual	[not set]
First detected	Dec 29, 2025

Weak cipher suites supported in TLS 1.2



cotong.com:443
www.cotong.com:443

Transport Layer Security (TLS) 1.2 supports several strong cipher suites, but also includes some that are considered obsolete or weak. Weak encryption algorithms in TLS 1.2 include NULL, RC2, RC4, DES, IDEA, and TDES/3DES, and cipher suites using these algorithms should not be used.

Supporting weak cipher suites in TLS 1.2 means that attackers can attempt to force the usage of these cipher suites, even when secure ciphers are also available. Exploiting weak cipher suites can be used by hackers to eavesdrop on communications, intercept data, and launch adversary-in-the-middle attacks.

TLS 1.3 no longer includes the weak cipher suites available in 1.2. Upgrading to 1.3 will resolve the issue. Within 1.2, compare the list of cipher suites in use to the list at ciphersuite.info/cs to identify which are insecure.

Expected	SSL > Supported Cipher Suite: [secure ciphers only]
Actual	TLSv1.2: TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA384
First detected	Dec 29, 2025

'HTTP' port open



60.247.130.148

HTTP (Hypertext Transfer Protocol) is a protocol used for transmitting data over the internet, specifically for delivering web pages and other web-based content. A HTTP port is a network communication port that allows Hypertext Transfer Protocol (HTTP) traffic to be transmitted between a client and a server. The most commonly used HTTP port is 80.

An open HTTP port creates the possibility of an unencrypted connection being made between the server and a client. Any information passed across this unencrypted channel is vulnerable to a man-in-the-middle attack where sensitive information, including usernames and passwords, can be read in transit by a malicious third party.

All web traffic should be conducted over an HTTPS connection, typically using port 443. By proactively redirecting or blocking the unencrypted HTTP port, the risk of data interception is greatly reduced.

Expected	Ports > 'HTTP': [closed]
Actual	'HTTP': [listening on port 8443]
First detected	Dec 29, 2025

Jquery 1.11.3 has potential vulnerabilities

1 Known

i

cotong.com:443
www.cotong.com:443

Jquery 1.11.3 has vulnerabilities which might be exploitable under certain conditions. Affected domains should be checked to determine which vulnerabilities might pose a risk.

Expected	Vulnerabilities > Jquery 1.11.3: [none found]
Actual	CVE-2020-11022, CVE-2019-11358, CVE-2020-11023, CVE-2015-9251
First detected	Dec 29, 2025

53 / 67 checks passed

Certificate not found on our revoked certificate list

cotong.com:443

www.cotong.com:443

The site's certificate chain was checked against our list of revoked certificates.

Expected	SSL > Revoked: false
Actual	false

SSL available

cotong.com:80

www.cotong.com:80

SSL is supported for this site.

Expected	SSL: true
Actual	true

No unregistered MX records detected

cotong.com

No unregistered MX records that could lead to receiving mail on behalf of the target organization were detected.

Expected	Unregistered MX Domains: [none]
Actual	[none]

Domain has not expired

cotong.com

Domain has not expired.

Expected	Domain > Expired: [has not expired]
Actual	2026-12-17T02:10:22.000Z

No subdomain takeover vulnerability detected

cotong.com:443

cotong.com:8443

www.cotong.com:443

www.cotong.com:8443

No dangling DNS records that could lead to subdomain takeover were detected.

Expected	Subdomain Takeover: [not vulnerable]
Actual	[not vulnerable]

HTTP requests are redirected to HTTPS

cotong.com:80

www.cotong.com:80

All HTTP requests are redirected to HTTPS.

Expected	HTTP Accessible: false
Actual	false

Hostname matches SSL certificate

cotong.com:443

www.cotong.com:443

The site's hostname matches the SSL certificate.

Expected	SSL > Host Match: [hostname matches SSL certificate]
Actual	cotong.com matches cotong.com, www.cotong.com matches www.cotong.com

SSL has not expired

cotong.com:443

www.cotong.com:443

SSL certificate has not expired.

Expected	SSL > Expired: [has not expired]
Actual	2026-04-17 23:59:59 UTC

Trusted SSL certificate

cotong.com:443

www.cotong.com:443

The certificate presented by this domain was issued by a trusted certificate authority.

Expected	SSL > Trusted: true
Actual	true

Not a suspected malware provider

cotong.com

This website does not appear to contain malicious code.

Expected	Google Safe Browsing > Malware: false
Actual	false

No reports of botnet activity in the last 30 days

This IP/domain has not been reported as a source of botnet activity in the last 30 days.

Expected	Botnet Activity: false
Actual	

No reports of brute force login attempts in the last 30 days

This IP/domain did not appear on any list of IPs and domains known to perform brute force login attempts in the last 30 days.

Expected	Unsolicited Communication > Brute Force Login Attempt: false
Actual	

No reports of malware distribution in the last 30 days

This IP/domain has been reported for distributing malware in the last 30 days.

Expected	Malware Server: false
Actual	

No reports of unsolicited scanning in the last 30 days

This IP/domain has not been reported for performing unsolicited scanning in the last 30 days.

Expected	Unsolicited Communication > Scanning: false
Actual	

Not suspected of unwanted software

UpGuard Report

cotong.com

This website does not appear to be attempting to install unwanted software.

Expected	Google Safe Browsing > Unwanted Software: false
Actual	false

Not a suspected phishing page

cotong.com

This site does not appear to be a forgery or imitation of another website.

Expected	Google Safe Browsing > Phishing: false
Actual	false

No reports of phishing activity in the last 30 days

This IP/domain has not been reported as a phishing site in the last 30 days.

Expected	Phishing Site: false
Actual	

Domain does not expire soon

cotong.com

Domain does not expire within 30 days.

Expected	Domain > Expires On: [does not expire in next 30 days]
Actual	2026-12-17T02:10:22.000Z

No insecure SSL/TLS versions available

No insecure SSL/TLS versions are available for this site.

Expected	SSL > Insecure Protocol Versions: [none found]
Actual	[none found]

SSL certificate chain present in server response

cotong.com:443

www.cotong.com:443

A complete SSL certificate chain was presented by the server for this domain.

Expected	SSL > Chain: [certificate chain present in server response]
Actual	present

SSL chain certificates do not expire within 20 days

cotong.com:443

www.cotong.com:443

SSL intermediate and root certificates do not expire within 20 days.

Expected	SSL > Chain: [does not expire within 20 days]
Actual	[none found]

SSL expiration period shorter than 398 days

cotong.com:443

www.cotong.com:443

The SSL certificate presented by the server has an expiration period shorter than 398 days.

Expected	SSL > Expires: [expiration period shorter than 398 days]
Actual	365

SSL does not expire within 20 days

cotong.com:443
www.cotong.com:443

SSL certificate does not expire within 20 days.

Expected	SSL > Expires: [does not expire in the next 20 days]
Actual	2026-04-17 23:59:59 UTC

Strong SSL algorithm

cotong.com:443
www.cotong.com:443

Industry standard SHA-256 encryption in use.

Expected	SSL > Algorithm: [at least 'sha256']
Actual	SHA256-RSA

Not vulnerable to CVE-2014-0160 (Heartbleed)

A bug in OpenSSL's implementation of the TLS heartbeat extension allows access to portions of memory on the targeted host e.g. cryptographic keys and passwords.

Expected	Vulnerabilities > CVE-2014-0160: [not vulnerable]
Actual	[not vulnerable]

Not vulnerable to CVE-2014-3566 (POODLE)

The server does not support SSLv3, and is not vulnerable to the POODLE attack.

Expected	Vulnerabilities > CVE-2014-3566: [not vulnerable]
Actual	[not vulnerable]

Not vulnerable to CVE-2015-0204 (FREAK)

The server does not offer RSA_EXPORT cipher suites, so clients are not vulnerable to the FREAK attack.

Expected	Vulnerabilities > CVE-2015-0204: [not vulnerable]
Actual	[not vulnerable]

Not vulnerable to CVE-2015-4000 (Logjam)

The server is using strong Diffie-Hellman parameters and is not vulnerable to the Logjam attack.

Expected	Vulnerabilities > CVE-2015-4000: [not vulnerable]
Actual	[not vulnerable]

Server information header not exposed

cotong.com:443
cotong.com:80
cotong.com:8443
www.cotong.com:443
www.cotong.com:80
www.cotong.com:8443

Ensuring the server information header is not exposed reduces the ability of attackers to exploit certain vulnerabilities.

Expected	Headers > server: [does not contain version number]
----------	---

Actual wts

X-Powered-By header not exposed



cotong.com:443
cotong.com:80
cotong.com:8443
www.cotong.com:443
www.cotong.com:80
www.cotong.com:8443

Information about specific technology used on the server is obscured.

Expected Headers > x-powered-by: [not set]

Actual [not set]

CSP implemented without insecure active sources



cotong.com:443
www.cotong.com:443

The Content Security Policy does not allow any insecure active sources.

Expected Headers > content-security-policy: [no insecure active sources]

Actual upgrade-insecure-requests

Domain not flagged as inactive



cotong.com

Domain is not flagged as inactive.

Expected Domain > Not Resolvable: inactive: not set

Actual inactive: not set

Domain not pending deletion



cotong.com

Domain is not pending deletion with the registrar.

Expected Domain > Pending Deletion: pendingDelete: not set

Actual pendingDelete: not set

Domain not pending restoration



cotong.com

Domain is not pending restoration with the registrar.

Expected Domain > Pending Restoration: pendingRestore: not set

Actual pendingRestore: not set

Domain registrar or registry deletion protection enabled



cotong.com

Domain is protected from unsolicited deletion requests with the registrar or registry.

Expected Domain > Registrar Deletion Protection: clientDeleteProhibited or serverDeleteProhibited: set

Actual clientDeleteProhibited:enabled

Domain registrar or registry transfer protection enabled



cotong.com

Domain is protected from unsolicited transfer requests.

Expected	Domain > Registrar Transfer Protection: clientTransferProhibited or serverTransferProhibited: set
Actual	clientTransferProhibited:enabled

Domain free of registrar DNS resolution hold



cotong.com

Domain is not under a DNS resolution hold with the registrar.

Expected	Domain > Registrar DNS Resolution Hold: clientHold: not set
Actual	clientHold: not set

Domain free of registry DNS resolution hold



cotong.com

Domain is not under a DNS resolution hold with the registry itself.

Expected	Domain > Registry DNS Resolution Hold: serverHold: not set
Actual	serverHold: not set

Strong public certificate key length



cotong.com:443

www.cotong.com:443

The site's public certificate provides at least 112 bits of security strength.

Expected	SSL > Public Certificate Key Length: [RSA >= 2048 or ECDSA >= 224]
Actual	2048-bit RSA

Referrer policy is not unsafe-url



cotong.com:443

cotong.com:80

www.cotong.com:443

www.cotong.com:80

The website's Referrer Policy is not configured to allow unsafe information to be sent in the referrer header.

Expected	Headers > referrer-policy: [not unsafe-url]
Actual	[not set]

ASP.NET version header not exposing specific ASP.net version



cotong.com:443

cotong.com:80

cotong.com:8443

www.cotong.com:443

www.cotong.com:80

www.cotong.com:8443

Ensuring the ASP.NET version header is not exposing a specific version makes it harder for attackers to exploit certain vulnerabilities.

Expected	Headers > x-aspnet-version: [not set]
Actual	[not set]

ASP.NET version header not exposed



cotong.com:443

cotong.com:80

cotong.com:8443

www.cotong.com:443

www.cotong.com:80

www.cotong.com:8443

Ensuring the ASP.NET version header is not exposed makes it harder for attackers to exploit certain vulnerabilities.

Expected	Headers > x-aspnet-version present: [not present]
Actual	[not present]

CSP implemented without insecure passive sources



cotong.com:443
www.cotong.com:443

The Content Security Policy does not allow any insecure passive (img/media) sources.

Expected	Headers > content-security-policy: [no insecure passive sources]
Actual	upgrade-insecure-requests

CSP implemented without unsafe-eval



cotong.com:443
www.cotong.com:443

A Content Security Policy is implemented to help protect against XSS and clickjacking attacks.

Expected	Headers > content-security-policy: [no unsafe-eval]
Actual	upgrade-insecure-requests

No open cloud storage service detected



cotong.com:443
cotong.com:8443
www.cotong.com:443
www.cotong.com:8443

No cloud storage service configured to allow anonymous file listing was detected.

Expected	Open Cloud Storage: [not detected]
Actual	[not detected]

Domain index is not a listable directory



cotong.com:443
cotong.com:8443
www.cotong.com:443
www.cotong.com:8443

The domain index is not a listable directory.

Expected	Domain Index: [not a listable directory]
Actual	[not a listable directory]

Domain renewal not prohibited by registry



cotong.com

Domain is not prohibited from renewal at the registry itself.

Expected	Domain > Prohibited from Renewal at Registry: serverRenewProhibited: not set
Actual	serverRenewProhibited: not set

No reports of botnet activity in the last 90 days



This IP/domain has not been reported as a source of botnet activity in the last 90 days.

Expected	Botnet Activity: false
Actual	

No reports of brute force login attempts in the last 90 days



This IP/domain did not appear on any list of IPs and domains known to perform brute force login attempts in the last 90 days.

Expected	Unsolicited Communication > Brute Force Login Attempt: false
Actual	

No reports of malware distribution in the last 90 days ✓

This IP/domain has been reported for distributing malware in the last 90 days.

Expected	Malware Server: false
Actual	

No reports of unsolicited scanning in the last 90 days ✓

This IP/domain has not been reported for performing unsolicited scanning in the last 90 days.

Expected	Unsolicited Communication > Scanning: false
Actual	

No reports of phishing activity in the last 90 days ✓

This IP/domain has not been reported as a phishing site in the last 90 days.

Expected	Phishing Site: false
Actual	

No unmaintained page detected ✓

cotong.com:443
cotong.com:80
cotong.com:8443
www.cotong.com:443
www.cotong.com:80
www.cotong.com:8443

The page appears to be maintained.

Expected	Unmaintained Page: [not detected]
Actual	[not detected]

Detected Products

cotong.com

Product Name	Vendor Name	First Detected
jQuery Waypoints	GitHub	Dec 29, 2025
<i>Waypoints is a small jQuery plugin that makes it easy to execute a function whenever you scroll to an element.</i>		
jQuery	jQuery	Dec 29, 2025
<i>jQuery is a JavaScript library which is a free, open-source software designed to simplify HTML DOM tree traversal and manipulation, as well as event handling, CSS animation, and Ajax.</i>		
Fancybox	Fancy Box	Dec 29, 2025
<i>FancyBox is a tool for displaying images, html content and multi-media in a Mac-style "lightbox" that floats overtop of web page.</i>		
WOW	GitHub	Dec 29, 2025
<i>Reveal CSS animation as you scroll down a page.</i>		
Content Delivery Network	Wikipedia	Dec 29, 2025
<i>This page contains links that give the impression that some of the site contents are stored on a content delivery network.</i>		
Common Crawl	Common Crawl	Dec 29, 2025
<i>This website was found in the Common Crawl dataset. Data from this site was probably used to train AI LLMs.</i>		
CommonCrawl Top 5m	Common Crawl	Dec 29, 2025
<i>This website appears in the Common Crawl Page Rank top 5m websites.</i>		
GrowingIO	GrowingIO	Dec 29, 2025
<i>Japanese based eCommerce conversion optimization tool.</i>		
jQuery 1.7.2	jQuery	Dec 29, 2025

Product Name	Vendor Name	First Detected
	<i>jQuery version 1.7.2</i>	
SPF	open-spf.org	Dec 29, 2025
	<i>The Sender Policy Framework is an open standard specifying a technical method to prevent sender address forgery.</i>	
DigiCert SSL	DigiCert,	Jan 9, 2026
	<i>Certificate provided by DigiCert.</i>	
Font Awesome	Font Awesome	Dec 29, 2025
	<i>Iconic font and CSS toolkit.</i>	
Mandarin Chinese - Inferred	BuiltWith	Dec 29, 2025
	<i>Based on the title and description text the website content is potentially Mandarin Chinese.</i>	
Alibaba Cloud MailBox	mxhichina.com	Jan 9, 2026
	<i>AliMail provides Enterprise mail client from AliBaba.</i>	
China Telecom	China Telecommunications	Dec 29, 2025
	<i>State owned telecom web hosting provider in China.</i>	
CommonCrawl Top 10m	Common Crawl	Dec 29, 2025
	<i>This website appears in the Common Crawl Page Rank top 10m websites.</i>	
Copyright Year 2022	Wikipedia	Dec 29, 2025
	<i>Webpage has a copyright year of 2022 with no detectable mention of the current year.</i>	
DMARC	dmarc.org	Jan 9, 2026
	<i>A technical specification created by a group of organizations that want to help reduce the potential for email-based abuse</i>	

Product Name	Vendor Name	First Detected
Slack	Slack	Dec 29, 2025
<i>Messaging app for teams that makes working together simple and efficient.</i>		
Chinese	Wikipedia	Dec 29, 2025
<i>Website content is written in Chinese variants including Mandarin, Gan, Hakka, Yue Cantonese and Xiang Chinese. Based on HTML language attributes on the website</i>		
DMARC Quarantine	dmarc.org	Jan 9, 2026
<i>The domain has a DMARC policy of 'Quarantine'. This tells the receiving mail server that all emails that do not have your domain name in the "From" field (or any other set criteria) should be quarantined by default.</i>		
China Ministry of Public Security	beian.gov.cn	Dec 29, 2025
<i>The website contains a link to a public website security profile for China on the Ministry of Public Security for Public Information Network Security Supervision.</i>		
Viewport Meta	Google	Dec 29, 2025
<i>This page uses the viewport meta tag which means the content may be optimized for mobile content.</i>		
iPhone / Mobile Compatible	Apple	Dec 29, 2025
<i>The website contains code that allows the page to support iPhone / Mobile Content.</i>		
jQuery 1.11.3	jQuery	Dec 29, 2025
<i>jQuery version 1.11.3</i>		
Encryption Everywhere	Broadcom	Jan 9, 2026
<i>High Value, Low Friction End-to-End Security for Web Hosting Partners from Symantec.</i>		
Skrollr	GitHub	Dec 29, 2025
<i>Parallax scrolling library with no dependencies.</i>		
html5shiv	GitHub	Dec 29, 2025

Product Name	Vendor Name	First Detected
	<i>HTML5 IE enabling script shim.</i>	
SSL by Default	BuiltWith	Dec 29, 2025
	<i>The website redirects traffic to an HTTPS/SSL version by default.</i>	
CNZZ	cnzz.com	Dec 29, 2025
	<i>Chinese Analytics Package - Umeng-Web.</i>	
Chinese Server Location	BuiltWith	Dec 29, 2025
	<i>The web server is located in China.</i>	
Respond	GitHub	Dec 29, 2025
	<i>A fast & lightweight polyfill for min/max-width CSS3 Media Queries (for IE 6-8, and more)</i>	
Slick JS	GitHub	Dec 29, 2025
	<i>Fully responsive carousel library.</i>	
Baidu Analytics	Baidu	Dec 29, 2025
	<i>Analytics tracking pixel from Chinese language search engine Baidu.</i>	
Artificial Intelligence	BuiltWith	Dec 29, 2025
	<i>This technology represents us finding some form of mention of AI or ChatGPT on the homepage of the website.</i>	
Shanghai ICP	miit.gov.cn	Dec 29, 2025
	<i>ICP Registration in Shanghai</i>	
ICP Non Commercial Website	beian.gov.cn	Dec 29, 2025

China Ministry of Industry and Information Technology ICP filing for non-commercial websites which are purely informational and are not involved in direct sales.