User Guide to the 2014 Period Linked Birth/Infant Death Public Use File



DEPARTMENT OF HEALTH AND HUMAN SERVICES Centers for Disease Control and Prevention National Center for Health Statistics Division of Vital Statistics

2014 Period Linked Birth/Infant Death Data Set

Contents

Introduction

File and data characteristics

Record layout and definition of items and codes

Titles and codes for the 130 cause-of death list

Documentation tables

Unpublished tables

External Links

User's Guide for the 2014 Natality File

Mortality Data internet page

Introduction

The linked birth/infant death data set (linked file) is released in two formats - period data and birth cohort data. This documentation is for the 2014 period linked file.

Period data - The numerator for the 2014 period linked file consists of all infant deaths occurring in 2014 linked to their corresponding birth certificates, whether the birth occurred in 2013 or 2014. The denominator file for this data set is the 2014 natality file, that is, all births occurring in 2014.

The 2014 period linked birth/infant death data set includes several data files. The first file includes all US infant deaths which occurred in the 2014 data year linked to their corresponding birth certificates, whether the birth occurred in 2013 or 2014 - referred to as the numerator file. The second file contains information from the death certificate for all US infant death records which could not be linked to their corresponding birth certificates - referred to as the unlinked death file. The third file is the 2014 NCHS natality file for the US, which is used to provide denominators for rate computations. These same three data files are also available for Puerto Rico and Guam.

Incomplete National Reporting - Using Reporting Flags

As a result of the delayed, phased transition to the 2003 U.S. Standard Certificate of Live Birth, the 2014 linked file includes data for reporting areas that use the 2003 revision of the U.S. Standard Certificate of Live Birth (revised) and data for reporting areas that use the 1989 Standard Certificate of Live Birth (unrevised) (see the 2014 Natality User Guide). Although many data items are comparable across certificate revisions and are available for the entire United States, some items have more limited reporting areas. In addition, the 2014 linked file contains information on infants born in both 2013 and 2014. As reporting areas changed between 2013 and 2014, this complicates the file. Also, birth data are collected by place of occurrence but are typically tabulated by mother's place of residence. Reporting flags were developed to help the user more readily identify reporting areas for items with less than national reporting for the entirety of 2013 and 2014. Reporting flags are included in the file to assist in accurately excluding records from areas that do not report items when tabulating data by mother's place of residence.

Reporting areas for the 2014 linked file are different from those for the 2014 birth file, as items had to be reported by a state in both 2013 and 2014 to be able to provide complete data. Thus, data for non-comparable items from states that revised in 2014 are excluded from all tabulations. Positions for reporting flags are noted along with each data item in the file layout. Reporting flags <u>must be invoked</u> to generate accurate numbers by residence for items which are not reported by all states. Where applicable, reporting flags are shown in the column "Reporting Flag Position" in the file layout. Reporting flag codes are 0 (item reported in neither the current or previous year), 1 (item reported in both current and previous year), 2 (item reported in the previous but not in the current year), and 3 (item reported in the current but not in the previous year). When using these data,

select reporting flag=1 to get valid and complete data for an item (see SAS code examples below).

Translating "blanks" - In the 2014 linked file, for data items which are not common or comparable across certificate revisions, events to residents of a revised state occurring in an unrevised state, and events to residents in an unrevised state occurring in a revised state, are often represented by "blanks." Blanks should be treated as "unknowns" for tabulations.

The correct use of reporting flags and translation of blanks will result in an accurate tally of births and infant deaths for items with incomplete national reporting.

Example of SAS code using reporting flags (and translating blanks)

An example of SAS code that may be used to incorporate the correct use of reporting flags and the translation of blanks is shown below. This example is for the revised prenatal care item. Prenatal care data based on the revised certificate are not considered comparable with data based on the unrevised certificate.

```
Sample SAS program
01
      DATA work;
02
            INFILE 'C:VS14LINK.USNUMPUB' LRECL=1779;
03
            INPUT
04
                  restatus 104
05
                  precare 224-225
                  f_mpcb 226;
06
07
80
            /*Exclude foreign residents*/
09
            IF restatus NE 4;
10
            /*Select reporting area*/
            IF f mpcb=1;
11
12
            /*Convert blanks to unknown*/
13
            IF precare=. THEN precare=99;
14
15
      PROC FREQ:
16
            TABLE precare;
17
      RUN:
```

In this example, "restatus" is used to exclude births to foreign residents (this is standard practice for all NCHS tabulations). Also in this example, blanks are represented by numeric values SAS code = (.). However, for some items in the file, e.g., obstetric procedures, blanks are represented by character values for which the SAS code is empty single quotes ('').

Alternatives to the use of reporting flags - The use of reporting flags provides a quick way to select records for all areas reporting comparable data for a given item in a particular

year. However, should a limited reporting area be needed, specific state(s) of residence may also be selected, or unselected. This approach may be useful, for example, in trend analysis where reporting areas have changed over time.

Example of SAS code using state of residence (and translating blanks)

```
01
      DATA work:
02
            INFILE 'C:VS14LINK.USNUMPUB 'LRECL=1779;
            INPUT
03
04
                   restatus 104
05
                   xmrstate $ 87-88
06
                   precare 224-225;
07
80
            /*Exclude foreign residents*/
09
            IF restatus NE 4;
10
            /*Select reporting area*/
            IF xmrstate in ('FL','MO','NC','NH','NV','PA');
11
12
            /*Convert blanks to unknown*/
13
            IF precare=. THEN precare=99;
14
15
      PROC FREQ;
16
            TABLE precare;
17
      RUN;
```

Single, Multiple, and Bridged Race

In 1997, the Office of Management and Budget (OMB) issued revised standards requiring Federal collection programs to allow respondents to select *one or more race categories*. In 2014 data, forty-seven states and DC reported multiple race data, representing 96% of all U.S. births. For the 2014 period linked file, complete data for both 2013 and 2014 births are available from 44 states and DC, representing 91% of all U.S. births.

In 2014, multiple race data were reported on the death certificates of 46 states and DC. In order to provide uniformity and comparability of the data before all or most of the data are available in the new multiple-race format, it was necessary to "bridge" the responses of those for whom more than one race was reported (multiple race) to one, single race.

Weighting

A weight is added to the linked numerator file to correct in part for biases in percent of records linked by major characteristics. The number of infant deaths in the linked file are weighted to equal the sum of the linked plus unlinked infant deaths by age at death and state. The formula for computing the weights is as follows:

number of linked infant deaths + number of unlinked infant deaths
number of linked infant deaths

A separate weight is computed for each state of residence of birth and each age at death category (<7 days, 7-27 days, 28 days-1 year). Thus, weights are 1.0 for states which link all of their infant deaths. The denominator file is not weighted. Weights are not computed for the Puerto Rico and Guam file.

Birthweight

An imputation for not-stated birthweight is added to the data set to reduce potential bias in the computation of birthweight-specific infant mortality rates. If birthweight is not stated and the period of gestation is known, birthweight is assigned the value from the previous record with the same period of gestation, race, sex, and plurality. Imputed values are flagged. The addition of this imputation has reduced the percent of not-stated responses for birthweight from 4.02 to 0.53% in the numerator file, and from 0.08 to 0.06 in the denominator file, thus reducing the potential for underestimation when computing birthweight-specific infant mortality rates.

Period of gestation

Information on period of gestation is available for the entire United States. Beginning with the 2014 data year, NCHS transitioned to a new standard for estimating the gestational age of the newborn. The new measure – the obstetric estimate of gestation at delivery (OE) replaces the measure based on the date of the last normal menses (LMP). Accordingly, gestational age data in standard tables are based on the OE. Gestational age estimates differ somewhat between the OE- and LMP-based measures. For example, the 2014 OE-based infant mortality rate for infants with 37 to 38 weeks of gestation is 3.19 compared with the LMP-based rate of 2.92. LMP-based gestational age data continue to be available in data files.

Comparisons of infant mortality data from the linked file with infant mortality data from the vital statistics mortality file

Although the time periods are the same, numbers of infant deaths and infant mortality rates by characteristics are not always identical between the period linked file and the vital statistics mortality file. Differences in numbers of infant deaths between the two data sources are primarily due to geographic coverage differences. For the vital statistics mortality file, all deaths occurring in the 50 states and the District of Columbia are included regardless of the place of birth of the infant. In contrast, to be included in the linked file, both the birth and death must occur in the 50 states and the District of Columbia. Also, although every effort has been made to design weights that will accurately reflect the distribution of deaths by characteristics, weighting may contribute to small differences in numbers and rates by specific variables between these two data sets. In most cases, differences between numbers of infant deaths and infant mortality rates between the linked file and those computed from the vital statistics mortality file are negligible.

Methodology

The methodology used to create the national file of linked birth and infant death records uses two data sources:

- 1. State linked files for the identification of linked birth and infant death certificates; and
- NCHS natality and mortality computerized statistical files, the source of computer records for the two linked certificates.

States routinely link infant death certificates to their corresponding birth certificates for legal and statistical purposes. When the birth and death of an infant occur in different states, copies of the records are exchanged by the state of death and state of birth in order to effect a link. In addition, if a third state is identified as the state of residence at the time of birth or death, that state is also sent a copy of the appropriate certificate by the state where the birth or death occurred.

The NCHS natality and mortality files, produced annually, include statistical data from birth and death certificates that are provided to NCHS by states under the Vital Statistics Cooperative Program (VSCP). The data have been coded according to uniform coding specifications, have passed quality control standards, have been edited and reviewed, and are the basis for official U.S. birth and death statistics.

To initiate processing, NCHS obtained matching birth certificate numbers from states for all infant deaths that occurred in their jurisdiction. We use this information to extract final, edited mortality and natality data from the NCHS natality and mortality statistical files. Individual birth and death records were selected from their respective files and linked into a single statistical record, thereby establishing a national linked record file.

Characteristics of Unlinked File

For the 2014 linked file 0.7% of all infant death records could not be linked to their corresponding birth certificates. Unlinked records are included in a separate data file in this data set. The unlinked record file uses the same record layout as the numerator file of linked birth and infant death records. However, except as noted below, locations reserved for information from the matching birth certificate are blank since no matching birth certificate could be found for these records. The sex field contains the sex of infant as reported on the death certificate, rather than the sex of infant from the birth certificate, which is not available. The race field contains the race of the decedent as reported on the death certificate rather than the race of mother as reported on the birth certificate as is the case with the linked record file. The race of mother on the birth certificate is generally considered to be more accurate than the race information from the death certificate. Also, date of birth as reported on the death certificate is used to generate age at death. This information is used in place of date of birth from the birth certificate, which is not available.

Percent of Records Linked

The 2014 linked file for the 50 States and D.C. includes 23,086 linked infant death records and 161 unlinked infant death records. The linked file is weighted to the sum of linked plus unlinked records, thus the total number of weighted infant deaths by place of occurrence is 23,247.

Table 1 below shows the percent of infant deaths linked by state of occurrence of death. While many states link all of their infant deaths, linkage rates for some states are below the national average. When a high percentage of deaths remain unlinked, unweighted infant mortality rates computed for these states are underestimated. It is for this reason that weights are added to the file to correct for biases in the data due to poor data linkage for particular states.

Table 1. Percent of infant deaths linked by state of occurrence of death: United States, 2014 linked file

United States	99.3	Nebraska	99.3
Alabama	99.8	Nevada	100.0
Alaska	100.0	New Hampshire	100.0
Arizona	99.6	New Jersey	98.2
Arkansas	99.3	New Mexico	100.0
California	98.2	New York State	99.5
Colorado	100.0	New York City	100.0
Connecticut	100.0	North Carolina	100.0
Delaware	100.0	North Dakota	100.0
District of Columbia	100.0	Ohio	99.2
Florida	99.9	Oklahoma	100.0
Georgia	99.4	Oregon	100.0
Hawaii	100.0	Pennsylvania	99.1
Idaho	100.0	Rhode Island	100.0
Illinois	100.0	South Carolina	100.0
Indiana	99.5	South Dakota	100.0
Iowa	99.4	Tennessee	99.8
Kansas	99.5	Texas	98.5
Kentucky	98.6	Utah	99.6
Louisiana	100.0	Vermont	100.0
Maine	100.0	Virginia	95.4
Maryland	100.0	Washington	100.0
Massachusetts	98.8	West Virginia	100.0
Michigan	99.9	Wisconsin	100.0
Minnesota	100.0	Wyoming	100.0
Mississippi	100.0	Puerto Rico	100.0
Missouri	99.1	Virgin Islands	NA
Montana	100.0	Guam	100.0

Confidentiality

To minimize the risk of disclosure of individual or institutional information NCHS public-use data files do not contain the actual day of the birth or the dates of birth of the mother or father. Also, for public-use files from 2005 forward, no U.S. geographic detail is identified.

Documents

The documents listed below describe in detail the procedures employed for demographic classification on both the birth and death records and medical classification on death records. These documents, while not absolutely essential to the proper interpretation of the data for a number of general applications, should nevertheless be studied carefully prior to any detailed analysis of demographic or medical data variables. In particular, there are a number of details about multiple cause-of-death coding which, if not understood and analyzed properly, may result in faulty analysis of the data. Volumes 1, 2 and 3 of the ICD-10 may be purchased from the World Health Organization (WHO) Publication Center USA, see http://www.cdc.gov/nchs/icd/icd10.htm. Many of the instruction manuals listed below are available electronically on the NCHS website.

- A. National Center for Health Statistics. Vital statistics, Instructions for Classifying the Underlying Cause-of-Death, ICD-10, 2014. NCHS Instruction Manual, Part 2a. Hyattsville, Maryland: Public Health Service.
- B. National Center for Health Statistics. Vital statistics, Instructions for Classifying Multiple Cause-of-Death, ICD-10, 2014. NCHS Instruction Manual, Part 2b. Hyattsville, Maryland: Public Health Service.
- C. National Center for Health Statistics. Vital statistics, ICD-10 ACME Decision Tables for Classifying Underlying Causes-of-Death, 2014. NCHS Instruction Manual, Part 2c. Hyattsville, Maryland: Public Health Service.
- National Center for Health Statistics. Specifications for U.S. Standard Certificate of Birth – 2003 Revision. NCHS Instruction manual, Part 3A. Hyattsville, Maryland: Public Health Service.
- E. National Center for Health Statistics. Specifications for U.S. Standard Certificate of Death 2003 Revision. NCHS Instruction manual, Part 4. Hyattsville, Maryland: Public Health Service.
- F. National Center for Health Statistics. Vital statistics, Computer Edits for Natality Data, Effective 1993. NCHS Instruction Manual Part 12. Hyattsville, Maryland: Public Health Service.
- G. National Center for Health Statistics. Vital statistics, Computer Edits for Mortality Data, Effective 2012. NCHS Instruction Manual Part 11. Hyattsville, Maryland: Public Health Service.

Instructions manuals are available at: http://www.cdc.gov/nchs/nvss/instruction_manuals.htm

Also see: http://www.cdc.gov/nchs/nvss/vital_certificate_revisions.htm for the most recent information about revised certificates.

Underlying Cause of Death Data

Mortality statistics by cause of death are compiled from entries on the medical certification portion of the death certificate. Causes of death include "all those diseases, morbid conditions or injuries which either resulted in or contributed to death and the circumstances of the accident or violence which produced these injuries". The medical certification of death is divided into two sections. In Part I, the physician is asked to provide the causal chain of morbid conditions that led to death, beginning with the condition most proximate to death on line (a) and working backwards to the initiating condition. Part I of the medical certification is designed to facilitate the selection of the underlying cause of death when two or more causes are recorded on the certificate. The underlying cause of death is defined by the WHO in the ICD-10 as "(a) the disease or injury which initiated the chain of morbid events leading directly to death, or (b) the circumstances of the accident or violence that produced the fatal injury" and is generally considered the most useful cause from a public health standpoint. Part II of the cause-ofdeath section of the death certificate solicits other conditions that the certifier believed contributed to death, but were not in the causal chain. While some details of the death certificate vary by state, all states use the same general format for medical certification outlined in the U.S. Standard Certificate. The U.S. Standard Certificate, in turn, closely follows the format recommended by the WHO.

For a given death, the underlying cause is selected from the condition or conditions recorded by the certifier in the cause-of-death section of the death certificate. NCHS is bound by international agreement to make the selection of the underlying cause through the use of the ICD-10 classification structure, and the selection and modification rules contained in this revision of the ICD. Additional information on the underlying cause of death can be found at http://www.cdc.gov/nchs/data/dvs/mort99doc.pdf.

Multiple Cause of Death Data

The limitations of the underlying cause concept and the need for more comprehensive data suggested the need for coding and tabulating all conditions listed on the death certificate. Coding all listed conditions on the death certificate was designed with two objectives in mind. First, to facilitate studies of the relationships among conditions reported on the death certificate, which require presenting each condition and its location on the death certificate in the exact manner given by the certifier. Secondly, the coding needed to be carried out in a manner by which the underlying cause-of-death could be assigned using the WHO coding rules. Thus, the approach in developing multiple cause data was to provide two fields: 1) entity axis and 2) record axis. For entity axis, NCHS

suspends the provisions of the ICD that create linkages between conditions for the purpose of coding each individual condition, or entity, with minimum regard to other conditions present on the death certificate.

Record axis is designed for the generation of person-based multiple cause statistics. Person-based analysis requires that each condition be coded within the context of every other condition on the same death certificate and modified or linked to such conditions as provided by ICD-10. By definition, the entity data cannot meet this requirement since the linkage provisions modify the character and placement of the information originally recorded by the certifier. Essentially, the axis of the classification has been converted from an entity basis to a record (or person) basis. The record axis codes are assigned in terms of the set of codes that best describe the overall medical certification portion of the death certificate. Additional information on multiple cause data processing can be found at http://www.cdc.gov/nchs/data/dvs/mort99doc.pdf.

Entity Axis Codes

The original conditions coded for selection of the underlying cause-of-death are reformatted and edited prior to creating the public-use data file. The following paragraphs describe the format and application of entity axis data.

- 1. Format. Each entity-axis code is displayed as an overall seven byte code with subcomponents as follows:
- 1. Line indicator: The first byte represents the line of the death certificate on which the code appears. Six lines (1-6) are allowable with the fourth and fifth denoting one or two written in "due to"s beyond the three lines provided in Part I of the U.S. standard death certificate. Line "6" represents Part II of the death certificate.
- 2. Position indicator: The next byte indicates the position of the code on the line, i.e., it is the first (1), second (2), third (3) eighth (8) code on the line.
- 3. Cause category: The next four bytes represent the ICD-10 cause code.
- 4. The last byte is blank.

A maximum of 20 of these seven byte codes are captured on a record for multiple cause purposes. This may consist of a maximum of 8 codes on any given line with up to 20 codes distributed across three or more lines depending on where the subject conditions are located on the certificate. Codes may be omitted from one or more lines, e.g., line 1 with one or more codes, line 2 with no codes, line 3 with one or more codes.

In writing out these codes, they are ordered as follows: line 1 first code, line 1 second code, etc. ----- line 2 first code, line 2 second code, etc. ----- line 3 ---- line 4 ----- line 5 ----- line 6. Any space remaining in the field is left blank. The specifics of locations are contained in the record layout given later in this document.

- <u>2. Edit</u>. The original conditions are edited to remove invalid codes, reverify the coding of certain rare causes of death, and assure age/cause and sex/cause compatibility. Detailed information relating to the edit criteria and the sets of cause codes which are valid to underlying cause coding and multiple cause coding are provided in NCHS Instruction Manual Part 11.
- <u>3. Entity Axis Applications</u>. The entity axis multiple cause data file is appropriate for analyses that require that each condition be coded as a stand alone entity without linkage to other conditions and/or require information on the placement of such conditions in the death certificate. Within this framework, the entity data are appropriate to examine relationships among conditions and the validity of traditional assumptions in underlying cause selection. Additionally, the entity data provide in certain categories a more detailed code assignment that could be excluded in creating record axis data. Where such detail is needed for a study, the user should use entity data. Finally, the researcher may not wish to be bound by the assumptions used in the axis translation process.

The main limitation of entity axis data is that it does not necessarily reflect the best code for a condition when considered within the context of the medical certification as a whole. As a result, certain entity codes can be misleading or even contradict other codes in the record. For example, category K80.2 is titled "Calculus of gallbladder without cholecystitis." Within the framework of entity codes this is interpreted to mean that the codable entity itself contained no mention of cholecystitis rather than that cholecystitis was not mentioned anywhere on the record. Tabulation of records with a "K80.2" as a count of persons having Calculus of gallbladder without cholecystitis would therefore be erroneous. This illustrates the fact that under entity coding the ICD-10 titles cannot be taken literally. The user should study the rules for entity coding as they relate to his/her research prior to use of entity data. The user is further cautioned that the inclusion notes in ICD-10 that relate to modifying and combining categories are seldom applicable to entity coding (except where provided in NCHS Instruction Manual Part 2b).

In tabulating the entity axis data, one may count codes with an individual code representing the number of times the condition(s) appears in the file. In this kind of tabulation of morbid conditions, the counts among categories may be added together to produce counts for groups of codes. Alternatively, subject to the limitations given above, one may count persons having mention of the disease represented by a code or codes. In this instance it is not correct to add counts for individual codes to create person counts for groups of codes. Since more than one code in the researcher's interest may appear together on the certificate, totaling must account for higher order interactions among codes. Up to 20 codes may be assigned on a record; therefore, a 20-way interaction is theoretically possible. All totaling must be based on mention of one or more of the categories under investigation.

Record Axis Codes

The following paragraphs describe the format and application of record-axis data. Part 2f of the Instruction Manual Series (ICD-10 TRANSAX Disease Reference Tables for classifying Multiple Causes-of-Death) describes the TRANSAX process for creating record axis data from entity axis data.

- <u>1. Format</u>. Each record (or person) axis code is displayed in five bytes. Location information is not relevant. The Code consists of the following components:
- 1. Cause category: The first four bytes represent the ICD-10 cause code.
- 2. The last byte is blank.

Again, a maximum of 20 codes are captured on a record for multiple cause purposes. The codes are written in a 100-byte field in ascending code number (5 bytes) order with any unused bytes left blank.

- <u>2. Edit</u>. The record axis codes are edited for rare causes and age/cause and sex/cause compatibility. Likewise, individual code validity is checked. The valid code set for record axis coding is the same as that for entity coding.
- 3. Record Axis Applications. The record axis multiple cause data are the basis for NCHS core multiple cause tabulations. Location of codes is not relevant to this data, and conditions have been linked into the most meaningful categories for the certification. The most immediate consequence for the user is that the codes on the record already represent mention of a disease assignable to that particular ICD-10 category. This is in contrast to the entity code which is assigned each time such a disease is reported on different lines of the certification. Secondly, the linkage implies that within the constraints of ICD-10 the most meaningful code has been assigned. The translation process creates for the user a data file that is edited for contradictions, duplicate codes, and imprecisions. In contrast to entity axis data, record axis data are classified in a manner comparable to underlying cause of death classification thereby facilitating joint analysis of these variables. A potential disadvantage of record axis data is that some detail is sacrificed in a number of the linkages.

The user can take the record axis codes as literally representing the information conveyed in ICD-10 category titles. While knowledge of the rules for combining and linking and coding conditions is useful, it is not a prerequisite to meaningful analysis of the data as long as one is willing to accept the assumptions of the axis translation process. The user is cautioned, however, that due to special rules in mortality coding, not all linkage notes in ICD-10 are used. (NCHS Instruction Manual Part 2f).

The user should proceed with caution in using record axis data to count conditions as opposed to people with conditions, since linkages have been invoked and duplicate codes have been eliminated. As with entity data, person-based tabulations that combine individual cause categories must take into account the possible interaction of up to 20 codes on a single certificate.

Additional Information

In using the NCHS multiple cause data files, the user is urged to review the information in this document and its references. The instructional material does change from year to year and ICD revision to ICD revision. The user is cautioned that coding of specific ICD-10 categories should be checked in the appropriate instruction manual. What may appear on the surface to be the correct code by ICD-10 may in fact not be correct as given in the instruction manuals.

If on the surface it is not obvious whether entity axis or record axis data should be employed in a given application, detailed examination of NCHS Instruction Manual Part 2f and its attachments will probably provide the necessary information to make a decision. It allows the user to determine the extent of the trade-offs between the two sets of data in terms of specific categories and the assumption of axis translation. In certain situations, a combination of entity and record axis data may be the more appropriate alternative.

2014 Period Linked Birth/Infant Death Data Set

Numerator Files:

United States

A. Record count: 23,085
B. Record length: 1,779

C. Data counts: a. By occurrence: 23,085

b. By residence: 23,052c. To foreign residents: 33

Territories

A. Record count: 271
B. Record length: 1,779

Denominator Files:

United States

A. Record count: 3,998,175
B. Record length: 1346

C. Data counts:

a. By occurrence: 3,998,175

b. By residence: 3,988,076c. To foreign residents: 10,099

Territories

A. Record count: 37,905
B. Record length: 1346

Unlinked Files:

United States

A. Record count: 158
B. Record length: 1,779

Territories

A. Record count: 1

B. Record length: 1,779

2014 Linked Public Use File Layout

Position	Len	File*	Field	Description	Flag Position	Values	Definition
1-7	7		FILLER01	FILLER		Blank	
8	1		LATEREC	Late Record Flag		0, blank 1	Not late record Late record
9-12	4	P,G	DOB_YY	Birth Year		2013 2014	2013 2014
13-14	2	P,G	DOB_MM	Birth Month		01 02 03 04 05 06 07 08 09 10 11	January February March April May June July August September October November December
15-18	4		FILLER02	FILLER		Blank	
19-22	4	P,G	DOB_TT	Time of Birth	126	0000-235 9999	59 Time of Birth Not Stated
23	1	P,G	DOB_WK	Birth Day of Week		1 2 3 4 5 6 7	Sunday Monday Tuesday Wednesday Thursday Friday Saturday
24-31	8		FILLER03	FILLER		Blank	
32	1	P,G	BFACIL	Birth Place (Revised) Revised data only. See field 1330 for national	33 1 data.	1 2 3 4 5 6 7 9	Hospital Freestanding Birth Center Home (intended) Home (not intended) Home (unknown if intended) Clinic / Doctor's Office Other Unknown
33	1	P,G	F_BFACIL	Reporting Flag for Birth	Place	0	Non-Reporting

Position	Len	File*	Field	Description	Flag Position	Values	Definition
						1	Reporting
						1	Reporting
34-49	16		FILLER04	FILLER		Blank	
50	1	P,G	BFACIL3	Facility Recode		1	In Hospital
						2 3	Not in Hospital Unknown or Not Stated
						3	Childwii of Not Stated
51-72	22		FILLER05	FILLER		Blank	
73	1	P,G	MAGEIMP	Mother's Age Imputed		Blank	Age not imputed
				Due to missing data, age in	nputed.	1	Age imputed
74	1	P,G	MAGEREP	Reported Age of Mother V	Used Flor	Blank	Reported age not used
7 -	1	1,0	WINGLINE	Due to missing date of birth		1	Reported age used
				z ue to magning dute of onti-	, reported age asea.	•	noported age asset
75-76	2	P,G	MAGER	Mother's Age Recode 41			12 years, 13 13 years, 14 14 years, 15 15 years, 16 16 years,
							ears, 18 18 years, 19 19 years, 20 20 years, 21 21 years,
							ears, 23 23 years, 24 24 years, 25 25 years, 26 26 years,
							ears, 28 28 years, 29 29 years, 30 30 years, 31 31 years,
							ears, 33 33 years, 34 34 years, 35 35 years, 36 36 years,
							ears, 38 38 years, 39 39 years, 40 40 years, 41 41 years,
							ears, 43 43 years, 44 44 years, 45 45 years, 46 46 years, ears, 48 48 years, 49 49 years, 50 50 years and over
						47 47 yc	and seems, 47 47 years, 50 50 years and over
77-78	2	P,G	MAGER14	Mother's Age Recode 14		01	Under 15 Years
						03	15 years
						04	16 years
						05	17 years
						06 07	18 years
						08	19 years 20-24 years
						09	25-29 years
						10	30-34 years
						11	35-39 years
						12	40-44 years
						13	45-49 years
						14	50-54 years
79	1	P,G	MAGER9	Mother's Age Recode 9		1	Under 15 years
1)	1	1,0	MAGERA	Minute 5 Age Necoue 9		2	15-19 years
						3	20-24 years
						4	25-29 years
						5	30-34 years
						6	35-39 years

Position	Len	File*	Field	Description	Flag Position	Values	Definition
						7 8 9	40-44 years 45-49 years 50-54 years
80-83	4		FILLER06	FILLER		Blank	
84	1	P,G	MBSTATE_REC	Mother's Nativity		1 2 3	Born in the U.S. (50 US States) Born outside the U.S. (includes possessions) Unknown or Not Stated
85-103	19		FILLER07	FILLER		Blank	
104	1	P,G	RESTATUS	Residence Status United States U.S. Territories		4	RESIDENT: State and county of occurrence and residence are the same. INTRASTATE NONRESIDENT: State of occurrence and residence are the same but county is different. INTERSTATE NONRESIDENT: State of occurrence and residence are different but both are one of the 50 US states or District of Columbia. FOREIGN RESIDENT: The state of residence is not one of the 50 US states or District of Columbia. RESIDENT: State and county of occurrence and residence residence are the same. (Unique to Guam, all US residents are considered residents of Guam and thus are assigned 1.) INTRATERRITORY NONRESIDENT: Territory of occurrence and residence are the same but county is different. INTERTERRITORY RESIDENT: Territory of occurrence are different but both are US Territories. FOREIGN RESIDENT: The residence is not a US ritory.
105-106	2	P,G	MRACE31	Mother's Race Recode 31 <u>United States and a of the United State</u> <u>Rico</u>		01 02 03 04 05 06 07 08 09 10 11	White (only) [only one race reported] Black (only) AIAN (American Indian or Alaskan Native) (only) Asian (only) NHOPI (Native Hawaiian or Other Pacific Islander) (only) Black and White Black and AIAN Black and Asian Black and NHOPI AIAN and White AIAN and Asian AIAN and NHOPI

Position	Len	File*	Field	Description	Flag Position	Values	Definition
						13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30	Asian and White Asian and NHOPI NHOPI and White Black, AIAN, and White Black, AIAN, and Asian Black, AIAN, and NHOPI Black, Asian, and White Black, Asian, and White Black, Asian, and White AIAN, Asian, and White AIAN, NHOPI, and White AIAN, Asian, and NHOPI Asian, NHOPI, and White Black, AIAN, Asian, and White Black, AIAN, Asian, and White Black, AIAN, Asian, and White Black, AIAN, NHOPI, and White Black, ASian, NHOPI, and White Black, Asian, NHOPI, and White AIAN, Asian, NHOPI, and White
						31	Black, AIAN, Asian, NHOPI, and White
107	1	P,G	MRACE6		e 6 and all Outlying Areas States except Puerto	1 2 3 4 5 6	White (only) Black (only) AIAN (only) Asian (only) NHOPI (only) More than one race
108-109	2	P,G	MRACE15		e 15 and all Outlying Areas States except Puerto	01 02 03 04 05 06 07 08 09 10 11 12 13 14	White (only) Black (only) AIAN (only) Asian Indian (only) Chinese (only) Filipino (only) Japanese (only) Korean (only) Vietnamese (only) Other Asian (only) Hawaiian (only) Guamanian (only) Samoan (only) Other Pacific Islander (only) More than one race

Position	Len	File*	Field	Description	Flag Position	Values	Definition
110	1	P,G	MBRACE	Bridged Race Mother Includes individuals reporting more to a single race. United States and of the United State Rico	than one race bridged all Outlying Areas	1 2 3 4	White Black American Indian or Alaskan Native Asian or Pacific Islander
				Puerto Rico		1 2 0	White Black Other (not classified as White or Black)
111	1	P,G	MRACEIMP	Mother's Race Imputed		Blank 1 2	Mother's race not imputed Unknown race imputed All other races, formerly coded 09, imputed.
112-114	3		FILLER08	FILLER		Blank	
115	1	P,G	MHISP_R	Mother's Hispanic Origin	Recode 116	0 1 2 3 4 5	Non-Hispanic Mexican Puerto Rican Cuban Central and South American Other and Unknown Hispanic origin Hispanic origin not stated
116	1	P,G	F_MHISP	Reporting Flag for Mothe	r's Origin		See footnote
117	1	P,G	MRACEHISP	Mother's Race/Hispanic C Based on single/multiple-ra 107, and 108-109); for codi race categories (field 110) s bridge-race and Hispanic or in the Detailed Technical N	ce (fields 105-106, ng to create bridged- ee "Coding for igin categories"	1 2 3 4 5 6 7 8	Non-Hispanic White (only) Non-Hispanic Black (only) Non-Hispanic AIAN (only) Non-Hispanic Asian (only) Non-Hispanic NHOPI (only) Non-Hispanic more than one race Hispanic Origin unknown or not stated
118	1		FILLER09	FILLER		Blank	
119	1	P,G	MAR_P	Paternity Acknowledged	123	Y N U X	Yes No Unknown Not Applicable

Position	Len	File*	Field	Description	Flag Position	Values	Definition
120	1	P,G	DMAR		d all Outlying Areas ates except Puerto	1 2 9	Married Unmarried Unknown, NS
				Puerto Rico		1 2 3 9	Yes Unmarried parents living together Unmarried parents not living together Unknown or not stated
121	1	P,G	MAR_IMP	Mother's Marital Status	Imputed	Blank 1	Marital Status not imputed Marital Status imputed
122	1		FILLER10	FILLER		Blank	
123	1	P,G	F_MAR_P	Reporting Flag for Pater	nity Acknowledged		See footnote
124	1	P,G	MEDUC	Mother's Education	126	1 2 3 4 5 6 7 8	8 th grade or less 9 th through 12 th grade with no diploma High school graduate or GED completed Some college credit, but not a degree. Associate degree (AA,AS) Bachelor's degree (BA, AB, BS) Master's degree (MA, MS, MEng, MEd, MSW, MBA) Doctorate (PhD, EdD) or Professional Degree (MD, DDS, DVM, LLB, JD) Unknown
125	1		MEDUC_BYP	Mother's Education Bypa	ass	0 1 2 Blank	Edit Passed Edit failed, data queried and verified Edit failed, data queried but not verified Bypass not used
126	1	P,G	F_MEDUC	Reporting Flag for Educa	ation of Mother		See footnote
127-141	15		FILLER_M	Filler		Blank	
142	1	P,G	FAGERPT_FLG	Father's Reported Age U	sed	Blank 1	Father's reported age not used Father's reported age used
143-146	4		FILLER11	FILLER		Blank	
147-148	2	P,G	FAGECOMB	Father's Combined Age ((Revised)	09-98 99	Father's combined age in years Unknown or not stated
149-150	2	P,G	FAGE11	Father's Age Recode 11		01	Under 15 years

Position	Len	File*	Field	Description	Flag Position	Values	Definition
						02	15 10 years
						03	15-19 years 20-24 years
						04	25-29 years
						05	30-34 years
						06	35-39 years
						07	40-44 years
						08	45-49 years
						09	50-54 years
						10	55-98 years
						11	Not stated
							Titot stated
151-152	2	P,G	FRACE31	Father's Race Recode 31		01	White (only) [only one race reported]
						02	Black (only)
						03	AIAN (American Indian or Alaskan Native) (only)
						04	Asian (only)
						05	NHOPI (Native Hawaiian or Other Pacific Islander) (only)
						06	Black and White
						07	Black and AIAN
						08	Black and Asian
						09	Black and NHOPI
						10	AIAN and White
						11	AIAN and Asian
						12	AIAN and NHOPI
						13	Asian and White
						14	Asian and NHOPI
						15	NHOPI and White
						16	Black, AIAN, and White
						17	Black, AIAN, and Asian
						18	Black, AIAN, and NHOPI
						19	Black, Asian, and White
						20	Black, Asian, and NHOPI
						21	Black, NHOPI, and White
						22	AIAN, Asian, and White
						23	AIAN, NHOPI, and White
						24	AIAN, Asian, and NHOPI
						25	Asian, NHOPI, and White
						26	Black, AIAN, Asian, and White
						27	Black, AIAN, Asian, and NHOPI
						28	Black, AIAN, NHOPI, and White
						29	Black, Asian, NHOPI, and White
						30	AIAN, Asian, NHOPI, and White
						31	Black, AIAN, Asian, NHOPI, and White
						99	Unknown or Not Stated
153	1	P,G	FRACE6	Father's Race Recode 6		1	White (only)
133	1	1,0	TRACEO	Father 5 Nace Necoue 0		1 2	Black (only)
						4	DIACK (OHLY)

Position Len File* Field Description Flag Position Values Definition	
3 AIAN (only)	
4 Asian (only)	
5 NHOPI (only))
6 More than one	e race
9 Unknown or 1	Not Stated
154-155 2 P,G FRACE15 Father's Race Recode 15 01 White (only)	
02 Black (only)	
03 AIAN (only)	
04 Asian Indian	(only)
05 Chinese (only	
06 Filipino (only	
07 Japanese (only	
08 Korean (only)	1
09 Vietnamese (o	
10 Other Asian (control of the control of the contr	
11 Hawahan (on 12 Guamanian (o	
13 Samoan (only	
	Islander (only)
15 More than one	
99 Unknown or I	
156 1 P.G FBRACE Bridged Race Father	
156 1 P,G FBRACE Bridged Race Father Includes individuals reporting only one race and	
individuals reporting more than one race bridged	
to a single race.	
United States and all Outlying Areas 1 White	
of the United States except Puerto 2 Black	
Rico 3 American Ind	ian or Alaskan Native
4 Asian or Pacit	fic Islander
Puerto Rico 1 White	
2 Black	
0 Other (not cla	ssified as White or Black)
157-159 3 FILLER12 FILLER Blank	
160 1 P,G FHISP_R Father's Hispanic Origin Recode 0 Non-Hispanic	•
161 1 Mexican	
2 Puerto Rican	
3 Cuban	
4 Central and So	outh American
	known Hispanic origin
9 Hispanic original	in not stated

Position	Len	File*	Field	Description	Flag Position	Values	Definition
161	1	P,G	F_FHISP	Reporting Flag for Father	r's Origin		See footnote
162	1	P,G	FRACEHISP	Father's Race/Hispanic O Based on single/multiple-ra 153, and 154-155); for codi race categories (field 156) s bridge-race and Hispanic of the Detailed Technical Note	ace (fields 151-152, ing to create bridged- see "Coding for rigin categories" in.	1 2 3 4 5 6 7 8	Non-Hispanic White (only) Non-Hispanic Black (only) Non-Hispanic AIAN (only) Non-Hispanic Asian (only) Non-Hispanic NHOPI (only) Non-Hispanic more than one race Hispanic Origin unknown or not stated Race unknown or not stated (Non-Hispanic)
163	1	P,G	FEDUC	Father's Education	165	1 2 3 4 5 6 7 8	8 th grade or less 9 th through 12 th grade with no diploma High school graduate or GED completed Some college credit, but not a degree. Associate degree (AA,AS) Bachelor's degree (BA, AB, BS) Master's degree (MA, MS, MEng, MEd, MSW, MBA) Doctorate (PhD, EdD) or Professional Degree (MD, DDS, DVM, LLB, JD) Unknown
164	1		FILLER13	FILLER		Blank	
165	1	P,G	F_FEDUC	Reporting Flag for Educa	tion of Father		See footnote
166-170	5	P,G	FILLER_F	FILLER		Blank	
171-172	2	P,G	PRIORLIVE	Prior Births Now Living		00-30 99	Number of children still living from previous live births. Unknown or not stated
173-174	2	P,G	PRIORDEAD	Prior Births Now Dead		00-30 99	Number of children dead from previous live births. Unknown or not stated
175-176	2	P,G	PRIORTERM	Prior Other Terminations	3	00-30 99	Number other terminations Unknown or not stated
177-178	2		FILLER_XY	FILLER		Blank	
179	1	P,G	LBO_REC	Live Birth Order Recode		1-7 8 9	Number of live birth order. 8 or more live births Unknown or not stated
180-181	2		FILLER14	FILLER		Blank	

Position	Len	File*	Field	Description	Flag Position	Values	Definition
182	1	P,G	TBO_REC	Total Birth Order Recode		1-7 8 9	Number of total birth order. 8 or more total births Unknown or not stated
183-197	15		FILLER15	FILLER		Blank	
198-200	3	P,G	ILLB_R	Interval of Last Live Birth	Recode 126		Plural delivery Months since last live birth Not applicable / 1 st live birth Unknown or not stated
201-202	2	P,G	ILLB_R11	Interval of Last Live Birth	Recode 11 126	00 01 02 03 04 05 06 07 08 88 99	Zero to 3 months (plural delivery) 4 to 11 months 12 to 17 months 18 to 23 months 24 to 35 months 36 to 47 months 48 to 59 months 60 to 71 months 72 months and over Not applicable (1st live birth) Unknown or not stated
203-205	3		FILLER16	FILLER		Blank	
206-208	3	P,G	ILOP_R	Interval of Last Other Preg	nancy Recode 126		Plural delivery Months since last live birth Not applicable / 1 st natality event Unknown or not stated
209-210	2	P,G	ILOP_R11	Interval of Last Other Preg	nancy Recode 11 126	00 01 02 03 04 05 06 07 08 88 99	Zero to 3 months (plural delivery) 4 to 11 months 12 to 17 months 18 to 23 months 24 to 35 months 36 to 47 months 48 to 59 months 60 to 71 months 72 months and over Not applicable (1st natality event) Unknown or not stated
211-213	3		FILLER_ZY	FILLER		Blank	

Position	Len	File*	Field	Description	Flag Position	Values	Definition
214-216	3	P,G	ILP_R	Interval of Last Pregnancy	Recode	000-003	Plural delivery
		ŕ	_		126		Months since last live birth Not applicable / no previous pregnancy Unknown or not stated
217-218	2	P,G	ILP_R11	Interval of Last Pregnancy	Recode 11 126	00 01 02 03 04 05 06 07 08 88 99	Zero to 3 months (plural delivery) 4 to 11 months 12 to 17 months 18 to 23 months 24 to 35 months 36 to 47 months 48 to 59 months 60 to 71 months 72 months and over Not applicable (no previous pregnancy) Unknown or not stated
219-237	19	FILLEI	R_P	FILLER		Blank	
238-239	2	P,G	PREVIS	Number of Prenatal Visits See field 242-243 for national		00-98 99	Number of prenatal visits Unknown or not stated
240-241	2	FILLEI	R18 FILLE	R	Blank		
242-243	2	P,G	PREVIS_REC	Number of Prenatal Visits	Recode 244	01 02 03 04 05 06 07 08 09 10 11	No visits 1 to 2 visits 3 to 4 visits 5 to 6 visits 7 to 8 visits 9 to 10 visits 11 to 12 visits 13 to 14 visits 15 to 16 visits 17 to 18 visits 19 or more visits Unknown or not stated
244	1	P,G	F_TPCV	Reporting Flag for Total P	renatal Care Visits	S	See footnote
245-250	6	FILLEI	R_C FILLE	R	Blank		
251	1	P,G	WIC	WIC	252	Y N U	Yes No Unknown or not stated
252	1	P,G	F_WIC	Reporting Flag for WIC			See footnote

Position	Len	File*	Field	Description	Flag Position	Values	Definition
253-254	2	P,G	CIG_0	Cigarettes Before Pregnar	ncy	00-97	Number of cigarettes daily
		,	_		265	98	98 or more cigarettes daily
						99	Unknown or not stated
255-256	2	P,G	CIG_1	Cigarettes 1st Trimester	266	00-97	Number of cigarettes daily
						98	98 or more cigarettes daily
						99	Unknown or not stated
257-258	2	P,G	CIG_2	Cigarettes 2 nd Trimester	267	00-97	Number of cigarettes daily
						98	98 or more cigarettes daily
						99	Unknown or not stated
259-260	2	P,G	CIG_3	Cigarettes 3 rd Trimester	268	00-97	Number of cigarettes daily
						98	98 or more cigarettes daily
						99	Unknown or not stated
261	1	P,G	CIG0_R	Cigarettes Before Pregnar	ncy Recode	0	Nonsmoker
					265	1	1-5
						2	6-10
						3	11-20
						4	21-40
						5	41 or more
						6	Unknown or not stated
262	1	P,G	CIG1_R	Cigarettes 1st Trimester R	ecode	0	Nonsmoker
		, -	<u>-</u>	- 9	266	1	1-5
						2	6-10
						3	11-20
						4	21-40
						5	41 or more
						6	Unknown or not stated
263	1	P,G	CIG2_R	Cigarettes 2 nd Trimester F		0	Nonsmoker
					267	1	1-5
						2	6-10
						3	11-20
						4	21-40
						5	41 or more
						6	Unknown or not stated
264	1	P,G	CIG3_R	Cigarettes 3 rd Trimester R		0	Nonsmoker
					268	1	1-5
						2	6-10
						3	11-20
						4	21-40

Position	Len	File*	Field	Description	Flag Position	Values	Definition
						5 6	41 or more Not stated / Not on certificate
265	1	P,G	F_CIGS_0	Reporting Flag for Cigare	ettes before Pregna	ncy	See footnote
266	1	P,G	F_CIGS_1	Reporting Flag for Cigare	ettes 1st Trimester		See footnote
267	1	P,G	F_CIGS_2	Reporting Flag for Cigare	ettes 2 nd Trimester		See footnote
268	1	P,G	F_CIGS_3	Reporting Flag for Cigare	ettes 3 rd Trimester		See footnote
269	1	P,G	CIG_REC	Cigarette Recode (Revised	i) 270	Y N U	Yes No Unknown or not stated
270	1	P,G	F_TOBACO	Reporting Flag for Tobac	co use		See footnote
271-279	9		FILLER_R	FILLER		Blank	
280-281	2	P,G	MHTR	Mother's Height in Inches (Recode)	s 282	30-78 99	Height in inches Unknown or not stated
282	1	P,G	F_M_HT	Reporting Flag for Mothe	r's Height		See footnote
283-286	4	P,G	BMI	BMI	282	13.0-69.9 99.9	9 Body Mass Index Unknown or not stated
287	1	P,G	BMI_R	Body Mass Index Recode	282	1 2 3 4 5 6 9	Underweight <18.5 Normal 18.5-24.9 Overweight 25.0-29.9 Obesity I 35.0-39.9 Obesity II 35.0-39.9 Extreme Obesity III ≥ 40.0 Unknown or not stated
288-291	4		FILLER19	FILLER		Blank	
292-294	3	P,G	PWgt_R	Pre-pregnancy Weight Re	ecode 295		Weight in pounds Unknown or not stated
295	1	P,G	F_PWGT	Reporting Flag for Pre-pr	egnancy Weight		See footnote
296-298	3		FILLER20	FILLER		Blank	
299-301	3	P,G	DWgt_R	Delivery Weight Recode	303	100-400 999	Weight in pounds Unknown or not stated

Position	Len	File*	Field	Description	Flag Position	Values	Definition
302	1		FILLER21	FILLER		Blank	
303	1	P,G	F_DWGT	Reporting Flag for Delivery	Weight		See footnote
304-305	2	P,G	WTGAIN	Weight Gain	307	00-97 98 99	Weight gain in pounds 98 pounds and over Unknown or not stated
306	1	P,G	WTGAIN_REC	Weight Gain Recode	307	1 2 3 4 5 9	Less than 11 pounds 11 to 20 pounds 21 to 30 pounds 31 to 40 pounds 41 to 98 pounds Unknown or not stated
307	1	P,G	F_WTGAIN	Reporting Flag for Weight	Gain		See footnote
308-312	5	P,G	FILLER_W	FILLER		Blank	

The following checkbox fields 313-432 include data for revised states only. For national data for items that are comparable across revisions see fields 1330-1345.

313-338		30	Risk Fac	<u>etors</u>				
	313	1	P,G	RF_PDIAB	Pre-pregnancy Diabetes	319	Y	Yes
	314	1	P,G	RF_GDIAB	Gestational Diabetes	320	N	No
	315	1	P,G	RF_PHYPE	Pre-pregnancy Hypertensic		U	Unknown or not stated
	316	1	P,G	RF_GHYPE	Gestational Hypertension	322		
	317	1	P,G	RF_EHYPE	Hypertension Eclampsia	323		
	318	1	P,G	RF_PPB	Previous Preterm Birth	324		
	319 320 321 322 323 324	1 1 1 1 1	P,G P,G P,G P,G P,G P,G	F_RF_PDIAB F_RF_GDIAB F_RF_PHYPE F_RF_GHYPE F_RF_EHYPE F_RF_PPB	Reporting Flag for Pre-pre Reporting Flag for Gestatic Reporting Flag for Pre-pre Reporting Flag for Gestatic Reporting Flag for Hyperto Reporting Flag for Previou	onal Diabetes gnancy Hypertensi onal Hypertension ension Eclampsia	ion	See footnote
	325	1	P,G	RF_INFT	Infertility Treatment Use reporting flag in field 31	9 for 2014	Y N U	Yes No Unknown or not stated
	326	1	P,G	RF_DRG	Fertility Enhancing Drugs	329	Y N X	Yes No Not applicable

Position		Len	File*	Field	Description	Flag Position	Values	Definition
	327	1	P,G	RF_ART	Asst. Reproductive Techno	logy 330	U Y N X	Unknown or not stated Yes No Not applicable
	220	1		EH I ED22	EH I ED		U	Unknown or not stated
	328	1		FILLER22	FILLER		Blank	
	329	1	P,G	F_RF_DRG	Reporting Flag for Fertility	Enhance Drugs		See footnote
	330	1	P,G	F_RF_ART	Reporting Flag for Reprod	uctive Technology		See footnote
	331	1	P,G	RF_CESAR	Previous Cesareans	335	Y N U	Yes No Unknown or not stated
	332-333	2	P,G	RF_CESARN	Number of Previous Cesare	eans 336	00 01-30 99	None Number of previous cesareans Unknown or not stated
	334	1		FILLER23	FILLER		Blank	
	335	1	P,G	F_RF_CESAR	Reporting Flag for Previou	s Cesarean		See footnote
	336	1	P,G	F_RF_NCESAR	Reporting Flag for Number	r of Previous Cesar	eans	See footnote
	337	1	P,G	NO_RISKS	No Risk Factors Checked	126	1 0 9	True False Not Reported
	338-342	5		FILLER_RF	Filler		Blank	
343-358		15	<u>Infectio</u>	ns Present				
	343 344 345 346 347 348 349 350	1 1 1 1 1 1 1	P,G P,G P,G P,G P,G P,G P,G	IP_GON IP_SYPH IP_CHLAM IP_HEPB IP_HEPC F_IP_GON F_IP_SYPH F_IP_CHLAM	Gonorrhea Syphilis Chlamydia Hepatitis B Hepatitis C Reporting Flag for Gonorr Reporting Flag for Syphilis Reporting Flag for Chlamy	s ^v dia	Y N U	Yes No Unknown or not stated See footnote
	351 352	1 1	P,G P,G	F_IP_HEPB F_IP_HEPC	Reporting Flag for Hepatit Reporting Flag for Hepatit			

Position	ı	Len	File*	Field	Description	Flag Position	Values	Definition
	353	1	P,G	NO_INFEC	No Infections Checked	126	1	True
	333	1	1,0	NO_INTEC	No Infections Checked	120	0	False
							9	Not Reported
								Not Reported
	354-359	6		FILLER_IP	FILLER		Blank	
360-370		12	Obstetr	ic Procedures				
	360	1	P,G	OB_SUCC	Successful External Cepha	lic Version	Y	Yes
	300	1	1,0	OD_BUCC	Succession External Cepha	363	N	No
						303	U	Unknown or not stated
							C	Chanown of not stated
	361	1	P,G	OB_FAIL	Failed External Cephalic V	ersion	Y	Yes
			,	_	•	364	N	No
							U	Unknown or not stated
	362	1		FILLER24	FILLER		Blank	
	363	1	P,G	F_OB_SUCC	Reporting Flag for Success	ful External Canh	olio Vorcio	n .
	303	1	1,0	r_ob_secc	Reporting Flag for Success	iui Externai Cepna	anc version	See footnote
								500 100 W1000
	364	1	P,G	F_OB_FAIL	Reporting Flag for Failed I	External Cephalic	Version	See footnote
	265 202	10		EILLED OD	EILLED		DI I	
	365-382	18		FILLER_OB	FILLER		Blank	
383-400	18	Charact	teristics o	f Labor and Deliver	<u>ry</u>			
					_			
	383	1	P,G	LD_INDL	Induction of Labor	389	Y	Yes
	384	1	P,G	LD_AUGM	Augmentation of Labor	390	N	No
	385	1	P,G	LD_STER	Steroids	391	U	Unknown or not stated
	386	1	P,G	LD_ANTB	Antibiotics	392		
	387	1	P,G	LD_CHOR	Chorioamnionitis	393		
	388	1	P,G	LD_ANES	Anesthesia	394		
	389	1	P,G	F_LD_INDL	Reporting Flag for Induction	on of Labor		See footnote
	390	1	P,G	F_LD_AUGM	Reporting Flag for Augmen			See Toothote
	391	1	P,G	F_LD_STER	Reporting Flag for Steroid			
	392	1	P,G	F_LD_ANTB	Reporting Flag for Antibio			
	393	1	P,G	F_LD_CHOR	Reporting Flag for Chorios			
	394	1	P,G	F_LD_ANES	Reporting Flag for Anestho			
	395	1	P,G	NO_LBRDLV	No Characteristics of Labo	or Chooked	1	True
	373	1	r,U	NO_LDKDLV	140 Characteristics of Labo	126	0	False
						120	9	Not Reported
							,	Not Reported

Position	1	Len	File*	Field	Description	Flag Position	Values	Definition
	396-400	5		FILLER_LD	FILLER		Blank	
401-414		14	Method	of Delivery				
	401	1	P,G	ME_PRES	Fetal Presentation	404	1 2 3 9	Cephalic Breech Other Unknown or not stated
	402	1	P,G	ME_ROUT	Final Route & Method of D	Oelivery 405	1 2 3 4 9	Spontaneous Forceps Vacuum Cesarean Unknown or not stated
	403	1	P,G	ME_TRIAL	Trial of Labor Attempted	406	Y N X U	Yes No Not applicable Unknown or not stated
	404	1	P,G	F_ME_PRES	Reporting Flag for Fetal Pr	esentation		See footnote
	405	1	P,G	F_ME_ROUT	Reporting Flag for Final R	oute and Method of	f Delivery	See footnote
	406	1	P,G	F_ME_TRIAL	Reporting Flag for Trial of	Labor Attempted		See footnote
	407	1	P,G	RDMETH_REC	Delivery Method Recode	409	1 2 3 4 5 6 9	Vaginal (excludes vaginal after previous C-section) Vaginal after previous c-section Primary C-section Repeat C-section Vaginal (unknown if previous c-section) C-section (unknown if previous c-section) Not stated
	408	1	P,G	DMETH_REC	Delivery Method Recode C	ombined	1 2 9	Vaginal C-Section Unknown
	409	1	P,G	F_DMETH_REC	Reporting Flag for Method	of Delivery Recode	e	See footnote
	410-414	5		FILLER_ME	FILLER		Blank	
415-432		18	Matern	al Morbidity				
	415 416	1 1	P,G P,G	MM_MTR MM_PLAC	Maternal Transfusion Perineal Laceration	421 422	Y N	Yes No

Position	n	Len	File*	Field	Description	Flag Position	Values	Definition		
	417 418 419	1 1 1	P,G P,G P,G	MM_RUPT MM_UHYST MM_AICU	Ruptured Uterus Unplanned Hysterectomy Admit to Intensive Care	423 424 425	U	Unknown or not stated		
	420	1		FILLER25	FILLER		Blank			
	421 422 423 424 425	1 1 1 1	P,G P,G P,G P,G P,G	F_MM_MTR F_MM_ PLAC F_MM_RUPT F_MM_UHYST F_MM_AICU	Reporting Flag for Matern Reporting Flag for Perinea Reporting Flag for Ruptur Reporting Flag for Unplan Reporting Flag for Admiss	al Laceration red Uterus aned Hysterectomy	re	See footnote		
	426	1		FILLER26	FILLER		Blank			
	427	1	P,G	NO_MMORB	No Maternal Morbidity Ch	necked 126	1 0 9	True False Not Reported		
	428-432	5		FILLER_MM	FILLER		Blank			
433		1	P,G	ATTEND	Attendant		1 2 3 4 5	Doctor of Medicine (MD) Doctor of Osteopathy (DO) Certified Nurse Midwife (CNM) Other Midwife Other Unknown or not stated		
434		1	P,G	MTRAN	Mother Transferred	126	Y N U	Yes No Unknown		
435		1	P,G	PAY	Payment Source	437	1 2 3 4 5 6 8 9	Medicaid Private Insurance Self-Pay Indian Health Service CHAMPUS/TRICARE Other Government (Federal, State, Local) Other Unknown		
436		1	P,G	PAY_REC	Payment Recode	438	1 2 3 4 9	Medicaid Private Insurance Self Pay Other Unknown		

Position	Len	File*	Field	Description	Flag Position	Values	Definition
437	1	P,G	F_PAY	Reporting Flag for Sou	irce of Payment		See footnote
438	1	P,G	F_PAY_REC	Reporting Flag for Pay	ment Recode		See footnote
439-443	5		FILLER_A	FILLER		Blank	
444-445	2	P,G	APGAR5	Five Minute APGAR S	Score 447	00-10 99	A score of 0-10 Unknown or not stated
446	1	P,G	APGAR5R	Five Minute APGAR F	Recode 447	1 2 3 4 5	A score of 0-3 A score of 4-6 A score of 7-8 A score of 9-10 Unknown or not stated
447	1	P,G	F_APGAR5	Reporting Flag for Fiv	e minute APGAR		See footnote
448-449	2	P,G	APGAR10	Ten Minute APGAR Score Use reporting flag in field 126 for 2014		00-10 88 99	A score of 0-10 Not applicable Unknown or not stated
450	1	P,G	APGAR10R	Ten Minute APGAR Recode Use reporting flag in field 126 for 2014		1 2 3 4 5	A score of 0-3 A score of 4-6 A score of 7-8 A score of 9-10 Not stated/not applicable
451-453	3		FILLER27	FILLER		Blank	
454	1	P,G	DPLURAL	Plurality Recode		1 2 3 4 5	Single Twin Triplet Quadruplet Quintuplet or higher
455	1		FILLER28	FILLER		Blank	
456	1	P,G	IMP_PLUR	Plurality Imputed		Blank 1	Plurality is imputed Plurality is not imputed
457-458	2		FILLER29	FILLER		Blank	
459	1	P,G	SETORDER_R	Set Order Recode	126	1 1 st , 2 2	2 nd , 3 3 rd , 4 4 th , 5 5 th to 16 th Unknown or not stated
460-474	15		FILLER30	FILLER		Blank	

Position	Len	File*	Field	Description	Flag Position	Values	Definition
475	1	P,G	SEX	Sex of Infant		M F	Male Female
476	1	P,G	IMP_SEX	Imputed Sex		Blank 1	Infant Sex not Imputed Infant Sex is Imputed
477-478	2	P,G	DLMP_MM	Last Normal Menses Mont	th	01 02 03 04 05 06 07 08 09 10 11 12	January February March April May June July August September October November December Unknown or not stated
479-480	2		FILLER31	FILLER		Blank	
481-484	4	P,G	DLMP_YY	Last Normal Menses Year		nnnn 9999	Year of last normal menses Unknown or not stated
485-487	3		FILLER32	FILLER		Blank	
488	1	P,G	COMBGST_IMP	Combined Gestation Impu	ited	Blank 1	Combined Gestation is not imputed Combined Gestation is imputed
489	1	P,G	OBGEST_FLG	Obstetric Estimate of Gest	ation Used Flag	Blank 1	Clinical Estimate is not used Clinical Estimate is used
490-491	2	P,G	COMBGEST	Combined Gestation – Det	tail in Weeks	17-47 99	17 th through 47 th week of Gestation Unknown
492-493	2	P,G	GESTREC10	Combined Gestation Reco	de 10	01 02 03 04 05 06 07 08 09	Under 20 weeks 20-27 weeks 28-31 weeks 32-33 weeks 34-36 weeks 37-38 weeks 39 weeks 40 weeks 41 weeks

Position	Len	File*	Field	Description	Flag Position	Values	Definition
						10	42 1 1
						10 99	42 weeks and over Unknown
						99	Clikilowii
494	1	P,G	GESTREC3	Combined Gestation Reco	de 3	1	Under 37 weeks
.,,	•	1,0	GESTILECS	Compiled Gestation Reco	uc c	2	37 weeks and over
						3	Not stated
495-497	3		FILLER33	FILLER		Blank	
498	1	P,G	LMPUSED	Computed (LMP) Gestation	on Used Flag	Blank	LMP not used for gestation
						1	LMP used for gestation
400.500	2	P,G	OECast Camb	Obstetric Estimate Edited		17 47	Weeks of costation
499-500	2	P,G	OEGest_Comb	(NCHS Standard item)		17-47 99	Weeks of gestation Not stated
				(NCHS Standard Item)		77	Not stated
501-502	2	P,G	OEGest_R10	Obstetric Estimate Recode	e10	01	Under 20 weeks
		, -		(NCHS Standard item)		02	20-27 weeks
				· ·		03	28-31 weeks
						04	32-33 weeks
						05	34-36 weeks
						06	37-38 weeks
						07	39 weeks
						08	40 weeks
						09	41 weeks
						10	42 weeks and over
						99	Unknown
503	1	P,G	OEGest_R3	Obstetric Estimate Recode	3	1	Under 37 weeks
	•	1,0	02000_110	(NCHS Standard Item)		2	37 weeks and over
				,		3	Not stated
504-508	5		FILLER34	FILLER		Blank	
509-510	2	P,G	BWTR14	Birth Weight Recode 14		01	227 - 499 grams
						02	500 – 749 grams
						03	750 – 999 grams
						04	1000 - 1249 grams
						05	1250 – 1499 grams
						06 07	1500 – 1999 grams
						07	2000 – 2499 grams 2500 – 2999 grams
						08	3000 – 2999 grams 3000 – 3499 grams
						10	3500 – 3499 grams 3500 – 3999 grams
						11	4000 – 4499 grams
						12	4500 – 4999 grams
						13	5000 – 8165 grams
						14	Not Stated

Note: Flag definitions: 0 – not reported in either year, 1 – reported in both years, 2 – reported in previous year only, 3 – reported in current year only

Position	Len	File*	Field	Description	Flag Position	Values	Definition
511	1	P,G	BWTR4	Birth Weight Recode 4		1 2 3 4	227 - 1499 grams 1500 – 2499 grams 2500 - 8165 grams Unknown or not stated
512-515	4	P,G	BRTHWGT	Imputed Birthwieght		0227- 8165 9999	Number of grams Not stated
516	1		FILLER35	FILLER			

The following checkbox fields 517-566 include data for revised states only. For national data for items that are comparable across revisions see fields 1331-1345.

517-536		20	Abnorm	al Conditions of the	e Newborn			
	517 518 519 520 521 522	1 1 1 1 1	P,G P,G P,G P,G P,G P,G	AB_AVEN1 AB_AVEN6 AB_NICU AB_SURF AB_ANTI AB_SEIZ	Assisted Ventilation Assisted Ventilation > 6 hrs Admission to NICU Surfactant Antibiotics Seizures	524 525 526 527 528 529	Y N U	Yes No Unknown or not stated
	523	1		FILLER36	FILLER		Blank	
	524 525 526 527 528 529	1 1 1 1 1	P,G P,G P,G P,G P,G P,G	F_AB_AVEN1 F_AB_AVEN6 F_AB_NICU F_AB_SURF F_AB_ANTI F_AB_SEIZ	Reporting Flag for Assisted Reporting Flag for Assisted Reporting Flag for Admissi Reporting Flag for Surfacta Reporting Flag for Antibiot Reporting Flag for Seizures	Ventilation >6 hrs on to NICU ant ics	s 1	See footnote
	530	1		FILLER37	FILLER		Blank	
	531	1	P,G	NO_ABNORM	No Abnormal Conditions C	hecked 126	1 0 9	True False Not Reported
	532-536	5		FILLER_AB	FILLER		Blank	
537-566		30	Congeni	tal Anomalies of th	e Newborn			
	537 538	1 1	P,G P,G	CA_ANEN CA_MNSB	Anencephaly Meningomyelocele / Spina I	543 Bifida 544	Y N	Yes No

Note: Flag definitions: 0 – not reported in either year, 1 – reported in both years, 2 – reported in previous year only, 3 – reported in current year only

Position	Len	File*	Field	Description	Flag Position	Values	Definition
539	1	P,G	CA_CCHD	Cyanotic Congenital Heart		U	Unknown or not stated
540	1	P,G	CA_CDH	Congenital Diaphragmatic			
541	1	P,G	CA_OMPH	Omphalocele	547		
542	1	P,G	CA_GAST	Gastroschisis	548		
543	1	P,G	F_CA_ANEN	Reporting Flag for Anence	phaly		See footnote
544	1	P,G	F_CA_MNSB	Flag for Meningomyelocele			
545	1	P,G	F_CA_CCHD	Reporting Flag for Cyanoti		t Disease	
546	1	P,G	F_CA_CDH	Reporting Flag for Congen			
547	1	P,G	F_CA_OMPH	Reporting Flag for Ompha			
548	1	P,G	F_CA_GAST	Reporting Flag for Gastros			
549	1	P,G	CA_LIMB	Limb Reduction Defect	555	Y	Yes
550	1	P,G	CA_CLEFT	Cleft Lip w/ or w/o Cleft Pa		N	No
551	1	P,G	CA_CLPAL	Cleft Palate alone	557	U	Unknown or not stated
331	1	1,0	CA_CLI AL	Cicit i alate alone	337	O	Chikhowh of not stated
552	1	P,G	CA_DOWN	Down Syndrome	558	C	Confirmed
				•		P	Pending
						N	No
						U	Unknown
553	1	P,G	CA_DISOR	Suspected Chromosomal D	isordor	С	Confirmed
333	1	r,u	CA_DISOR	Suspected Chromosomal D	559	P	Pending
					339	N	No
						U	Unknown
						O	Chkhown
554	1	P,G	CA_HYPO	Hypospadias	560	Y	Yes, anomaly reported
						N	No, anomaly not reported
						U	Unknown
555	1	P,G	F_CA_LIMB	Reporting Flag for Limb R	eduction Defect		See footnote
556	1	P,G	F_CA_CLEFT	Flag for Cleft Lip with or v		e	
557	1	P,G	F_CA_CLPAL	Reporting Flag for Cleft Pl			
558	1	P,G	F_CA_DOWN	Reporting Flag for Down S			
559	1	P,G	F_CA_DISOR	Reporting Flag for Suspect		Disorder	
560	1	P,G	F_CA_HYPO	Reporting Flag for Hyposp			
561	1	D.C.	NO CONCEN	No Concenital Anomalies (Theolrad	1	Two
561	1	P,G	NO_CONGEN	No Congenital Anomalies (1	True
					126	0	False
						9	Not Reported
562-566	5 5		FILLER_CA	FILLER		Blank	
567	1	P,G	ITRAN	Infant Transferred	126	Y	Yes
	-	- , -				N	No
						U	Unknown or not stated
						-	2 Indiana

Position	Len	File*	Field	Description	Flag Position	Values	Definition
5.00		D.C.	н вис	T C (T' (T) CD		37	37
568	1	P,G	ILIVE	Infant Living at Time of R	-	Y	Yes
					126	N	No
						U	Unknown or not stated
569	1	P,G	BFED	Infant Being Breastfed	570	Y	Yes
						N	No
						U	Unknown or not stated
570	1	P,G	F_BFED	Reporting Flag for Breast	fed at Discharge		See footnote
571-1329	759		FILLER_X	FILLER		Blank	

The following items (fields 1330-1338 and 1340-1345) are comparable across revisions and include data for revised and unrevised reporting areas.

1330	1	P,G	uBFacil	Place of birth	1 2 3 4 5 9	Hospital Freestanding Birthing Center Clinic / Doctor's Office Residence Other Unknown
1331-1345	Unrevi	ised Checl	k Boxes All che	eckbox items below follow this coding structure:	1 2 9	Yes No Unknown
1331	1	P,G	uRF_Diab	Diabetes		Chriown
1332	1	P,G	uRF_Chype	Chronic Hypertension		
1333	1	P,G	uRF_Phype	Prepregnacy Associated Hypertension		
1334	1	P,G	uRf_Ehype	Eclampsia 338		
133 1	•	1,0	urti_Enjpe	zeumpou 330		
1335	1	P,G	uME_Forc	Forceps		
1336	1	P,G	uME Vacu	Vacuum		
		, -				
1337	1	P,G	uOB_Indu	Induction of Labor		
1338	1	P,G	uLD_Bree	Breech		
1339	1		FILLER38	FILLER		
1340	1	P,G	uCA_Anen	Anencephaly		
1341	1	P,G	uCA_Spina	Spina Bifida / Meningocele		
1342	1	P,G	uCA_Omph	Omphalocele / Gastroschisis		
1343	1	P,G	uCA_Clip	Cleft Lip / Palate		
1344	1	P,G	uCA_Hern	Diaphragmatic Hernia		
1345	1	P,G	uCA_Down	Down Syndrome		

Position	Len	File*	Field	Description	Flag Position	Values	Definition
1346	1	P,G	FLGND	Match Status		1 Blank	Record in both files Record not in both files
Here ends the De	enominato	r file. Docı	umentation	of the Mortality Section of the Numera	ator (Linked) file beg	ins below.	
1347-1355	9	FILLE	R39	FILLER			
1356-1358	3	AGED		Age at Death in Days		000-365	Number of days
1359	1	AGER5	5	Infant age recode 5		1	Under 1 hour
						2	1 – 23 hours
						3	1 – 6 days
						4	7 – 27 days (late neonatal)
						5	28 days and over (postneonatal)
1360-1361	2	AGER2	22	Infant age recode 22		Blank	Age 1 year and over or not stated
1300-1301	2	MOLINZ	22	mant age recode 22		01	Under 1 hour (includes not stated hours and minutes)
						02	1 – 23 hours
						03	1 day (includes not stated days)
						04	2 days
						05	3 days
						06	4 days
						07	5 days
						08	6 days
						09	7 days (includes not stated weeks)
						10	14 - 20 days
						11	21 – 27 days
						12	1 month (includes not stated months)
						13	2 months
						14	3 months
						15 16	4 months 5 months
						17	6 months
						18	7 months
						19	8 months
						20	9 months
						21	10 months
						22	11 months
1362	1	MANN	ER	Manner of Death		1	Accident
						2	Suicide
						3	Homicide
						4	Pending investigation
						5	Could not determine
						6	Self-inflicted
						7	Natural

Position	Len	File* Field	Description	Flag Position	Values	Definition
					Blank	Not specified
1363	1	DISPO	Method of Disposition		B C O U	Burial Cremation Other Unknown
1364	1	AUTOPSY	Autopsy		Y N U	Yes No Unknown
1365	1	FILLER40	FILLER		Blank	
1366	1	PLACE	Place of injury for causes W00- and Y07	-Y34, except Y06	0 1 2 3 4 5 6 7 8 9 Blank	Home Residential institution School, other institution and public administrative area Sports and athletics area Street and highway Trade and service area Industrial and construction area Farm Other Specified Places Unspecified place Cause other than W00-Y34, except Y06 and Y07
1367	1	FILLER63	FILLER			
		UNDERLYING	CAUSE OF DEATH			
1368-1371	4	UC0D	ICD Code (10 th Revision) See th Revision, Volume 1.	ne <u>International Classif</u>	fication of	<u>Diseases</u> , 1992
1372	1	FILLER64	FILLER			
1373-1375	3	UCODR130	130 Infant Cause Recode			
1376	1	FILLER65	FILLER			
1377-1384	8	RECWT	Record Weight (no weights con	nputed for possessions	file) 1.XXX	XXX
1385-1386	2	FILLER66	FILLER			
		MULTIPLE CO	ONDITIONS			
1387-1388	2	EANUM	Number of Entity-Axis Conditi	ons	00-20	Code range

Position	Len	File*	Field	Description	Flag Position	Values	Definition
1389-1528	140	ENTITY	Y				ndition takes 7 positions in the record. The 7 th lank in the unused area.
				Position 1: Par 1 2 3 4 5 6	Part I, line 1 (a) Part I, line 2 (b) Part I, line 3 (c) Part I, line 4 (d) Part I, line 5 (e) Part II,		
				Position 2: Sec 1-7	uence of condition within part/line Code range	e	
				Position 3 – 6: Condition	on code		
1389-1395 1396-1402 1403-1409 1410-1416 1417-1423 1424-1430 1431-1437 1438-1444 1445-1451 1452-1458 1459-1465 1466-1472 1473-1479 1480-1486 1487-1493 1494-1500 1501-1507 1508-1514 1515-1521 1522-1528	7 7 7 7 7 7 7 7 7 7 7 7 7 7			1st Condition 2nd Condition 3rd Condition 4th Condition 6th Condition 8th Condition 9th Condition 10th Condition 11th Condition 12th Condition 13th Condition 14th Condition 15th Condition 16th Condition 16th Condition 17th Condition 17th Condition 18th Condition 19th Condition			
1529-1530	2	FILLER	R67	FILLER			
1531-1532	2	RANUN	М	Number of Record-Ax	is Conditions	00-20	Code range
1533-1632	100	RECOR	RD.		d for a maximum of 20 conditions		ndition takes 5 positions in the conditions are blank in the unused area.

Note: Flag definitions: 0 - not reported in either year, 1 - reported in both years, 2 - reported in previous year only, 3 - reported in current year only

			-		
		Positio	ns 1 – 4: Condition Code		
		1 0011101	iii ii condition code		
1533-1537	5	1st Cone			
1538-1542	5	2 nd Con			
1543-1547	5	3 rd Con			
1548-1552	5	4 th Con			
1553-1557	5	5 th Con			
1558-1562	5	6 th Con			
1563-1567	5	7 th Con			
1568-1572	5	8 th Con			
1573-1577	5	9 th Con			
1578-1582	5	10 th Co			
1583-1587	5	11 th Co			
1588-1592	5	12 th Co			
1593-1597	5	13 th Co			
1598-1602	5	14 th Co			
1603-1607	5	15 th Co			
1608-1612	5	16 th Co			
1613-1617	5	17 th Co			
1618-1622	5	18 th Co			
1623-1627	5	19 th Co			
1628-1632	5	20 th Co	ndition		
1633-1669	37	FILLER68	FILLER		
1670	1	HOSPD	Place of Death and Decendent's Status	1	Hospital, clinic or Medical Center – Inpatient
				2	Hospital, clinic or Medical Center – Outpatient or admitted to Emergency Room
				3	Hospital, clinic or Medical Center – Dead on Arrival
				4	Decedent's home
				5	Hospice facility
				6	Nursing home/long term care
				7	Other
				9	Place of death unknown
1671	1	DWEEKDAY	Day of Week of Death	1	Sunday
			•	2	Monday
				3	Tuesday
				4	Wednesday
				5	Thursday
				6	Friday
				7	Saturday
				9	Unknown
1672-1675	4	DOD VV	Data Year	2014	2014
10/2-10/3	4	DOD_YY	Data Teaf	2014	2014

Flag Position

Values Definition

Position

Len

File* Field

Description

Position	Len	File*	Field	Description	Flag Position	Values	Definition
1676-1741	66		FILLER71	FILLER		Blank	
1742-1743	2		DOD_MM	Month of Death		01 02 03 04 05 06 07 08 09 10 11	January February March April May June July August September October November December

ADDENDUM

Detailed geographic information for the territories.

24-25	2	T,G	OSTATE	Occurrence Postal State U.S. Territories	GU Gua	m, PR Puerto Rico, VI Virgin Islands
28-30	3	T,G	OCNTYFIPS	Occurrence FIPS County	000-nnn	County of Occurrence
31	1	T,G	OCNTYPOP	Occurrence County Population	0 1 2 3	County of 1,000,000 or more County of 500,000 to 1,000,000 County of 250,000 to 500,000 County of 100,000 to 250,000

Position	Len	File*	Field	Description	Flag Position	Values	Definition
						4 5 6 9	County of 50,000 to 100,000 County of 25,000 to 50,000 County of 10,000 to 25,000 County less than 10,000
80-81	2	T,G	MBCNTRY	Mother's Birth Country		AA-ZZ	See Geographic Documentation
85-86	2	G	MRCNTRY	Mother's Residence Coun	ntry	AA-ZZ	See Geographic Documentation
89-90	2	T,G	MRSTATEPSTL	Mother's Residence Posta <u>U.S. Territories</u>	al State	GU Gua	m, PR Puerto Rico, VI Virgin Islands
				<u>Foreign</u>			ada, CU Cuba, MX Mexico, XX Not Applicable, Classifiable
91-93	3	T,G	MRCNTYFIPS	Mother's FIPS County		000-998 999	See Geographic Tables Foreign
99	1	T,G	RCNTY_POP	Population of Residence (County	0 1 2 3 4 5 6 9 Z	County of 1,000,000 or more County of 500,000 to 1,000,000 County of 250,000 to 500,000 County of 100,000 to 250,000 County of 50,000 to 100,000 County of 25,000 to 50,000 County of 10,000 to 25,000 County of 10,000 to 25,000 County less than 10,000 Foreign resident
100	1	G	RCITY_POP	Population of Residence (City	0 1 2 3 4 5 6 9 Z	City of 1,000,000 or more City of 500,000 to 1,000,000 City of 250,000 to 500,000 City of 100,000 to 250,000 City of 50,000 to 100,000 City of 25,000 to 50,000 City of 10,000 to 25,000 All other areas in the US Foreign resident
103	1	T,G	RECTYPE	Record Type		1 2 resi	RESIDENT: State and county of occurrence and residence are the same. NONRESIDENT: State and county of occurrence and idence are different.
1635	1	D RES	STATUS	Death Resident Status			
1000	•	2_1126					
				Puerto Rico Occurrence		1	RESIDENTS Territory and County-equivalent of

				4	Occurrence and Residence are the same. INTRASTATE NONRESIDENTS Territory of Occurrence and Residence are the same, but County-equivalent is different. INTERTERRITORY NONRESIDENTS Territory of occurrence and residence are different, but both are a Territory. FOREIGN RESIDENTS Occurred in Puerto Rico to a resident of any other place.
			Virgin Islands Occurrence	1 2 3	RESIDENTS Territory and County-equivalent of Occurrence and Residence are the same. INTRASTATE NONRESIDENTS Territory of Occurrence and Residence are the same, but County-equivalent is different. INTERTERRITORY NONRESIDENTS Territory of occurrence and residence are different, but
			Guam Occurrence	4	both are a Territory. FOREIGN RESIDENTS Occurred in Virgin Islands to a resident of any other place. RESIDENTS Occurred in Guam to a resident of Guam or
			Guain occurrence	3	to a resident of the U.S. INTERTERRITORY NONRESIDENTS Territory of occurrence and residence are different, but both are a Territory. FOREIGN RESIDENTS Occurred in Guam to a resident of any place other than Guam or the U.S.
1636-1637	2	DOSTATE	State of Occurrence (FIPS) of Death	PR VI GU	Puerto Rico Virgin Islands Guam
1638-1640	3	DOCNTY		ely identif phic Code	
1641-1643	3	FILLER048	FILLER	001-nnn Blank	Code range
1644-1645	2	DRSTATE	State of Residence (FIPS)	201111	
				PR	Puerto Rico

Flag Position

Values Definition

Position

Len

File* Field

Description

Position	Len	File*	Field	Description	Flag Position	Values	Definition
						VI GU	Virgin Islands Guam
				Puerto Rico Occurrence			Puerto Rico VI,AS,GU, MP,ZZ residents: refer to U.S. for specific code structure.
				Virgin Islands Occurrence			Virgin Islands PR,AS,GU, MP, ZZ residents: refer to U.S. for specific code structure.
				Guam Occurrence		PR,AS,	Guam U.S. resident. Also considered a resident of Guam. VI,MP, ZZ residents: refer to U.S. for specific code structure.
1646-1647	2 FILI	LER049		FILLER		Blank	
1648-1649	2	DRSTC	CNTRY	State/Country of Residence	of Death Recode		
				Territorial resident		PR VI GU	Puerto Rico Virgin Islands Guam
				Foreign residents		CC MX CU YY	Canada Mexico Cuba Remainder of the world
				Puerto Rico Occurrence		PR AL-ZZ	Puerto Rico Foreign residents: refer to U.S. for specific code structure.
				Virgin Islands Occurrence		VI AL-ZZ	Virgin Islands Foreign residents: refer to U.S. for specific code structure.
				Guam Occurrence		PR,VI,A	Guam U.S. resident. Also considered a resident of Guam S, MP,ZZ residents: refer to U.S. for specific code structure.
1650-1652	3	DRCNT	Y	County of Residence (FIPS (To uniquely identify a count		d county c	odes must be used.)
						000 001-nnn	Foreign residents Code range

Position	Len	File* Field	Description	Flag Position	Values	Definition
			_	_		
1653-1665	13	FILLER69	FILLER		Blank	
1666	1	DRCNTYPOP	Population Size of County	y of Residence of D	eath	
			Based on the results of the		0	County of 1,000,000 or more
					1	County of 500,000 to 1,000,000
					2	County of 250,000 to 500,000
					3	County of 100,000 to 250,000
					4	County of 50,000 to 100,000
					5	County of 25,000 to 50,000
					6	County of 10,000 to 25,000
					9	County of less than 10,000
					Z	Foreign residents

```
ST: 1 = Subtotal
                     Limited: Sex: 1 = Males; 2 = Females
                              Age: 1 = 5 and over; 2 = 10-54; 3 = 28 days and over
                                    4 = Under 1 year; 5 = 1-4 years; 6 = 1 year and over
                                    7 = 10 years and over
                       ***** Cause Subtotals are not identified in this file *****
130
        S Limited
       T Sex Age Cause Title and ICD-10 Codes Included
Recode
001
                  Certain infectious and parasitic diseases (A00-B99)
002
                    Certain intestinal infectious diseases (A00-A08)
003
                    Diarrhea and gastroenteritis of infectious origin (A09)
004
                    Tuberculosis (A16-A19)
 005
                    Tetanus (A33, A35)
006
                    Diphtheria (A36)
007
                    Whooping cough (A37)
008
                    Meningococcal infection (A39)
                    Septicemia (A40-A41)
009
010
                    Congenital syphilis (A50)
                    Gonococcal infection (A54)
011
012
                    Viral diseases (A80-B34)
 013
                      Acute poliomyelitis (A80)
                      Varicella (chickenpox) (B01)
014
 015
                      Measles (B05)
016
                      Human immunodeficiency virus (HIV) disease (B20-B24)
017
                      Mumps (B26)
                      Other and unspecified viral diseases (A81-B00,B02-B04,B06-B19,B25,B27-B34)
018
019
                    Candidiasis (B37)
 020
                    Malaria (B50-B54)
 021
                    Pneumocystosis (B59)
                    All other and unspecified infectious and parasitic diseases
022
                       (A20-A32, A38, A42-A49, A51-A53, A55-A79, B35-B36, B38-B49, B55-B58, B60-B99)
 023
                  Neoplasms (C00-D48)
024
                    Malignant neoplasms (C00-C97)
                      Hodgkin's disease and non-Hodgkin's lymphomas (C81-C85)
 025
026
                      Leukemia (C91-C95)
 027
                      Other and unspecified malignant neoplasms (C00-C80,C88,C90,C96-C97)
028
                    In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown
                      behavior (D00-D48)
029
        1
                  Diseases of the blood and blood-forming organs and certain disorders involving
                    the immune mechanism (D50-D89)
 030
                    Anemias (D50-D64)
                    Hemorrhagic conditions and other diseases of blood and blood-forming organs
031
                      (D65-D76)
 032
                    Certain disorders involving the immune mechanism (D80-D89)
                  Endocrine, nutritional and metabolic diseases (E00-E88)
 033
034
                    Short stature, not elsewhere classified (E34.3)
035
                    Nutritional deficiencies (E40-E64)
036
                    Cystic fibrosis (E84)
037
                    Volume depletion, disorders of fluid, electrolyte and acid-base balance
                       (E86-E87)
038
                    All other endocrine, nutritional and metabolic diseases
                       (E00-E32,E34.0-E34.2,E34.4-E34.9,E65-E83,E85,E88)
 039
                  Diseases of the nervous system (G00-G98)
                    Meningitis (G00,G03)
040
 041
                    Infantile spinal muscular atrophy, type I (Werdnig-Hoffman) (G12.0)
042
                    Infantile cerebral palsy (G80)
                    Anoxic brain damage, not elsewhere classified (G93.1)
 043
044
                    Other diseases of nervous system
                      (G04,G06-G11,G12.1-G12.9,G20-G72,G81-G92,G93.0,G93.2-G93.9,G95-G98)
 045
                  Diseases of the ear and mastoid process (H60-H93)
 046
                  Diseases of the circulatory system (I00-I99)
 047
                    Pulmonary heart disease and diseases of pulmonary circulation (I26-I28)
 048
                    Pericarditis, endocarditis and myocarditis (I30,I33,I40)
 049
                    Cardiomyopathy (I42)
050
                    Cardiac arrest (I46)
                    Cerebrovascular diseases (I60-I69)
051
052
                    All other diseases of circulatory system (I00-I25, I31, I34-I38, I44-I45, I47-I51,
                      I70-I99)
 053
                  Diseases of the respiratory system (J00-J98)
        1
                    Acute upper respiratory infections (J00-J06)
054
```

Influenza and pneumonia (J10-J18)

055

```
ST: 1 = Subtotal
                     Limited: Sex: 1 = Males; 2 = Females
                              Age: 1 = 5 and over; 2 = 10-54; 3 = 28 days and over
                                    4 = Under 1 year; 5 = 1-4 years; 6 = 1 year and over
                                    7 = 10 years and over
                      ***** Cause Subtotals are not identified in this file *****
130
        S Limited
       T Sex Age Cause Title and ICD-10 Codes Included
Recode
056
                      Influenza (J10-J11)
057
                      Pneumonia (J12-J18)
058
                    Acute bronchitis and acute bronchiolitis (J20-J21)
059
                    Bronchitis, chronic and unspecified (J40-J42)
060
                    Asthma (J45-J46)
061
                    Pneumonitis due to solids and liquids (J69)
062
                    Other and unspecified diseases of respiratory system
                      (J22,J30-J39,J43-J44,J47-J68,J70-J98)
063
                  Diseases of the digestive system (K00-K92)
                    Gastritis, duodenitis, and noninfective enteritis and colitis (K29,K50-K55)
064
065
                    Hernia of abdominal cavity and intestinal obstruction without hernia
                       (K40-K46,K56)
 066
                    All other and unspecified diseases of digestive system (K00-K28,K30-K38,K57-K92)
                  Diseases of the genitourinary system (N00-N95)
067
 068
                    Renal failure and other disorders of kidney (N17-N19, N25, N27)
069
                    Other and unspecified diseases of genitourinary system
                       (N00-N15, N20-N23, N26, N28-N95)
070
                  Certain conditions originating in the perinatal period (P00-P96)
        1
071
                    Newborn affected by maternal factors and by complications of pregnancy, labor and
                      delivery (P00-P04)
                      Newborn affected by maternal hypertensive disorders (P00.0)
 072
                      Newborn affected by other maternal conditions which may be unrelated to present
073
                        pregnancy (P00.1-P00.9)
 074
                      Newborn affected by maternal complications of pregnancy (P01)
                        Newborn affected by incompetent cervix (P01.0)
075
076
                        Newborn affected by premature rupture of membranes (P01.1)
077
                        Newborn affected by multiple pregnancy (P01.5)
078
                        Newborn affected by other maternal complications of pregnancy
                          (P01.2-P01.4, P01.6-P01.9)
079
                      Newborn affected by complications of placenta, cord and membranes (PO2)
        1
080
                        Newborn affected by complications involving placenta (P02.0-P02.3)
081
                        Newborn affected by complications involving cord (P02.4-P02.6)
082
                        Newborn affected by chorioamnionitis (P02.7)
083
                        Newborn affected by other and unspecified abnormalities of membranes
                          (P02.8-P02.9)
 084
                      Newborn affected by other complications of labor and delivery (PO3)
                      Newborn affected by noxious influences transmitted via placenta or breast milk
085
086
        1
                    Disorders related to length of gestation and fetal malnutrition (P05-P08)
087
                      Slow fetal growth and fetal malnutrition (P05)
                      Disorders related to short gestation and low birthweight, not elsewhere
088
                        classified (P07)
089
                        Extremely low birthweight or extreme immaturity (P07.0,P07.2)
090
                        Other low birthweight or preterm (P07.1,P07.3)
 091
                      Disorders related to long gestation and high birthweight (PO8)
092
                    Birth trauma (P10-P15)
                    Intrauterine hypoxia and birth asphyxia (P20-P21)
 093
        1
094
                      Intrauterine hypoxia (P20)
095
                      Birth asphyxia (P21)
096
                    Respiratory distress of newborn (P22)
097
        1
                    Other respiratory conditions originating in the perinatal period (P23-P28)
 098
                      Congenital pneumonia (P23)
 099
                      Neonatal aspiration syndromes (P24)
                      Interstitial emphysema and related conditions originating in the perinatal period
100
                        (P25)
101
                      Pulmonary hemorrhage originating in the perinatal period (P26)
102
                      Chronic respiratory disease originating in the perinatal period (P27)
103
                      Atelectasis (P28.0-P28.1)
104
                      All other respiratory conditions originating in the perinatal period
                        (P28.2-P28.9)
105
                    Infections specific to the perinatal period (P35-P39)
106
                      Bacterial sepsis of newborn (P36)
```

Omphalitis of newborn with or without mild hemorrhage (P38)

```
ST: 1 = Subtotal
                     Limited: Sex: 1 = Males; 2 = Females
                              Age: 1 = 5 and over; 2 = 10-54; 3 = 28 days and over
                                    4 = Under 1 year; 5 = 1-4 years; 6 = 1 year and over
                                    7 = 10 years and over
                       ***** Cause Subtotals are not identified in this file *****
130
        S Limited
       T Sex Age Cause Title and ICD-10 Codes Included
Recode
108
                      All other infections specific to the perinatal period (P35,P37,P39)
109
                    Hemorrhagic and hematological disorders of newborn (P50-P61)
        1
110
                      Neonatal hemorrhage (P50-P52, P54)
111
                      Hemorrhagic disease of newborn (P53)
112
                      Hemolytic disease of newborn due to isoimmunization and other perinatal jaundice
                        (P55-P59)
113
                      Hematological disorders (P60-P61)
114
                    Syndrome of infant of a diabetic mother and neonatal diabetes mellitus
                      (P70.0-P70.2)
115
                    Necrotizing enterocolitis of newborn (P77)
                    Hydrops fetalis not due to hemolytic disease (P83.2)
116
117
                    Other perinatal conditions (P29, P70.3-P70.9, P71-P76, P78-P81, P83.0-P83.1,
                      P83.3-P83.9, P90-P96)
                  Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)
118
119
                    Anencephaly and similar malformations (Q00)
120
                    Congenital hydrocephalus (Q03)
121
                    Spina bifida (Q05)
                    Other congenital malformations of nervous system (Q01-Q02,Q04,Q06-Q07)
122
123
                    Congenital malformations of heart (Q20-Q24)
124
                    Other congenital malformations of circulatory system (Q25-Q28)
125
                    Congenital malformations of respiratory system (Q30-Q34)
                    Congenital malformations of digestive system (Q35-Q45)
126
127
                    Congenital malformations of genitourinary system (Q50-Q64)
128
                    Congenital malformations and deformations of musculoskeletal system, limbs and
                      integument (Q65-Q85)
129
                    Down's syndrome (Q90)
                    Edward's syndrome (Q91.0-Q91.3)
130
131
                    Patau's syndrome (Q91.4-Q91.7)
132
                    Other congenital malformations and deformations (Q10-Q18,Q86-Q89)
                    Other chromosomal abnormalities, not elsewhere classified (Q92-Q99)
133
134
        1
                  Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere
                    classified (R00-R99)
135
                    Sudden infant death syndrome (R95)
                    Other symptoms, signs and abnormal clinical and laboratory findings, not elsewhere
136
                      classified (R00-R53, R55-R94, R96-R99)
137
                  All other diseases (Residual) (F01-F99,H00-H57,L00-M99)
                  External causes of mortality (*U01, V01-Y84)
138
        1
139
                    Accidents (unintentional injuries) (V01-X59)
        1
140
        1
                      Transport accidents (V01-V99)
                        Motor vehicle accidents(V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2,
141
                          V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86,
                           V87.0-V87.8, V88.0-V88.8, V89.0, V89.2)
142
                        Other and unspecified transport accidents
                           (V01, V05-V06, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3,
                           V19.8-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9,
                          V87.9, V88.9, V89.1, V89.3, V89.9, V90-V99)
                      Falls (W00-W19)
143
144
                      Accidental discharge of firearms (W32-W34)
145
                      Accidental drowning and submersion (W65-W74)
146
                      Accidental suffocation and strangulation in bed (W75)
                      Other accidental suffocation and strangulation (W76-W77,W81-W84)
147
148
                      Accidental inhalation and ingestion of food or other objects causing obstruction
                        of respiratory tract (W78-W80)
149
                      Accidents caused by exposure to smoke, fire and flames (X00-X09)
150
                      Accidental poisoning and exposure to noxious substances (X40-X49)
151
                      Other and unspecified accidents (W20-W31, W35-W64, W85-W99, X10-X39, X50-X59)
152
                    Assault (homicide) (*U01, X85-Y09)
                      Assault (homicide) by hanging, strangulation and suffocation (X91)
153
                      Assault (homicide) by discharge of firearms (*U01.4,X93-X95)
154
                      Neglect, abandonment and other maltreatment syndromes (Y06-Y07)
155
156
                      Assault (homicide) by other and unspecified means
                        (*U01.0-*U01.3,*U01.5-*U01.9,X85-X90,X92,X96-X99,Y00-Y05,Y08-Y09)
```

Complications of medical and surgical care (Y40-Y84)

ST: 1 = Subtotal Limited: Sex: 1 = Males; 2 = Females

Age: 1 = 5 and over; 2 = 10-54; 3 = 28 days and over 4 = Under 1 year; 5 = 1-4 years; 6 = 1 year and over

7 = 10 years and over

***** Cause Subtotals are not identified in this file *****

130 S Limited

Recode T Sex Age Cause Title and ICD-10 Codes Included

158 Other external causes (X60-X84,Y10-Y36) 12/12/16 Page 1

Documentation Table 1. Live births and infant deaths by state of occurrence of birth and by state of residence at birth United States, Puerto Rico, Virgin Islands, and Guam, 2014 Period Data.

(Residence of birth is of the mother)

	Live b	irths		Infant		
State	Occurence	Residence	Unweigl Occurence	nted Residence	Weighte Occurence	d 1/ Residence
tate	occurence	Restuelice	occurence	Restdelice	occurence	Restuence
nited States /2	3998175	3988076	23085	23052	23246	23211
labama	57798	59422	499	514	500	515
laska	11246	11392	73	76	73	76
rizona	88028	86887	522	528	524	530
rkansas	37788	38511	282	286	284	288
alifornia	503889	502879	2138	2136	2175	2173
olorado	66379	65830	348	315	348	315
onnecticut	37649	36285	177	174	178	175
elaware	11486	10972	83	74	83	74
ist of Columbia	14500	9509	109	71	109	71
lorida	220148	219991	1352	1341	1355	1344
eorgia	132078	130946	1002	982	1005	985
awaii	18573	18550	83	83	83	83
daho	22489	22876	111	122	111	122
uano llinois	154806	158556	989	1042	989	1043
ndiana			590	592	593	595
	84876	84080 39687		592 189		189
owa	39466		172		172	
ansas	40145	39223	225	242	226	243
entucky	53796	56170	362	395	367	400
ouisiana	64518	64497	485	484	486	485
aine	12533	12698	86	84	86	84
aryland	70916	73921	451	479	452	480
assachusetts	72510	71908	313	308	316	311
ichigan	113436	114375	734	739	734	739
innesota	69166	69904	363	350	363	350
ississippi	37955	38736	300	317	300	317
issouri	76725	75360	516	457	521	461
ontana	12397	12432	69	72	69	72
ebraska	27113	26794	146	135	147	136
evada	35509	35861	195	198	195	198
ew Hampshire	12313	12302	53	54	53	54
ew Jersey	101282	103305	426	447	433	454
ew Mexico	24990	26052	119	136	119	136
ew York	117350	121166	583	629	587	633
ew York City	122085	117607	501	469	501	469
orth Carolina	122542	120975	872	863	873	864
orth Dakota	12839	11359	60	58	60	58
nio	140514	139467	971	950	980	959
klahoma	51926	53339	430	437	431	438
regon	46098	45556	234	232	234	232
ennsylvania	141394	142268	852	830	860	838
node Island	11358	10823	57	48	57	48
outh Carolina	54503	57627	345	370	346	371
outh Dakota	12956	12283	72	70	72	70
ennessee	87174	81602	607	559	609	561
exas	408213	399766	2333	2303	2368	2337
tah	52162	51154	268	251	268	251
rmont	5846	6130	28	28	28	28
rginia.	101867	103300	560	562	583	584
=						
shington	88420	88585	404	396	405	397
est Virginia	20548	20301	139	140	139	141
isconsin	66884	67161	370	384	370	384
oming	6993	7696	26	49	26	49
oreign Residents	-	10099	-	35	-	35
uerto Rico	34507	34434	243	240	242	239
irgin Islands	-	-	-	2	-	2
uam	3398	3392	28	28	28	28

^{1/} Figures are based on weighted data rounded to the nearest infant, so categories may not add to totals

 $^{2/\}mbox{ Excludes}$ data for Puerto Rico, Virgin Islands and Guam.

01/04/17 Page 1

Documentation Table 2. Live births,infant deaths and infant mortality rates by race of mother, sex and birthweight of child: United States, 2014 Period Data.

[Infant death are weighted. Rates are per 1000 live births]

Race of mother and sex T	otal	<500 grams	500-749 grams	750-999 grams	1000-1249 grams	1250-1499 grams	1500-1999 grams	2000-2499 grams	2500 grams or more	Not Stated
All races										
Both sexes										
Live birthsInfant deathsInfant mortality rate	3,988,076 23,211 5.82	6,688 5,684 849.88	9,962 3,867 388.18	11,002 1,378 125.25	13,249 824 62.19	16,128 628 38.94	62,103 1,416 22.80	201,041 1,957 9.73	3,667,202 7,338 2.00	701 119 169.76
Male										
Live birthsInfant deathsInfant mortality rate	2,040,701 12,889 6.32	3,420 3,001 877.49	4,985 2,226 446.54	5,648 836 148.02	6,740 458 67.95	8,099 324 40.00	30,077 744 24.74	91,805 994 10.83	1,889,535 4,217 2.23	392 88 224.49
Female										
Live birthsInfant deathsInfant mortality rate	1,947,375 10,322 5.30	3,268 2,683 820.99	4,977 1,640 329.52	5,354 543 101.42	6,509 365 56.08	8,029 304 37.86	32,026 672 20.98	109,236 963 8.82	1,777,667 3,121 1.76	309 30 97.09
White										
Both sexes										
Live births Infant deaths Infant mortality rate	3,019,863 14,927 4.94	3,609 3,109 861.46	5,724 2,328 406.71	6,693 892 133.27	8,400 555 66.07	10,447 442 42.31	41,680 1,003 24.06	134,752 1,358 10.08	2,808,013 5,181 1.85	545 59 108.26
Male										
Live birthsInfant deathsInfant mortality rate	1,547,425 8,337 5.39	1,829 1,612 881.36	2,925 1,368 467.69	3,459 551 159.29	4,286 323 75.36	5,257 223 42.42	20,362 526 25.83	61,823 694 11.23	1,447,184 3,002 2.07	300 40 133.33
Female										
Live birthsInfant deathsInfant mortality rate	1,472,438 6,590 4.48	1,780 1,498 841.57	2,799 960 342.98	3,234 341 105.44	4,114 232 56.39	5,190 220 42.39	21,318 477 22.38	72,929 664 9.10	1,360,829 2,179 1.60	245 19 *
Black										
Both sexes										
Live birthsInfant deathsInfant mortality rate	640,562 6,853 10.70	2,678 2,226 831.22	3,660 1,325 362.02	3,617 404 111.69	3,902 211 54.07	4,416 148 33.51	15,657 336 21.46	48,674 475 9.76	557,848 1,681 3.01	110 47 427.27
Male										
Live birthsInfant deathsInfant mortality rate	324,821 3,752 11.55	1,391 1,213 872.03	1,752 738 421.23	1,818 234 128.71	1,957 106 54.16	2,185 79 36.16	7,373 178 24.14	21,738 241 11.09	286,539 925 3.23	68 38 558.82
Female										
Live birthsInfant deathsInfant mortality rate	315,741 3,101 9.82	1,287 1,013 787.10	1,908 588 308.18	1,799 169 93.94	1,945 106 54.50	2,231 68 30.48	8,284 158 19.07	26,936 234 8.69	271,309 756 2.79	42 9 *

01/04/17 Page 2

Documentation Table 2. Live births,infant deaths and infant mortality rates by race of mother, sex and birthweight of child: United States, 2014 Period Data.

[Infant death are weighted. Rates are per 1000 live births]

Race of mother and sex To	otal	<500 grams	500-749 grams	750-999 grams	1000-1249 grams	1250-1499 grams	1500-1999 grams	2000-2499 grams	2500 grams or more	Not Stated
American Indian /1										
Both sexes										
Live births	44,928	50	98	116	139	174	700	2,165	41,479	7
Infant deaths Infant mortality rate	341 7.59	44 880.00	44 448.98	18	12	6	25 35.71	26 12.01	161 3.88	4
infant mortality rate	7.59	860.00	440.90				33.71	12.01	3.00	
Male										
Live births	22,808	23	47	60	76	88	353	990	21,167	4
Infant deaths	195	21	25	14	7	5	11	13	96	2
Infant mortality rate	8.55	913.04	531.91	*	*	*	*	*	4.54	*
Female										
Live births	22,120	27	51	56	63	86	347	1,175	20,312	3
Infant deaths	146	23	19	4	5	1	14	13	65	2
Infant mortality rate	6.60	851.85	*	*	*	*	*	*	3.20	*
Asian or Pacific Islander										
Both sexes										
Live births	282,723	351	480	576	808	1,091	4,066	15,450	259,862	39
Infant deaths	1,090	304	170	65	46	32	52	98	315	8
Infant mortality rate	3.86	866.10	354.17	112.85	56.93	29.33	12.79	6.34	1.21	*
Male										
Live births	145,647	177	261	311	421	569	1,989	7,254	134,645	20
Infant deaths	605	155	96	36	23	17	29	47	194	8
Infant mortality rate	4.15	875.71	367.82	115.76	54.63	*	14.58	6.48	1.44	*
Female										
Live births	137,076	174	219	265	387	522	2,077	8,196	125,217	19
Infant deaths	484	150	74	28	22	15	23	51	121	0
Infant mortality rate	3.53	862.07	337.90	105.66	56.85	*	11.07	6.22	0.97	*

^{*} Figure does not meet standard of reliability or precision; based on fewer then 20 deaths in the numerator

⁻ Quantity zero

^{/1} Includes Aleut and Eskimos

Documentation Table 4

Live births, infant deaths, and infant mortality rates by birthweight, race of mother, and age at death: United states, 2014 period data

[Infant deaths are weighted. Infant deaths are under 1 year.Neonatal deaths are under 28 days; early neonatal, 0-6 days; late neonatal, 7-27 days; and postneonatal, 28 days through 11 months. Rates are per 1000 live births]

Birthweight and race of mother	Live		Total	Early	Late	Post-
	Births	Infant	Neonatal	Neonatal	Neonatal	Neonatal
All races						
Total (all birthweights) Rate	3,988,076	23,211 5.82	15,737 3.95	12,772 3.20	2,965 0.74	7,474 1.87
Less than 2,500 grams	320,173	15,754 49.20	13,026 40.68	11,079 34.60	1,946 6.08	2,728 8.52
Less than 500 grams	6,688	5,684 849.88	5,561 831.49	5,399 807.27	162 24.22	122 18.24
500-749 gramsRate	9,962	3,867 388.18	3,343 335.58	2,670 268.02	673 67.56	524 52.60
750-999 gramsRate	11,002	1,378 125.25	1,063 96.62	737 66.99	326 29.63	315 28.63
1,000-1,249 grams	13,249	824 62.19	620 46.80	443 33.44	177 13.36	204 15.40
1,250-1,499 grams	16,128	628 38.94	468 29.02	367 22.76	100 6.20	161 9.98
1,500-1,999 grams	62,103	1,416 22.80	917 14.77	714 11.50	203 3.27	499 8.04
2,000-2,499 grams	201,041	1,957 9.73	1,054 5.24	748 3.72	306 1.52	903 4.49
2,500-2,999 grams	728,299	2,684 3.69	1,073 1.47	660 0.91	413 0.57	1,611 2.21
3,000-3,499 grams	1,546,756	2,803 1.81	893 0.58	534 0.35	359 0.23	1,910 1.23
3,500-3,999 grams	1,071,342	1,402 1.31	433 0.40	252 0.24	182 0.17	969 0.90
4,000-4,499 grams	276,692	357 1.29	141 0.51	90 0.33	51 0.18	216 0.78
4,500-4,999 grams	39,364	70 1.78	40 1.02	30 0.76	10	30 0.76
5,000 grams or more Rate	4,749	22 4.63	15 *	12 *	3	7
Not statedRate	701	119 169.76	116 165.48	115 164.05	1 *	3 *

Documentation Table 4

Live births, infant deaths, and infant mortality rates by birthweight, race of mother, and age at death: United states, 2014 period data -Cont

[Infant deaths are weighted. Infant deaths are under 1 year.Neonatal deaths are under 28 days; early neonatal, 0-6 days; late neonatal, 7-27 days; and postneonatal, 28 days through 11 months. Rates are per 1000 live births]

Birthweight and race of mother	Live Births	Infant	Total Neonatal	Early Neonatal	Late Neonatal	Post- Neonatal
White						
Total (all birthweights)	3,019,863	14,927 4.94	10,094 3.34	8,156 2.70	1,938 0.64	4,832 1.60
Less than 2,500 grams	211,305	9,687 45.84	8,079 38.23	6,873 32.53	1,205 5.70	1,608 7.61
Less than 500 grams	3,609	3,109 861.46	3,046 844.00	2,965 821.56	81 22.44	63 17.46
500-749 grams Rate	5,724	2,328 406.71	2,074 362.33	1,695 296.12	379 66.21	254 44.37
750-999 grams	6,693	892 133.27	719 107.43	518 77.39	201 30.03	174 26.00
1,000-1,249 grams	8,400	555 66.07	424 50.48	303 36.07	121 14.40	130 15.48
1,250-1,499 grams	10,447	442 42.31	337 32.26	262 25.08	75 7.18	105 10.05
1,500-1,999 grams	41,680	1,003 24.06	673 16.15	546 13.10	127 3.05	329 7.89
2,000-2,499 grams	134,752	1,358 10.08	806 5.98	585 4.34	221 1.64	552 4.10
2,500-2,999 grams	499,047	1,790 3.59	768 1.54	494 0.99	275 0.55	1,022 2.05
3,000-3,499 grams	1,162,883	2,009 1.73	690 0.59	427 0.37	264 0.23	1,318 1.13
3,500-3,999 grams	873,435	1,036 1.19	347 0.40	200 0.23	146 0.17	690 0.79
4,000-4,499 grams	235,113	278 1.18	110 0.47	72 0.31	38 0.16	169 0.72
4,500-4,999 grams	33,617	49 1.46	30 0.89	23 0.68	7 *	19
5,000 grams or more Rate	3,918	18	13 *	11	2 *	5
Not statedRate	545	59 108.26	57 104.59	56 102.75	1	2 *

Documentation Table 4

Live births, infant deaths, and infant mortality rates by birthweight, race of mother, and age at death: United states, 2014 period data -Cont

[Infant deaths are weighted. Infant deaths are under 1 year.Neonatal deaths are under 28 days; early neonatal, 0-6 days; late neonatal, 7-27 days; and postneonatal, 28 days through 11 months. Rates are per 1000 live births]

	Live		Total	Early	Late	Post-
Birthweight and race of mother	Births	Infant	Neonatal	Neonatal	Neonatal	Neonatal
Black						
Total (all birthweights)	640,562	6,853 10.70	4,662 7.28	3,821 5.97	841 1.31	2,191 3.42
Less than 2,500 grams	82,604	5,125 62.04	4,149 50.23	3,528 42.71	621 7.52	976 11.82
Less than 500 grams	2,678	2,226 831.22	2,170 810.31	2,098 783.42	71 26.51	56 20.91
500-749 gramsRate	3,660	1,325 362.02	1,083 295.90	825 225.41	259 70.77	242 66.12
750-999 grams	3,617	404 111.69	283 78.24	176 48.66	107 29.58	121 33.45
1,000-1,249 grams	3,902	211 54.07	152 38.95	107 27.42	45 11.53	59 15.12
1,250-1,499 grams	4,416	148 33.51	103 23.32	81 18.34	22 4.98	45 10.19
1,500-1,999 grams	15,657	336 21.46	189 12.07	131 8.37	58 3.70	147 9.39
2,000-2,499 grams	48,674	475 9.76	169 3.47	111 2.28	58 1.19	306 6.29
2,500-2,999 grams	156,118	713 4.57	234 1.50	122 0.78	112 0.72	479 3.07
3,000-3,499 grams	248,046	624 2.52	145 0.58	72 0.29	73 0.29	479 1.93
3,500-3,999 grams	123,896	271 2.19	55 0.44	33 0.27	22 0.18	216 1.74
4,000-4,499 grams	25,627	58 2.26	23 0.90	13	10	35 1.37
4,500-4,999 grams	3,635	13	7 *	5 *	2 *	6
5,000 grams or more	526	2	2	1	1	-
Not statedRate	110	47 427.27	46 418.18	46 418.18	-	1 *

Documentation Table 4

Live births, infant deaths, and infant mortality rates by birthweight, race of mother, and age at death: United states, 2014 period data -Cont

[Infant deaths are weighted. Infant deaths are under 1 year.Neonatal deaths are under 28 days; early neonatal, 0-6 days; late neonatal, 7-27 days; and postneonatal, 28 days through 11 months. Rates are per 1000 live births]

Dinthweight and ness of method	Live		Total	Early	Late	Post-
Birthweight and race of mother	Births	Infant	Neonatal	Neonatal	Neonatal	Neonatal
American Indian¹						
Total (all birthweights)	44,928	341 7.59	184 4.10	137 3.05	46 1.02	157 3.49
Less than 2,500 grams	3,442	176 51.13	141 40.96	111 32.25	30 8.72	34 9.88
Less than 500 grams	50	44 880.00	44 880.00	43 860.00	1	-
500-749 gramsRate	98	44 448.98	38 387.76	31 316.33	7 *	6
750-999 grams	116	18	15 *	11	4 *	3 *
1,000-1,249 grams	139	12 *	7 *	3	4 *	5
1,250-1,499 grams	174	6 *	5 *	4	1	1 *
1,500-1,999 grams	700	25 35.71	18	12 *	6 *	7 *
2,000-2,499 grams	2,165	26 12.01	14	7 *	7 *	12
2,500-2,999 grams	7,548	48 6.36	14	10	4	34 4.50
3,000-3,499 grams	16,660	51 3.06	9	5 *	4	42 2.52
3,500-3,999 grams	12,719	45 3.54	9	3 *	6 *	36 2.83
4,000-4,499 grams	3,835	9	3 *	2	1	6
4,500-4,999 grams	606	6 *	3 *	2 *	1	3 *
5,000 grams or more	111	2	- -	- -		2
Not statedRate	7	4	4	4	-	-

Live births, infant deaths, and infant mortality rates by birthweight, race of mother, and age at death: United states, 2014 period data -Cont

[Infant deaths are weighted. Infant deaths are under 1 year.Neonatal deaths are under 28 days; early neonatal, 0-6 days; late neonatal, 7-27 days; and postneonatal, 28 days through 11 months. Rates are per 1000 live births]

Birthweight and race of mother	Live		Total	Early	Late	Post-
	Births	Infant	Neonatal	Neonatal	Neonatal	Neonatal
Asian or Pacific Islander						
Total (all birthweights)	282,723	1,090 3.86	797 2.82	657 2.32	139 0.49	293 1.04
Less than 2,500 grams	22,822	767 33.61	656 28.74	566 24.80	90 3.94	110 4.82
Less than 500 grams	351	304 866.10	301 857.55	292 831.91	9	3
500-749 gramsRate	480	170 354.17	148 308.33	120 250.00	28 58.33	22 45.83
750-999 grams	576	65 112.85	47 81.60	32 55.56	14	18
1,000-1,249 grams	808	46 56.93	36 44.55	30 37.13	6	9
1,250-1,499 grams	1,091	32 29.33	23 21.08	21 19.25	2	9
1,500-1,999 grams	4,066	52 12.79	36 8.85	25 6.15	11	16 *
2,000-2,499 grams	15,450	98 6.34	65 4.21	45 2.91	20 1.29	33 2.14
2,500-2,999 grams	65,586	133 2.03	57 0.87	35 0.53	22 0.34	76 1.16
3,000-3,499 grams	119,167	120 1.01	48 0.40	30 0.25	18	71 0.60
3,500-3,999 grams	61,292	49 0.80	22 0.36	15 *	7 *	27 0.44
4,000-4,499 grams	12,117	11 *	5 *	3	2	6
4,500-4,999 grams	1,506	2	- -	-	-	2
5,000 grams or more	194	-	-	- -	-	-
Not statedRate	39	8	8	8	-	-

 $^{^{\}star}/$ Figure does not meet standard of reliability or precision; based on fewer than 20 death in the numerator

^{-/} Quantity zero

^{1/} Includes Aleuts and Eskimos

Infant deaths and infant mortality rates by age of death, birthweight, and race of mother for 10 major causes of infant death: United States, 2014 period data

[Infant deaths are weighted. Infant deaths are under 1 year. Neonatal deaths are under 28 days; early neonatal, 0-6 days; late neonatal, 7-27 days; and postneonatal, 28 days through 11 months. Rates are per 100,000 live births]

Cause of death, birthweight, and race of mother	Live		Total	Early	Late	Post-
	Births	Infant	Neonatal	Neonatal	Neonatal	Neonatal
All races						
All birthweights						
All Causes	3,988,076	23,211 582.0	15,737 394.6	12,772 320.3	-	
Congenital malformations (Q00-Q99)		4,754 119.2	3,354 84.1	2,629 65.9		•
Short gestation and low birthweight nec (PO7)		4,172 104.6	4,078 102.3	3,969 99.5		
Maternal complications of pregnancy (PO1)		1,580 39.6	1,572 39.4	1,557 39.0		
Sudden infant death syndrome (R95)		1,541 38.6	141 3.5	24 0.6	117 2.9	•
Accidents (unintentional injures) (V01-X59)		1,163 29.2	124 3.1	29 0.7	94 2.4	,
Complications of placenta, cord, membranes (PO2)		961 24.1	951 23.8	916 23.0	34 0.9	
Bacterial sepsis of newborn (P36)		547 13.7	530 13.3	230 5.8		
Respiratory distress of newborn (P22)		462 11.6	452 11.3	337 8.5		
Diseases of the circulatory system (IOO-I99)		443 11.1	94 2.4	51 1.3	42 1.1	
Neonatal hemorrhage (P50-P52, P54)		444 11.1	431 10.8	311 7.8	120 3.0	
All other causes		7,144 179.1	4,011 100.6	2,718 68.2		
Less then 2,500 grams						
All Causes	320,173	15,754 4,920.5	13,026 4,068.4	11,079 3,460.3	1,946 607.8	
Congenital malformations (Q00-Q99)		2,910 908.9	2,281 712.4	1,908 595.9	373 116.5	
Short gestation and low birthweight nec (PO7)		4,088 1,276.8	3,995 1,247.8	3,886 1,213.7	109 34.0	

Infant deaths and infant mortality rates by age of death, birthweight, and race of mother for 10 major causes of infant death: United States, 2014 period data -Cont

[Infant deaths are weighted. Infant deaths are under 1 year. Neonatal deaths are under 28 days; early neonatal, 0-6 days; late neonatal, 7-27 days; and postneonatal, 28 days through 11 months. Rates are per 100,000 live births]

Cause of death, birthweight, and race of mother	Live		Total	Early	Late	Post-
	Births	Infant	Neonatal	Neonatal	Neonatal	Neonatal
All races						
Maternal complications of pregnancy (P01)		1,534 479.1	1,526 476.6	1,512 472.2		1 8
Sudden infant death syndrome (R95)		295 92.1	23 7.2	1 *	22 6.9	
Accidents (unintentional injures) (VO1-X59)		238 74.3	25 7.8	9	16	
Complications of placenta, cord, membranes (PO2)		879 274.5	870 271.7	844 263.6		
Bacterial sepsis of newborn (P36)		469 146.5	454 141.8	184 57.5		
Respiratory distress of newborn (P22)		454 141.8	445 139.0	332 103.7		
Diseases of the circulatory system (IOO-I99)		220 68.7	50 15.6	33 10.3		
Neonatal hemorrhage (P50-P52, P54)		396 123.7	384 119.9	279 87.1	104 32.5	
All other causes		4,272 1,334.3	2,973 928.6	2,091 653.1	881 275.2	•
2,500 grams or more						
All Causes	.3,667,202	7,338 200.1	2,595 70.8	1,578 43.0	,	-
Congenital malformations (Q00-Q99)		1,840 50.2	1,070 29.2	718 19.6		
Short gestation and low birthweight nec (P07)		17 *	15 *	15 *		- 2 - *
Maternal complications of pregnancy (PO1)		29 0.8	29 0.8	28 0.8		
Sudden infant death syndrome (R95)		1,245 33.9	118 3.2	23 0.6		,
Accidents (unintentional injures) (V01-X59)		924 25.2	98 2.7	20 0.5		
Complications of placenta, cord, membranes (PO2)		72 2.0	71 1.9	63 1.7		3 1

Infant deaths and infant mortality rates by age of death, birthweight, and race of mother for 10 major causes of infant death: United States, 2014 period data -Cont

[Infant deaths are weighted. Infant deaths are under 1 year. Neonatal deaths are under 28 days; early neonatal, 0-6 days; late neonatal, 7-27 days; and postneonatal, 28 days through 11 months. Rates are per 100,000 live births]

Cause of death, birthweight, and race of mother			Total	Early	Late	Post-
	Births	Infant	Neonatal	Neonatal	Neonatal	Neonatal
All races						
Bacterial sepsis of newborn (P36)		77 2.1	75 2.0	46 1.3	29 0.8	
Respiratory distress of newborn (P22)		8	7 *	5 *	2	
Diseases of the circulatory system (IOO-I99)		223 6.1	43 1.2	18	25 0.7	
Neonatal hemorrhage (P50-P52, P54)		47 1.3	46 1.3	30 0.8	16 *	
All other causes		2,855 77.9	1,021 27.8	610 16.6	411 11.2	•
Not stated birthweight						
All Causes	701	119 16,975.7	116 16,547.8	115 16,405.1	1	
Congenital malformations (Q00-Q99)		4 *	3 *	3	-	1 *
Short gestation and low birthweight nec (P07)		67 9,557.8	67 9,557.8	67 9,557.8	-	-
Maternal complications of pregnancy (PO1)		17 *	17 *	17	-	-
Sudden infant death syndrome (R95)		1 *	-	-	-	1 *
Accidents (unintentional injures) (V01-X59)		1 *	-	-	-	1 *
Complications of placenta, cord, membranes (PO2)		10	10 *	10	-	-
Bacterial sepsis of newborn (P36)			-	-	-	-
Respiratory distress of newborn (P22)			-	-	-	-
Diseases of the circulatory system (IOO-I99)			-	-	-	-
Neonatal hemorrhage (P50-P52, P54)		1	1	1	-	-

Infant deaths and infant mortality rates by age of death, birthweight, and race of mother for 10 major causes of infant death: United States, 2014 period data -Cont

[Infant deaths are weighted. Infant deaths are under 1 year. Neonatal deaths are under 28 days; early neonatal, 0-6 days; late neonatal, 7-27 days; and postneonatal, 28 days through 11 months. Rates are per 100,000 live births]

Cause of death, birthweight, and race of mother	Live		Total	Early	Late	Post-
	Births	Infant	Neonatal	Neonatal	Neonatal	Neonatal
All races						
All other causes		17 *	17	16 *	1	
White						
All birthweights						
All Causes	3,019,863	14,927 494.3	10,094 334.3	8,156 270.1	1,938 64.2	-
Congenital malformations (Q00-Q99)		3,541 117.3	2,571 85.1	2,045 67.7	525 17.4	
Short gestation and low birthweight nec (P07)		2,315 76.7	2,259 74.8	2,207 73.1	52 1.7	
Maternal complications of pregnancy (PO1)		915 30.3	912 30.2	902 29.9	10	
Sudden infant death syndrome (R95)		1,042 34.5	97 3.2	18 *	79 2.6	
Accidents (unintentional injures) (V01-X59)		746 24.7	90 3.0	22 0.7	68 2.3	
Complications of placenta, cord, membranes (PO2)		585 19.4	578 19.1	562 18.6	16 *	
Bacterial sepsis of newborn (P36)		346 11.5	335 11.1	146 4.8	188 6.2	
Respiratory distress of newborn (P22)		280 9.3	275 9.1	205 6.8	70 2.3	
Diseases of the circulatory system (IOO-I99)		264 8.7	62 2.1	36 1.2	25 0.8	
Neonatal hemorrhage (P50-P52, P54)		304 10.1	296 9.8	227 7.5	69 2.3	
All other causes		4,588 151.9	2,619 86.7	1,785 59.1	834 27.6	•
Less then 2,500 grams						
All Causes	211,305	9,687 4,584.4	8,079 3,823.4	6,873 3,252.6	1,205 570.3	-

Infant deaths and infant mortality rates by age of death, birthweight, and race of mother for 10 major causes of infant death: United States, 2014 period data -Cont

[Infant deaths are weighted. Infant deaths are under 1 year. Neonatal deaths are under 28 days; early neonatal, 0-6 days; late neonatal, 7-27 days; and postneonatal, 28 days through 11 months. Rates are per 100,000 live births]

Cause of death, birthweight, and race of mother	Live		Total	Early	Late	Post-
	Births	Infant	Neonatal	Neonatal	Neonatal	Neonatal
White						
Congenital malformations (Q00-Q99)		2,149 1,017.0	1,721 814.5	1,457 689.5		
Short gestation and low birthweight nec (PO7)		2,272 1,075.2	2,218 1,049.7	2,166 1,025.1	52 24.6	
Maternal complications of pregnancy (PO1)		887 419.8	884 418.4	875 414.1	9	
Sudden infant death syndrome (R95)		181 85.7	16	-	16	
Accidents (unintentional injures) (V01-X59)		117 55.4	14	5	9	
Complications of placenta, cord, membranes (PO2)		526 248.9	520 246.1	510 241.4		
Bacterial sepsis of newborn (P36)		294 139.1	285 134.9	120 56.8		
Respiratory distress of newborn (P22)		275 130.1	270 127.8	202 95.6		
Diseases of the circulatory system (IOO-I99)		136 64.4	36 17.0	24 11.4	12	
Neonatal hemorrhage (P50-P52, P54)		269 127.3	262 124.0	202 95.6		
All other causes		2,582 1,221.9	1,853 876.9	1,313 621.4		
2,500 grams or more						
All Causes	2,808,013	5,181 184.5	1,958 69.7	1,226 43.7		,
Congenital malformations (Q00-Q99)		1,389 49.5	847 30.2	585 20.8		
Short gestation and low birthweight nec (PO7)		11 *	9	9	-	2 *
Maternal complications of pregnancy (P01)		21 0.7	21 0.7	20 0.7		
Sudden infant death syndrome (R95)		860 30.6	81 2.9	18		

Infant deaths and infant mortality rates by age of death, birthweight, and race of mother for 10 major causes of infant death: United States, 2014 period data -Cont

[Infant deaths are weighted. Infant deaths are under 1 year. Neonatal deaths are under 28 days; early neonatal, 0-6 days; late neonatal, 7-27 days; and postneonatal, 28 days through 11 months. Rates are per 100,000 live births]

Cause of death, birthweight, and race of mother	Live		Total	Early	Late	Post-
	Births	Infant	Neonatal	Neonatal	Neonatal	Neonatal
White						
Accidents (unintentional injures) (V01-X59)		627 22.3	76 2.7	17 *		
Complications of placenta, cord, membranes (PO2)		56 2.0	55 2.0	49 1.7		
Bacterial sepsis of newborn (P36)		52 1.9	50 1.8	26 0.9		
Respiratory distress of newborn (P22)		5 *	5 *	3 *	2	
Diseases of the circulatory system (IOO-I99)		129 4.6	25 0.9	12	13	
Neonatal hemorrhage (P50-P52, P54)		34 1.2	33 1.2	24 0.9		
All other causes		1,994 71.0	754 26.9	462 16.5		,
Not stated birthweight						
All Causes	545	59 10,825.7	57 10,458.7	56 10,275.2		
Congenital malformations (Q00-Q99)		3 *	3 *	3		-
Short gestation and low birthweight nec (P07)		32 5,871.6	32 5,871.6	32 5,871.6		-
Maternal complications of pregnancy (PO1)		7 *	7 *	7	-	-
Sudden infant death syndrome (R95)		1	-	-	-	1 *
Accidents (unintentional injures) (V01-X59)		1 *	-	-	-	1
Complications of placenta, cord, membranes (PO2)		3 *	3	3 *	-	-
Bacterial sepsis of newborn (P36)		-	-	-	-	-
Respiratory distress of newborn (P22)		-	-	-	-	-

Infant deaths and infant mortality rates by age of death, birthweight, and race of mother for 10 major causes of infant death: United States, 2014 period data -Cont

[Infant deaths are weighted. Infant deaths are under 1 year. Neonatal deaths are under 28 days; early neonatal, 0-6 days; late neonatal, 7-27 days; and postneonatal, 28 days through 11 months. Rates are per 100,000 live births]

Cause of death, birthweight, and race of mother	Live		Total	Early	Late	Post-
	Births	Infant	Neonatal	Neonatal	Neonatal	Neonatal
White						
Diseases of the circulatory system (IOO-I99)		-	-	-	-	-
Neonatal hemorrhage (P50-P52, P54)		1	1	1	-	-
All other causes		11 *	11 *	10	1	
Black						
All birthweights						
All Causes	640,562	6,853 1,069.8	4,662 727.8	3,821 596.5	841 131.3	•
Congenital malformations (Q00-Q99)		911 142.2	587 91.6	435 67.9	151 23.6	
Short gestation and low birthweight nec (P07)		1,611 251.5	1,578 246.3	1,531 239.0	47 7.3	
Maternal complications of pregnancy (P01)		559 87.3	556 86.8	553 86.3	3	
Sudden infant death syndrome (R95)		416 64.9	35 5.5	5 *	30 4.7	
Accidents (unintentional injures) (V01-X59)		371 57.9	31 4.8	6	25 3.9	
Complications of placenta, cord, membranes (PO2)		311 48.6	309 48.2	295 46.1	14	
Bacterial sepsis of newborn (P36)		164 25.6	159 24.8	62 9.7	96 15.0	
Respiratory distress of newborn (P22)		158 24.7	153 23.9	115 18.0	38 5.9	
Diseases of the circulatory system (IOO-I99)		140 21.9	25 3.9	14	11	
Neonatal hemorrhage (P50-P52, P54)		114 17.8	109 17.0	70 10.9	39 6.1	
All other causes		2,100 327.8	1,121 175.0	735 114.7	386 60.3	

Infant deaths and infant mortality rates by age of death, birthweight, and race of mother for 10 major causes of infant death: United States, 2014 period data -Cont

[Infant deaths are weighted. Infant deaths are under 1 year. Neonatal deaths are under 28 days; early neonatal, 0-6 days; late neonatal, 7-27 days; and postneonatal, 28 days through 11 months. Rates are per 100,000 live births]

Cause of death, birthweight, and race of mother			Total	Early	Late	Post-
	Births	Infant	Neonatal	Neonatal	Neonatal	Neonatal
Black						
Less then 2,500 grams						
All Causes	82,604	5,125 6,204.3	4,149 5,022.8	3,528 4,271.0	621 751.8	976 1,181.5
Congenital malformations (Q00-Q99)		576 697.3	418 506.0	335 405.5	83 100.5	
Short gestation and low birthweight nec (P07)	•	1,575 1,906.7	1,542 1,866.7	1,494 1,808.6	47 56.9	
Maternal complications of pregnancy (PO1)	•	543 657.4	540 653.7	537 650.1	3	
Sudden infant death syndrome (R95)	•	107 129.5	5 *	-	5	
Accidents (unintentional injures) (V01-X59)	•	115 139.2	10 *	3 *	7	
Complications of placenta, cord, membranes (PO2)	•	294 355.9	292 353.5	279 337.8	12	
Bacterial sepsis of newborn (P36)	•	150 181.6	145 175.5	52 63.0	92 111.4	
Respiratory distress of newborn (P22)		156 188.9	152 184.0	114 138.0	38 46.0	
Diseases of the circulatory system (IOO-I99)	•	70 84.7	12 *	9	3	
Neonatal hemorrhage (P50-P52, P54)	•	105 127.1	100 121.1	66 79.9	34 41.2	
All other causes	•	1,435 1,737.2	935 1,131.9	639 773.6	296 358.3	
2,500 grams or more						
All Causes	557,848	1,681 301.3	467 83.7	246 44.1	220 39.4	•
Congenital malformations (Q00-Q99)		334 59.9	169 30.3	101 18.1	68 12.2	
Short gestation and low birthweight nec (P07)		6 *	6 *	6	-	-

Infant deaths and infant mortality rates by age of death, birthweight, and race of mother for 10 major causes of infant death: United States, 2014 period data -Cont

[Infant deaths are weighted. Infant deaths are under 1 year. Neonatal deaths are under 28 days; early neonatal, 0-6 days; late neonatal, 7-27 days; and postneonatal, 28 days through 11 months. Rates are per 100,000 live births]

Cause of death, birthweight, and race of mother	Live		Total	Early	Late	Post-
	Births	Infant	Neonatal	Neonatal	Neonatal	Neonatal
Black						
Maternal complications of pregnancy (PO1)		8 *	8 *	8		- -
Sudden infant death syndrome (R95)		308 55.2	30 5.4	5 *	25 4.5	
Accidents (unintentional injures) (V01-X59)		256 45.9	21 3.8	3	18	3 235 * 42.1
Complications of placenta, cord, membranes (PO2)		11	11 *	9		2 -
Bacterial sepsis of newborn (P36)		14	14	10		4 - * -
Respiratory distress of newborn (P22)		2 *	1	1		- 1 - *
Diseases of the circulatory system (IOO-I99)		69 12.4	13	5 *		3 56 * 10.0
Neonatal hemorrhage (P50-P52, P54)		9	9	4		5 - * -
All other causes		663 118.8	184 33.0	94 16.9	90 16.	
Not stated birthweight						
All Causes	110		46 41,818.2	46 41,818.2		- 1 - *
Congenital malformations (Q00-Q99)		1 *	-	-		- 1 - *
Short gestation and low birthweight nec (P07)			30 27,272.7	30 27,272.7		- -
Maternal complications of pregnancy (P01)		8 *	8	8		
Sudden infant death syndrome (R95)		-	-	-		-
Accidents (unintentional injures) (V01-X59)		-	- -	-		-
Complications of placenta, cord, membranes (PO2)		6	6 *			-

Infant deaths and infant mortality rates by age of death, birthweight, and race of mother for 10 major causes of infant death: United States, 2014 period data -Cont

[Infant deaths are weighted. Infant deaths are under 1 year. Neonatal deaths are under 28 days; early neonatal, 0-6 days; late neonatal, 7-27 days; and postneonatal, 28 days through 11 months. Rates are per 100,000 live births]

Cause of death, birthweight, and race of mother			Total	Early	Late	Post-
dade of death, birthought, and face of mother	Births	Infant	Neonatal	Neonatal	Neonatal	Neonatal
Black						
Bacterial sepsis of newborn (P36)			-	-		- -
Respiratory distress of newborn (P22)			-	-		-
Diseases of the circulatory system (IOO-I99)		-	-	-		-
Neonatal hemorrhage (P50-P52, P54)		-	-	-		-
All other causes		2	2	2 *		- -
American Indian¹						
All birthweights						
All Causes	44,928	341 759.0	184 409.5	137 304.9	40 102.	
Congenital malformations (Q00-Q99)		68 151.4	41 91.3	35 77.9		6 27
Short gestation and low birthweight nec (P07)		45 100.2	44 97.9	39 86.8		5 1
Maternal complications of pregnancy (P01)		17 *	17	16 *		1 -
Sudden infant death syndrome (R95)		41 91.3	3	-		3 38 * 84.6
Accidents (unintentional injures) (VO1-X59)		20 44.5	1	-		1 19
Complications of placenta, cord, membranes (PO2)		12	12	10	:	2 - * -
Bacterial sepsis of newborn (P36)		5 *	4	3 *		1 1
Respiratory distress of newborn (P22)		6	6	4		2 -
Diseases of the circulatory system (IOO-I99)		7 *	3 *	- -	;	3 4

Infant deaths and infant mortality rates by age of death, birthweight, and race of mother for 10 major causes of infant death: United States, 2014 period data -Cont

[Infant deaths are weighted. Infant deaths are under 1 year. Neonatal deaths are under 28 days; early neonatal, 0-6 days; late neonatal, 7-27 days; and postneonatal, 28 days through 11 months. Rates are per 100,000 live births]

Cause of death, birthweight, and race of mother	Live		Total	Early	Late	Post-
	Births	Infant	Neonatal	Neonatal	Neonatal	Neonatal
American Indian¹						
Neonatal hemorrhage (P50-P52, P54)		3	3	1		<u>.</u> -
All other causes		116 258.2	49 109.1	29 64.5	20 44.5	
Less then 2,500 grams						
All Causes	3,442	176 5,113.3	141 4,096.5	111 3,224.9	30 871.6	
Congenital malformations (Q00-Q99)		40 1,162.1	29 842.5	25 726.3	2	
Short gestation and low birthweight nec (P07)		43 1,249.3	42 1,220.2	37 1,075.0	5	
Maternal complications of pregnancy (PO1)		17 *	17 *	16 *	1	
Sudden infant death syndrome (R95)		1	-	-		. 1
Accidents (unintentional injures) (V01-X59)		2	-	-	-	2 *
Complications of placenta, cord, membranes (PO2)		11 *	11	9	2	
Bacterial sepsis of newborn (P36)		4 *	3	2	1	
Respiratory distress of newborn (P22)		5 *	5 *	3 *	2	
Diseases of the circulatory system (IOO-I99)		2	-	-	-	2 *
Neonatal hemorrhage (P50-P52, P54)		3 *	3	1	2	
All other causes		47 1,365.5	31 900.6	18	13	
2,500 grams or more						
All Causes	41,479	161 388.1	38 91.6	22 53.0	16	

Infant deaths and infant mortality rates by age of death, birthweight, and race of mother for 10 major causes of infant death: United States, 2014 period data -Cont

[Infant deaths are weighted. Infant deaths are under 1 year. Neonatal deaths are under 28 days; early neonatal, 0-6 days; late neonatal, 7-27 days; and postneonatal, 28 days through 11 months. Rates are per 100,000 live births]

Cause of death, birthweight, and race of mother	Live		Total	Early	Late	Post-
	Births	Infant	Neonatal	Neonatal	Neonatal	Neonatal
American Indian¹						
Congenital malformations (Q00-Q99)		28 67.5	12 *	10 *		2 16 * *
Short gestation and low birthweight nec (P07)		-	-	-		-
Maternal complications of pregnancy (P01)		-	-	-		
Sudden infant death syndrome (R95)		40 96.4	3	-		3 37 * 89.2
Accidents (unintentional injures) (VO1-X59)		18	1	-		1 17 * *
Complications of placenta, cord, membranes (PO2)		-	-	-		- -
Bacterial sepsis of newborn (P36)		1	1	1		- -
Respiratory distress of newborn (P22)		1 *	1	1		
Diseases of the circulatory system (IOO-I99)		5 *	3	-		3 2
Neonatal hemorrhage (P50-P52, P54)			-	-		- -
All other causes		68 163.9	17 *	10 *		7 51 * 123.0
Not stated birthweight						
All Causes	7	4 *	4 *	4		-
Congenital malformations (Q00-Q99)		-	-	-		- -
Short gestation and low birthweight nec (P07)		2	2			-
Maternal complications of pregnancy (PO1)		-	-	-		
Sudden infant death syndrome (R95)		- -	-	-		

Infant deaths and infant mortality rates by age of death, birthweight, and race of mother for 10 major causes of infant death: United States, 2014 period data -Cont

[Infant deaths are weighted. Infant deaths are under 1 year. Neonatal deaths are under 28 days; early neonatal, 0-6 days; late neonatal, 7-27 days; and postneonatal, 28 days through 11 months. Rates are per 100,000 live births]

Cause of death, birthweight, and race of mother	Live		Total	Early	Late	Post-
	Births	Infant	Neonatal	Neonatal	Neonatal	Neonatal
American Indian¹						
Accidents (unintentional injures) (VO1-X59)		-	-	-		-
Complications of placenta, cord, membranes (PO2)		1	1	1 *		-
Bacterial sepsis of newborn (P36)		-	-	-		- -
Respiratory distress of newborn (P22)		-	-	-		-
Diseases of the circulatory system (IOO-I99)		-	-	-		
Neonatal hemorrhage (P50-P52, P54)		-	-	-		-
All other causes		1	1	1 *		- -
Asian or Pacific Islander						
All birthweights						
All Causes	282,723	1,090 385.5	797 281.9	657 232.4	13: 49.:	
Congenital malformations (Q00-Q99)		233 82.4	155 54.8	113 40.0	4. 14.	
Short gestation and low birthweight nec (P07)		201 71.1	197 69.7	192 67.9		5 4 * *
Maternal complications of pregnancy (PO1)		89 31.5	87 30.8	86 30.4		1 2
Sudden infant death syndrome (R95)		42 14.9	6 *	1 *		5 36 * 12.7
Accidents (unintentional injures) (V01-X59)		26 9.2	1	1 *		- 25 - 8.8
Complications of placenta, cord, membranes (PO2)	•	53 18.7	52 18.4	50 17.7		2 1
Bacterial sepsis of newborn (P36)		32 11.3	32 11.3	18	1-	4 - * -

Infant deaths and infant mortality rates by age of death, birthweight, and race of mother for 10 major causes of infant death: United States, 2014 period data -Cont

[Infant deaths are weighted. Infant deaths are under 1 year. Neonatal deaths are under 28 days; early neonatal, 0-6 days; late neonatal, 7-27 days; and postneonatal, 28 days through 11 months. Rates are per 100,000 live births]

Cause of death, birthweight, and race of mother	Live		Total	Early	Late	Post-
	Births	Infant	Neonatal	Neonatal	Neonatal	Neonatal
Asian or Pacific Islander						
Respiratory distress of newborn (P22)		17 *	17 *	13		1 - • -
Diseases of the circulatory system (IOO-I99)		32 11.3	4	1		3 28 * 9.9
Neonatal hemorrhage (P50-P52, P54)		23 8.1	23 8.1	13) -
All other causes		341 120.6	223 78.9	169 59.8	50 18.7	
Less then 2,500 grams						
All Causes	22,822	767 3,360.8	656 2,874.4	566 2,480.1	90 394.4	
Congenital malformations (Q00-Q99)		146 639.7	112 490.8	90 394.4	22 96.4	
Short gestation and low birthweight nec (P07)		198 867.6	194 850.1	189 828.1		5 4
Maternal complications of pregnancy (PO1)		87 381.2	85 372.4	84 368.1		1 2
Sudden infant death syndrome (R95)		6 *	2 *	1 *		1 4
Accidents (unintentional injures) (V01-X59)		3	1	1 *		- 2 - *
Complications of placenta, cord, membranes (PO2)		48 210.3	47 205.9	45 197.2		2 1
Bacterial sepsis of newborn (P36)		22 96.4	22 96.4	9	10	3 -
Respiratory distress of newborn (P22)		17	17 *	13		4 -
Diseases of the circulatory system (IOO-I99)		12	2	-		2 10
Neonatal hemorrhage (P50-P52, P54)		19 *	19	11		3 -
All other causes		208 911.4	154 674.8	122 534.6		

Infant deaths and infant mortality rates by age of death, birthweight, and race of mother for 10 major causes of infant death: United States, 2014 period data -Cont

[Infant deaths are weighted. Infant deaths are under 1 year. Neonatal deaths are under 28 days; early neonatal, 0-6 days; late neonatal, 7-27 days; and postneonatal, 28 days through 11 months. Rates are per 100,000 live births]

Cause of death, birthweight, and race of mother	Live		Total	Early	Late	Post-
	Births	Infant	Neonatal	Neonatal	Neonatal	Neonatal
Asian or Pacific Islander						
2,500 grams or more						
All Causes	259,862	315 121.2	132 50.8	83 31.9	49 18.9	
Congenital malformations (Q00-Q99)		88 33.9	43 16.5	22 8.5	20 7.7	
Short gestation and low birthweight nec (P07)		-	-	-	-	- -
Maternal complications of pregnancy (PO1)		-	-	-	-	-
Sudden infant death syndrome (R95)		36 13.9	4	-	4	
Accidents (unintentional injures) (V01-X59)		23 8.9	-	-	-	23 8.9
Complications of placenta, cord, membranes (PO2)		4	4	4	-	-
Bacterial sepsis of newborn (P36)		10	10	9	1	
Respiratory distress of newborn (P22)		-	-	-	-	-
Diseases of the circulatory system (IOO-I99)		20 7.7	2	1 *	1	
Neonatal hemorrhage (P50-P52, P54)		4 *	4	2 *	2	
All other causes		130 50.0	66 25.4	45 17.3	21 8.1	
Not stated birthweight						
All Causes	39	8	8	8 *	-	- -
Congenital malformations (Q00-Q99)		-	-	-	-	- -
Short gestation and low birthweight nec (P07)		3	3	3 *	- -	-

Infant deaths and infant mortality rates by age of death, birthweight, and race of mother for 10 major causes of infant death: United States, 2014 period data -Cont

[Infant deaths are weighted. Infant deaths are under 1 year. Neonatal deaths are under 28 days; early neonatal, 0-6 days; late neonatal, 7-27 days; and postneonatal, 28 days through 11 months. Rates are per 100,000 live births]

Cause of death, birthweight, and race of mother	Live		Total	Early	Late	Post-
	Births	Infant	Neonatal	Neonatal	Neonatal	Neonatal
Asian or Pacific Islander						
Maternal complications of pregnancy (P01)		2	2	2		-
Sudden infant death syndrome (R95)		-	-	-		-
Accidents (unintentional injures) (V01-X59)		- -	-	-		-
Complications of placenta, cord, membranes (PO2)		-	- -	-		-
Bacterial sepsis of newborn (P36)		-	-	-		-
Respiratory distress of newborn (P22)		-	-	-		-
Diseases of the circulatory system (IOO-I99)		-	-	-		-
Neonatal hemorrhage (P50-P52, P54)		-	-	-		-
All other causes		3	3	3		-

^{*/}Figure does not meet standard of reliability or precision; based on fewer than 20 death in the numerator.

^{-/} Quality zero.

^{1/} Includes Aleuts and Eskimos.

Documentation Table 6. Unlinked infant deaths by race, age at death, and state of residence: United States and each state, 2014

State and race of child 1/	Infant	Total neonatal	Early neonatal	Late neonatal	Postneonatal
Jnited States /2					
Total	159	132	125	7	27
White	101	84	78	6	17
Black	49	40	39	1	9
Alabama					
Total	1	1	1	-	-
White	-	-	-	-	-
Black	1	1	1	-	-
Alaska					
Total					
	-	-	-	-	-
White	-	-	-	-	-
Black	-	-	-	-	-
Arizona					
Total	2	2	2	-	-
White	-	-	-	-	-
Black	1	1	1	-	-
Arkansas	-	-	-		
Total	2	2	2	-	-
White	-	-	-	-	-
Black	2	2	2	-	-
California					
Total	38	36	33	3	2
White	25	23	21	2	2
Black	8	8	7	1	-
DIGON	O	O	,	ı	-
Colorado					
Total	-	-	-	-	-
White	-	-	-	-	-
Black	-	-	-	-	-
Connecticut					
Total	_	_	_	_	_
	-	-	-	-	•
White	-	-	-	-	-
Black	-	-	-	-	-
Delaware					
Total	-	-	-	-	-
White	-	-	-	-	-
Black	-	-	-	-	-
Dist of Columbia					
Total	-	-	-	-	-
White	-	-	-	-	-
Black	-	-	-	-	-
- lorida					
Total	-	-	-	-	-
White	_	-	-	-	-
Black	-	-	-	-	-
Georgia					
Total	6	2	2	-	4
White	1	-	-	-	1
Black	4	2	2	-	2
lawaii					
Total					
IOLAI	-	-	-	-	-
White					
White Black	-	-	-	-	-

Documentation Table 6. Unlinked infant deaths by race, age at death, and state of residence: United States and each state, 2014

State and race of child 1/	Infant	Total neonatal	Early neonatal	Late neonatal	Postneonatal
Idaho					
Total	-	-	-	-	-
White	-	-	-	-	-
Black	-	-	-	-	-
Illinois					
Total	_	-	_	-	-
White	_	-	_	-	-
Black	-	-	-	-	-
Indiana					
Total	9	0	2		1
	3 3	2	2	-	
White	-	2	2	-	1
Black	-	-	-	-	-
owa					
Total	1	-	-	-	1
White	1	-	-	=	1
Black	-	-	-	-	-
ansas					
Total	1	1	-	1	-
White	1	1	-	1	-
Black	-	' -	-	-	<u>-</u>
entucky					
Total	5	4	4	-	1
White	4	3	3	-	1
Black	1	1	1	-	-
ouisiana					
Total	_	_	_	_	_
White	_	_	_	_	_
Black	-	-	-	-	-
laine					
Total	-	-	-	-	-
White	-	-	-	-	-
Black	-	-	-	-	-
Maryland					
Total	-	-	-	-	-
White	-	-	-	-	-
Black	-	-	-	-	-
lassachusetts					
Total	4	3	2	1	1
White	4	3	2	1	1
Black	-	ა -	-	- -	- -
	-	-	-	-	
ichigan					
Total	1	-	-	-	1
White	1	-	-	-	1
Black	-	-	-	-	-
linnesota					
Total	_	_	_	_	_
White	-	- -	- -	- -	_
Black	-	-	-	-	-
PTWAL	-	-	-	-	-
ississippi					
Total	-	-	-	-	-
White	-	-	-	-	-
Black	-	-	-	-	-

Documentation Table 6. Unlinked infant deaths by race, age at death, and state of residence: United States and each state, 2014

State and race of child 1/	Infant	Total neonatal	Early neonatal	Late neonatal	Postneonatal
Missouri					
Total	5	5	4	1	-
White	5	5	4	1	-
Black	_	_	_	_	-
Brack					
Montana					
Total	-	-	-	-	-
White	-	-	-	-	-
Black	-	-	-	-	-
Nebraska					
Total	1	1	1	_	_
	1			_	_
White	ı	1	1	-	-
Black	-	-	-	-	-
levada					
Total	-	-	-	-	-
White	_	-	-	-	_
Black	_	_	_	_	_
DIGOV	-	-	-	-	-
New Hampshire					
Total	-	-	-	-	-
White	-	-	-	-	-
Black	-	-	-	-	<u>-</u>
lew Jersey	_	_	_		
Total	7	7	7	-	-
White	5	5	5	-	-
Black	2	2	2	-	-
New Mexico					
Total	-	-	-	-	-
White	-	-	-	-	-
Black	-	-	-	-	-
New York					
Total	3	2	2	-	1
White	3	2	2	_	1
Black	-	_	-		ı
DIGCK	-	-	-	-	-
lew York City					
Total	-	-	-	-	-
White	-	-	-	-	-
Black	-	-	-	-	-
lanth Canalina					
lorth Carolina					
Total	-	-	-	-	-
White	-	-	-	-	-
Black	-	-	-	-	-
North Dakota					
Total	_	_	_	_	_
White	-	-	-	-	-
	-	-	-	-	-
Black	-	-	-	-	-
hio					
Total	8	6	6	-	2
White	5	5	5	_	-
Black	3	1	1	-	2
	-	•	·		_
klahoma					
Total	-	-	-	-	-
White	-	-	-	-	-
Black	-	-	-	-	-

Documentation Table 6. Unlinked infant deaths by race, age at death, and state of residence: United States and each state, 2014

Total	State and race of child 1/	Infant	Total neonatal	Early neonatal	Late neonatal	Postneonatal
Total	 Dregon					
### ### ### ### ### ### ### ### ### ##		-	-	-	-	-
### ### ### ### ### ### ### ### ### ##		_	-	-	_	-
Total		_	_	_	_	_
Total 8 5 5 5 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	Brack					
white 3 2 2 1 <td>Pennsylvania</td> <td></td> <td></td> <td></td> <td></td> <td></td>	Pennsylvania					
Black	Total	8	5	5	-	3
Total	White	3	2	2	-	1
Total	Black	5	3	3	-	2
Total	Phodo Ioland					
Milte						
Black		-	-	-	-	-
Total		-	-	-	-	-
Total	Black	-	-	-	-	-
Total	South Carolina					
White		_	-	_	_	_
Black					_	_
South Daketa Total		-	-	-	-	-
Total	DIAUK	-	-	-	-	-
White Black - <td< td=""><td>South Dakota</td><td></td><td></td><td></td><td></td><td></td></td<>	South Dakota					
Black	Total	-	-	-	-	-
Black	White	-	-	-	-	-
Total 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		-	-	-	-	-
Total 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1						
White Black 1 1 1 1 1 1 1 1 2 1 2 1 2 1 2 1 3 3 1 1 3 3 1 1 3 3 1 1 3 3 1 1 3 3 1 1 2 2 1 2 2 1 2 2 1 2 2 1 2 2 1 2 2 1 2 2 1 2 2 1 2 1 2 1 2 1 1 2 2 1 1 2 2 1 1 2 2 1 1 2 1 1 2 1 1 1 2 1 1 1 2 1 1 1 1 2 1 1 1 1 1 1 1 1 1 <td< td=""><td>ennessee</td><td></td><td></td><td></td><td></td><td></td></td<>	ennessee					
Black 1 1 1 1 1 1 1 1 1 1 3 3 4 1 1 3 3 4 1 1 3 3 4 1 1 3 3 4 1 1 3 3 4 1 1 3 3 4 1 1 3 3 4 1 1 3 3 4 1 1 3 3 4 1 1 3 3 4 1 1 3 3 4 1 1 3 3 4 1 1 3 3 4 1 1 3 3 4 1 1 3 3 4 1 1 1 3 3 4 1 1 1 3 1 1 1 1		1	1	1	-	-
Exas Total 35 32 31 1 3 3 White 25 23 22 1 2 Black 9 8 8 8 7 1 Total 1 1 2 Black 1 1 1 1 1 White 1 1 1 1 1 Black 1 1 1 1 1 1 1 Black 1 1 1 1 1 1 1 Black 1 1 1 1 1 1 1 1 Black 1 1 1 1 1 1 1 1 Black 1 1 1 1 1 1 1 Black 1 1 1 1 1 1 1 1 1 Black 1 1 1 1 1 1 1 1 1 1 Black 1 1 1 1 1 1 1 1 1 1 1 Black 1 1 1 1 1 1 1 1 1 1 1 1 Black 1 1 1 1 1 1 1 1 1 1 1 1 1 1 Black 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	White	-	-	-	-	-
Total 35 32 31 1 3 3 1 1 3 3 1 1 1 3 3 1 1 1 3 3 1 1 1 2 1 2	Black	1	1	1	-	-
Total 35 32 31 1 3 3 1 1 3 3 1 1 1 3 3 1 1 1 3 3 1 1 1 2 5 1 2 3 1 2 2 1 1 2 2 1 1 2 1 1 1 3 1 1 1 1						
White 25 23 22 1 2 Black 9 8 8 - 1 Itah 1 - - - 1 White 1 - - - 1 Black - - - - - ermont - - - - - White - - - - - Black - - - - - - Inginia -		<u> </u>		2.	ن	•
Black 9 8 8 8 6 1 1 Total 1 1						
tah Total 1 1 White 1 1 Black					1	
Total 1 1 1	Black	9	8	8	-	1
Total 1 1 1	itah					
White 1 - - 1 <td></td> <td>1</td> <td>_</td> <td>_</td> <td>_</td> <td>1</td>		1	_	_	_	1
Black			-	-	<u>.</u>	
Total		ı	-	-	-	I
Total	втаск	-	-	-	-	-
White - <td>'ermont</td> <td></td> <td></td> <td></td> <td></td> <td></td>	'ermont					
White - <td>Total</td> <td>-</td> <td>-</td> <td>-</td> <td>-</td> <td>-</td>	Total	-	-	-	-	-
Black		_	-	-	-	-
Total 26 20 20 - 6 White 13 9 9 9 - 4 Black 12 10 10 10 - 2 Asshington Total		-	-	-	-	-
Total 26 20 20 - 6 White 13 9 9 9 - 4 Black 12 10 10 10 - 2 Asshington Total	14 4					
White 13 9 9 - 4 Black 12 10 10 - 2 Washington - - - - - Total - - - - - White - - - - - Black - - - - - White - - - - - White - - - - - Visconsin Total - - - - - White - - - - - White - - - - -	irginla					
Black 12 10 10 - 2 Asshington Total					-	
Mashington Total -					-	
Total - <td>Black</td> <td>12</td> <td>10</td> <td>10</td> <td>-</td> <td>2</td>	Black	12	10	10	-	2
Total - <td>ashington</td> <td></td> <td></td> <td></td> <td></td> <td></td>	ashington					
White - <td></td> <td>_</td> <td>-</td> <td>-</td> <td>-</td> <td>-</td>		_	-	-	-	-
Black - <td></td> <td></td> <td></td> <td></td> <td>_</td> <td>_</td>					_	_
Mest Virginia Total - - - - White - - - - Black - - - - Misconsin Total - - - - - White - - - - - -		-	-	- -	- -	- -
Total - <td>224011</td> <td>-</td> <td>-</td> <td>-</td> <td>•</td> <td></td>	224011	-	-	-	•	
White - <td>est Virginia</td> <td></td> <td></td> <td></td> <td></td> <td></td>	est Virginia					
Black - <td></td> <td>-</td> <td>-</td> <td>-</td> <td>-</td> <td>-</td>		-	-	-	-	-
Black - <td></td> <td>-</td> <td>-</td> <td>-</td> <td>-</td> <td>-</td>		-	-	-	-	-
Total		-	-	-	-	-
Total						
White						
		-	-	-	-	-
Black		-	-	-	-	-
	Black	-	-	-	-	-

Documentation Table 6. Unlinked infant deaths by race, age at death, and state of residence: United States and each state, 2014

State and race of child 1/	Infant	Total neonatal	Early neonatal	Late neonatal	Postneonatal
Total	-	-	-	-	-
White	-	-	-	-	-
Black	-	-	-	-	-
Foreign Residents					
Total	-	-	-	-	-
White	-	-	-	-	-
Black	-	-	-	-	-
Puerto Rico					
Total	-	-	-	-	-
White	-	-	-	-	-
Black	-	-	-	-	-
Virgin Islands					
Total	-	-	-	-	-
White	-	-	-	-	-
Black	-	-	-	-	-
Guam					
Total	-	-	-	-	-
White	-	-	-	-	-
Black	_	-	-	_	_

^{1/} Totals for geographic areas include races other than white and black.

^{2/} Excludes data for foreign residents, Puerto Rico, Virgin Islands and Guam.

Table 1. Infant mortality rates, live births, and infant deaths by selected characteristics and Hispanic origin of mother and by race of mother for mothers of non-Hispanic origin: United States, 2014 linked file

	_	Non-His	panic		_			Hispa	nic	
Characteristics	All origins ¹	White	Black	American Indian or Alaska Native2	Asian or Pacific Islander	Total	Mexican	Puerto Rican	Cuban	Central and South American
					ates per 1,000					
Total	5.82	4.89	10.93	7.59	3.86	5.01	4.85	7.24	3.92	4.25
Age at death										
Total neonatal	3.95	3.22	7.41	4.10	2.82	3.55	3.47	5.02	2.63	3.10
Early neonatal (< 7 days)	3.20	2.59	6.05	3.05	2.32	2.88	2.76	4.35	2.28	2.56
Late neonatal (7-27 days)	0.74	0.64	1.36	1.02	0.49	0.67	0.70	0.67	*	0.54
Postneonatal	1.87	1.67	3.52	3.49	1.04	1.46	1.38	2.22	1.29	1.15
Sex										
Male	6.32	5.35	11.81	8.55	4.15	5.42	5.23	7.75	3.78	4.48
Female	5.30	4.41	10.02	6.60	3.53	4.58	4.45	6.74	4.06	4.01
Plurality										
Single births	5.12	4.28	9.54	7.20	3.30	4.55	4.41	6.41	3.44	3.94
Plural births	24.95	20.35	43.41	21.98	20.37	23.15	23.50	32.06	*	15.95
Birthweight										
Less than 2,500 grams	49.20	44.14	61.76	51.13	33.61	48.91	49.04	55.79	35.71	46.66
Less than 1,500 grams	217.10	205.92	234.09	214.90	186.33	214.39	217.47	230.07	161.62	208.73
1,500-2,499 grams	12.82	13.28	12.63	17.80	7.69	13.48	13.71	13.04	*	13.43
2,500 grams or more	2.00	1.93	3.09	3.88	1.21	1.65	1.70	2.09	1.29	1.18
Period of gestation										
Less than 32 weeks	194.24	179.04	222.37	185.38	174.93	184.59	185.54	210.17	138.14	173.36
32-33 weeks	19.69	19.79	20.24	*	14.85	20.55	17.42	25.36	*	24.78
34-36 weeks	8.24	8.17	9.95	10.73	5.00	7.73	8.06	7.57	*	7.14
37-41 weeks	2.08	1.99	3.20	4.32	1.30	1.73	1.76	2.08	1.42	1.33
37-38 weeks	3.19	3.31	4.30	6.06	1.79	2.48	2.53	2.63	*	1.88
39-40 weeks	1.67	1.55	2.70	3.34	1.07	1.42	1.46	1.85	*	1.01
41 weeks	1.59	1.41	2.66	*	1.41	1.36	1.23	*	*	*
42 weeks or more	3.62	3.31	*	*	*	*	*	*	*	*
Age of mother										
Under 20 years	8.56	8.24	12.62	8.50	6.63	6.17	6.00	7.82	*	6.00
20-24 years	6.79	5.90	11.14	7.87	4.63	5.03	4.79	7.45	*	3.92
25-29 years	5.48	4.71	10.47	6.65	3.88	4.47	4.19	7.31	4.04	3.77
30-34 years	4.82	4.09	10.14	6.87	3.27	4.57	4.59	5.93	*	3.70
35-39 years	5.28	4.17	11.21	9.51	3.67	5.37	5.18	7.57	*	5.23
40-54 years	7.47	6.23	12.00	*	6.34	7.97	8.05	*	*	6.14
Live-birth order										
1	5.94	4.87	11.90	6.78	3.63	5.44	5.32	7.82	3.85	4.74
2	4.95	4.23	9.46	5.51	3.54	4.34	4.19	6.34	2.97	3.48
3	5.69	5.05	9.95	8.16	4.01	4.53	4.40	7.11	*	3.91
4	6.96	6.46	10.90	9.55	5.63	5.29	4.82	6.94	*	5.13
5 or more	8.39	6.96	13.42	10.92	7.07	6.59	6.39	8.87	*	5.37
Marital status										
Married	4.47	3.99	9.25	6.04	3.50	4.55	4.59	6.07	2.67	3.85
Unmarried	7.83	7.09	11.62	8.40	5.65	5.42	5.08	7.90	5.18	4.64
Mother's place of birth										
Born in the 50 States and D.C	6.17	4.98	11.48	7.62	4.79	5.42	5.07	7.49	3.46	4.74
Born elsewhere	4.36	3.22	7.24	7.42	3.50	4.53	4.56	6.56	4.36	4.14

Table 1. Infant mortality rates, live births, and infant deaths by selected characteristics and Hispanic origin of mother and by race of mother for mothers of non-Hispanic origin: United States, 2014 linked file--Con.

		Non-His	panic			Hispanic					
Characteristics	All origins ¹	White	Black	American Indian or Alaska Native2	Asian or Pacific Islander	Total	Mexican	Puerto Rican	Cuban	Central and South American	
					Live bi						
Total	3,988,076	2,149,302	588,891	44,928	282,723	914,065	545,977	69,879	20,163	136,656	
Sex											
Male	2,040,701	1,103,196	298,385	22,808	145,647	466,241	278,633	35,747	10,313	69,601	
Female	1,947,375	1,046,106	290,506	22,120	137,076	447,824	267,344	34,132	9,850	67,055	
Plurality											
Single births	3,848,214	2,067,486	564,817	43,745	273,541	891,426	533,511	67,571	19,491	133,146	
Plural births	139,862	81,816	24,074	1,183	9,182	22,639	12,466	2,308	672	3,510	
Birthweight											
Less than 2,500 grams	320,173	150,150	77,926	3,442	22,822	64,602	35,990	6,686	1,512	9,151	
Less than 1,500 grams	57,029	24,053	17,288	577	3,306	11,395	6,240	1,317	297	1,557	
1,500-2,499 grams	263,144	126,097	60,638	2,865	19,516	53,207	29,750	5,369	1,215	7,594	
2,500 grams or more	3,667,202	1,999,047	510,898	41,479	259,862	849,417	509,960	63,191	18,650	127,493	
Not stated	701	105	67	7	39	46	27	2	1	12	
Period of gestation											
Less than 32 weeks	63,565	27,620	18,150	561	3,350	13,213	7,357	1,475	333	1,817	
32-33 weeks	45,909	22,996	9,882	478	2,559	9,636	5,568	907	238	1,372	
34-36 weeks	271,847	140,695	49,828	2,889	16,985	59,610	34,884	5,281	1,243	8,408	
37-41 weeks	3,586,933	1,946,215	508,502	33,770	248.651	828.013	495,766	62,066	18,313	124,564	
37-38 weeks	986,745	495,474	160,090	10,390	73,833	241,191	143,865	18,285	4,906	35,720	
39-40 weeks	2,339,796	1,293,001	317,267	20,945	159,918	534,789	321,071	39,536	12,559	80,383	
41 weeks	260,392	157,740	31,145	2,435	14,900	52,033	30,830	4,245	848	8,461	
42 weeks or more	16,576	10,588	2,017	160	664	2,957	1,974	123	32	438	
Not stated	3,246	1,188	512	94	212	636	428	27	4	57	
Age of mother											
Under 20 years	251.847	99.899	55,774	5,056	4.677	87.007	55,330	7,291	854	8.003	
20-24 years	882,567	420,224	182,435	14,099	27,003	239,121	146,071	21,349	4,132	25,763	
25-29 years	1,145,392	646,097	160,935	12,784	74,950	248,971	148,067	19.148	6,430	37,094	
30-34 years	1,081,058	642,219	116,939	8,592	105,442	204,232	118,730	13,829	5,267	37,579	
35-39 years	508,748	280,788	57,647	3,576	56,449	107,644	62,002	6,737	2,706	22,351	
40-54 years	118,464	60,075	15,161	821	14,202	27,090	15,777	1,525	774	5,866	
Live-birth order											
1	1,550,475	879,702	216,595	14,752	125,997	309,670	173,545	26,224	9,358	47,284	
2	1,267,334	709,113	168,954	11,973	102,581	272,511	155,968	21,919	7,081	44,027	
3	667,446	338,582	104,078	8,459	34,142	181,706	115,499	12,089	2,554	26,325	
4	283,953	128,264	51,103	4,817	11,366	88,328	59,555	5,335	716	11,303	
5 or more	198,970	84,664	43,806	4,670	7,209	58,000	39,290	3,834	388	7,072	
Not stated	19,898	8,977	4,355	257	1,428	3,850	2,120	478	66	645	
Marital status											
Married	2,383,206	1,521,224	171,373	15,399	236,381	430,258	264,320	25,222	10,122	67,743	
Unmarried	1,604,870	628,078	417,518	29,529	46,342	483,807	281,657	44,657	10,041	68,913	
Mother's place of birth											
Born in the 50 States and D.C	3,086,609	2,009,971	499,970	42,134	63,201	462,134	273,960	53,403	9,823	23,649	
Born elsewhere	891.823	135.834	86,220	2,694	218,292	450,555	271,566	16.003	10.332	112.840	
Not stated	9,644	3,497	2,701	100	1,230	1,376	451	473	8	167	
	-,	-,	_,	. 30	-,	.,		0	· ·		

Table 1. Infant mortality rates, live births, and infant deaths by selected characteristics and Hispanic origin of mother and by race of mother for mothers of non-Hispanic origin: United States, 2014 linked file--Con.

	_	Non-His	panic					Hispa	ınic	
Characteristics	All origins ¹	White	Black	American Indian or Alaska Native2	Asian or Pacific Islander	Total	Mexican	Puerto Rican	Cuban	Central and South American
Total	23,211	10,515	6,435	341	Infant de 1,090	eaths 4,579	2,646	506	79	581
Age at death										
Total neonatal	15,737	6,923	4,361	184	797	3,242	1,892	351	53	424
Early neonatal (< 7 days)	12,772	5,557	3,561	137	657	2,633	1,508	304	46	350
Late neonatal (7-27 days) Postneonatal	2,965 7,474	1,366 3,592	800 2,074	46 157	139 293	609 1,338	384 753	47 155	7 26	74 157
FUSITIEUTIAIAI	7,474	3,392	2,074	137	293	1,330	755	155	20	137
Sex	12,889	5,901	3,525	195	605	2,528	1,457	277	39	312
Male Female	10,322	4,614	2,910	146	484	2,526	1,437	230	40	269
DI II	- , -	,-	,-			,	,			
Plurality Single births	19,722	8,850	5,390	315	903	4,055	2,353	433	67	525
Plural births	3,489	1,665	1,045	26	187	524	293	74	12	56
Birthweight										
Less than 2,500 grams	15,754	6,627	4,813	176	767	3,160	1,765	373	54	427
Less than 1,500 grams	12,381	4,953	4,047	124	616	2,443	1,357	303	48	325
1,500-2,499 grams	3,373	1,674	766	51	150	717	408	70	6	102
2,500 grams or more	7,338	3,857	1,577	161	315	1,398	867	132	24	151
Not stated	119	30	45	4	8	21	14	2	1	3
Period of gestation										
Less than 32 weeks	12,347	4,945	4,036	104	586	2,439	1,365	310	46	
32-33 weeks	904	455	200	7	38	198	97	23	5	
34-36 weeks	2,241	1,149	496	31	85	461	281	40	1	60
37-41 weeks 37-38 weeks	7,459	3,868 1,641	1,628 689	146 63	324 132	1,430 598	872 364	129 48	26 17	166 67
39-40 weeks	3,147 3,897	2,004	856	70	171	761	364 470	48 73	9	
41 weeks	415	223	83	13	21	71	38	8	-	18
42 weeks or more	60	35	9	2	1	11	5	1	-	3
Not stated	200	63	65	4	9	40	26	2	1	3
Age of mother										
Under 20 years	2,155	823	704	43	31	537	332	57	5	48
20-24 years	5,996	2,481	2,032	111	125	1,203	700	159	19	101
25-29 years	6,277	3,042	1,685	85	291	1,112	620	140	26	140
30-34 years	5,213	2,624	1,186	59	345	933	545	82	15	139
35-39 years 40-54 years	2,685 885	1,171 374	646 182	34 8	207 90	578 216	321 127	51 16	8 6	117 36
•	000	514	102	O	30	210	127	10	· ·	30
Live-birth order	9,208	4,288	2,578	100	457	1,686	923	205	36	224
2	6,272	3,000	1,598	66	363	1,182	654	139	21	153
3	3,799	1,711	1,036	69	137	824	508	86	14	103
4	1,976	829	557	46	64	467	287	37	7	58
5 or more	1,669	589	588	51	51	382	251	34	1	38
Not stated	288	99	77	8	17	38	23	5	-	5
Marital status										
Married	10,652	6,063	1,585	93	828	1,956	1,214	153	27	261
Unmarried	12,559	4,452	4,850	248	262	2,623	1,431	353	52	320
Mother's place of birth										
Born in the 50 States and D.C	19,035	10,004	5,742	321	303	2,506	1,389	400	34	112
Born elsewhere	3,891	437	624	20	763	2,040	1,238	105	45	467
Not stated	285	74	70	-	23	33	18	2	-	2

^{*} Figure does not meet standards of reliability or precision; based on fewer than 20 deaths in the numerator.
- Quantity zero.
1 Includes other and unknown Hispanic origin not stated, not shown separately.
2 Includes Ale

Table 2. Infant mortality rates by race and Hispanic origin of mother: United States and each State, Puerto Rico, Virgin Islands, and Guam, 2012-2014 linked files

[By place of residence]

[by place of residence]		Race and Hispanic origin of mother								
	Total	Non-Hispanic White	Non-Hispanic Black	American Indian or Alaska Native ¹	Asian or Pacific Islander	Hispanic				
. 2			lity rates per 1,000							
United States ²	5.92	5.00	11.07	7.87	3.99	5.04				
Alabama	8.72	6.85	13.29	*	*	5.95				
Alaska	5.85	4.17	*	10.75	*	*				
Arizona	5.71	4.78	11.44	8.19	5.08	5.65				
Arkansas	7.47	6.90	10.30	*	7.55	6.12				
California	4.51	3.73	9.45	5.36	3.50	4.47				
Colorado	4.82	4.12	10.01	*	4.57	5.26				
Connecticut	4.96	3.61	9.71	*	*	6.40				
Delaware	6.92	4.73	11.93	*	*	4.95				
District of Columbia Florida	7.35 6.12	2.58 5.09	10.94 10.51	*	3.30	5.38 4.39				
Georgia	6.91	5.05	10.37	*	3.83	5.24				
Hawaii	5.24	4.28	12.64	*	5.34	4.48				
Idaho	5.47	5.22	40.53	*		6.26				
Illinois Indiana	6.35 7.01	4.94 6.15	12.57 13.34	*	4.69 5.81	5.21 5.73				
lowa	4.78	4.49	9.58	*	6.16	3.84				
Kansas	6.33	5.74	12.91	*	*	6.58				
Kentucky	6.91	6.51	11.25	*	*	6.61				
Louisiana	8.11	5.97	11.74	*	5.82	4.53				
Maine	6.90	6.73	*	*	*	*				
Mondond	6.40	4.17	10.60	*	4.06	E 24				
Maryland	6.49 4.24	4.17 3.49	10.60 7.62	*	4.26 3.06	5.31 5.07				
Massachusetts Michigan	6.81	5.29	12.61	*	4.95	6.82				
Minnesota	5.04	4.23	9.33	10.64	5.09	5.43				
Mississippi	8.90	6.58	11.75	*	*	7.87				
Missouri	6.42	5.50	11.43	*	3.46	6.34				
Montana	5.77	5.02	*	10.69	*	*				
Nebraska	4.98	4.44	8.73	*	*	5.51				
Nevada	5.26	4.91	9.61	*	4.29	4.37				
New Hampshire	4.73	4.40	*	*	*	*				
New Jersey	4.45	3.06	9.56	*	3.24	4.45				
New Mexico	5.79	5.49	*	5.02	*	5.88				
New York	4.85	3.88	8.74	*	3.27	4.91				
North Carolina	7.18	5.43	12.55	10.53	3.98	5.53				
North Dakota	5.80	5.05	*	11.95	*	*				
Ohio	7.23	6.00	13.00	*	4.46	6.71				
Oklahoma	7.49	6.93	12.67	7.06	7.79	6.31				
Oregon	5.13	4.90	7.59	10.12	4.12	5.18				
Pennsylvania	6.53	5.05	12.25	*	3.75	6.89				
Rhode Island	5.81	4.33	10.21	*	*	6.40				
South Carolina	6.93	5.17	10.90	*	*	4.62				
South Dakota	6.83	5.53	*	11.70	*	*				
Tennessee	6.97	5.85	11.66	*	5.34	4.68				
Texas	5.83	5.06	10.86	*	4.00	5.30				
Utah	4.97	4.52	13.46	*	6.93	5.41				
Vermont	4.42	4.43	*	*	*	*				
Virginia	6.10	4.70	11.21	*	3.93	5.02				
Washington	4.76	4.38	8.51	8.82	4.14	4.51				
West Virginia	7.24	7.16	10.06	*	*	*				
Wisconsin Wyoming	5.88 5.59	4.90 5.39	13.78	6.68	5.88	4.76				
, ,		0.00								
Puerto Rico	7.79									
Virgin Islands	0.69		· *		10.24					
Guam	9.68			-	10.21	-				

Figure does not meet standards of reliability or precision; based on fewer than 20 deaths in the numerator.
 Data not available.
 Includes Aleuts and Eskimos.

² Excludes data for Puerto Rico, Virgin Islands, and Guam.

Table 3. Percentage of live births with selected maternal and infant characteristics by race and Hispanic origin of mother: United States, 2014 linked file

	All races	Non-His	spanic					Hispanic		
Characteristic	and origins ¹	and White Black		American Indian ²	Asian or Pacific Islander	Total ¹	Mexican	Puerto Rican	Cuban	Central and South American
Birthweight:										
Less than 1,500 grams	1.43	1.12	2.98	1.30	1.20	1.25	1.14	1.88	1.47	1.14
Less than 2,500 grams	8.0	7.0	13.4	7.7	8.1	7.1	6.6	9.6	7.5	6.7
Preterm births ³	9.6	8.9	13.2	10.4	8.4	9.0	8.8	11.0	9.0	8.5
Births to mothers under 20 years	6.3	4.7	9.3	11.3	1.7	9.5	10.1	10.4	4.2	5.9
Fourth and higher order births	12.2	10.0	16.5	21.2	6.6	16.1	18.2	13.2	5.5	13.5
Births to unmarried mothers	40.2	29.2	71.1	65.7	16.4	52.9	51.6	63.9	49.8	50.4
Mothers born in the 50 States and D.C.	77.6	94.0	85.3	94.0	22.5	50.6	50.2	76.9	48.7	17.3

¹ Includes other and unknown Hispanic and origin not stated not shown separately.
2 Includes Aleuts and Eskimos.
3 Born prior to 37 completed weeks of gestation.

Table 4. Live births, infant, neonatal, and postneonatal deaths and mortality rates by race and Hispanic origin of mother and birthweight: United States, 2014 linked file, and percent change in birthweight-specific infant mortality, 2013-2014 linked file

Race and Birthweight			Number	in 2014			Mortality rate	e per 1,000 live	births in 2014
Nace and Birtiweight	Live bir	ths Infant	deaths	Neonatal	deaths	Postneonatal deaths	Infant	Neonatal	Postneonatal
All races 1	3,988,0)76	23,211		15,737	7,474	5.82	3.95	1.87
Less than 2,500 grams	320,	173	15,754		13,026	2,728	49.20	40.68	8.52
Less than 1,500 grams	57,0)29	12,381		11,055	1,326	217.10	193.85	23.25
Less than 500 grams	6,0	888	5,684		5,561	122	849.88	831.49	18.24
500-749 grams	9,9	962	3,867		3,343	524	388.18	335.58	52.60
750-999 grams	11,0	002	1,378		1,063	315	125.25	96.62	28.63
1,000-1,249 grams	13,	249	824		620	204	62.19	46.80	15.40
1,250-1,499 grams	16,	28	628		468	161	38.94	29.02	9.98
1,500-1,999 grams	62,	103	1,416		917	499	22.80	14.77	8.04
2,000-2,499 grams	201,		1,957		1,054	903	9.73	5.24	4.49
2,500 grams or more	3,667,	202	7,338		2,595	4,743	2.00	0.71	1.29
2,500-2,999 grams	728,		2,684		1,073	1,611	3.69	1.47	2.21
3,000-3,499 grams	1,546,		2,803		893	1,910	1.81	0.58	1.23
3,500-3,999 grams	1,071,		1,402		433	969	1.31	0.40	0.90
4,000-4,499 grams	276.0		357		141	216	1.29	0.51	0.78
4,500-4,999 grams	39,	364	70		40	30	1.78	1.02	0.76
5,000 grams or more		749	22		15	7	4.63	*	*
Not stated	´-	701	119		116	3			
Non-Hispanic White	2,149,	302	10,515		6,923	3,592	4.89	3.22	1.67
L	450	150	0.007		F 474	4.454	4444	00.40	7.00
Less than 2,500 grams	150,		6,627		5,474	1,154	44.14	36.46	7.69
Less than 1,500 grams	24,		4,953		4,471	483	205.92	185.88	20.08
Less than 500 grams	,	381	2,061		2,028	33	865.60	851.74	13.86
500-749 grams		312	1,559		1,388	171	408.97	364.11	44.86
750-999 grams		502	635		516	119	141.05	114.62	26.43
1,000-1,249 grams		964	390		299	91	65.39	50.13	15.26
1,250-1,499 grams		394	308		240	68	41.66	32.46	9.20
1,500-1,999 grams	30,0		708		456	252	23.58	15.19	8.39
2,000-2,499 grams	96,0		966		547	419	10.05	5.69	4.36
2,500 grams or more	1,999,		3,857		1,419	2,439	1.93	0.71	1.22
2,500-2,999 grams	340,		1,311		529	782	3.85	1.55	2.30
3,000-3,499 grams	807,		1,499		519	980	1.86	0.64	1.21
3,500-3,999 grams	641,0		783		255	527	1.22	0.40	0.82
4,000-4,499 grams	180,		211		80	131	1.17	0.44	0.73
4,500-4,999 grams	25,		40		24	16	1.54	0.93	*
5,000 grams or more		360	13		10	3		*	
Not stated		105	30		30	-			
Non-Hispanic Black	588,	391	6,435		4,361	2,074	10.93	7.41	3.52
Less than 2,500 grams	77,		4,813		3,881	931	61.76	49.80	11.95
Less than 1,500 grams	17,	288	4,047		3,546	501	234.09	205.11	28.98
Less than 500 grams		507	2,070		2,019	51	825.69	805.35	20.34
500-749 grams	3,4	186	1,261		1,028	233	361.73	294.89	66.84
750-999 grams		131	379		262	117	110.46	76.36	34.10
1,000-1,249 grams	3,0	674	201		144	57	54.71	39.19	15.51
1,250-1,499 grams		90	136		94	42	32.46	22.43	10.02
1,500-1,999 grams	14,		314		178	136	21.27	12.06	9.21
2,000-2,499 grams	45,		452		157	295	9.85	3.42	6.43
2,500 grams or more	510,		1,577		435	1,142	3.09	0.85	2.24
2,500-2,999 grams	145,0		683		222	461	4.69	1.52	3.17
3,000-3,499 grams	227,		585		135	450	2.57	0.59	1.98
3,500-3,999 grams	111,	349	247		49	198	2.22	0.44	1.78
4,000-4,499 grams	22,		50		20	30	2.19	0.88	1.32
4,500-4,999 grams		209	10		6	4	*	*	*
5,000 grams or more	•	165	2		2	-	*	*	*
Not stated		67	45		45	-			

Table 4. Live births, infant, neonatal, and postneonatal deaths and mortality rates by race and Hispanic origin of mother and birthweight: United States, 2014 linked file, and percent change in birthweight-specific infant mortality, 2013-2014 linked file--Con

Race and Birthweight		Number in	2014		Mortality rate per 1,000 live births in 20				
Race and Birthweight	Live births	Infant deaths	Neonatal deaths	Postneonatal deaths	Infant	Neonatal	Postneonatal		
American Indian 2	44,928	341	184	157	7.59	4.10	3.49		
Less than 2,500 grams	3,442	176	141	34	51.13	40.96	9.88		
Less than 1,500 grams	577	124	109	15	214.90	188.91	*		
Less than 500 grams	50	44	44	-	880.00	880.00	*		
500-749 grams	98	44	38	6	448.98	387.76	*		
750-999 grams	116	18	15	3	*	*	*		
1,000-1,249 grams	139	12	7	5	*	*	*		
1,250-1,499 grams	174	6	5	1	*	*	*		
1,500-1,999 grams	700	25	18	7	35.71	*	*		
2,000-2,499 grams	2,165	26	14	12	12.01	*	*		
2,500 grams or more	41,479	161	38	123	3.88	0.92	2.97		
2,500-2,999 grams	7,548	48	14	34	6.36	*	4.50		
3,000-3,499 grams	16,660	51	9	42	3.06	*	2.52		
3,500-3,999 grams	12,719	45	9	36	3.54		2.83		
4,000-4,499 grams	3,835	9	3	6	*	*	*		
4,500-4,999 grams	606	6	3	3					
5,000 grams or more	111	2 4	-	2	_	-	_		
Not stated	7	4	4	-					
Asian/Pacific Islander	282,723	1,090	797	293	3.86	2.82	1.04		
Less than 2,500 grams	22,822	767	656	110	33.61	28.74	4.82		
Less than 1,500 grams	3,306	616	555	61	186.33	167.88	18.45		
Less than 500 grams	351	304	301	3	866.10	857.55	*		
500-749 grams	480	170	148	22	354.17	308.33	45.83		
750-999 grams	576	65	47	18	112.85	81.60	*		
1,000-1,249 grams	808	46	36	9	56.93	44.55	*		
1,250-1,499 grams	1,091	32	23	9	29.33	21.08	*		
1,500-1,999 grams	4,066	52	36	16	12.79	8.85	*		
2,000-2,499 grams	15,450	98	65	33	6.34	4.21	2.14		
2,500 grams or more	259,862	315	132	183	1.21	0.51	0.70		
2,500-2,999 grams	65,586	133	57	76	2.03	0.87	1.16		
3,000-3,499 grams	119,167	120	48	71	1.01	0.40	0.60		
3,500-3,999 grams	61,292	49	22	27	0.80	0.36	0.44		
4,000-4,499 grams	12,117	11	5	6	*				
4,500-4,999 grams	1,506	2	-	2	*	*	*		
5,000 grams or more Not stated	194 39	8	- 8	-					
Hispanic	914,065	4,579	3,241	1,338	5.01	3.55	1.46		
Less than 2,500 grams	64,602	3,160	2,671	489	48.91	41.35	7.57		
Less than 1,500 grams	11,395	2,443	2,185	258	214.39	191.75	22.64		
Less than 500 grams	1,271	1,082	1,049	33	851.30	825.33	25.96		
500-749 grams	2,013	780	694	86	387.48	344.76	42.72		
750-999 grams	2,330	272	215	57	116.74	92.27	24.46		
1,000-1,249 grams	2,606	172	131	40	66.00	50.27	15.35		
1,250-1,499 grams	3,175	136	95	41	42.83	29.92	12.91		
1,500-1,999 grams	12,340	313	223	89	25.36	18.07	7.21		
2,000-2,499 grams	40,867	404	263	141	9.89	6.44	3.45		
2,500 grams or more	849,417	1,398	549	849	1.65	0.65	1.00		
2,500-2,999 grams	167,466	503 539	241 176	262 363	3.00 1.44	1.44 0.47	1.56 0.97		
3,000-3,499 grams 3,500-3,999 grams	373,587 242,171	267	91	363 176	1.44	0.47	0.97		
4,000-4,499 grams	57,037	267 72	31	41	1.10	0.38	0.73		
4,500-4,499 grams	8,058	12	7	5	1.40	0.54	U.12 *		
5,000 grams or more	1,098	5	3	2	*	*	*		
Not stated	46	21	21	_					
INUI SIAIEU	46	21	21	-					

<sup>Figure does not meet standards of reliability or precision; based on fewer than 20 deaths in the numerator.
Category not apllicable.
Quantity zero
Includes races other than white or black.
Includes Aleuts and Eskimos.</sup>