

Product and User Handbook

A controlled snapshot generated from the governed Markdown source. The live knowledge base remains authoritative for current guidance.

Klar release	2.6.0.1
Classification	PUBLIC
Generated	2026-08-10
Implementation baseline	ccc20090c3ed
KB content hash	2a9943544a7daa14
Controlled-copy notice	Verify against the live KB before operational use.

Table of contents

Product	3
Klar Overview	4
Product Principles	7
Scope and Non-Goals	9
Klar Glossary	11
Product Modes	15
User Journeys	17
 User Guide	 22
Getting Started	23
Career Roles Guide	26
Flexible Work Guide	29
Resume and Profile Guide	32
Application Packets	35
Tracker Guide	38
Dashboard Guide	40
Settings and Data	42
For Schools and Career Services	45
Backups and Recovery	50
Troubleshooting	54

Product

6 controlled documents in this section.

Klar Overview

Purpose, capability map, supported markets, privacy boundary, and maturity of Klar v2.6.0.1.

STATUS	current
VERSION	2.6.0.1
CLASSIFICATION	public
OWNER	Klar Product
LAST VERIFIED	2026-08-10
NEXT REVIEW	2026-11-10

Purpose

Klar is a privacy-first workspace for finding work, assessing fit, preparing evidence-grounded application material, and tracking opportunities from discovery to decision. Its purpose is to make a fragmented job-search process clearer while keeping the person in control of their data and every external action.

The current release is **Klar v2.6.0.1 Developer Preview**. It is a functioning browser/PWA product with an experimental unsigned desktop build that is not publicly distributed; “Developer Preview” is a maturity boundary, not a marketing label.

Capability map

Capability	Purpose	Current boundary
Career Roles	Find and rank jobs against a canonical Resume and career preferences	Requires a reviewed Resume and preferences
Flexible Work	Find minijobs, part-time, working-student, temporary, seasonal, weekend, evening, or night work	Does not require or use a Resume for discovery
Resume workspace	Maintain one structured evidence source for matching and documents	Extraction needs review; the original imported file is not retained
Matching and diagnostics	Filter irrelevant jobs, rank relevant jobs, and explain how the result set was formed	A score is a ranking aid, not a hiring probability
Application Packet	Prepare per-job, per-language Resume, cover letter, recruiter message, notes, and exports	Generated writing requires human review
Tracker	Manage Career Roles opportunities, status, notes, contacts, reminders, follow-up nudges, and historical scores	Flexible Work result cards do not currently offer a save-to-Tracker action; Klar does not contact an employer or change a status automatically
Backup and vault	Move, recover, and optionally encrypt the browser-local workspace	A lost vault passphrase cannot be recovered by Klar
Source and issue reporting	Expose source health and prepare privacy-reviewed GitHub reports	The user reviews and submits; Klar never submits automatically

Product surfaces

The main workspace has Dashboard, Search, Tracker, and Settings navigation. When a canonical Resume exists, a mode switch makes Career Roles and Flexible Work available without creating separate accounts or workspaces. Without a Resume, Flexible Work remains the active discovery mode and Career Roles can be added later.

See [Product modes](#) and [User journeys](#).

Data and AI boundary

Career history, preferences, saved jobs, packets, tracker records, and dashboard details are stored in the current browser. Klar has no application server that stores a person's career history. Optional vault protection encrypts sensitive workspace content at rest.

Local search, filtering, deterministic ranking, tracking, backups, exports, and no-AI Resume tailoring do not require a Groq key. With the default private deterministic-matching setting, content is sent to the configured provider only when a person starts an AI action. If that Developer Preview setting is turned off and a key is available, a search may automatically enrich up to 40 top-priority jobs. The default Groq route uses Klar's restricted Cloudflare Worker relay when configured; custom OpenAI-compatible engines are called directly.

Read [Settings and data](#) and [Backups and recovery](#) before moving devices or enabling the vault.

Languages, markets, and devices

The interface supports English and German and is designed for current desktop and mobile browsers. Career search has region configurations for Germany, Austria, Switzerland, the Netherlands, Luxembourg, and Liechtenstein. Flexible Work employer coverage is focused on Germany.

Klar can be installed from a supporting browser as a PWA. The macOS ARM64 and Windows x64 desktop packages in v2.6 are unsigned experimental builds that are not publicly distributed; operating-system trust warnings are expected and public desktop distribution is not claimed.

Maturity and limitations

Current behavior depends on third-party feeds, employer sites, provider quotas, and browser storage. A strict search may correctly return zero jobs. Generated writing can still contain a subtle unsupported claim and must be reviewed. The v2.6 human ranking and bilingual writing gates remain unpassed, and the managed local-model work remains experimental feasibility evidence rather than a public production feature.

Klar's source is visible for inspection but is not open source; modification, redistribution, and independent deployment are restricted by the repository license.

For the operating boundaries, see [Scope and non-goals](#). For a first session, use [Getting started](#).

Product Principles

Purpose-led principles that govern Klar's current product behavior and design decisions.

STATUS	current
VERSION	2.6.0.1
CLASSIFICATION	public
OWNER	Klar Product
LAST VERIFIED	2026-08-10
NEXT REVIEW	2027-02-10

These principles explain the intent behind the behavior present in Klar v2.6.0.1. They guide product choices but do not override executable contracts or release evidence.

The person owns the workspace

Career data belongs to the person using Klar. The browser is the primary storage boundary; backups, readable exports, credential handling, deletion, and optional encryption are visible user choices.

Product consequence: no Klar application server stores the person's career history, and moving browsers or devices requires a backup.

Evidence before persuasion

Klar should help present verified experience, not manufacture it. The canonical Resume is the evidence base for matching and application content. AI Resume changes carry evidence status and blocked wording cannot be accepted or exported.

Product consequence: generated letters and messages still require human review because deterministic checks are not a complete factual audit.

Relevance before ranking

A score is meaningful only after the job fits the requested role, market, seniority, and location boundary. Supporting skills cannot convert an unrelated job into a career match.

Product consequence: Klar removes clear mismatches before ranking and explains those removals in search diagnostics.

The user controls consequential actions

Klar prepares, explains, and hands off. It does not submit an application, fill an employer form, send a message, file an issue, rescore a saved historical result, or replace a Resume without an explicit user action.

Product consequence: external routes open in the original provider or employer site, and final review remains with the person.

Degraded operation must remain honest

Third-party sources and AI providers fail. Klar should keep safe local work available, identify partial results, and distinguish unknown information from a proven mismatch.

Product consequence: source status, zero-result reasons, local fallbacks, stale packet notices, interrupted-generation notices, and recovery actions are visible.

Provenance travels with the artifact

Knowing how an output was created is part of trusting it. Jobs retain source and duplicate information; rankings retain their versioned snapshot; packet artifacts and exports retain generator and exporter provenance.

Product consequence: old content is labelled historical rather than silently promoted to a newer contract.

Progress should not destroy context

Long searches and document work should survive ordinary navigation, retries, and interruption where the current architecture can safely preserve them.

Product consequence: search surfaces remain mounted while hidden, packets autosave, Resume history supports restoration, and failed imports do not partially replace the workspace.

Privacy and usability are joint constraints

A private feature that is too opaque to use safely is not complete. Klar explains when data is local, when an AI provider receives content, which backup includes credentials, and what a lost passphrase means.

Product consequence: privacy previews, backup modes, vault state, source health, and AI-use estimates are presented in the interface.

Accessibility is part of behavior

Status and control must remain understandable without color alone, and keyboard users must be able to navigate and close modal surfaces.

Product consequence: dialogs use focus and Escape handling, controls carry text labels, navigation provides a skip link, and score bars expose numeric values.

English and German are independent review contexts

A generated or translated artifact in one language does not prove quality in the other.

Product consequence: Application Packet content is created, stored, reviewed, and exported separately for English and German.

Scope and Non-Goals

What Klar v2.6.0.1 includes, explicitly excludes, and does not guarantee.

STATUS	current
VERSION	2.6.0.1
CLASSIFICATION	public
OWNER	Klar Product
LAST VERIFIED	2026-08-10
NEXT REVIEW	2026-11-10

In scope

Klar v2.6.0.1 provides:

- browser-local career and Flexible Work workspaces;
- structured Resume import, manual creation, editing, completeness checks, replacement, and history;
- career preference capture and region-specific public job discovery;
- role, market, seniority, employment, recency, company, distance, language, and visa-related filtering;
- deterministic local ranking with versioned evidence-linked snapshots;
- optional per-job AI explanation and application-writing actions;
- progressive Flexible Work search across configured public and employer routes;
- saved searches and “new since last run” detection;
- persistent English and German Application Packets;
- evidence-controlled Resume tailoring, cover letters, recruiter messages, notes, and document exports;
- an application Tracker with status, contacts, reminders, follow-up nudges, and exports;
- device-local dashboard details;
- standard, complete encrypted, and explicitly confirmed readable exports;
- optional vault encryption and privacy-reviewed issue preparation;
- an experimental unsigned desktop and managed local-model developer build that is not publicly distributed.

Explicit non-goals

Klar does not:

- submit applications, fill employer forms, send recruiter messages, or accept legal terms on a person's behalf;
- operate as an applicant tracking system for employers or recruiters;
- provide a cloud account, server-side career-history store, or automatic cross-device sync;
- guarantee that every vacancy is found, current, complete, unique, or still open;

- turn a fit score into a probability of interview, offer, or employment;
- invent experience, credentials, work authorization, referrals, or results for application material;
- guarantee that generated text contains no subtle unsupported statement;
- provide legal, immigration, tax, payroll, financial, or employment advice;
- recover a lost vault passphrase;
- promise a support response time or paid support service;
- claim the experimental local-model or unsigned desktop build is ready for public production use;
- grant open-source rights to copy, modify, redistribute, or independently deploy the repository.

Current user-interface exclusions

The repository contains support code for capabilities that are not exposed as complete v2.6.0.1 user workflows. In particular, a standalone interview-preparation flow and a standalone German net-salary calculator are not part of the reachable main application interface. They must not be documented as current user features until an interface, verification, and release decision exist.

Career preferences cannot currently be edited after onboarding through a dedicated Settings form, even though the setup checklist can direct users to Settings. Flexible Work result cards also do not currently provide a save-to-Tracker action.

The experimental Resume design lab is disabled by default, is not exposed in the publicly distributed product, and exists for evaluation. Its variants do not change the production Resume exporter.

No-result and partial-result behavior

A zero-result search is not automatically a failure. Strict role, market, distance, or eligibility constraints may correctly produce no current match. Klar reports source and filter diagnostics rather than backfilling unrelated jobs.

Third-party failure can produce partial or limited coverage. A result page represents what the configured sources returned within the current session and filters; it is not a complete statement about the labor market.

Human responsibility

The user remains responsible for:

- reviewing imported Resume structure and every generated document;
- checking the original job posting and employer route;
- confirming application facts, dates, names, addresses, and claims;
- deciding whether and where to submit an application or report;
- storing backups and protecting backup or vault passwords;
- evaluating salary, tax, visa, contract, and legal information with qualified sources.

See [Klar overview](#), [Troubleshooting](#), and [Backups and recovery](#).

Klar Glossary

Canonical product, data, matching, application, and governance terms used across Klar.

STATUS	current
VERSION	2.6.0.1
CLASSIFICATION	public
OWNER	Klar Product
LAST VERIFIED	2026-08-10
NEXT REVIEW	2027-02-10

Product and workspace

Application Packet

A persistent, job-specific workspace with independent English and German Resume, cover-letter, recruiter-message, review-state, and provenance data, plus shared packet notes and export history.

Career Roles

The Resume-based discovery mode for career-oriented job search, relevance filtering, ranking, and grounded application preparation.

Dashboard

The local home surface for a display name, headline, location, image, about text, links, and at-a-glance career context.

Developer Preview

A functioning release intended for evaluation and development with explicit maturity limits. It is not a claim of production support or public desktop readiness.

Flexible Work

The Resume-optional mode for minijobs, part-time, working-student, temporary, seasonal, weekend, evening, or night opportunities.

Klar

The product name. “Klar” means “clear” in German.

Tracker

The local board or list used to manage saved opportunities, application status, notes, contacts, reminders, and history.

Workspace

The collection of Klar data stored in one browser profile or encrypted vault. It is not automatically synchronized to another browser or device.

Resume and profile

Canonical Resume

The single structured Resume that acts as Klar's evidence source for career matching and application documents.

Derived profile

A thin matching view calculated from the canonical Resume. It is not edited separately.

Evidence reference

A link from a structured Resume statement or generated change back to supporting source content.

Resume

The canonical English spelling for the career document throughout Klar. The word has no accent marks. German user content may use "Lebenslauf."

Resume snapshot

A restorable historical copy of the canonical Resume. Automatic snapshots are bounded; named snapshots remain until deleted.

Discovery and sources

Connector

A configured integration that retrieves or hands off to an approved public job source or employer route.

Duplicate family

A content-free identifier grouping records that Klar determined represent the same vacancy across sources.

Open entry

An official employer application route or program that is available without a specific vacancy listing.

Source confidence

A label describing whether information was published, structurally extracted, inferred, or unknown. It is not a guarantee that the posting remains live.

Source Fabric

Klar's configured set of employer-direct Flexible Work connectors and fallbacks, normalized behind a common opportunity contract.

Source health

Content-free operational information such as last success, fetch time, extraction confidence, errors, timeouts, fallback, circuit state, or operator disablement.

Matching

Candidate set

The jobs that remain eligible for ranking after source gathering, deduplication, local filters, and relevance gates.

Eligibility fact

A versioned statement about a hard condition such as location, language, authorization, employment type, hours, start date, certification, or a dealbreaker. Its state may be match, known mismatch, unknown, or not applicable.

Local vocabulary ranking

Deterministic similarity based on Klar's local vocabulary vectors. It is private and zero-token, but it is not a neural embedding model.

Ranking snapshot

A stored, versioned record of requirements, evidence, eligibility facts, factors, penalties, final score, rank, and input identity for a job evaluation.

Relevance gate

The stage that removes clear role, market, seniority, or location mismatches before ranking.

Score

A 0-100 local ranking aid used to order relevant jobs. It is not an estimate of hiring probability.

Application content

Blocked change

A proposed Resume rewrite that failed evidence checks. It cannot be accepted, edited into the output, or exported through the governed tailoring path.

Cover-letter checks

Deterministic document and content validations required before DOCX or packet export. Passing them is not a complete factual audit.

Deterministic tailoring

A zero-token Resume path that reorders existing evidence toward a posting without rewriting the person's sentences.

Provenance

Metadata that identifies the content contract, generator, source artifact, and exporter associated with an artifact.

Stale packet

A saved packet whose Resume, posting, language, engine, terms, tone, or context no longer matches the generation fingerprint.

Privacy, recovery, and governance

Complete encrypted backup

The only backup mode permitted to contain Groq and Adzuna credentials. Workspace content and credentials remain encrypted.

Readable export

A separately confirmed JSON export of sensitive career data in readable form. Credentials remain excluded.

Standard backup

A routine workspace backup that never contains API credentials. If a vault is enabled, encrypted content remains ciphertext.

Target

Approved or proposed future behavior that is not present in the current release. Target content must never be presented as current.

Vault

Optional authenticated encryption for sensitive local workspace content and remembered credentials. Klar cannot recover its passphrase.

See [Documentation style guide](#) for mandatory language rules.

Product Modes

How Career Roles and Flexible Work differ, coexist, and determine available Klar workflows.

STATUS	current
VERSION	2.6.0.1
CLASSIFICATION	public
OWNER	Klar Product
LAST VERIFIED	2026-08-10
NEXT REVIEW	2026-11-10

Klar has two discovery modes. They share one local workspace and top-level navigation, but they solve different jobs and have different prerequisites. In the current interface, only Career Roles results can be saved to the Tracker.

Mode comparison

Dimension	Career Roles	Flexible Work
Primary purpose	Find career jobs and assess fit against experience and preferences	Find practical, location- and schedule-oriented work
Resume required	Yes	No
Discovery inputs	Target titles, job market/field, seniority, location, radius, salary, language, work authorization, must-haves, dealbreakers	Locations, radius, employment arrangements, workplaces, optional role families, schedule, language comfort, physical-work preference, transport, start date
Matching	Relevance gates plus local deterministic ranking; optional per-job AI explanation	Deterministic query and relevance classification; no Resume ranking
Results	Ranked job cards with evidence, score, diagnostics, and application tools	Progressive vacancy or open-entry cards with source status and official routes
Preparation	Per-language Application Packet with tailored Resume, cover letter, and recruiter message	Deterministic employer message, availability summary, and printable profile card
External action	Opens original posting or application route	Opens official vacancy or employer route

How mode selection works

On first use, Klar offers Career Roles, Flexible Work, backup restore, or a temporary sample workspace.

- Choosing Career Roles starts Resume creation and career-preference setup.
- Choosing Flexible Work starts location and work-type setup without a Resume.
- Restoring a backup validates the file before changing active data.

- Exploring Klar keeps its synthetic career sample in memory and does not save that sample as Resume or workspace data. Language, appearance, and region choices may remain in browser storage.

When a canonical Resume exists, the Career Roles/Flexible Work switch appears on discovery surfaces. The last selected view is saved locally. Switching modes does not delete either mode's saved preferences, saved-search definitions and baselines, packets, or Tracker records.

When no Resume exists, Flexible Work is the active mode by definition. The user can add a Resume later from Flexible Work or Settings to enable Career Roles.

Shared surfaces

Both modes use the same top-level Dashboard, Search, Tracker, and Settings navigation.

- **Dashboard:** Career Roles shows the personal dashboard and career context. Flexible Work shows its search launcher and saved Flexible Work searches.
- **Search:** renders the active mode's discovery workflow and preserves a visited search while navigating elsewhere.
- **Tracker:** stores Career Roles opportunities saved to the local application workflow. Flexible Work supports saved searches and preparation tools, but its current result cards do not provide a save-to-Tracker action.
- **Settings:** manages language, appearance, region, data, security, connections, mode setup, Resume, and optional AI configuration.

Capability rule

The selected mode is a view choice, not an irreversible account type. A Resume enables career discovery and Resume-based application preparation; valid Flexible Work preferences enable Flexible Work discovery. A person may maintain both capabilities in the same workspace.

Continue with [Career Roles guide](#), [Flexible Work guide](#), or [Getting started](#).

User Journeys

End-to-end current-state journeys across onboarding, discovery, preparation, tracking, recovery, and reporting.

STATUS	current
VERSION	2.6.0.1
CLASSIFICATION	public
OWNER	Klar Product
LAST VERIFIED	2026-08-10
NEXT REVIEW	2026-11-10

1. First arrival

Goal: enter Klar without committing data prematurely.

- 1 Choose English or German, appearance, and region.
- 2 Select Career Roles, Flexible Work, Restore backup, or Explore Klar.
- 3 If Explore Klar is selected, inspect synthetic sample career data in a temporary workspace. The sample is not saved, although language, appearance, and region choices may remain locally.
- 4 If Klar detects an incomplete local setup, choose to continue, restore, or start over. Starting over preserves a meaningful structured Resume draft as recoverable history when one exists, then resets the route.

Trust boundary: interface choices and progress for a real setup path are stored in the current browser. The Explore sample remains in memory. No external application is submitted.

2. Set up Career Roles

Goal: create a reviewed evidence base and search preferences.

- 1 Choose a PDF, DOCX, TXT, or Markdown file, paste Resume text, or create a Resume manually.
- 2 Selecting a file reads it locally and then starts the AI structuring flow, requesting a provider key when needed. Pasted text is sent only after the user chooses **Structure pasted text**. Only extracted text is sent; the original file is not retained.
- 3 Review and edit every structured section before confirmation.
- 4 Set target titles and job market/field separately, then seniority, salary preference, city, radius, remote preference, must-haves, dealbreakers, German level, and visa-related filters.
- 5 Optionally add an Adzuna App ID and App key or skip the connection.
- 6 Complete or dismiss the contextual setup checklist; create the first backup as early as practical.

Detailed procedures: [Resume and profile](#) and [Career Roles guide](#).

3. Discover and assess career jobs

Goal: find relevant jobs without hiding how the result set was formed.

- 1 Review the active titles, location, region, language and visa filters, hidden companies, maximum age, and optional saved search.
- 2 Start Search & match.
- 3 Klar gathers configured sources, removes duplicates, applies local filters, rejects clear role/market/seniority mismatches, enriches eligible BA records, and ranks the remaining jobs locally.
- 4 Inspect source badges and Search diagnostics, especially when results are partial or empty.
- 5 Open a job to view the posting, versioned ranking evidence, missing must-haves, uncertain facts, and original source.
- 6 Optionally request an AI explanation for that one job.
- 7 Save the job to the Tracker or open its Application Packet.

Decision rule: the score orders relevant jobs; it does not predict hiring.

4. Prepare a career application

Goal: produce editable, evidence-controlled material without submitting it.

- 1 Open a job and choose Build Application Packet.
- 2 Select English or German. Each language has independent content and review state.
- 3 Generate an AI-tailored Resume or choose no-AI tailoring, which reorders existing sentences without rewriting them.
- 4 Inspect coverage, unresolved findings, and every proposed change. Accept, reject, or edit eligible changes; blocked changes cannot enter export.
- 5 Draft and edit the cover letter, select its tone, and complete place, date, recipient, and optional address fields.
- 6 Draft and edit a recruiter message with the correct application state, channel, contact context, and named referrer when claiming a referral.
- 7 Add packet notes and review readiness, provenance, staleness, usage, and document checks.
- 8 Download the Resume DOCX or print PDF, cover-letter DOCX, or the ZIP packet containing the governed Resume and cover letter.
- 9 Open the original employer route and submit only after personal review.

Detailed procedure: [Application Packets](#).

5. Set up and search Flexible Work

Goal: discover practical work without creating a Resume.

- 1 Enter at least one city or place and radius.
- 2 Select at least one employment arrangement or workplace type; optionally add role families, days, periods, weekly hours, language comfort, physical-work preference, transport, and start date.
- 3 Start the search. Results appear progressively while sources continue within the bounded session.

- 4 Stop early if desired, inspect source status, retry failed coverage, and page through the stable published result set.
- 5 Distinguish a vacancy from an open-entry employer route and review inferred-field notices.
- 6 Save the search to identify new opportunities on later runs.
- 7 Open the official route directly, or prepare a deterministic message, availability summary, and printable profile card first.

Decision rule: Klar never fills or submits the employer form.

Detailed procedure: [Flexible Work guide](#).

6. Track follow-up and decisions

Goal: keep a local, explicit application record.

- 1 Save a Career Roles opportunity to the Tracker.
- 2 Use board or list view; move a career job through Interested, Applied, Interviewing, Offer, or Rejected, or choose New/Archived in its detail view.
- 3 Add notes, recruiter or hiring-manager contacts, and dated reminders.
- 4 Review due reminders and follow-up nudges that appear seven days after a record was first marked Applied.
- 5 Treat the 45-day posting badge as a prompt to verify the original route, not proof that the job is closed.
- 6 Preserve historical scores or explicitly choose Rescore with current profile.
- 7 Export the Tracker as CSV, XLSX, or printable PDF when needed.

Detailed procedure: [Tracker guide](#).

7. Return to an encrypted workspace

Goal: regain local access without weakening encryption.

- 1 Enter the vault passphrase at the lock screen.
- 2 If the passphrase is wrong, the workspace remains locked and unchanged.
- 3 Once unlocked, continue the saved setup or normal workspace.
- 4 Lock the vault manually from Settings when leaving the device.

There is no Klar recovery path for a forgotten passphrase. Use a tested encrypted backup strategy before enabling the vault.

8. Back up, move, or recover

Goal: protect the browser-owned workspace.

- 1 Download a standard backup for routine recovery; credentials are excluded.
- 2 Use a complete encrypted backup when credentials must move too.
- 3 On restore, select the JSON file and enter its backup password if required.

- 4 Klar validates format, schema, integrity, content, and encrypted payload before one transaction replaces active data.
- 5 Reload and test connections separately after restore.

Detailed procedure: [Backups and recovery](#).

9. Report a problem safely

Goal: prepare a useful report without publishing career data or secrets.

- 1 Open Settings and prepare a bug, incorrect-result, source, accessibility, privacy/security, or feature report.
- 2 Use synthetic or redacted examples; never paste a Resume or application document.
- 3 Optionally include the reduced diagnostic summary.
- 4 Review the exact privacy preview and automatic redactions.
- 5 Open a public GitHub issue for ordinary reports or private vulnerability reporting for privacy/security concerns.
- 6 Decide whether to submit. Klar does not submit automatically, and screenshots require a separate manual attachment and second review.

Use [Troubleshooting](#) before reporting a recoverable local issue.

User Guide

11 controlled documents in this section.

Getting Started

Safe first-session setup for Career Roles, Flexible Work, sample exploration, or backup restoration.

STATUS	current
VERSION	2.6.0.1
CLASSIFICATION	public
OWNER	Klar Product Support
LAST VERIFIED	2026-08-10
NEXT REVIEW	2026-11-10

Before you begin

Use a current desktop or mobile browser. Klar stores your workspace in that browser, so browser data removal or a different browser profile will not contain the same workspace unless you restore a backup.

You do not need credentials for local setup, Flexible Work, local matching, tracking, backups, or no-AI Resume tailoring.

- A Groq or compatible-provider key is requested only when you start an AI action.
- An Adzuna App ID and App key are optional and add Adzuna jobs and salary benchmarks where the selected region supports them.

Choose the right starting path

Choose	Best when	What happens next
Career Roles	You want Resume-based job matching and application documents	Import or create a Resume, review it, and set career preferences
Flexible Work	You want location-, schedule-, or work-type discovery without a Resume	Set locations and flexible-work preferences
Restore backup	You already have a Klar JSON backup	Klar validates the file before replacing active data
Explore Klar	You want to inspect the product without saving sample career data or entering a key	Klar opens a temporary synthetic sample workspace; language, appearance, and region choices may remain locally

Career Roles setup

- 1 Select **Career Roles**.
- 2 Choose a PDF, DOCX, TXT, or Markdown file; paste text; or choose **Create manually**.

- 3 Selecting a file reads it locally and then starts the AI structuring flow, requesting a provider key when needed. For pasted text, choose **Structure pasted text**. Klar sends only extracted text to the configured provider and does not retain the original file.
- 4 Review every section. Correct contact details, summary, roles, dates, achievements, education, skills, projects, certifications, and languages.
- 5 Confirm the Resume.
- 6 Enter target titles and job market/field separately. Add seniority, salary preference, city, radius, remote preference, must-haves, dealbreakers, German level, and visa-related settings.
- 7 Add both Adzuna values or skip the optional connection.
- 8 On the Dashboard, complete the contextual checklist and create a standard backup.

Continue with [Resume and profile](#) and [Career Roles guide](#).

Flexible Work setup

- 1 Select **Flexible Work**.
- 2 Add at least one city or place and a radius.
- 3 Select at least one employment arrangement or workplace type.
- 4 Optionally add role interests, availability, weekly hours, language comfort, physical-work preference, driving licence, bike, and earliest start.
- 5 Choose **Explore flexible work**.
- 6 On the Flexible Work home, choose **Search flexible work**.
- 7 Review the progressive results and source-status panel.
- 8 Save the search if you want later runs to identify genuinely new opportunities.

Continue with [Flexible Work guide](#).

If an incomplete setup is found

Klar offers three choices:

- **Continue setup** returns to the last recorded step.
- **Restore backup** validates and restores a Klar file.
- **Start over** restarts the chosen setup route after preserving a meaningful structured Resume draft in recoverable history when one exists.

Starting over is not the same as **Delete all local data** in Settings. The latter is destructive.

First-session safety checklist

- Verify imported Resume content before saving or generating documents.
- Open at least one job's original posting before relying on its details.
- Review Search diagnostics when coverage is partial or zero.
- Create a standard backup and store it outside the browser profile.

- Read [Backups and recovery](#) before enabling the vault.
- Never paste a Resume, application document, API key, or personal diagnostic into a public issue.

Navigation

- **Dashboard:** local profile view or Flexible Work launcher, depending on the active mode.
- **Search:** current Career Roles or Flexible Work search.
- **Tracker:** saved opportunities and application follow-up.
- **Settings:** data, encryption, reports, connections, Resume, engine, region, language, and appearance.

Klar can be installed from a supporting browser for an app-like window. The public browser/PWA is the supported user surface for this developer preview; desktop packages remain unsigned experimental builds that are not publicly distributed.

Career Roles Guide

Set up, run, interpret, save, and export Resume-based career job searches in Klar.

STATUS	current
VERSION	2.6.0.1
CLASSIFICATION	public
OWNER	Klar Product Support
LAST VERIFIED	2026-08-10
NEXT REVIEW	2026-11-10

Purpose and prerequisites

Career Roles finds jobs that match both the intended role and its job market, then ranks the eligible results against a reviewed canonical Resume and career preferences.

Before searching, you need:

- a confirmed canonical Resume;
- career preferences with target titles and a selected region;
- a current network connection for live sources;
- Adzuna credentials only if you want Adzuna results or salary benchmarks;
- under the default private deterministic-matching setting, an AI-provider key only for an explicit AI explanation or writing action. Turning off that Developer Preview setting permits automatic AI enrichment of up to 40 top-priority jobs during a search when a key is available.

Configure the search foundation

During Career Roles setup, keep these concepts separate:

- **Target title:** the role function, such as Account Manager.
- **Job market/field:** the context, such as CRM, healthcare, or fintech.
- **Seniority:** intern, junior, mid, senior, lead, or executive.
- **Location:** one city and radius for the active search preference.
- **Remote only:** makes worldwide remote results eligible to bypass distance.
- **Must-haves and dealbreakers:** supporting preferences and hard conflicts.
- **German and visa settings:** optionally hide jobs above the selected German level or jobs that state they do not sponsor visas.

Klar v2.6.0.1 does not expose a complete post-onboarding career-preference editor in the main Settings page. Do not delete the workspace simply to change a preference; this is a current interface gap. Preserve a backup and track the gap through the reporting workflow.

Understand source coverage

The active region determines which source families may run:

- Germany: Bundesagentur für Arbeit, Arbeitnow, optional Adzuna, and the configured Greenhouse/Lever/Ashby registry.
- Austria, Switzerland, and the Netherlands: Arbeitnow, optional Adzuna, and the configured ATS registry.
- Luxembourg and Liechtenstein: Arbeitnow and the configured ATS registry; Adzuna is not configured for these regions.

Actual execution also depends on the Klar Worker configuration, credentials, source availability, and employer routes. The ATS registry is DACH-focused and contains both verified and candidate routes; failed companies are isolated and shown in source status rather than failing the entire search.

Run a search

- 1 Open **Search** in Career Roles mode.
- 2 Confirm the displayed titles, location, and region.
- 3 Optionally enable German or visa hiding, add exact company or whole-word hide terms, and set a maximum posting age.
- 4 Optionally name and save the current search before or after running it.
- 5 Select **Search & match**.

Klar then:

- 1 gathers active sources in parallel;
- 2 normalizes jobs and merges duplicates;
- 3 applies employment, company, recency, and distance filters;
- 4 rejects clear role, market, and seniority mismatches;
- 5 fetches eligible BA detail descriptions when required;
- 6 produces a deterministic local ranking snapshot for every remaining job;
- 7 applies the selected German and visa hiding to the displayed set.

Every relevant ranked job remains eligible for display. The 40-job limit applies only to the optional compatibility AI-priority path, not result membership.

Read a result

Open a job to review:

- title, employer, location, source, salary when published, and employment type;
- original description and link;
- final score and whether the explanation is local or AI-enriched;
- ranking version, rank, core fit, bounded preference effect, and posting confidence;
- evidenced or partly evidenced requirements;

- missing required items, uncertain facts, and known hard conflicts;
- source confidence, fetch date, and merged-source information.

The score is a local sorting aid. It is not a probability of interview or employment. Unknown facts remain unknown rather than being treated as confirmed matches.

Use Search diagnostics

Expand **Search diagnostics** to see requested sources, raw results, duplicates, each filter's removals, unlocatable jobs, relevance removals, hard-filter hiding, matching progress, AI fallbacks, and the final count.

For zero results, follow the specific next step shown. Common causes are all sources failing, an over-broad company hide term, employment or age filters, radius, role/market mismatch, German or visa hiding, no raw postings, or unfinished scoring.

Do not broaden the query automatically when strict criteria correctly produced zero matches.

Save and revisit searches

A saved search stores its query, region, selected employment types, company hide list, distance, and maximum age. The first run establishes a baseline. Later runs mark jobs as new only when their stored identities were not previously seen; the history is bounded locally.

Deleting a saved search removes that search definition and baseline, not saved Tracker jobs.

Save, prepare, and export

- **Save to Tracker** creates an Interested record with the current job snapshot and ranking.
- **Build Application Packet** opens the persistent English/German preparation workflow.
- **Open original** hands off to the source site.
- CSV, XLSX, and printable PDF export include the currently shown result set, not roles segregated by hard filters.

Next: [Application Packets](#) and [Tracker guide](#).

Flexible Work Guide

Configure, run, interpret, save, and act on Resume-optional Flexible Work discovery.

STATUS	current
VERSION	2.6.0.1
CLASSIFICATION	public
OWNER	Klar Product Support
LAST VERIFIED	2026-08-10
NEXT REVIEW	2026-11-10

Purpose

Flexible Work helps find minijobs, part-time, working-student, temporary, seasonal, weekend, evening, and night opportunities by place and practical work preferences. Discovery does not require or use a Resume.

Current employer-direct coverage is focused on Germany. Results depend on configured public sources, employer routes, and their availability during the bounded search session.

Configure preferences

At minimum, provide:

- one city or place; and
- at least one employment arrangement or workplace type.

Each location has a radius. You may add multiple locations. Radius input is normalized to a supported positive range.

Optional refinements include:

- role families such as cashier, shelf stocking, warehouse, delivery, kitchen, service, cleaning, reception, event staff, or customer service;
- days and periods of availability;
- maximum weekly hours;
- German and English comfort;
- physical-work preference;
- driving licence or bike;
- earliest start date.

Leaving optional fields blank keeps the search broad. Selecting **Show me different kinds** clears role-family filtering while retaining the other preferences.

Run and control the search

Select **Search flexible work**. Klar starts the search automatically and publishes stable result pages progressively.

While it runs, the status shows:

- how many jobs are ready;
- how many sources are still active;
- an estimated maximum time remaining;
- determinate session progress; and
- a **Stop checking** action.

Stopping ends the session without discarding results already published. Klar does not show a terminal “No results” state while sources are still unfinished.

At completion, the banner identifies a complete, partial, or limited session. Retry starts a new search with the same preferences.

Inspect source status

The source panel shows each employer family, connector state, result count, fetch time, last success, extraction confidence, official route, and report action. Possible states include OK, fallback route, failed, did not finish, skipped, pending, and checking.

The panel also reports results hidden as not relevant Flexible Work and the number of merged duplicate families. A partial session is usable but does not represent full market coverage.

If the build says it is showing sample results, no source service is configured for that build. Treat those results as fixtures, not live vacancies.

Read an opportunity card

A card may represent:

- a specific vacancy with an Apply route; or
- an **Open application** or official employer program without one specific vacancy.

Review employer, brand, city or remote state, employment and role tags, hourly pay only when published, source confidence, fetch/verification dates, duplicate information, and any “inferred” notice. Inferred fields are Klar classifications, not employer-published guarantees.

Always verify the official route before relying on pay, hours, location, or availability.

Save and rerun a search

After an unsaved search returns results, choose **Save this search**, confirm its name, and save it. The Flexible Work home lists saved searches with their locations and last-run date.

The first run establishes a baseline. On a later run, Klar marks opportunities as New when their stable identities were not already recorded. Deleting a saved search removes the definition and baseline but does not submit or

withdraw any application.

Prepare a message without a Resume

Choose **Prepare message** to open the deterministic preparation drawer.

- 1 Optionally add name, email, and phone and save them to Flexible Work preferences.
- 2 Review the availability summary built from your saved preferences.
- 3 Edit or copy the employer message. It is generated from your own details and the opportunity, without an AI key.
- 4 Optionally print or save the compact profile card.
- 5 Open the official vacancy or program route.

The draft and availability autosave in the opportunity's flexible packet. Klar does not auto-fill, pre-submit, or submit the employer form.

Add Career Roles later

Choose **Add Resume for Career Roles** from Flexible Work or Settings. Adding a Resume enables Career Roles without removing Flexible Work or its saved searches. See [Product modes](#).

Resume and Profile Guide

Create, review, maintain, replace, restore, and safely use Klar's canonical Resume and derived profile.

STATUS	current
VERSION	2.6.0.1
CLASSIFICATION	public
OWNER	Klar Product Support
LAST VERIFIED	2026-08-10
NEXT REVIEW	2026-11-10

Why Klar uses one canonical Resume

Klar maintains one structured Resume as the evidence source for career matching and application documents. A thin matching profile is derived from it automatically, so the same career facts do not need to be maintained in two places.

The Dashboard profile is separate presentation data. Changing a Dashboard headline, image, about text, or link does not change the canonical Resume or matching evidence.

Create a Resume

You can:

- import a PDF or DOCX;
- import a TXT or Markdown file;
- paste text; or
- create every section manually.

Imported or pasted content needs at least a small usable body before structuring can begin. Selecting a file reads it locally and then starts the AI structuring flow, requesting a provider key when needed. Pasted content is sent only after you choose **Structure pasted text**. Only extracted text is sent to the configured provider; the original file is not retained.

Extraction can omit or misclassify information. Nothing becomes the canonical Resume until you review and confirm the structured draft.

Review the structure

The editor supports:

- contact name, email, phone, location, and labelled links;
- professional summary;

- experience roles, companies, cities, dates, current-role state, and achievements;
- education degree, field, institution, city, and dates;
- grouped skills;
- projects, technologies, summary, and link;
- certifications and issuers;
- languages and levels.

Items and sections can be reordered. Removed content has an immediate undo action while the editor remains open.

The completeness report checks structural signals such as a name, contact route, summary, role basics, dates, achievements, and skills. Its percentage is a preparation aid, not a measure of candidate quality and not proof that every fact is correct.

Edit the current Resume

Open **Settings**, then the Resume section. Edit the structured fields and choose **Review and save**. Saving updates the canonical Resume and therefore the profile derived for later matching and application work.

Previously saved search results and Tracker scores are not silently reinterpreted. Use **Rescore with current profile** on a tracked job when you deliberately want a new ranking snapshot.

Replace the Resume

Use **Replace Resume** when the new source should replace the current structure in full.

- 1 Select a supported file or paste text.
- 2 A selected file starts structuring after local reading. For pasted content, choose **Preview pasted text** to start structuring with the configured AI provider.
- 3 Review the complete preview and correct every section.
- 4 Confirm replacement.

Klar creates a restorable snapshot of the current Resume before replacement. If reading or structuring fails, the current Resume remains unchanged.

Use Resume history

The history section supports:

- creating a named snapshot of the current Resume;
- renaming a snapshot;
- restoring a snapshot as the current Resume; and
- deleting a snapshot after confirmation.

Automatic snapshots are kept for up to 10 entries and 90 days. Named snapshots remain until deleted. A restore changes the current canonical Resume; create a backup before high-impact changes.

Application tailoring

For a job, choose between:

- **AI tailoring:** proposes evidence-checked rewrites, coverage, and per-change review; or
- **Tailor without AI:** reorders existing Resume sentences and skills without rewriting them.

Blocked AI wording cannot be accepted or exported. Supported or confirmation-required changes still need human review. Read [Application Packets](#).

Export format

The v2.6.0.1 production Resume DOCX and browser-print PDF use a consistent A4, single-column Arial structure with a compact identity block, unlabeled profile, ruled semantic headings, grouped role and date information, real bullets, and combined skills/languages. The newest held role is used as an evidence-backed subtitle; Klar does not present the target vacancy title as experience.

DOCX is the safer default for applicant tracking systems. PDF remains available through browser print/save and should be visually checked before submission.

Privacy and recovery

The canonical Resume, drafts, and history live in the current browser or encrypted vault. Standard backups exclude credentials; complete encrypted backups can carry them. Never publish a real Resume in a GitHub issue or diagnostic report.

If browser data is cleared without a backup, Klar cannot recover the Resume. See [Backups and recovery](#).

Application Packets

Prepare, review, autosave, validate, and export job-specific application material in Klar.

STATUS	current
VERSION	2.6.0.1
CLASSIFICATION	public
OWNER	Klar Product Support
LAST VERIFIED	2026-08-10
NEXT REVIEW	2026-11-10

Purpose

An Application Packet is the persistent, job-specific place to prepare an evidence-controlled Resume, cover letter, recruiter message, notes, and downloads. It snapshots the job so preparation can continue even if the original source later changes.

Open a career job and choose **Build Application Packet**. Klar creates or reopens the packet for that job and autosaves work locally or inside the unlocked vault.

Language ownership

Choose English or German at the top of the packet. Each language has independent Resume content, review decisions, letter, message, provenance, usage, and readiness. Completing one language does not approve the other.

Klar suggests the posting language where it can, but the user makes the final selection.

Choose the Resume path

Generate tailored Resume

This path uses the configured AI provider. Klar estimates the token reservation before starting, schedules a request when rolling-minute headroom is temporarily unavailable, and may split only a permanently oversized Resume into bounded evidence-checked role requests.

The result includes posting-term coverage, proposed changes, factual status, evidence, unresolved findings, and generation metadata.

Tailor without AI

This zero-token path reorders the person's existing Resume bullets and skills toward the posting. It does not rewrite sentences and therefore has no rewrite decisions to review. It remains grounded in the same canonical evidence.

Review AI Resume changes

For every proposed change, inspect:

- location in the Resume;
- before and after text;
- reason and keyword effect;
- factual status;
- supporting evidence; and
- any added number, term, repetition, or title concern.

Choose Accept or Reject. Eligible changes can be edited and restored. A blocked change cannot be accepted or edited into the output. **Accept all** is unavailable while any item requires individual human judgment.

Blocked changes start rejected. Other eligible changes start accepted, including confirmation-required changes. Review and deliberately accept, reject, or edit every eligible change before relying on the document.

The current readiness indicator becomes ready when a tailored Resume baseline exists and no blocked change is accepted. It does not require a review timestamp or prove that every confirmation-required change was individually examined. Marking the packet reviewed records a timestamp; it does not change this mechanical gate or replace factual checking.

Salary context

When valid Adzuna credentials and a supported country are available, the packet may show a salary benchmark for the role and city. It is market context, not tax, financial, or compensation advice. No benchmark is fabricated when the provider has no usable result.

Draft the cover letter

- 1 Select Concise, Balanced, or Formal tone.
- 2 Add or review recipient name, place, recipient address, and date.
- 3 Draft with the configured AI provider.
- 4 Edit the body directly.
- 5 Review provenance and every document check.

DOCX and ZIP export remain paused when a historical letter needs migration or a fatal document check fails. Historical body text may be reviewed and explicitly confirmed after removing duplicated wrapper elements, or regenerated under the current contract.

Passing checks does not prove the letter contains no subtle unsupported claim. Read it against the canonical Resume and job posting before submission.

Draft the recruiter message

Select:

- style: Conversational, Formal, or Concise;

- application state: not yet applied, applied, or referred/introduced;
- channel: LinkedIn, email, or other;
- optional recruiter name and discovery context.

A referred/introduced message requires the actual referrer or introducer name. Klar blocks generation without it so the model cannot invent that relationship. Edit the result and inspect deterministic checks before copying or sending it yourself.

Autosave, staleness, and interruption

Packet notes and artifact edits save on the device as you work. A content fingerprint identifies whether saved output still matches the current Resume, posting, language, engine, requirements, tone, and message context.

- **Saved result reused** means the stored artifact is current and costs no new AI tokens.
- **Stale** means a relevant input changed; regenerate before treating the artifact as current.
- **Interrupted** means a prior generation did not complete; Klar clears the in-progress marker and does not save the incomplete result as real content.

Packet version history is bounded, and export history records artifact, language, format, time, and filename.

Downloads

Available outputs are:

- tailored Resume DOCX;
- browser print/save Resume PDF;
- cover-letter DOCX; and
- one ZIP packet containing the governed Resume DOCX and cover-letter DOCX.

The ZIP is the mobile-safe combined download. Filenames use candidate, company, role, and language while avoiding internal job IDs and URL queries.

Before submitting, open the original posting and personally verify facts, names, dates, address, language, role, and file rendering. Klar never submits or sends the packet.

Current exclusions

The reachable v2.6.0.1 packet does not expose a complete interview-preparation workflow. Do not treat unexposed interview-support code as a current user capability.

Tracker Guide

Manage saved career opportunities, application status, notes, contacts, reminders, scores, and exports.

STATUS	current
VERSION	2.6.0.1
CLASSIFICATION	public
OWNER	Klar Product Support
LAST VERIFIED	2026-08-10
NEXT REVIEW	2026-11-10

Purpose

The Tracker is a browser-local record of opportunities a person deliberately saves from Career Roles. It keeps the job snapshot, ranking at save time, status history, notes, contacts, and reminders together without sending anything to an employer.

The current Flexible Work result card does not expose a save-to-Tracker action. Flexible Work saved searches and prepared-message packets remain separate current workflows.

Add an opportunity

From a career result card or job detail drawer, choose **Save** or **Save to Tracker**. A new record starts in **Interested** and retains the current job and match snapshot. Saving the same job again does not create a duplicate Tracker row.

Choose board or list view

- **Board** shows Interested, Applied, Interviewing, Offer, and Rejected columns. Drag a card to change its status.
- **List** shows role, status, saved fit, posting age, and original link in a table.

The detail drawer also supports **New** and **Archived**, which are not board columns. Use the status selector when either state is required.

Every status change is timestamped in the local history. The first change to Applied records the application date used by follow-up logic.

Add notes, contacts, and reminders

Open a Tracker row.

- **Notes** save when the field loses focus.
- **Contacts** require a name and may include an email address.

- **Reminders** require a date and may include follow-up text; they are sorted by date and can be removed.

Due reminders appear at the top of the Tracker when their date is today or earlier. Applied records also receive a follow-up nudge seven days after they were first marked Applied, ordered by the longest time since that date. Editing notes, contacts, or reminders does not reset the date; moving the record out of Applied hides the nudge.

Klar does not send a notification, email, or follow-up. The nudge is an in-app prompt to act.

Interpret posting age

Klar flags a record as **may be expired** when the posting date, or save date when no posting date exists, is at least 45 days old. Cross-origin browser restrictions prevent Klar from reliably checking every original link's live HTTP status.

The badge means “verify the original posting,” not “this job is closed.” An unknown posting date also requires manual verification.

Preserve or replace a score

A saved score retains the ranking contract and value that existed when it was stored. Klar does not silently apply a new Resume, preferences, or ranking model to historical records.

Choose **Rescore with current profile** only when you want to replace the stored match using the current derived profile, current preferences, and ranking v2. This action requires a canonical Resume and is explicit and irreversible except through a broader workspace backup.

Export

Export the current Tracker as:

- CSV;
- XLSX with an Applications sheet; or
- a printable PDF view.

Exports contain application and contact context in readable form. Store them according to their sensitivity; they are not protected by the Klar vault after download.

Remove a record

Choose **Remove from Tracker** in the detail drawer. The current interface performs the removal immediately and does not show a confirmation prompt or per-row restore action. Create a backup before deleting material records.

Removing a Tracker row does not withdraw an external application, delete the employer's data, or delete an Application Packet for the same job.

See [Application Packets](#) and [Backups and recovery](#).

Dashboard Guide

Maintain the device-local Dashboard identity, image, about text, links, and career context.

STATUS	current
VERSION	2.6.0.1
CLASSIFICATION	public
OWNER	Klar Product Support
LAST VERIFIED	2026-08-10
NEXT REVIEW	2026-11-10

Purpose

The Dashboard is Klar's device-local home for personal presentation and at-a-glance context. It is separate from the canonical Resume and does not change matching or application evidence.

In Flexible Work mode, the Dashboard navigation shows the Flexible Work launcher and saved Flexible Work searches instead. Switch to Career Roles to view the personal Dashboard when a canonical Resume exists.

Edit the Dashboard

Choose **Edit** to maintain:

- display name;
- headline;
- location;
- about text;
- labelled links; and
- an optional image.

Choose **Save** to commit the form. Removing an image from the form removes it from the Dashboard after saving.

Image handling

Klar accepts image files up to 2 MB. The browser converts the image to a data URL and stores it with the Dashboard, allowing it to survive a JSON backup. The image is not uploaded by the Dashboard workflow.

If a vault is enabled, Dashboard content is stored inside the encrypted workspace. A downloaded readable export or unencrypted standard backup created while the vault is disabled can still contain the image data in readable form.

At-a-glance context

When a canonical Resume and career preferences exist, the Dashboard may show skill count, total years of experience when derivable, target titles, and primary location. These values come from the canonical Resume and saved preferences; edit their owning source rather than the Dashboard.

Boundaries

- The Dashboard headline is not a verified Resume headline and is not inserted into production Resume exports.
- Dashboard links are opened as entered; review the URL before selecting it.
- Dashboard information is not a public profile and is not sent to employers by Klar.
- Clearing browser data can remove an unbacked-up Dashboard.

See [Resume and profile](#) and [Backups and recovery](#).

Settings and Data

Guide to Klar's local data, language, appearance, connections, Resume, AI engine, release controls, region, and deletion settings.

STATUS	current
VERSION	2.6.0.1
CLASSIFICATION	public
OWNER	Klar Product Support
LAST VERIFIED	2026-08-10
NEXT REVIEW	2026-11-10

Local-data warning

Klar's workspace belongs to the current browser profile. Switching devices or browser profiles does not move it, and clearing the original browser's site data can remove it permanently. Create and test backups regularly.

Settings contains several independent controls. Changing one does not imply that related external services were changed.

Backup, vault, and reports

Use **Backup & encryption** to download a standard or complete encrypted backup, restore a file, enable or disable the vault, lock it, or create an explicitly confirmed readable export. Read [Backups and recovery](#) before changing vault state.

Use **Submit a bug or issue** to prepare a privacy-reviewed GitHub report. Ordinary reports open public Issues; privacy or security concerns open private vulnerability reporting. Klar does not submit either type automatically.

The Desktop capability panel appears only inside the experimental Electron build, which is not publicly distributed. It exposes bounded system/runtime status, verified model-package startup, stop, and redacted diagnostics through the desktop bridge; the browser page receives no general shell or filesystem access.

Language and appearance

Select English or German and the available appearance mode. These interface preferences are stored locally and do not translate user-entered Resume or packet content.

Flexible Work and Career Roles

Settings can create or edit Flexible Work locations, work types, and availability. If no canonical Resume exists, Settings also offers **Add Resume** to enable Career Roles.

Current limitation: v2.6.0.1 does not render a complete post-onboarding editor for career target titles, job market/field, seniority, salary, city, radius, must-haves, or dealbreakers. The setup checklist may navigate to

Settings for those preferences even though the editor is absent. Preserve a backup and report the interface gap; do not use Delete all data as a routine edit path.

Adzuna credentials

Adzuna requires an App ID and App key from the same account. Enter both, then Save and optionally Test connection. A partial pair is rejected. Removing the credentials disables Adzuna-specific results and salary benchmarks but leaves other sources and workspace data available.

Credentials are stored in the current browser or encrypted credential vault. They are sent to the Klar Worker only when an Adzuna request needs them. Standard backups exclude them; complete encrypted backups may include them.

Resume management

When a canonical Resume exists, Settings supports:

- editing the structured Resume;
- previewing and fully replacing it from a supported file or pasted text;
- naming, renaming, restoring, and deleting Resume snapshots; and
- the disabled-by-default experimental Resume design lab when its release flag is enabled.

Replacing a Resume preserves tracked jobs and preferences and creates a restorable snapshot of the prior Resume. See [Resume and profile](#).

AI engine

The default engine is Groq through Klar's fixed Worker relay when the Worker is configured. Settings can define another OpenAI-compatible endpoint, main model, fast model, key requirement, and fast-matching preference; it can also request the endpoint's model list.

Only HTTP and HTTPS endpoints are accepted. The hosted HTTPS app cannot call an HTTP local model server because the browser blocks mixed content. A local HTTP Klar build may call one when its CORS configuration allows it. The experimental desktop build provides a separate managed loopback route, but public local intelligence is not a current production claim.

The rolling-minute budget notice shows estimated use and actual use only when the provider reports it. A waiting action may start when headroom returns; a permanently oversized action requires the available fallback or bounded chunking.

Release features

The Developer Preview exposes guarded feature switches for requirement extraction, tailoring review, custom engine, packet retention, deterministic matching, budget scheduling, oversized-Resume chunking, and the experimental Resume design lab.

These switches are evaluation and rollback controls. Use the safe defaults unless testing a specific behavior, and record any non-default state when reporting a defect. In v2.6.0.1, the custom-engine and packet-retention switches are presented in Settings but are not consumed by their corresponding runtime workflows; changing

either switch does not disable custom-engine configuration or packet persistence. Treat that mismatch as a known implementation gap, not as a supported control outcome.

Region

The active region controls career source selection and applies to the next search. Available regions are Germany, Austria, Switzerland, the Netherlands, Luxembourg, and Liechtenstein. Changing the region does not rewrite existing saved searches, Tracker snapshots, or packets.

Delete all local data

Delete all local data clears every Klar browser store, including settings, Resume and history, preferences, caches, matches, Tracker, Dashboard, saved searches, connector health, packets, and vault. It then clears the Groq key from Klar's session state.

This operation cannot be undone in the interface. Download and verify a backup first. It does not delete data already sent to an AI provider, employer, GitHub, downloaded file, or other external system.

For Schools and Career Services

Safe, privacy-aware guidance for using Klar in workshops, advising, teaching, demonstrations, and student job-search support.

STATUS	current
VERSION	2.6.0.1
CLASSIFICATION	public
OWNER	Klar Product Support
LAST VERIFIED	2026-08-10
NEXT REVIEW	2026-11-10

Purpose

Schools, universities, career services, libraries, and community programs can use Klar to demonstrate a structured job-search workflow or help an individual manage their own search. This page defines a safe facilitation model for Klar v2.6.0.1 without implying institutional accounts, central oversight, or permission to copy or redeploy the software.

The safest default is to demonstrate Klar with its synthetic **Explore Klar** workspace. A participant who wants to use real career data should use their own trusted device and browser profile, make their own provider choices, and control their own backups and deletion decisions.

Choose a session model

Session model	Recommended data	Device	Main boundary
Classroom demonstration	Explore Klar synthetic sample only	Presenter device	Do not replace the sample with a real person's data while projecting or recording
Guided workshop	Synthetic exercise first; real data is optional	Each participant's own device and browser profile	The participant controls entry, provider use, backups, downloads, and deletion
One-to-one advising	The job seeker's data, with informed agreement	Prefer the job seeker's own device	The adviser should not retain copies of the Resume, packets, backups, or credentials
Shared-device drop-in	Synthetic data only	Managed shared device or temporary browser profile	Do not import a real Resume, enter API credentials, or leave downloads behind

Klar is a personal workspace, not an institutional case-management system. Do not require a participant to expose their Resume, application history, disability information, immigration context, credentials, or generated documents to a facilitator or group.

Safe workshops and shared devices

Before the session

- 1 Read [Getting started](#), [Settings and data](#), and [Backups and recovery](#).
- 2 Decide whether the session is a synthetic demonstration or individual real-data use. Do not drift from a synthetic session into personal-data collection without a new, clear choice by the participant.
- 3 Prefer participant-owned devices for real data. If devices are shared, use separate operating-system accounts or browser profiles and keep the exercise synthetic.
- 4 Confirm that screen recording, classroom projection, browser autofill, download folders, clipboard history, and support procedures will not expose participant data.
- 5 Test the current browser, network, language, keyboard path, zoom level, and required export flow before the event.

During the session

- Use **Explore Klar** for projected demonstrations. Its sample career workspace is synthetic and remains temporary, although language, appearance, and region choices may remain locally.
- Do not ask participants to paste real career data, API keys, provider responses, diagnostics, or application text into a shared chat, form, learning platform, or public issue.
- Do not share one Groq, Adzuna, or custom-provider credential among participants. Each credential belongs to the person or organization that controls its account and terms.
- Avoid displaying a participant's screen to the room when it contains contact details, employment history, notes, saved jobs, or application documents.
- Keep human review central. Klar does not verify that every imported field or generated sentence is correct, and a match score is not a prediction of hiring success.

After the session

For a synthetic shared-device session, use **Delete all local data**, close the browser profile, and remove any exported files or print jobs created during the exercise. For real-data use, the participant should first create and verify a suitable backup, then decide whether the device should retain or delete the workspace.

Deleting Klar's local data does not delete files already downloaded, clipboard contents, browser or operating-system backups, data already sent to an AI provider, GitHub content, or information submitted to an employer. Those locations require their own review and deletion steps.

Where data lives

Klar's career workspace is stored in the active browser profile. Klar does not provide a server account that stores a participant's Resume, preferences, Tracker, packets, or notes. This local-first design reduces central data collection, but it also means the school and Klar cannot remotely recover or administer a lost workspace.

Data or action	Current location or destination	Facilitator guidance
Resume, preferences, saved searches, Tracker, packets, and notes	Current browser profile	Use a personal profile for real data; do not rely on a shared profile

Data or action	Current location or destination	Facilitator guidance
Vault-protected workspace	Encrypted at rest in the browser profile while locked	A vault does not protect data from someone controlling the device or page while it is unlocked
Standard backup	Downloaded JSON; readable when no vault protects the workspace	Treat it as personal career data and store it outside the browser profile
Complete encrypted backup	Downloaded encrypted file that may include credentials	Keep the password separate; Klar cannot recover it
Resume, cover-letter, packet, CSV, XLSX, PDF, or readable export	The user's download or print destination	Check shared download folders, print queues, cloud-sync folders, and removable media
Provider request	Configured AI provider, either through Klar's bounded Worker route or directly to a custom endpoint	Review provider terms and institutional policy before sending personal data
Public issue report	GitHub after the user reviews and submits it	Use synthetic reproduction details; never attach personal data or secrets

See [Data Architecture](#), [Vault](#), and [Backup](#) for the implementation boundaries.

AI and provider boundaries

Klar can demonstrate several useful workflows without an AI credential. Explore Klar, manual Resume creation, local filtering and deterministic ranking, Tracker use, backups, exports, and no-AI Resume tailoring do not require a Groq key.

AI processing occurs only for the actions that require it under the current configuration. Important examples include:

- choosing a Resume file reads it locally, but structuring the extracted text invokes the configured provider;
- requesting an AI explanation or generated application writing sends the bounded input needed for that action;
- the default Groq configuration uses Klar's restricted Worker relay when it is configured; and
- a custom OpenAI-compatible endpoint is contacted directly and can observe the information intentionally sent to it.

The original imported Resume file is not retained by Klar, but extracted text may be sent for AI structuring. Provider-side retention, account administration, contractual terms, regional processing, and deletion are controlled by the provider, not by Klar. An institution should complete its own privacy, procurement, and safeguarding review before directing participants to use an AI provider with real personal data.

When that review has not occurred, use synthetic data, manual Resume creation, and non-AI paths. Never treat a shared classroom key as an anonymity or consent mechanism.

Backup, vault, and deletion responsibilities

For individual real-data use:

- 1 Create a standard backup after setup and before destructive changes.
- 2 Understand whether the backup is readable or vault-protected before choosing its storage location.

- 3 Use a complete encrypted backup only when credentials also need to move, and keep its password separately.
- 4 Test restoration in a separate safe browser profile when practical.
- 5 Use **Delete all local data** only after verifying the backup and understanding every location where downloads or external copies may remain.

The vault protects selected browser data at rest. It is not a substitute for device access controls, screen privacy, a locked session, secure download handling, or an institutional data-protection assessment. Lost vault and encrypted-backup passphrases cannot be recovered by Klar.

Accessibility and languages

The current interface supports English and German and is designed for current desktop and mobile browsers. Changing the interface language does not translate participant-entered Resume content or existing Application Packet text. English and German packet content and review states remain independent.

Klar v2.6.0.1 does not carry a comprehensive accessibility certification, and the release evidence does not yet include complete assistive-technology coverage. Before relying on Klar in a required program, test the actual browser and devices with the participants' needs in mind, including keyboard navigation, zoom, screen-reader use, file selection, downloads, and print output. Provide an accessible alternative process when a required task cannot be completed reliably.

Manual Resume creation and pasted text can provide alternatives when PDF or DOCX extraction is unreliable. Facilitators should allow extra review time for scanned or OCR-dependent documents and should never infer ability, language proficiency, or employability from a parsing problem.

Institutional capabilities Klar does not provide

Klar v2.6.0.1 has no:

- institutional or participant account system;
- single sign-on or identity-provider integration;
- tenant, cohort, roster, role, or delegated-administrator model;
- centralized policy enforcement or remote workspace deletion;
- educator view of participant activity, Resume content, applications, or outcomes;
- central content analytics or institution-level usage dashboard;
- automatic cross-device synchronization or cloud recovery; or
- contractual support response time or managed service commitment.

An institution therefore cannot use Klar as an applicant tracking system, student record system, learning-management integration, compliance archive, attendance monitor, or adviser analytics platform. Do not design a mandatory program around those absent capabilities.

Support and security reporting

Use [Troubleshooting](#) for safe diagnosis. Settings can prepare a report and show a privacy preview, but Klar does not submit it automatically.

- Ordinary product and documentation problems may be reported through [Klar's public GitHub Issues](#) using synthetic details.
- Suspected vulnerabilities, exposed secrets, or privacy incidents should use [GitHub private vulnerability reporting](#), not a public issue.

Remove names, contact details, Resume text, application content, API keys, private paths, query parameters, institutional identifiers, and unredacted diagnostics before reporting. Do not ask a participant to provide sensitive evidence publicly.

Source-available licensing limits

Klar's source is publicly visible for inspection, but Klar is **source-available, not open source**. Public access to this knowledge base does not change the software license.

The current [official Klar LICENSE](#) permits reading the source and using the official hosted application for a person's own job search. It does not grant permission to copy, modify, translate, redistribute, independently host, or incorporate the software into another project. A school or service that wants to create its own deployment, package a modified version, redistribute Klar, or integrate its code must obtain permission from the copyright holder unless applicable law independently permits the activity.

Facilitating a participant's use of the official hosted product is different from operating an institutional Klar deployment. Review the current license and obtain appropriate legal or institutional approval before planning any use beyond the rights it grants.

Facilitator checklist

- Use synthetic data for demonstrations and shared devices.
- Let participants use their own device and make their own provider choices for real-data work.
- Explain local storage, backup responsibility, provider boundaries, and deletion limits before personal data is entered.
- Never collect or display participant credentials or application content as workshop evidence.
- Test language and accessibility needs and provide an alternative workflow.
- Do not promise institutional accounts, oversight, analytics, recovery, support levels, or deployment rights that Klar does not provide.
- Use the private security-reporting route for sensitive findings.

For product boundaries, continue with [Scope and non-goals](#) and [Product modes](#).

Backups and Recovery

Choose, create, validate, restore, and safely store Klar backups and vault-protected workspaces.

STATUS	current
VERSION	2.6.0.1
CLASSIFICATION	public
OWNER	Klar Product Support
LAST VERIFIED	2026-08-10
NEXT REVIEW	2026-11-10

Why backups are required

Klar does not keep a server copy of the workspace. A backup is the recovery and device-migration mechanism for Resume data, preferences, saved searches, Tracker records, Dashboard, packets, and other local state.

Create a backup after initial setup, before a destructive action or major Resume replacement, and on a regular schedule appropriate to your application activity. Store at least one tested copy outside the browser profile.

Choose a backup type

Type	Contains	Credentials	Protection and use
Standard backup	Workspace data; encrypted vault content remains ciphertext when a vault exists	Never	Routine recovery; readable workspace JSON when the vault is disabled
Complete encrypted backup	Workspace plus Groq and Adzuna credentials	Encrypted only	Device migration when connections must move too
Readable export	Sensitive career workspace as readable JSON	Never	Exceptional inspection or portability; requires explicit confirmation and an unlocked vault

All current backup envelopes include Klar version, backup schema 6, export time, mode, and a SHA-256 integrity digest.

Create a standard backup

- 1 Open **Settings** → **Backup & encryption**.
- 2 Choose **Download standard backup**.
- 3 Store the JSON file safely.
- 4 Periodically inspect it through the onboarding restore preview in a disposable browser profile or fresh Klar instance. Confirm the expected date, version, and categories; when practical, complete a test restore only in that disposable environment and verify the expected workspace.

When the vault is disabled, sensitive career content in a standard backup is readable JSON. When the vault is enabled, the workspace remains encrypted ciphertext but the credential envelope is removed. In both cases API credentials are excluded.

Create a complete encrypted backup

If the vault is disabled:

- 1 Enter a backup password of at least 12 characters.
- 2 Choose **Download complete encrypted backup**.
- 3 Store the file and password separately.

Klar encrypts workspace content and credentials before creating the file.

If the vault is already enabled, the complete backup preserves the existing encrypted content and credential envelopes. The vault passphrase is required for restore; Settings does not request a separate backup password in this state.

Klar cannot recover either password.

Create a readable export

Readable export is available only while the vault is unlocked. Type the exact confirmation `EXPORT DECRYPTED DATA`, then download the JSON file.

The export excludes credentials but exposes career data, notes, contacts, and other workspace content in readable form. It is not protected by the vault after download. Use it only for a defined purpose and delete copies according to that purpose.

Inspect and restore

Full restore replaces the active workspace after validation. Create a separate current backup first whenever the existing workspace is accessible.

During onboarding

- 1 Select a Klar JSON backup.
- 2 Review its export time, Klar version, content categories, and password requirement.
- 3 Enter the backup or vault password when required.
- 4 Choose **Restore full workspace**.

The onboarding flow provides this non-destructive preview before the restore action.

From Settings

- 1 Enter the backup or vault password first when the file is encrypted.
- 2 Choose **Import backup** and select the Klar JSON file.

Selecting a valid file from Settings immediately begins the validated full restore and then reloads Klar. There is no separate metadata preview or final confirmation after file selection, so do not choose **Import backup** merely

to inspect a file.

Before changing active data, Klar validates:

- JSON and Klar backup format;
- supported schema or a supported legacy migration path;
- version and export timestamp;
- allowed backup mode;
- workspace structure and primary keys;
- absence of readable credentials;
- Flexible Work preference bounds;
- SHA-256 integrity;
- encrypted content and credentials with the supplied password.

Only after successful validation does one database transaction replace the active stores. If validation, authentication, or the transaction fails, the previous workspace remains unchanged. After an encrypted restore, Klar attempts to unlock with the same password; if that final unlock fails, the restored data remains encrypted and can be unlocked after reload.

After restore

- 1 Reload Klar if it does not reload automatically.
- 2 Unlock the vault when present.
- 3 Confirm the canonical Resume, preferences, Tracker, packets, and saved searches.
- 4 Test Adzuna and the AI engine separately. A standard backup intentionally leaves credentials absent.
- 5 Create a fresh backup after confirming any migration.

Vault operation

Enabling the vault requires matching passphrases of at least 12 characters and acknowledgement that Klar cannot recover it. Klar authenticates the newly encrypted content before clearing plaintext stores.

While unlocked, decrypted content exists in memory for the session. **Lock now** clears the in-memory content and session-only key. Disabling encryption moves the unlocked content and remembered credentials back to plaintext browser stores, then removes the vault.

The vault protects IndexedDB content at rest from casual inspection. It does not protect against an attacker controlling the device or page while the vault is unlocked.

Recovery limits

- A forgotten vault or complete-backup password is unrecoverable.
- A corrupted or edited backup that fails integrity cannot be imported.
- Unsupported future schemas cannot be guessed or partially imported.
- A backup does not revoke data already submitted to an employer or provider.

- Downloaded Resume, packet, CSV, XLSX, PDF, and readable JSON files have their own storage risk.

Use [Troubleshooting](#) for restore errors.

Troubleshooting

Safe diagnosis and recovery for setup, search, sources, AI, packets, exports, vault, backups, and browser-local data.

STATUS	current
VERSION	2.6.0.1
CLASSIFICATION	public
OWNER	Klar Product Support
LAST VERIFIED	2026-08-10
NEXT REVIEW	2026-11-10

Start with the safety rule

Do not clear browser data, delete the workspace, disable the vault, replace the Resume, or retry an import with an untrusted file as a first diagnostic step. Create a backup whenever the current workspace is accessible.

Never paste a real Resume, application document, API key, password, token, private path, or employer-private text into a public report.

Setup does not continue

If Klar finds partial setup, choose **Continue setup**. If the expected draft cannot be loaded, Klar returns to Resume creation. **Start over** preserves a meaningful structured draft as recoverable history when one exists, but a raw imported file is never retained.

If the app remains blank, use a current browser, confirm JavaScript and site storage are available, reload once, and check whether the vault prompt is behind another window or tab. Do not clear site data before securing a backup.

Resume file cannot be read or structured

- Confirm the file is PDF, DOCX, TXT, or Markdown and is not damaged or password-protected.
- Try copying its text into the paste field.
- Add more content if Klar says the text is too short.
- Confirm an AI key is available for structuring; manual creation remains available without one.
- Review OCR-dependent PDFs carefully because text extraction may omit or reorder content.

A read or structuring failure does not replace the current canonical Resume.

Vault does not unlock

Check the exact passphrase, keyboard layout, capitalization, and accidental whitespace. A failed unlock leaves ciphertext unchanged. Klar has no passphrase reset or recovery key.

If a separate tested encrypted backup exists, restore it only when you know its password and understand that full restore replaces the current workspace after validation.

Backup restore fails

Message type	Likely cause	Safe response
Not a valid Klar backup	Wrong file or invalid JSON	Select the original Klar JSON file
Unsupported schema	Backup from an unsupported future format	Use a compatible Klar release; do not edit the file
Integrity failed	File was damaged or modified	Restore an unmodified copy
Password could not open backup	Wrong password or damaged ciphertext	Check the password; current workspace remains unchanged
Restore transaction failed	Browser storage or data error	Preserve the file, verify storage availability, and retry once

After a successful standard restore, re-enter and test credentials because they are intentionally excluded.

Career search has no results

Open **Search diagnostics** and follow the displayed cause:

- all sources failed: check network, Worker configuration, and credentials;
- company hide list removed all: remove or narrow a term;
- employment or age filter removed all: broaden that filter;
- distance removed all: increase radius or use another city;
- role/market relevance removed all: review the title and job market/field;
- German or visa filters hid all: inspect the hidden section or relax one filter;
- no raw postings: broaden title or location;
- matching unfinished: retry.

A strict zero result can be correct. Klar does not fill the page with unrelated jobs.

Distance behaves unexpectedly

Only configured cities have built-in coordinates. When the origin cannot be resolved, diagnostics state that the distance filter was not enforced. When a radius is enforceable, unlocatable ATS results are not silently treated as nearby. Worldwide remote jobs bypass distance only when Remote only was requested.

One or more career sources fail

Expand source details. Other sources remain usable because failures are isolated.

- Adzuna requires both values from the same account and a working Klar Worker route.
- BA list search depends on an undocumented public-web v6 contract and may change without compatibility notice.
- ATS status may report candidate employer routes as skipped.
- Use **Report source** to open the prefilled source-report context in Settings.

Retry after checking the source URL and connectivity; repeated retries do not repair an upstream contract change.

Flexible Work is partial, limited, or shows samples

- Partial means some sources did not finish; inspect source status and retry later.
- Limited means available sources returned no matching jobs; add cities, employment types, or workplaces.
- Sample-results notice means the build has no live source service configured.
- Stop checking preserves already published results.

An inferred tag is Klar's classification, not employer-published confirmation. Verify the official route.

AI action does not start or finish

- Confirm the endpoint, model ID, key requirement, and available model list in Settings.
- The hosted HTTPS app cannot call an HTTP local endpoint because of mixed-content blocking.
- A temporary rolling-minute shortage is scheduled; wait for the displayed headroom.
- A permanently oversized Resume uses no-AI tailoring or bounded role chunking when enabled.
- An empty or malformed provider response is treated as a recoverable error and is not saved as real content.

Local search, Tracker, backup, and no-AI Resume tailoring remain available without AI.

Packet export is disabled

Check the gate for the output you need:

- **Resume DOCX or print PDF:** generate an AI or no-AI tailored Resume first. Current readiness requires a tailored baseline and no accepted blocked change. It does not require **Mark reviewed** or prove that confirmation-required changes were individually checked.
- **Cover-letter DOCX:** use current cover-letter provenance and resolve every error-severity document check, including required document details.
- **ZIP packet:** satisfy both the Resume and cover-letter gates. The ZIP contains the governed Resume and cover letter, not the recruiter message.
- **Historical cover letter:** remove duplicated wrapper elements and explicitly confirm the reviewed body, or regenerate it under the current contract.

A named referrer is required only to draft a referred/introduced recruiter message; it does not gate document downloads. A stale notice is advisory and does not itself disable existing downloads, although the artifacts should be regenerated before they are treated as current.

For PDF, use the browser print dialog and inspect the preview. A download error leaves the saved packet unchanged.

Saved data appears missing

Confirm you opened the same browser, browser profile, site origin, and vault. Private/incognito profiles and another device have separate storage. If site data was cleared, restore a backup; Klar has no server copy.

Installed app appears out of date

Reload when Klar offers a new-version notice. If an installed PWA remains stale, close all Klar windows and reopen it while online. Do not clear storage as a cache workaround unless a verified backup exists.

Report the problem

In Settings, choose the category, provide a concise synthetic description and reproduction steps, optionally include reduced diagnostics, and inspect the exact privacy preview. Privacy/security concerns go to private GitHub vulnerability reporting; other categories open a public issue composer. Klar never submits automatically.

The automatic redactor catches known secret, email, path, URL-query, and embedded-data patterns, but it cannot identify every personal sentence. You remain responsible for the final review.