






Visibility Chart
LIBERATORS Roll On Roll Off
 FULL VISIBILITY NO VISIBILITY
 IMPAIRED VISIBILITY CAMERA VISIBILITY





Visibility Chart
MAVERICK Man Lift
 FULL VISIBILITY NO VISIBILITY
 IMPAIRED VISIBILITY CAMERA VISIBILITY



Visibility Chart
MAVERICK Trooper
 FULL VISIBILITY NO VISIBILITY
 IMPAIRED VISIBILITY CAMERA VISIBILITY




VISIBILITY AT GROUND LEVEL




DEPARTMENT	SIGNATURE	DATE	JOB CARD NO.	BIRD MACHINES quality service innovation	A3
MATERIAL ISSUED:					
FABRICATION:					
PAINTING:					
RECIPIENT:					
ASSEMBLY:					
MASS (kg):			DATE RELEASED FOR PRODUCTION	NCHWANING SIDE TIPPER VISIBILITY STUDY	
<small>THE DRAWING IS THE EXCLUSIVE PROPERTY OF BIRD MACHINES (PTY) LTD AND SHALL BE TREATED AS STRICTLY CONFIDENTIAL. THE DRAWING OR ANY COPY OF IT SHALL NOT BE SHOWN OR LOANED TO ANY THIRD PARTY WITHOUT WRITTEN PERMISSION.</small>					

SECO UV 80
'SCALE 1:200




THE RED HATCH AREA IS THE AREA WHERE THE DRIVER CANNOT SEE THE GROUND

THE REAR VIEW



DEPARTMENT	SIGNATURE	DATE	JOB CARD NO.	BIRD MACHINES quality service innovation	A3
MATERIAL ISSUED:					
FABRICATION:					
PAINTING:					
RECIPIENT:					
ASSEMBLY:					
			MASS (kg):	DATE RELEASED FOR PRODUCTION	
			NCHWANING SIDE TIPPER VISIBILITY STUDY		

VISIBILITY AT GROUND LEVEL




DIRECT VISIBLE AREA

MIRRORED VISIBLE AREA

BLIND SPOT AT REAR
CAN BE COVERED BY
OPTIONAL REAR-VIEW CAMERA

NOTE:
AT 1.5m LEVEL (HEIGHT OF SHORT HUMAN)
VISIBILITY IS UNOBSTRUCTED RIGHT UP TO
VEHICLE'S EDGE

DEPARTMENT	SIGNATURE	DATE	JOB CARD NO.	BIRD MACHINES quality service innovation	A3
MATERIAL ISSUED:					
FABRICATION:					
PAINTING:					
RECIPIENT:					
ASSEMBLY:					
			MASS (kg):	DATE RELEASED FOR PRODUCTION	
			Visibility Study 2300 Lowbed		
			XX		



DEPARTMENT	SIGNATURE	DATE	JOB CARD NO.	BIRD MACHINES quality service innovation	A3
MATERIAL ISSUED:					
FABRICATION:					
PAINTING:					
RECIPIENT:					
ASSEMBLY:					
			MASS (kg):	DATE RELEASED FOR PRODUCTION	
			Lowbed Turning		
			P-440		