

Physics-Informed Neural Networks for Photoelectric-Compton Decomposition in Dual-Energy CT Tissue Classification

Karl Schmidt

karl.schmidt@colorado.edu
University of Colorado Boulder
Boulder, CO, USA

ABSTRACT

This project is for CT scanning.

Keywords: Physics-Informed, Dual-Energy CT, Classification, Machine Learning

1 INTRODUCTION

Spectral Computed Tomography (CT) extends traditional CT by making use of the energy-dependence of X-ray attenuation. The conventional CT process produces a single "grayscale" attenuation map which can result in indistinguishable results when comparing similar bulk density materials. Spectral CT records two separate x-ray photon energy spectra which allows for recording different attenuation properties at different energies. Typically x-ray photons interact with materials through the photoelectric effect, which typically occur at low photon energies, and Compton scattering, which typically occur at higher photon energies. The dataset provided by the American Association of Physicists in Medicine (AAPM) contains the "low-kVp" and "high-kVp" dual energy CT measurements collected at two different tube voltages. The low-kVp transmission with the x-ray tube operating at 50 kVp and the high-kVp transmission operating at 80 kVp.

Extracting reliable photoelectric and Compton maps from noisy or limited-view data is challenging. Classic algebraic or statistical decomposition methods require careful regularization and often struggle with low photon counts or beam-hardening artifacts. Deep learning approaches, by contrast, can learn complex nonlinear mappings but may overfit to the training distribution and produce physically inconsistent outputs (e.g., negative attenuation, or tissue maps that fail to reproduce the measured projection data).

This work proposes a physics-informed neural network (PINN) framework for multi-energy CT tissue classification by first converting paired low- and high-kVp sinograms into per-pixel attenuation coefficients via the Beer-Lambert law, then applying a closed-form basis decomposition to recover photoelectric and Compton component images. The core model is a lightweight multilayer perceptron that directly classifies each pixel into adipose, fibroglandular, or calcification classes. The training loss is augmented with the standard cross-entropy loss with a physics consistency term that enforces agreement between the network's class-probability-weighted reconstruction and the measured attenuation data. This hybrid loss encourages the network to respect fundamental attenuation physics while retaining the flexibility of data-driven learning.

This approach is applied on the publicly available AAPM DL-Spectral CT Challenge dataset, performing comprehensive EDA, sinogram-domain preprocessing, and network training entirely in PyTorch, with future work that could integrate ASTRA-based

differentiable forward projections. Results show improved material separation and robustness compared to purely data-driven classifiers, highlighting the potential of PINNs for reliable, quantitative spectral CT tissue mapping.

2 RELATED WORK

3 PROPOSED WORK

3.1 Problem Statement

Accurate discrimination of soft-tissue types in X-ray computed tomography (CT) remains a fundamental challenge in medical imaging. Conventional single-energy CT produces grayscale images in which different materials with similar attenuation coefficients (e.g. muscle vs. iodine-enhanced blood or bone) can appear indistinguishable, leading to diagnostic ambiguity. Dual-energy and photon-counting CT systems acquire multiple energy-resolved measurements, but extracting robust tissue-specific maps from these spectral data is nontrivial: standard material-decomposition methods are sensitive to noise, beam-hardening, and detector imperfections, and purely data-driven deep-learning approaches often fail to generalize beyond their training domain.

This project proposes to address these limitations by developing a *physics-informed neural network* (PINN) that directly incorporates the known Beer-Lambert attenuation law, $I = I_0 e^{-\mu x}$, and the two dominant interaction mechanisms—photoelectric absorption and Compton scattering—into its architecture and training loss. By decomposing each pixel's dual-energy attenuation pair $[\mu_{\text{low}}, \mu_{\text{high}}]$ into physically meaningful photoelectric and Compton components and enforcing consistency with both the measured attenuation maps and sinogram data, this approach aims to (1) improve classification accuracy of key tissue types (adipose, fibroglandular, calcification) and (2) enhance robustness to noise and out-of-distribution scenarios. This integration of first-principles physics with modern deep learning may achieve more reliable, interpretable, and generalizable spectral CT tissue characterization.

3.2 Data Preparation

The dataset from AAPM [1] contains data in compressed numpy array format. Both 'lowkVpTransmission' and 'highkVpTransmission' datasets contain the two energy beams, 50 kVp and 80 kVp, respectively. The transmission data contains the normalized spectrum of the number of photons detected after passing through tissue. Ground truth tissue maps are also provided for the simulated Adipose, Fibroglandular, and Calcification tissues.

To prepare the dataset, an *MLPTestTraindataset* class is used to:

- load the raw data,
- compute the attenuation coefficients,

- vectorize the attenuation coefficients,
- create labels from adipose, fibroglandular, and calcification ground truth data,
- flatten to (num_pixels,)
- apply scaling to the attenuation coefficients
- compute the prototypes
- split the data into train (80%) and test (80%) sets.

The intent of this project is to calculate the attenuation using the from the transmission data and stack the results into 2-component feature vectors $[\mu_{\text{low}}, \mu_{\text{high}}]$. translate the data into a vectorized low and high energy spectrum sets

3.3 Methodology

4 EVALUATION

5 DISCUSSION

6 CONCLUSION

REFERENCES

- [1] Emil Y. Sidky, Xiaochuan Pan, and Working Group on Grand Challenges. 2024. Data repository for the 2022 AAPM Deep-Learning Spectral CT Grand Challenge. <https://github.com/aapm/spectral-ct-challenge>. Hosted by the AAPM HQ Community Collection.