Deep Reinforcement Learning for Adaptive Cyber Defense in Network Security

Atheer Alaa Hammad
Ministry of Education, Anbar Education Directorate, Al Anbar, Iraq
Atheer2020atheer@gmail.com

Saadaldeen Rashid Ahmed*
Computer Science Department, Bayan University, Erbil, Kurdistan, Iraq, saadaldeen.aljanabi@bnu.edu.iq.Artificial Intelligence Engineering Department, College of Engineering, Al-Ayen University, Thi-Qar, Iraq
saadaldeen.ahmed@alayen.edu.iq.

Mohammad K. Abdul-Hussein
Department of Medical Instrumentation Techniques Engineering / Al-Ma'moon University College /Al-Washash, Baghdad, Iraq
mohammad.k.abdul-Hussein@almamonuc.edu.iq

Mohammed R. Ahmed
Computer Engineering Techniques, Al Hikma University College, Baghdad, Iraq
mohammed.rafid@hiuc.edu.iq

Duaa A. Majeed
Aeronautical Engineering Department, Baghdad University, Baghdad, Iraq
duaa.a@coeng.uobaghdad.edu.iq.

Sameer Algburi
Al-Kitab University, Kirkuk 36015, Iraq
sameer.algburi@uoalkitab.edu.iq.

ABSTRACT

In the labyrinthine world of cybersecurity, the ever-evolving specter of cyber-attacks offers an inevitable challenge to the fortifications of protection measures. Past investigations have underlined the exigency for adaptive and aggressive strategies in the arena of cyber defense, with a conspicuous lacuna in leveraging advanced machine learning paradigms for real-time threat discernment and neutralization. In response to this gap, our investigation strives to probe the depths of deep reinforcement learning (DRL) efficacy in the domain of adaptive cyber protection. Imbibing the essence of cutting-edge DRL techniques such as Deep Q-Networks (DQN), Proximal Policy Optimization (PPO), and Twin Delayed Deep Deterministic Policy Gradient (TD3), we fashioned a revolutionary schema tailored towards parsing and fighting cyber threats in real-time. Our expedition traversed the terra incognita of a comprehensive dataset, teeming with varied cyber threat scenarios covering the gamut from malware invasions to phishing machinations, intrusion intrusions, and adversarial assaults, to incubate and examine the performance of our DRL models. Through a crucible of extensive experimentation, we unfurl promising ensigns, with our algorithms evincing a lofty accuracy and effectiveness quotient in the classification and abatement of cyber threats. This research purports to accelerate the vanguard of cyber defense by exposing the latent potential of DRL in sculpting adaptive and robust bulwarks against the unrelenting tide of developing cyber threats.

CCS CONCEPTS •Computing methodologies~ Artificial intelligence~Machine learning

Permission to make digital or hard copies of all or part of this work for personal or classroom use is granted without fee provided that copies are not made or distributed for profit or commercial advantage and that copies bear this notice and the full citation on the first page. Copyrights for components of this work owned by others than the author(s) must be honored. Abstracting with credit is permitted. To copy otherwise, or republish, to post on servers or to redistribute to lists, requires prior specific permission and/or a fee. Request permissions from permissions@acm.org.
AICCONF '24, May 25, 26, 2024, İstanbul, Turkiye
© 2024 Copyright held by the owner/author(s). Publication rights licensed to ACM.
ACM ISBN 979-8-4007-1692-8/24/05
https://doi.org/10.1145/3660853.3660930

KEYWORDS

cybersecurity, attacks, deep reinforcement learning, Deep Q-Networks (DQN), Proximal Policy Optimization (PPO)

ACM Reference Format:
Atheer Alaa Hammad, Saadaldeen Rashid Ahmed*, Mohammad K. Abdul-Hussein, Mohammed R. Ahmed, Duaa A. Majeed, and Sameer Algburi. 2024. Deep Reinforcement Learning for Adaptive Cyber Defense in Network Security. In *Cognitive Models and Artificial Intelligence Conference (AICCONF '24), May 25, 26, 2024, İstanbul, Turkiye*. ACM, New York, NY, USA, 6 pages. https://doi.org/10.1145/3660853.3660930

In the era of digitalization, the critical importance of network security in protecting vital data and infrastructure against the alarming onslaught of cyber-attacks cannot be understated [1, 2]. While networked systems are evolving quickly and cyber threats likewise advance in complexity, the validity of single-layer security often loses its power in extremely complicated scenarios. Hence, there is a requirement for creative procedures that are excellent enough to continually change in a suitable manner in these shifting hostile situations [3, 4].

Budding is the period of deep reinforcement learning (DRL), an advanced prospect in the cybersecurity business [5]. The Digitization Revolution generates the union of reinforcement learning and deep neural networks, which is an addition to machine learning and allows rapid and precise assessment in difficult settings. Besides, DRL algorithms may help computer systems learn from prior episodes, analyze the information under changing threats, and then update the defensive systems [6].

Most of our research is focused on investigating the efficacy of DRL about cyber-adaptive protection, with special importance given to network security [7]. This research deals with the implementation of DRL algorithms, among them deep Q-networks (DQN) and deep deterministic policy gradients (DDPG) [8], to examine their durability in dealing with cyber risks and in enhancing network infrastructure (IX) security [9]. Further, this quest aims to find the downsides and consequences of implementing DRL control systems to provide security in actual situations [10].

Through our intellectual acts, we want to be the winners in the community of cyber defense measures, utilizing DL algorithms to exploit their power. Through the apps DRL, organizations become armed with the instrument that allows them to catch, kill, and neutralize cyber-attacks as soon as they are identified, hence boosting the general capacity of network security infrastructures to contain the assault [11–13].

1 LITERATURE REVIEW

In the age of the digital revolution, the conglomerated systems of interlinks of diverse cyber networks are driving ever-increasing cyber threats, thereby highlighting the significance of network security [14, 15]. Traditional security frameworks suggest innovative defensive methods because of the advancement of dangers that never come to an end [16]. Thus, in this setting, machine learning (ML) technologies would be considered helpful friends who might attain skills ranging from threat identification and intrusion detection to prevention [17].

The further we delve into ML, the deeper reinforcement learning (DRL) develops. This newly found hope opens the stage in front of us where 'DRL' performs its part in cyber defense [18]. Pouring deep learning and reinforcement learning together in one vessel, DRL enfolds in learners a gift of self-determination in a bubble of chaos and complexity in dynamic situations [19, 20]. Only days ago, several cyberspaces were filled by the sign of DRL, as the remote-controlled drone, the shepherd of malignant spots, had entered domains of threat identification and intrusion detection, as well as many others [21, 22].

The fabric of DRL is laced with threads of resilience, as it imbibes the elixir of experiential learning and adapts to the capricious winds of change, rendering it a staunch sentinel in the theater of dynamic cyber defense [23]. With a keen eye for emergent threats, DRL-based sentinels stand vigilant, poised to intercept, and repel invasions in the ephemeral world of real-time [24]. Furthermore, entrenched inside the embrace of DRL lies the daring to traverse uncharted territory, exploiting chinks in the armor of opponents through a proactive dance of exploration and exploitation [25].

Yet, the route of DRL-based cyber security is strewn with thorns and brambles, tormented with problems and restrictions that loom ominously on the horizon [26]. Foremost among these is the insatiable demand for large and diverse datasets to nourish the fledgling minds of DRL models [27]. The quest for labeled data in the cybernetic world appears to be a Sisyphean undertaking, beset with scarcity and scarcity [28]. Moreover, the computational demands and resource voracity of DRL models cast a cloud of doubt on their scalability and sustainability in particular regions [29].

Notwithstanding the trials that plague its journey, recent chronicles herald promising achievements in applying DRL to the crucible of cyber defense [30]. As the annals of time unfurl, breakthroughs in DRL algorithms, coupled with the inevitable march of progress in computing resources and data abundance, beckon forth an epoch of inquiry and modification in the annals of DRL-based cyber defense systems [31–40]. The future holds enormous promise for increasing cybersecurity measures through continuously developing and implementing DRL algorithms.

2 METHODOLOGY

In our desire to study the viability of incorporating DRL approaches into adaptive cyber protection, we embarked on a journey outlined by our research objectives. Our major purpose was to test the applicability of DRL approaches to autonomously identifying and mitigating cyber threats in real time, thereby bolstering the foundations of network security.

We referred to our method as "Deep Reinforcement Learning for Dynamic Cyber Defense." It exploits the capabilities of powerful off-the-shelf DRL algorithms and dynamically adjusts to handle rapidly emerging cyber risks. Using a complete mix of huge dataset analysis and speedy deployment of new technologies, our strategy delivers prophylactic measures that can resist the efforts of opponents that are successful because they are clever. New technological immersion into a comprehensive package comprising analytics, pre-processing, and DRL-based machine learning makes this method seem like a smart, adaptable solution suited for cybersecurity tasking in dynamic network settings.

2.1 Proposed Framework

At the core of our approach lies a unique architecture, as illustrated in Figure 1, covering three crucial components: data ingestion, DRL-based decision-making, and response execution.

Data Ingestion: This cyber threat intelligence aspect collects information from multiple data reservoirs, including intrusion detection systems, network logs, and threat intelligence feeds, and is based on the reporting, warning, and analytical data these sources of information may provide. Using the multiplexing technique to incorporate scrubbing and fusing in this step offers a basis for the precise development of AI systems.

DRL-Based Decision-Making: The center of our strategy is on the DRL-boosted decision-making core, where adequate DRL environments in the form of Deep Q-Networks (DLQ), Proximal Policy Efficiency (PPO), or Twin Delayed Deep Deterministic Policy Gradient (TD3) are used to run tests on the preprocessed data to reveal the promising defense strategies. By getting in the way of the nature of DRL models, they read in detail on particular net traffic, including the system log's degree of intricacy, and then carry out actions like the installation of preventative measures and the modification of security policies automatically, the imminent threats will be neutralized to zero.

Response Execution: Having made the calls, the baton, symbolically suggestive of decision-making, transfers to the response execution nexus, whereby the book tactics are faithfully performed. It could consist of vaccinations (the installation of security patches), quarantine (blocking the adversary IP addresses or isolating compromised machines), and the provision of medical care (the treatment of compromised systems, etc.). Feedback emerging from notes of the user's responses passes throughout the system, impacting the choices made in later efforts via the omniscient DRL algorithm.

2.2 Dataset description

The set of "Awesome Cybersecurity Data [41]" leads us down to collecting data that generates vital knowledge for everybody. Embarking on a limitless diversity of covering nuances and appearances of network activities, looking for a kernel of malware, analyzing



Figure 1: Proposed Framework

intricate web applications, delving into software voicelessness, the intricacy of URLs and domains, examining peculiar host systematicity, issues of dealing with emails, tomorrow's threats prediction, reporting and studying malware binaries, looking through phishing puzzles, and password obscurity.

2.3 Experimental Design

Our experimental journey begins with the rigorous training and evaluation of DRL models within simulated cyber protection surroundings. Splitting our dataset into realms of training, validation, and testing (70:By the conclusion of an initial stage that (15:15) allowed us to update model architecture, fine-tune parameters, and carry out evaluation tests, respectively), we were able to collect data in the fields of model refining, hyperparameter optimization, and performance examination, respectively. Initial techniques were based on fundamental approaches like reasoning systems and traditional forms of machine learning, which served as reference points for the debate.

2.4 Training and Evaluation

When looking after the training process, the author can witness the ongoing advances, for instance, in deep reinforcement learning models, which are developed utilizing trustworthy reinforcement learning frameworks such as TensorFlow. While dancing to the tune of numerous measures and rules, these models managed to thrive by applying diverse incentive and punishment systems weaved into their operations. Reward functions, which were deemed the compass and expressed criteria related to the success of precise threat identification and quick reaction orchestration, were taken as the tourist leading the evaluation measures, covering accuracy, precision, recall, and even the famous F1-score, to name a few.

3 RESULT AND DISCUSSION

Our inquiry entered the effectiveness crucible of deep reinforcement learning (DRL) in the sphere of adaptable cyber defense, ensconcing a framework bedecked with three fundamental elements: data acquisition, environment simulation, and decision-making. The problem is that, as technology advances, more space necessitates greater space complexity, as the ISS has limited room and weight. Having completed our excursion, we are now ready to unwrap the discoveries in the final phase.

On the other side of the token, we gathered the most known safety databases from diverse points of data acquisition performed across the Unifying Host, the Network Dataset, and the Comprehensive Cyber-Security Events repository, to name a few, scattered around the awesome-Cybersecurity-Datasets repository. The diversity of the information across all elements—from raw data to strategic plan creation—provided a priceless fabric for our DRL progeny embryo improvement and supervision.

The powerhouses of the decision-tempest we were that started with the acumen of DQN algorithms were us. Proximal Policy Optimization (PPO), and Twin Delayed Deep Deterministic Policy Gradient (TD3). These algorithms, molded from the crucible of cutting-edge research, explored the recesses of preprocessed data to unveil ideal strategies for cyber security.

Guided by the lodestar of performance scrutiny, our DRL models undergo a furnace of training and evaluation. Our algorithms, honed through iterative refinement, attained a zenith accuracy quotient of 92% on the test dataset. Table 1, a real tabernacle of revelation, delineates a classification report commemorating the performance metrics of our DRL children in identifying the variegated hues of cyber dangers.

Diving deeper into the furnace of performance, we created a confusion matrix to demonstrate the acumen of our models in identifying the different phantoms of cyber threats. Figure 2, an enigmatic tapestry of hues and outlines, presents a vivid portrayal of our model's wisdom in the field of danger classification.

Embarking upon the labyrinthine voyage of model evolution, we recorded the trajectory of our model's accuracy throughout epochs using the medium of a performance graph. Figure 3, an opulent tapestry of shifting trends, elucidates the narrative arc of our model's history over epochs.

Upon forming judgments, the mantle of execution fell upon the response execution module. Armed with the imprimatur of our

Table 1: Classification report showing the performance metrics of our DRL models in identifying different types of cyber threats

Metric	Precision	Recall	F1-Score	Support
Malware	0.95	0.93	0.94	1000
Phishing	0.89	0.91	0.90	800
Intrusion	0.92	0.94	0.93	1200
Adversarial	0.87	0.88	0.87	700
Normal	0.98	0.97	0.97	1500
Overall	**0.92**	**0.92**	**0.92**	**5200**



Figure 2: Confusion matrix to visualize the model's performance



Figure 3: The model's accuracy over epochs

DRL models, we staged a symphony of security patch deployment, malicious IP address blocking, and compromised system separation. Figure 4, a tableau vivant of action and reaction, illustrates the dance of response execution in action.

Our findings stand as a testament to the potential of DRL in the sphere of adaptive cyber security. The competitive performance of our DRL progeny, as borne out by the lofty precision, recall, and F1-score metrics recounted in the classification report, accords harmoniously with antecedent investigations that have exalted the usefulness of DRL in the cybernetic crucible. The repercussions of our findings presage the incorporation of DRL-driven decision-making into the citadels of cyber defense, auguring an era of greater adaptability and responsiveness in security measures, thereby bolstering network security in the crucible of emerging threats.

4 CONCLUSION

Our adventure into the crucible of cyber protection witnessed the unfurling of Deep Reinforcement Learning (DRL) efficacy, encased within a comprehensive framework. Leveraging a panoply of DRL techniques, we trained models to parse and mitigate cyber-attacks in real-time, generating encouraging results. This research lays the way for the evolution of cyber defense mechanisms, exposing the latent potential of DRL in creating adaptive and resilient defensive systems against the unrelenting tide of changing cyber threats.

In Future work, Forthcoming in our trip lays a tapestry of exploration, as we want to delve deeper into the labyrinthine annals of advanced DRL algorithms and methodologies, nourishing the seeds of adaptation and efficiency in cyber security systems. Additionally, we set our compass upon researching real-time data streaming capabilities, exploring the depths of reinforcement learning in the cauldron of dynamic threat environments. Moreover, the synergy of DRL with other machine learning paradigms and the absorption of future technologies, such as blockchain, for bolstering security measures stand as paths ripe for research.

ACKNOWLEDGMENTS

The authors would like to acknowledge the support of Al Hikma University College, Baghdad, Iraq for their valuable support.

REFERENCES

[1] Eriksson, J., & Giacomello, G. (Eds.). (2007). International relations and security in the digital age (Vol. 52). London: Routledge.
[2] Umar, A. (2003). Information Security and Auditing in the Digital Age: A Practical Managerial Perspective. nge solutions, inc.
[3] Cavelty, M. D., & Mauer, V. (2016). Power and security in the information age: Investigating the role of the state in cyberspace. Routledge.
[4] S. R. Ahmed, E. Sonuc, M. R. Ahmed, and A. D. Duru, "Analysis Survey on Deepfake detection and Recognition with Convolutional Neural Networks," 2022 International Congress on Human-Computer Interaction, Optimization and Robotic Applications (HORA), Jun. 2022.

Figure 4: Execution of Response Actions

[5] B. T. Yaseen, S. Kurnaz, and S. R. Ahmed, "Detecting and Classifying Drug Interaction using Data mining Techniques," 2022 International Symposium on Multidisciplinary Studies and Innovative Technologies (ISMSIT), Oct. 2022.

[6] S. R. Ahmed, A. K. Ahmed, and S. J. Jwmaa, "Analyzing The Employee Turnover by Using Decision Tree Algorithm," 2023 5th International Congress on Human-Computer Interaction, Optimization and Robotic Applications (HORA), Jun. 2023.

[7] DeVries, Will Thomas. "Protecting privacy in the digital age." Berkeley technology law journal 18, no. 1 (2003): 283-311.

[8] Nguyen, T. T., & Reddi, V. J. (2021). Deep reinforcement learning for cyber security. IEEE Transactions on Neural Networks and Learning Systems, 34(8), 3779-3795.

[9] Sewak, M., Sahay, S. K., & Rathore, H. (2023). Deep reinforcement learning in the advanced cybersecurity threat detection and protection. Information Systems Frontiers, 25(2), 589-611.

[10] Zhao, J., Hu, F., & Hei, X. (2023). Defensive Schemes for Cyber Security of Deep Reinforcement Learning. In AI, Machine Learning and Deep Learning (pp. 139-149). CRC Press.

[11] Adawadkar, A. M. K., & Kulkarni, N. (2022). Cyber-security and reinforcement learning—A brief survey. Engineering Applications of Artificial Intelligence, 114, 105116.

[12] Haydari, A., Zhang, M., & Chuah, C. N. (2021). Adversarial attacks and defense in deep reinforcement learning (DRL)-based traffic signal controllers. IEEE Open Journal of Intelligent Transportation Systems, 2, 402-416.

[13] Chen, W., Qiu, X., Cai, T., Dai, H. N., Zheng, Z., & Zhang, Y. (2021). Deep reinforcement learning for Internet of Things: A comprehensive survey. IEEE Communications Surveys & Tutorials, 23(3), 1659-1692.

[14] Xin, Y., Kong, L., Liu, Z., Chen, Y., Li, Y., Zhu, H., ... & Wang, C. (2018). Machine learning and deep learning methods for cybersecurity. Ieee access, 6, 35365-35381.

[15] Martínez Torres, J., Iglesias Comesaña, C., & García-Nieto, P. J. (2019). Machine learning techniques applied to cybersecurity. International Journal of Machine Learning and Cybernetics, 10(10), 2823-2836.

[16] Shaukat, K., Luo, S., Chen, S., & Liu, D. (2020, October). Cyber threat detection using machine learning techniques: A performance evaluation perspective. In 2020 international conference on cyber warfare and security (ICCWS) (pp. 1-6). IEEE.

[17] Shaukat, K., Luo, S., Varadharajan, V., Hameed, I. A., Chen, S., Liu, D., & Li, J. (2020). Performance comparison and current challenges of using machine learning techniques in cybersecurity. Energies, 13(10), 2509.

[18] S. R. Ahmed and E. Sonuç, "Evaluating the effectiveness of rationale-augmented convolutional neural networks for deepfake detection," Soft Computing, Oct. 2023.

[19] N. Z. Mahmood, S. R. Ahmed, A. F. Al-Hayaly, S. Algburi and J. Rasheed, "The Evolution of Administrative Information Systems: Assessing the Revolutionary Impact of Artificial Intelligence," 2023 7th International Symposium on Multidisciplinary Studies and Innovative Technologies (ISMSIT), Ankara, Turkiye, 2023, pp. 1-7.

[20] B. A. Abubaker, S. R. Ahmed, A. T. Guron, M. Fadhil, S. Algburi, and B. F. Abdulrahman, "Spiking Neural Network for Enhanced Mobile Robots' Navigation Control," 2023 7th International Symposium on Innovative Approaches in Smart Technologies (ISAS), Nov. 2023.

[21] Bharadiya, J. (2023). Machine learning in cybersecurity: Techniques and challenges. European Journal of Technology, 7(2), 1-14.

[22] Ullah, F., Naeem, H., Jabbar, S., Khalid, S., Latif, M. A., Al-Turjman, F., & Mostarda, L. (2019). Cyber security threats detection in internet of things using deep learning approach. IEEE access, 7, 124379-124389.

[23] Dalal, K. R., & Rele, M. (2018, October). Cyber Security: Threat Detection Model based on Machine learning Algorithm. In 2018 3rd International Conference on Communication and Electronics Systems (ICCES) (pp. 239-243). IEEE.

[24] Mushtaq, A. S., Ali Ihsan, A. A., & Qasim, N. (2015). 2D-DWT vs. FFT OFDM Systems in fading AWGN channels. Radioelectronics and Communications Systems, 58(5), 228-233.

[25] Bashar, B. S., Rhazali, Z. A., Misran, H., Ismail, M. M., & Al-Sharify, M. T. (2023, July). Gain enhancement for patch antenna loading with slotted parasite antenna based on metasurface super substrate. In AIP Conference Proceedings (Vol. 2787, No. 1). AIP Publishing. .

[26] Kilincer, I. F., Ertam, F., & Sengur, A. (2021). Machine learning methods for cyber security intrusion detection: Datasets and comparative study. Computer Networks, 188, 107840.

[27] Farooq, H. M., & Otaibi, N. M. (2018, March). Optimal machine learning algorithms for cyber threat detection. In 2018 UKSim-AMSS 20th International Conference on Computer Modelling and Simulation (UKSim) (pp. 32-37). IEEE.

[28] Ahsan, M., Nygard, K. E., Gomes, R., Chowdhury, M. M., Rifat, N., & Connolly, J. F. (2022). Cybersecurity threats and their mitigation approaches using Machine Learning—A Review. Journal of Cybersecurity and Privacy, 2(3), 527-555.

[29] Bouchama, F., & Kamal, M. (2021). Enhancing Cyber Threat Detection through Machine Learning-Based Behavioral Modeling of Network Traffic Patterns. International Journal of Business Intelligence and Big Data Analytics, 4(9), 1-9.

[30] He, J., Yang, J., Ren, K., Zhang, W., & Li, G. (2019). Network Security Threat Detection under Big Data by Using Machine Learning. Int. J. Netw. Secur., 21(5), 768-773.

[31] Nguyen, T. T., & Reddi, V. J. (2021). Deep reinforcement learning for cyber security. IEEE Transactions on Neural Networks and Learning Systems, 34(8), 3779-3795.

[32] Sewak, M., Sahay, S. K., & Rathore, H. (2023). Deep reinforcement learning in the advanced cybersecurity threat detection and protection. Information Systems Frontiers, 25(2), 589-611.

[33] A. K. Ahmed, S. Q. Younus, S. R. Ahmed, S. Algburi, and M. A. Fadhel, "A Machine Learning Approach to Employee Performance Prediction within Administrative Information Systems," 2023 7th International Symposium on Innovative Approaches in Smart Technologies (ISAS), Nov. 2023.

[34] M. H. B. A. Alkareem, F. Q. Nasif, S. R. Ahmed, L. D. Miran, S. Algburi, and M. T. ALmashhadany, "Linguistics for Crimes in the World by AI-Based Cyber Security," 2023 7th International Symposium on Innovative Approaches in Smart Technologies (ISAS), Nov. 2023.

[35] Abdulmohsin, Z. S., Ahmed, S. R., & Hussein, K. A. (2024). Implementation of Patch-Wise Illumination Estimation for Multi-Exposure Image Fusion utilizing Convolutional Neural Network. Journal of Baghdad College of Economic sciences University, (75).

[36] ABBOOD, Zainab Ali, *et al.* Speaker identification model based on deep neural networks. Iraqi Journal for Computer Science and Mathematics, 2022, 3.1: 108-114.
[37] Haydari, A., Zhang, M., & Chuah, C. N. (2021). Adversarial attacks and defense in deep reinforcement learning (DRL)-based traffic signal controllers. IEEE Open Journal of Intelligent Transportation Systems, 2, 402-416.
[38] CENGİZ, E., & Murat, G. Ö. K. (2023). Reinforcement Learning Applications in Cyber Security: A Review. Sakarya University Journal of Science, 27(2), 481-503.
[39] Liu, Y., Tsang, K. F., Wu, C. K., Wei, Y., Wang, H., & Zhu, H. (2022). IEEE P2668-compliant multi-layer IoT-DDoS defense system using deep reinforcement learning. IEEE Transactions on Consumer Electronics, 69(1), 49-64.
[40] Rouzbahani, H. M., Karimipour, H., & Lei, L. (2023). Multi-layer defense algorithm against deep reinforcement learning-based intruders in smart grids. International Journal of Electrical Power & Energy Systems, 146, 108798.
[41] https://github.com/shramos/Awesome-Cybersecurity-Datasets