Practical Machine Learning

Karthikeyan

12/16/2019

Synopsis:

Using devices such as Jawbone Up, Nike FuelBand, and Fitbit it is now possible to collect a large amount of data about personal activity relatively inexpensively. These type of devices are part of the quantified self movement – a group of enthusiasts who take measurements about themselves regularly to improve their health, to find patterns in their behavior, or because they are tech geeks. One thing that people regularly do is quantify how much of a particular activity they do, but they rarely quantify how well they do it. In this project, your goal will be to use data from accelerometers on the belt, forearm, arm, and dumbell of 6 participants. They were asked to perform barbell lifts correctly and incorrectly in 5 different ways

Load libraries and setup working directory

```
library(caret)
```

```
## Loading required package: lattice
```

```
## Loading required package: ggplot2
```

```
library(rpart)
library(rpart.plot)
library(RColorBrewer)
library(rattle)
```

```
## Rattle: A free graphical interface for data science with R.
## Version 5.2.0 Copyright (c) 2006-2018 Togaware Pty Ltd.
## Type 'rattle()' to shake, rattle, and roll your data.
```

```
library(randomForest)
```

```
## randomForest 4.6-14
```

```
## Type rfNews() to see new features/changes/bug fixes.
```

```
##
## Attaching package: 'randomForest'
```

```
## The following object is masked from 'package:rattle':
##
##     importance
```

```
## The following object is masked from 'package:ggplot2':
##
##     margin
```

```
#Loadind the data from URL

trainingdata <- read.csv(url("https://d396qusza40orc.cloudfront.net/predmachlearn/pml-training.csv"),hea
dim(trainingdata)
```

```
## [1] 19622   160
```

```
testdata<- read.csv(url("https://d396qusza40orc.cloudfront.net/predmachlearn/pml-testing.csv"),header=TR
dim(testdata)
```

```
## [1]  20 160
```

```
str(trainingdata)
```

```
## 'data.frame':    19622 obs. of  160 variables:
##  $ X                       : int  1 2 3 4 5 6 7 8 9 10 ...
##  $ user_name               : Factor w/ 6 levels "adelmo","carlitos",..: 2 2 2 2 2 2 2 2 2 2 ...
##  $ raw_timestamp_part_1    : int  1323084231 1323084231 1323084231 1323084232 1323084232 1323084232 1
##  $ raw_timestamp_part_2    : int  788290 808298 820366 120339 196328 304277 368296 440390 484323 484
##  $ cvtd_timestamp          : Factor w/ 20 levels "02/12/2011 13:32",..: 9 9 9 9 9 9 9 9 9 9 ...
##  $ new_window              : Factor w/ 2 levels "no","yes": 1 1 1 1 1 1 1 1 1 1 ...
##  $ num_window              : int  11 11 11 12 12 12 12 12 12 12 ...
##  $ roll_belt               : num  1.41 1.41 1.42 1.48 1.48 1.45 1.42 1.42 1.43 1.45 ...
##  $ pitch_belt              : num  8.07 8.07 8.07 8.05 8.07 8.06 8.09 8.13 8.16 8.17 ...
##  $ yaw_belt                : num  -94.4 -94.4 -94.4 -94.4 -94.4 -94.4 -94.4 -94.4 -94.4 -94.4 ...
##  $ total_accel_belt        : int  3 3 3 3 3 3 3 3 3 3 ...
##  $ kurtosis_roll_belt      : Factor w/ 397 levels "","-0.016850",..: 1 1 1 1 1 1 1 1 1 1 ...
##  $ kurtosis_picth_belt     : Factor w/ 317 levels "","-0.021887",..: 1 1 1 1 1 1 1 1 1 1 ...
##  $ kurtosis_yaw_belt       : Factor w/ 2 levels "","#DIV/0!": 1 1 1 1 1 1 1 1 1 1 ...
##  $ skewness_roll_belt      : Factor w/ 395 levels "","-0.003095",..: 1 1 1 1 1 1 1 1 1 1 ...
##  $ skewness_roll_belt.1    : Factor w/ 338 levels "","-0.005928",..: 1 1 1 1 1 1 1 1 1 1 ...
##  $ skewness_yaw_belt       : Factor w/ 2 levels "","#DIV/0!": 1 1 1 1 1 1 1 1 1 1 ...
##  $ max_roll_belt           : num  NA NA NA NA NA NA NA NA NA NA ...
##  $ max_picth_belt          : int  NA NA NA NA NA NA NA NA NA NA ...
##  $ max_yaw_belt            : Factor w/ 68 levels "","-0.1","-0.2",..: 1 1 1 1 1 1 1 1 1 1 ...
##  $ min_roll_belt           : num  NA NA NA NA NA NA NA NA NA NA ...
##  $ min_pitch_belt          : int  NA NA NA NA NA NA NA NA NA NA ...
##  $ min_yaw_belt            : Factor w/ 68 levels "","-0.1","-0.2",..: 1 1 1 1 1 1 1 1 1 1 ...
##  $ amplitude_roll_belt     : num  NA NA NA NA NA NA NA NA NA NA ...
##  $ amplitude_pitch_belt    : int  NA NA NA NA NA NA NA NA NA NA ...
##  $ amplitude_yaw_belt      : Factor w/ 4 levels "","#DIV/0!","0.00",..: 1 1 1 1 1 1 1 1 1 1 ...
##  $ var_total_accel_belt    : num  NA NA NA NA NA NA NA NA NA NA ...
##  $ avg_roll_belt           : num  NA NA NA NA NA NA NA NA NA NA ...
##  $ stddev_roll_belt        : num  NA NA NA NA NA NA NA NA NA NA ...
##  $ var_roll_belt           : num  NA NA NA NA NA NA NA NA NA NA ...
##  $ avg_pitch_belt          : num  NA NA NA NA NA NA NA NA NA NA ...
##  $ stddev_pitch_belt       : num  NA NA NA NA NA NA NA NA NA NA ...
##  $ var_pitch_belt          : num  NA NA NA NA NA NA NA NA NA NA ...
##  $ avg_yaw_belt            : num  NA NA NA NA NA NA NA NA NA NA ...
##  $ stddev_yaw_belt         : num  NA NA NA NA NA NA NA NA NA NA ...
##  $ var_yaw_belt            : num  NA NA NA NA NA NA NA NA NA NA ...
##  $ gyros_belt_x            : num  0 0.02 0 0.02 0.02 0.02 0.02 0.02 0.02 0.03 ...
```

```
##  $ gyros_belt_y           : num  0 0 0 0 0.02 0 0 0 0 0 ...
##  $ gyros_belt_z           : num  -0.02 -0.02 -0.02 -0.03 -0.02 -0.02 -0.02 -0.02 -0.02 0 ...
##  $ accel_belt_x           : int  -21 -22 -20 -22 -21 -21 -22 -22 -20 -21 ...
##  $ accel_belt_y           : int  4 4 5 3 2 4 3 4 2 4 ...
##  $ accel_belt_z           : int  22 22 23 21 24 21 21 21 24 22 ...
##  $ magnet_belt_x          : int  -3 -7 -2 -6 -6 0 -4 -2 1 -3 ...
##  $ magnet_belt_y          : int  599 608 600 604 600 603 599 603 602 609 ...
##  $ magnet_belt_z          : int  -313 -311 -305 -310 -302 -312 -311 -313 -312 -308 ...
##  $ roll_arm               : num  -128 -128 -128 -128 -128 -128 -128 -128 -128 -128 ...
##  $ pitch_arm              : num  22.5 22.5 22.5 22.1 22.1 22 21.9 21.8 21.7 21.6 ...
##  $ yaw_arm                : num  -161 -161 -161 -161 -161 -161 -161 -161 -161 -161 ...
##  $ total_accel_arm        : int  34 34 34 34 34 34 34 34 34 34 ...
##  $ var_accel_arm          : num  NA NA NA NA NA NA NA NA NA NA ...
##  $ avg_roll_arm           : num  NA NA NA NA NA NA NA NA NA NA ...
##  $ stddev_roll_arm        : num  NA NA NA NA NA NA NA NA NA NA ...
##  $ var_roll_arm           : num  NA NA NA NA NA NA NA NA NA NA ...
##  $ avg_pitch_arm          : num  NA NA NA NA NA NA NA NA NA NA ...
##  $ stddev_pitch_arm       : num  NA NA NA NA NA NA NA NA NA NA ...
##  $ var_pitch_arm          : num  NA NA NA NA NA NA NA NA NA NA ...
##  $ avg_yaw_arm            : num  NA NA NA NA NA NA NA NA NA NA ...
##  $ stddev_yaw_arm         : num  NA NA NA NA NA NA NA NA NA NA ...
##  $ var_yaw_arm            : num  NA NA NA NA NA NA NA NA NA NA ...
##  $ gyros_arm_x            : num  0 0.02 0.02 0.02 0 0.02 0 0.02 0.02 0.02 ...
##  $ gyros_arm_y            : num  0 -0.02 -0.02 -0.03 -0.03 -0.03 -0.03 -0.02 -0.03 -0.03 ...
##  $ gyros_arm_z            : num  -0.02 -0.02 -0.02 0.02 0 0 0 0 -0.02 -0.02 ...
##  $ accel_arm_x            : int  -288 -290 -289 -289 -289 -289 -289 -289 -288 -288 ...
##  $ accel_arm_y            : int  109 110 110 111 111 111 111 111 109 110 ...
##  $ accel_arm_z            : int  -123 -125 -126 -123 -123 -122 -125 -124 -122 -124 ...
##  $ magnet_arm_x           : int  -368 -369 -368 -372 -374 -369 -373 -372 -369 -376 ...
##  $ magnet_arm_y           : int  337 337 344 344 337 342 336 338 341 334 ...
##  $ magnet_arm_z           : int  516 513 513 512 506 513 509 510 518 516 ...
##  $ kurtosis_roll_arm      : Factor w/ 330 levels "","-0.02438",..: 1 1 1 1 1 1 1 1 1 1 ...
##  $ kurtosis_picth_arm     : Factor w/ 328 levels "","-0.00484",..: 1 1 1 1 1 1 1 1 1 1 ...
##  $ kurtosis_yaw_arm       : Factor w/ 395 levels "","-0.01548",..: 1 1 1 1 1 1 1 1 1 1 ...
##  $ skewness_roll_arm      : Factor w/ 331 levels "","-0.00051",..: 1 1 1 1 1 1 1 1 1 1 ...
##  $ skewness_pitch_arm     : Factor w/ 328 levels "","-0.00184",..: 1 1 1 1 1 1 1 1 1 1 ...
##  $ skewness_yaw_arm       : Factor w/ 395 levels "","-0.00311",..: 1 1 1 1 1 1 1 1 1 1 ...
##  $ max_roll_arm           : num  NA NA NA NA NA NA NA NA NA NA ...
##  $ max_picth_arm          : num  NA NA NA NA NA NA NA NA NA NA ...
##  $ max_yaw_arm            : int  NA NA NA NA NA NA NA NA NA NA ...
##  $ min_roll_arm           : num  NA NA NA NA NA NA NA NA NA NA ...
##  $ min_pitch_arm          : num  NA NA NA NA NA NA NA NA NA NA ...
##  $ min_yaw_arm            : int  NA NA NA NA NA NA NA NA NA NA ...
##  $ amplitude_roll_arm     : num  NA NA NA NA NA NA NA NA NA NA ...
##  $ amplitude_pitch_arm    : num  NA NA NA NA NA NA NA NA NA NA ...
##  $ amplitude_yaw_arm      : int  NA NA NA NA NA NA NA NA NA NA ...
##  $ roll_dumbbell          : num  13.1 13.1 12.9 13.4 13.4 ...
##  $ pitch_dumbbell         : num  -70.5 -70.6 -70.3 -70.4 -70.4 ...
##  $ yaw_dumbbell           : num  -84.9 -84.7 -85.1 -84.9 -84.9 ...
##  $ kurtosis_roll_dumbbell : Factor w/ 398 levels "","-0.0035","-0.0073",..: 1 1 1 1 1 1 1 1 1 1 ...
##  $ kurtosis_picth_dumbbell: Factor w/ 401 levels "","-0.0163","-0.0233",..: 1 1 1 1 1 1 1 1 1 1 ...
##  $ kurtosis_yaw_dumbbell  : Factor w/ 2 levels "","#DIV/0!": 1 1 1 1 1 1 1 1 1 1 ...
##  $ skewness_roll_dumbbell : Factor w/ 401 levels "","-0.0082","-0.0096",..: 1 1 1 1 1 1 1 1 1 1 ...
##  $ skewness_pitch_dumbbell: Factor w/ 402 levels "","-0.0053","-0.0084",..: 1 1 1 1 1 1 1 1 1 1 ...
```

```
##  $ skewness_yaw_dumbbell   : Factor w/ 2 levels "","#DIV/0!": 1 1 1 1 1 1 1 1 1 1 ...
##  $ max_roll_dumbbell       : num  NA NA NA NA NA NA NA NA NA NA ...
##  $ max_picth_dumbbell      : num  NA NA NA NA NA NA NA NA NA NA ...
##  $ max_yaw_dumbbell        : Factor w/ 73 levels "","-0.1","-0.2",..: 1 1 1 1 1 1 1 1 1 1 ...
##  $ min_roll_dumbbell       : num  NA NA NA NA NA NA NA NA NA NA ...
##  $ min_pitch_dumbbell      : num  NA NA NA NA NA NA NA NA NA NA ...
##  $ min_yaw_dumbbell        : Factor w/ 73 levels "","-0.1","-0.2",..: 1 1 1 1 1 1 1 1 1 1 ...
##  $ amplitude_roll_dumbbell : num  NA NA NA NA NA NA NA NA NA NA ...
##   [list output truncated]
```

```
#Cleaning the Data by removing the NA

removena<- which(colSums(is.na(trainingdata) |trainingdata=="")>0.9*dim(trainingdata)[1])
cleanedtrainingdata <- trainingdata[,-removena]
cleanedtrainingdata <- cleanedtrainingdata[,-c(1:7)]
dim(cleanedtrainingdata)
```

```
## [1] 19622    53
```

```
removena<- which(colSums(is.na(testdata) |testdata=="")>0.9*dim(testdata)[1])
cleanedtestdata <- testdata[,-removena]
cleanedtestdata <- cleanedtestdata[,-1]
dim(cleanedtestdata)
```

```
## [1] 20 59
```

```
str(cleanedtestdata)
```

```
## 'data.frame':    20 obs. of  59 variables:
##  $ user_name           : Factor w/ 6 levels "adelmo","carlitos",..: 6 5 5 1 4 5 5 5 2 3 ...
##  $ raw_timestamp_part_1: int  1323095002 1322673067 1322673075 1322832789 1322489635 1322673149 1322
##  $ raw_timestamp_part_2: int  868349 778725 342967 560311 814776 510661 766645 54671 916313 384285 .
##  $ cvtd_timestamp      : Factor w/ 11 levels "02/12/2011 13:33",..: 5 10 10 1 6 11 11 10 3 2 ...
##  $ new_window          : Factor w/ 1 level "no": 1 1 1 1 1 1 1 1 1 1 ...
##  $ num_window          : int  74 431 439 194 235 504 485 440 323 664 ...
##  $ roll_belt           : num  123 1.02 0.87 125 1.35 -5.92 1.2 0.43 0.93 114 ...
##  $ pitch_belt          : num  27 4.87 1.82 -41.6 3.33 1.59 4.44 4.15 6.72 22.4 ...
##  $ yaw_belt            : num  -4.75 -88.9 -88.5 162 -88.6 -87.7 -87.3 -88.5 -93.7 -13.1 ...
##  $ total_accel_belt    : int  20 4 5 17 3 4 4 4 4 18 ...
##  $ gyros_belt_x        : num  -0.5 -0.06 0.05 0.11 0.03 0.1 -0.06 -0.18 0.1 0.14 ...
##  $ gyros_belt_y        : num  -0.02 -0.02 0.02 0.11 0.02 0.05 0 -0.02 0 0.11 ...
##  $ gyros_belt_z        : num  -0.46 -0.07 0.03 -0.16 0 -0.13 0 -0.03 -0.02 -0.16 ...
##  $ accel_belt_x        : int  -38 -13 1 46 -8 -11 -14 -10 -15 -25 ...
##  $ accel_belt_y        : int  69 11 -1 45 4 -16 2 -2 1 63 ...
##  $ accel_belt_z        : int  -179 39 49 -156 27 38 35 42 32 -158 ...
##  $ magnet_belt_x       : int  -13 43 29 169 33 31 50 39 -6 10 ...
##  $ magnet_belt_y       : int  581 636 631 608 566 638 622 635 600 601 ...
##  $ magnet_belt_z       : int  -382 -309 -312 -304 -418 -291 -315 -305 -302 -330 ...
##  $ roll_arm            : num  40.7 0 0 -109 76.1 0 0 0 -137 -82.4 ...
##  $ pitch_arm           : num  -27.8 0 0 55 2.76 0 0 0 11.2 -63.8 ...
##  $ yaw_arm             : num  178 0 0 -142 102 0 0 0 -167 -75.3 ...
##  $ total_accel_arm     : int  10 38 44 25 29 14 15 22 34 32 ...
```

```
##  $ gyros_arm_x         : num  -1.65 -1.17 2.1 0.22 -1.96 0.02 2.36 -3.71 0.03 0.26 ...
##  $ gyros_arm_y         : num  0.48 0.85 -1.36 -0.51 0.79 0.05 -1.01 1.85 -0.02 -0.5 ...
##  $ gyros_arm_z         : num  -0.18 -0.43 1.13 0.92 -0.54 -0.07 0.89 -0.69 -0.02 0.79 ...
##  $ accel_arm_x         : int  16 -290 -341 -238 -197 -26 99 -98 -287 -301 ...
##  $ accel_arm_y         : int  38 215 245 -57 200 130 79 175 111 -42 ...
##  $ accel_arm_z         : int  93 -90 -87 6 -30 -19 -67 -78 -122 -80 ...
##  $ magnet_arm_x        : int  -326 -325 -264 -173 -170 396 702 535 -367 -420 ...
##  $ magnet_arm_y        : int  385 447 474 257 275 176 15 215 335 294 ...
##  $ magnet_arm_z        : int  481 434 413 633 617 516 217 385 520 493 ...
##  $ roll_dumbbell       : num  -17.7 54.5 57.1 43.1 -101.4 ...
##  $ pitch_dumbbell      : num  25 -53.7 -51.4 -30 -53.4 ...
##  $ yaw_dumbbell        : num  126.2 -75.5 -75.2 -103.3 -14.2 ...
##  $ total_accel_dumbbell: int  9 31 29 18 4 29 29 29 3 2 ...
##  $ gyros_dumbbell_x    : num  0.64 0.34 0.39 0.1 0.29 -0.59 0.34 0.37 0.03 0.42 ...
##  $ gyros_dumbbell_y    : num  0.06 0.05 0.14 -0.02 -0.47 0.8 0.16 0.14 -0.21 0.51 ...
##  $ gyros_dumbbell_z    : num  -0.61 -0.71 -0.34 0.05 -0.46 1.1 -0.23 -0.39 -0.21 -0.03 ...
##  $ accel_dumbbell_x    : int  21 -153 -141 -51 -18 -138 -145 -140 0 -7 ...
##  $ accel_dumbbell_y    : int  -15 155 155 72 -30 166 150 159 25 -20 ...
##  $ accel_dumbbell_z    : int  81 -205 -196 -148 -5 -186 -190 -191 9 7 ...
##  $ magnet_dumbbell_x   : int  523 -502 -506 -576 -424 -543 -484 -515 -519 -531 ...
##  $ magnet_dumbbell_y   : int  -528 388 349 238 252 262 354 350 348 321 ...
##  $ magnet_dumbbell_z   : int  -56 -36 41 53 312 96 97 53 -32 -164 ...
##  $ roll_forearm        : num  141 109 131 0 -176 150 155 -161 15.5 13.2 ...
##  $ pitch_forearm       : num  49.3 -17.6 -32.6 0 -2.16 1.46 34.5 43.6 -63.5 19.4 ...
##  $ yaw_forearm         : num  156 106 93 0 -47.9 89.7 152 -89.5 -139 -105 ...
##  $ total_accel_forearm : int  33 39 34 43 24 43 32 47 36 24 ...
##  $ gyros_forearm_x     : num  0.74 1.12 0.18 1.38 -0.75 -0.88 -0.53 0.63 0.03 0.02 ...
##  $ gyros_forearm_y     : num  -3.34 -2.78 -0.79 0.69 3.1 4.26 1.8 -0.74 0.02 0.13 ...
##  $ gyros_forearm_z     : num  -0.59 -0.18 0.28 1.8 0.8 1.35 0.75 0.49 -0.02 -0.07 ...
##  $ accel_forearm_x     : int  -110 212 154 -92 131 230 -192 -151 195 -212 ...
##  $ accel_forearm_y     : int  267 297 271 406 -93 322 170 -331 204 98 ...
##  $ accel_forearm_z     : int  -149 -118 -129 -39 172 -144 -175 -282 -217 -7 ...
##  $ magnet_forearm_x    : int  -714 -237 -51 -233 375 -300 -678 -109 0 -403 ...
##  $ magnet_forearm_y    : int  419 791 698 783 -787 800 284 -619 652 723 ...
##  $ magnet_forearm_z    : int  617 873 783 521 91 884 585 -32 469 512 ...
##  $ problem_id          : int  1 2 3 4 5 6 7 8 9 10 ...
```

```
# Partition the train and test data
set.seed(12345)
untrain <- createDataPartition(cleanedtrainingdata$classe,p=0.75,list=FALSE)
Train <- cleanedtrainingdata[untrain,]
Test <- cleanedtrainingdata[-untrain,]
dim(Train)
```

```
## [1] 14718    53
```

#Classification Tree

```
trControl <- trainControl(method="cv", number=5)
model_CT <- train(classe~., data=Train, method="rpart", trControl=trControl)
trControl <- trainControl(method="cv", number=5)
model_CT <- train(classe~., data=Train, method="rpart", trControl=trControl)
trainpre <- predict(model_CT,newdata=Test)
```

```
confMatCT <- confusionMatrix(Test$classe,trainpre)
confMatCT$table
```

```
##           Reference
## Prediction    A    B    C    D    E
##          A 1252   30   90    0   23
##          B  396  317  236    0    0
##          C  434   24  397    0    0
##          D  343  151  310    0    0
##          E  114  132  229    0  426
```

```
confMatCT$overall[1]
```

```
##  Accuracy
## 0.4877651
```

Randon Forest

```
modFit1 <- randomForest(classe ~., method = "class", data = Train)
pred1 <- predict(modFit1, newdata = Test, type = "class")
confMatrix <- confusionMatrix(pred1, Test$classe)
confMatrix$table
```

```
##           Reference
## Prediction    A    B    C    D    E
##          A 1395    1    0    0    0
##          B    0  948    1    0    0
##          C    0    0  854   11    0
##          D    0    0    0  789    1
##          E    0    0    0    4  900
```

```
confMatrix$overall[1]
```

```
##  Accuracy
## 0.9963295
```

#Decision Tree

```
modFitDec <- train(classe ~., method = "rpart", data = Train)
fancyRpartPlot(modFitDec$finalModel)
```



Rattle 2019−Dec−16 01:48:02 irgfky

```
predes <- predict(modFitDec, newdata = Test)
confMatrix2 <- confusionMatrix(predes, Test$classe)
confMatrix2$table
```

```
##           Reference
## Prediction    A    B    C    D    E
##          A 1252  396  434  343  114
##          B   30  317   24  151  132
##          C   90  236  397  310  229
##          D    0    0    0    0    0
##          E   23    0    0    0  426
```

```
confMatrix2$overall[1]
```

```
##  Accuracy
## 0.4877651
```

```
pre <- predict(modFit1, newdata = testdata, type = "class")
pre
```

```
##  1  2  3  4  5  6  7  8  9 10 11 12 13 14 15 16 17 18 19 20
##  B  A  B  A  A  E  D  B  A  A  B  C  B  A  E  E  A  B  B  B
## Levels: A B C D E
```



Conclusion:

3 different model are tested. Random Forest is the best fit model among the three.