H.T. BILL Working Sheet Annexure

ter type ading Date	role code rvice No	0404 1028			-		Ci	rcle Nam	ne CHENNAI (NO	RTH)
Tall Reading 12,415.91 13,124.24 4,166.55 0.728 1512 13,124.24 4,166.55 0.728 1512 13,124.24 4,166.55 0.728 1512			15 Mete	r Nc	1	Readtype	Code	RE MF	7,500.0	-
Sal Reading 12,415.91 13,124.24 4,166.55 0.728 151al Reading 12,096.41 12,788.01 4,063.45 0.000 7 7 7 7 7 7 7 7 7			KWHR		ř	CVAHR	RI	KVAHR	KVAMD	-
Sumption 319.50 336.23 103.10 3.00			12,415.91		13,1	124.24	4,10	56.55	management of the second	
Sumption 23,96,250 25,21,725 7,73,250 5,460.75		ng	12,096.41		12,7	788.01	4,00	63.45	0.000	
Ser type Peak Individual	A SA		WEST CONTROL OF THE STATE OF TH		3	336.23	10	03.10		
Marting Date 26/04/15 Meter No 2 Readtype Code RE MF : 7,500.00	nsumption		23,96,250		25,2	21,725	7,73	3,250	5,460.75	
KWHR KVAHR RKVAHR KVAMD Ial Reading 1,510.38 0.00 0.00 0.000 tial Reading 1,468.17 0.00 0.00 0.000 F Reading 42.21 0.00 0.00 0.000 SUMPTION 3,16,575 0 0 0.00 er type Off Peak ding Date 26/04/15 Meter No 3 Readtype Code RE MF : 7,500.00 KWHR KVAHR RKVAHR KVAMD al Reading 3,584.30 0.00 0.00 0.000 tial Reading 3,488.29 0.00 0.00 0.000 sumption 7,20,075 0 0 0.00 er type Total ding Date 26/04/15 Meter No 1 Readtype Code RE MF : 7,500.00 KWHR2 KVAMD2 al Reading 481.77 0.557 tial Reading 481.77 0.557 tial Reading 48,450 4,175.250 sumption 48,450 4,175.250 sumption 48,450 4,175.250 sumption 48,450 4,175.250 sumption 26/04/15 Meter No 2 Readtype Code RE MF : 7,500.00 KWHR2 KVAMD2 sumption 48,450 4,175.250 sumption 48,450 4,175.250 sumption 48,450 4,175.250 sumption 26/04/15 Meter No 2 Readtype Code RE MF : 7,500.00 KWHR2 KVAMD2 sumption 1,441.05 0.591 sial Reading 1,420.88 0.000 seading 1		A MINISTER	15 Meter	^ No	2	Readtype	Code	RE MF	7.500.00	0
All Reading										
tial Reading 1,468.17 0.00 0.00 0.00 0.000 f Reading 42.21 0.00 0.00 0.00 0.000 sumption 3,16,575 0 0 0.000 0.000 er type Off Peak ding Date 26/04/15 Meter No 3 Readtype Code RE MF: 7,500.00	al Reading		102 000 to 100 t		,	Company of the Compan	R			
## Reading	The same and the s	na						Carl of Assessment	WELL ALL SERVICES VILLE AND	
### Sumption 3,16,575		. 3	28/20/2001 12:00/00/00/00					ration state of the co	0.000	
er type			Marine Sc Holla Sancular Control						A AA	
Comparison										
KWHR KVAHR RKVAHR RKVAMD		Off Pe	ak			16				
al Reading 3,584.30 0.00 0.00 0.000 tial Reading 3,488.29 0.00 0.00 0.000 0.000 f Reading 96.01 0.00 0.00 0.000 sumption 7,20,075 0 0 0.000 0.000 er type Total ding Date 26/04/15 Meter No 1 Readtype Code RE MF: 7,500.00 KWHR2 KVAMD2 al Reading 481.77 0.557 tial Reading 475.31 0.000 f Reading 6.46 0.000 sumption 48,450 4,175.250 er type Peak ding Date 26/04/15 Meter No 2 Readtype Code RE MF: 7,500.00 KWHR2 KVAMD2 al Reading 1,441.05 0.591 tial Reading 1,420.88 0.000 f Reading 20.17 0.000	ding Date	26/04/	15 Meter	No	3 	Readtype	Code	RE MF	7,500.00	9
tial Reading 3,488.29 0.00 0.00 0.00 0.000 f Reading 96.01 0.00 0.00 0.0000 0.00000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.00000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.00000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.00000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.00000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.00000 0.00000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.00000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.00000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.00000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.00000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.00000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.000000			200		K	VAHR	RK	VAHR	KVAMD	
## Reading sumption 7,20,075 0 0 0.00 0.00 0.00 0.00 0.00 0.00 0.		evel Wiles				0.00		0.00	0.000	
sumption 7,20,075 0 0 0.00 er type Total ding Date 26/04/15 Meter No 1 Readtype Code RE MF: 7,500.00 KWHR2 KVAMD2 al Reading 481.77 0.557 tial Reading 475.31 0.000 f Reading 6.46 0.000 sumption 48,450 4,175.250 ar type Peak ding Date 26/04/15 Meter No 2 Readtype Code RE MF: 7,500.00 KWHR2 KVAMD2 al Reading 1,441.05 0.591 cial Reading 1,420.88 0.000 reading 20.17 0.000		ng	The second second second second second	Q)				0.00	0.000	
er type	and the second s					See and the second		0.00		
ding Date 26/04/15 Meter No 1 Readtype Code RE MF: 7,500.00 KWHR2 KVAMD2			/,20,0/5 			<i></i>		0	0.00	
KWHR2 KVAMD2 al Reading 481.77 0.557 tial Reading 475.31 0.000 f Reading 6.46 0.000 sumption 48,450 4,175.250 ar type Peak ding Date 26/04/15 Meter No 2 Readtype Code RE MF: 7,500.00 KWHR2 KVAMD2 al Reading 1,441.05 0.591 cial Reading 1,420.88 0.000 f Reading 20.17 0.000			15 Meter	No	1	Readtype	Code	RE MF	7.500.00)
al Reading 481.77 0.557 tial Reading 475.31 0.000 f Reading 6.46 0.000 sumption 48,450 4,175.250 ar type Peak ding Date 26/04/15 Meter No 2 Readtype Code RE MF: 7,500.00 KWHR2 KVAMD2 al Reading 1,441.05 0.591 cial Reading 1,420.88 0.000 r Reading 20.17 0.000										
tial Reading 475.31 0.000 f Reading 6.46 0.000 sumption 48,450 4,175.250 ar type Peak ting Date 26/04/15 Meter No 2 Readtype Code RE MF: 7,500.00 KWHR2 KVAMD2 al Reading 1,441.05 0.591 cial Reading 1,420.88 0.000 Reading 20.17 0.000	KWHRZ KVAMD2									
f Reading 6.46 0.000 sumption 48,450 4,175.250 ar type Peak ding Date 26/04/15 Meter No 2 Readtype Code RE MF: 7,500.00 KWHR2 KVAMD2 al Reading 1,441.05 0.591 cial Reading 1,420.88 0.000 Reading 20.17 0.000	al Reading		481.77			0.557			136	
sumption 48,450 4,175.250 er type Peak ding Date 26/04/15 Meter No 2 Readtype Code RE MF: 7,500.00 KWHR2 KVAMD2 al Reading 1,441.05 0.591 cial Reading 1,420.88 0.000 Reading 20.17 0.000	tial Readin	9	475.31			0.000				
## Type Peak ## Peak #			6.46			0.000				
ting Date 26/04/15 Meter No 2 Readtype Code RE MF: 7,500.00 KWHR2 KVAMD2 1 Reading 1,441.05 0.591 1 Reading 1,420.88 0.000 Reading 20.17 0.000	sumption		48,450		4,1	75.250				
KWHR2 KVAMD2 11 Reading 1,441.05 0.591 12 cial Reading 1,420.88 0.000 Reading 20.17 0.000	er type	Peak								
al Reading 1,441.05 0.591 tial Reading 1,420.88 0.000 Reading 20.17 0.000	ding Date	26/04/1	15 Meter	No	2	Readtype	Code	RE MF :	7,500.00	
ial Reading 1,420.88 0.000 Reading 20.17 0.000			KWHR2		KVAME)2				
ial Reading 1,420.88 0.000 Reading 20.17 0.000	al Reading		1.441.05		0	h_591				
Reading 20.17 0.000		g	AND AND AND AN ARCHARACTOR			Second Companies Companies (Companies Companies Companie				
			Service Service Service Control of the Control of t		•					
	sumption		1,51,275		4,43	33.250				