

User Acceptance Testing (UAT) Template

Script-Controlled ACL – Restrict Record Access Based on Field Value

Field	Details
Date	03-Oct-2026
Team ID	SWTID-2026-6919
Project Name	Script-Controlled ACL – Restrict Record Access Based on Field Value

Project Overview

Field	Details
Project Name	Script-Controlled ACL – Restrict Record Access Based on Field Value
Project Description	Validate that record access is correctly restricted or permitted based on the value of a designated field using a script-controlled ACL.
Project Version	[Enter Version Number]
Testing Period	[Start Date] to [End Date]

Testing Scope

Verify that users with the required field value can access the record.

Verify that users without the required field value cannot access the record.

Verify that access is correctly evaluated when the field value changes.

Verify that unauthorized users cannot bypass the restriction by directly accessing the record.

Verify that authorized users retain the expected access.

Verify that null/blank or unexpected field values are handled correctly.

Verify that the ACL does not unintentionally affect unrelated records or users.

Testing Environment

Item	Details
URL/Location	[UAT URL / Application Location]
Credentials (if required)	[Username / Password or Test Account Details]
Application	[Application/System Name]
Environment	UAT
Table/Module	[Table/Module Name]
Controlled Field	[Field Name]
Required Field Value	[Expected Value]
Authorized User	[User Name / Role]
Unauthorized User	[User Name / Role]

Test Cases

Test Case ID	Test Scenario	Test Steps	Expected Result	Actual Result	Pass/Fail
TC-001	Authorized user accesses a record with the permitted field value	1. Log in as an authorized user.2. Open a record where the controlled field contains the permitted value.3. Attempt to access the record.	Record is accessible to the user.	[Enter Actual Result]	[Pass/Fail]
TC-002	Unauthorized user attempts to access a restricted record	1. Log in as an unauthorized user.2. Open a record where the controlled field contains the restricted value.3. Attempt to access the record.	Access to the record is denied.	[Enter Actual Result]	[Pass/Fail]
TC-003	Authorized user accesses multiple permitted records	1. Log in as an authorized user.2. Search for multiple records with the permitted field value.3. Open the records.	All records meeting the ACL condition are accessible.	[Enter Actual Result]	[Pass/Fail]
TC-004	Unauthorized user attempts to access multiple restricted records	1. Log in as an unauthorized user.2. Search/open records that do not meet the ACL condition.	Restricted records cannot be accessed.	[Enter Actual Result]	[Pass/Fail]
TC-005	Field value is changed from permitted to restricted	1. Open a permitted record.2. Change the controlled field to a restricted value.3. Save.4. Attempt to access the record again.	Access is restricted according to the new field value.	[Enter Actual Result]	[Pass/Fail]
TC-006	Field value is changed from restricted to permitted	1. Update the controlled field to the permitted value.2. Save the record.3. Access the record as an authorized user.	Access is granted when the field meets the ACL condition.	[Enter Actual Result]	[Pass/Fail]
TC-007	Controlled field is blank/null	1. Open/create a record with the controlled field blank.2. Test access using an authorized user.3. Test access using an unauthorized user.	Access follows the defined ACL behavior for a blank/null value; unauthorized access is not granted unintentionally.	[Enter Actual Result]	[Pass/Fail]

TC-008	User attempts direct URL access to a restricted record	1. Copy the URL/sys_id of a restricted record.2. Log in as an unauthorized user.3. Paste the URL and access the record.	Direct access is denied; the ACL cannot be bypassed through the URL.	[Enter Actual Result]	[Pass/Fail]
TC-009	User without required role attempts access	1. Log in as a user without the required role.2. Attempt to access a restricted record.	Access is denied according to the ACL conditions.	[Enter Actual Result]	[Pass/Fail]
TC-010	User with required role but incorrect field condition	1. Log in as a user with the required role.2. Open a record whose controlled field does not contain the permitted value.	Access is denied if the field condition is mandatory for access.	[Enter Actual Result]	[Pass/Fail]
TC-011	Case/format variation in field value	1. Enter a value with different capitalization/format, if applicable.2. Attempt access.	Access follows the defined script comparison logic.	[Enter Actual Result]	[Pass/Fail]
TC-012	Unrelated record is not affected by the ACL	1. Log in as a user affected by the ACL.2. Access records outside the intended restriction criteria.	Unrelated records remain accessible according to existing permissions.	[Enter Actual Result]	[Pass/Fail]
TC-013	ACL behavior after logout/login	1. Change the controlled field.2. Log out.3. Log in again.4. Attempt to access the record.	ACL evaluates the current field value and applies the correct access restriction.	[Enter Actual Result]	[Pass/Fail]
TC-014	Multiple users with different access conditions	1. Test the same record with User A who meets the condition.2. Test with User B who does not meet the condition.	Access differs according to the configured ACL conditions.	[Enter Actual Result]	[Pass/Fail]
TC-015	Verify no unauthorized modification of restricted record	1. Log in as an unauthorized user.2. Attempt to open/edit a restricted record.3. Attempt to save changes.	Unauthorized user cannot modify the restricted record.	[Enter Actual Result]	[Pass/Fail]

Acceptance Criteria

- Authorized users can access records when the field value satisfies the ACL condition.

- Unauthorized users are prevented from accessing restricted records.
- Changing the field value causes the expected access behavior.
- Direct record access cannot bypass the ACL.
- Blank/null and unexpected field values are handled according to the agreed business rule.
- Existing access to unrelated records is not negatively affected.
- No critical or high-severity defects remain open.

Bug Tracking

Bug ID	Bug Description	Steps to reproduce	Severity	Status	Additional feedback
BG-001	[Describe issue]	1. [Step 1]2. [Step 2]3. [Step 3]	[Low/Medium/High]	[Open/In Progress/Closed]	[Additional comments or feedback]
BG-002	[Describe issue]	1. [Step 1]2. [Step 2]3. [Step 3]	[Low/Medium/High]	[Open/In Progress/Closed]	[Additional comments or feedback]

Sign-off

Role	Name	Date	Signature
Tester	[Name of Tester]	[Date of Test Completion]	[Tester's Signature]
Project Manager	[Name]	[Date]	[Signature]
Product Owner	[Name]	[Date]	[Signature]

Notes

- Ensure that all test cases cover both positive and negative scenarios.
- Encourage testers to provide detailed feedback, including any suggestions for improvement.
- Bug tracking should include details such as severity, status, and steps to reproduce.
- Obtain sign-off from both the project manager and product owner before proceeding with deployment.

