Ex. No: 7

Program and Output

```
CREATE TABLE Authors (AuthorID INT PRIMARY KEY, FirstName
VARCHAR2(50), LastName VARCHAR2(50));
```

Output:

```
Table created.
```

```
INSERT INTO Authors (AuthorID, FirstName, LastName) VALUES (1, 'George',
'Orwell');
INSERT INTO Authors (AuthorID, FirstName, LastName) VALUES (2, 'Aldous',
'Huxley');
INSERT INTO Authors (AuthorID, FirstName, LastName) VALUES (3, 'J.K.',
'Rowling');
```

Output:

```
3 rows created.
```

```
SELECT * FROM Authors;
```

Output:

```
AuthorID        FirstName       LastName
1               George          Orwell
2               Aldous          Huxley
3               J.K.            Rowling
```

```
CREATE TABLE Books (BookID INT PRIMARY KEY, Title VARCHAR2(100),
Genre VARCHAR2(50), PublicationYear INT);
```

Output:

```
Table created.
```

```
INSERT INTO Books (BookID, Title, Genre, PublicationYear) VALUES (1, '1984',
'Dystopian', 1949);
INSERT INTO Books (BookID, Title, Genre, PublicationYear) VALUES (2, 'Brave
New World', 'Dystopian', 1932);
INSERT INTO Books (BookID, Title, Genre, PublicationYear) VALUES (3, 'Harry
Potter and the Sorcerers Stone', 'Fantasy', 1997);
```

Output:

```
3 rows created.
```

```
SELECT * FROM Books;
```

Output:

```
BookID    Title                          Genre       PublicationYear
1         1984                           Dystopian   1949
2         Brave New World                Dystopian   1932
3         Harry Potter and               Fantasy     1997
          the Sorcerers Stone
```

```
CREATE TABLE BookAuthors (BookID INT,
AuthorID INT, PRIMARY KEY (BookID, AuthorID),
FOREIGN KEY (BookID) REFERENCES Books(BookID),
FOREIGN KEY (AuthorID) REFERENCES Authors(AuthorID));
```

Output:

```
Table created.
```

```
INSERT INTO BookAuthors (BookID, AuthorID) VALUES (1, 1);
INSERT INTO BookAuthors (BookID, AuthorID) VALUES (2, 2);
INSERT INTO BookAuthors (BookID, AuthorID) VALUES (3, 3);
```

Output:

```
3 rows created.
```

```
SELECT * FROM BookAuthors;
```

Output:

```
BookID       AuthorID
1            1
2            2
3            3
```

```
CREATE TABLE Borrowers (
BorrowerID INT PRIMARY KEY,
FirstName VARCHAR2(50),
LastName VARCHAR2(50),
MembershipDate DATE);
```

Output:

```
Table created.
```

```
INSERT INTO Borrowers (BorrowerID, FirstName, LastName, MembershipDate)
VALUES (1, 'John', 'Doe', TO_DATE('2023-01-01', 'YYYY-MM-DD'));
INSERT INTO Borrowers (BorrowerID, FirstName, LastName, MembershipDate)
VALUES (2, 'Jane', 'Smith', TO_DATE('2023-02-15', 'YYYY-MM-DD'));
```

Output:

```
2 rows created.
```

```
SELECT * FROM Borrowers;
```

Output:

```
BorrowerID   FirstName   LastName   MembershipDate
1            John        Doe        2023-01-01
2            Jane        Smith      2023-02-15
```

```
CREATE TABLE BorrowedBooks (BorrowerID INT, BookID INT,
BorrowedDate DATE, ReturnDate DATE, PRIMARY KEY (BorrowerID, BookID),
FOREIGN KEY (BorrowerID) REFERENCES Borrowers(BorrowerID),
FOREIGN KEY (BookID) REFERENCES Books(BookID));
```

Output:

```
Table created.
```

```
INSERT INTO BorrowedBooks (BorrowerID, BookID, BorrowedDate, ReturnDate)
VALUES (1, 1, TO_DATE('2023-03-01', 'YYYY-MM-DD'), TO_DATE('2023-03-15',
'YYYY-MM-DD'));
INSERT INTO BorrowedBooks (BorrowerID, BookID, BorrowedDate, ReturnDate)
VALUES (2, 3, TO_DATE('2023-03-05', 'YYYY-MM-DD'), TO_DATE('2023-03-20',
'YYYY-MM-DD'));
```

Output:

```
2 rows created.
```