


Kiosk (Non-Touch)

Boost your Business with displays
on-the-go

LDK-32G, LDK-43G, LDK-49G,
LDK-55G, LDK-65G and LDK-75G



Kiosk (Non-Touch)

Kiosk-A Display with Credible Presence and Ultimate Competence

The Kiosk, a stylish advertising medium, convinces the viewers with a credible approach and apt content. It builds an impactful brand identity in the market through its captivating presence. This compact and stylish display is a one stop solution to promote any brand with a mesmerized display resolution and viewing angle. Kiosk offers a smart as well as secure connectivity with android media player, built in Wi-Fi, Ethernet, and imparts an easy option of content sharing through USB.

Speechless Visual Experience with Spectacular Approach

- Exclusive Visual Impact with High Brightness
- Innovative Engagement with Intriguing Approach
- Dynamic Presence and Durable Performance



Features



Inbuilt Android Media Player-Kiosk is designed with inbuilt Android media player and supports audio/video files and streams.



Bright LCD Screen- Its bright LCD display adds a mesmerizing appeal to any content.



Easy to Work with USB Peripherals- Kiosk offers an easy content sharing option with USB port



Inbuilt Digital Signage Application-It allows to create, schedule as well as distribute Ads and informational content.



Stylish Yet Rugged Design-Kiosk is sleek, stylish and offers a stable performance 24x7.



Excellent Contrast Ratio- Better contrast ratio offers better picture. Logic Displays Kiosk is designed with a high contrast ratio that captivates audience best.



Supports HDMI and SIM Card-Kiosk supports HDMI and SIM card for easy content sharing.

Seamless Performance



Andrew Angelov

Thin and Light weight



Light



Thin

Available Size: 32", 43", 49", 55", 65" and 75"

Application

Place Your Content in Any Environment!



Shopping Malls



Hospitality



Education

Specifications

MODEL NAME	LDK-32G	LDK-43G	LDK-49G	LDK-55G	LDK-65G	LDK-75G
Panel specification	Panel size	32"	43"	49"	55"	65"
	Maximum resolution	1920x1080	1920x1080	1920x1080	1920x1080	1920x1080
	Aspect Ratio	16:9	16:9	16:9	16:9	16:9
	Brightness	350 cd/m2	400 cd/m2	450 cd/m2	450 cd/m2	450 cd/m2
	Contrast	1200:1	1200:1	1200:1	1200:1	1200:1
	Viewing angle	178°/178°(H/V)	178°/178°(H/V)	178°/178°(H/V)	178°/178°(H/V)	178°/178°(H/V)
	Display color	16.7M	16.7M	16.7M	16.7M	16.7M
	Response time	8 ms				
	Operation Duration	24 x 7				
	Weight (Kg)	30	40	45	50	60
Input	Lifetime (In Hours)	≥ 60,000	≥ 60,000	≥ 60,000	≥ 60,000	≥ 60,000
	USB Port	2 x USB 2.0				
	Ethernet	1 x (1000Mbps LAN)				
	HDMI	2xHDMI	2xHDMI	2xHDMI	2xHDMI	2xHDMI
	Speaker	2 x 10W (8 Ohm)				
Consumption	Wi-Fi	Yes	Yes	Yes	Yes	Yes
	Power Supply	100-240VAC, 50/60HZ				
	Power Consumption	≤120W	≤120W	≤180W	≤230W	≤260W
Working environment and storage	Working Temperature	0°C~50°C	0°C~50°C	0°C~50°C	0°C~50°C	0°C~50°C
	Storage Temperature	-10°C~60°C	-10°C~60°C	-10°C~60°C	-10°C~60°C	-10°C~60°C
	Working Humidity	10%-85%	10%-85%	10%-85%	10%-85%	10%-85%
	Storage Humidity	5%-95%	5%-95%	5%-95%	5%-95%	5%-95%
	RAM	2 GB				
	FLASH	8 GB				
	Operating system	Android 7.1				
	Others	4G(Optional)	4G(Optional)	4G(Optional)	4G(Optional)	4G(Optional)
Certification	BIS	BIS	BIS	BIS	BIS	BIS

