7)

AJ INSTITUTE OF ENGINEERING & TECHNOLOGY

A Unit of Laxmi Memorial Education Trust $_{\odot}$

(Approved by AICTE, New Delhi, Affiliated to Visvesvaraya Technological University, Belgavi) NH-66, Kottara Chowki, Mangaluru, Karnataka 575006

DEPARTMENT OF COMPUTER SCIENCE AND ENGINEERING

PROJECT PROPOSAL APPROVAL FORM

*Write in Capital Letters Only

TITLE:	DATA DEDUPLICATION		
THEME:	AI POWERED SOLUTION FOR HUGE DATASETS		
DOMAIN:	MACHINE LEARNING		
TYPE OF THE PROJECT:	ApplicationProduct	ResearchService	

SUBMITTED BY:

S.No	Name	USN	Signature
1	EXSON NAVEIL PEREIRA	4JK19CS017	
2	SHRADHA SAJEEVAN	4JK19CS027	
3	SHRIJA B SHETTY	4JK19CS028	
4			

DEPARTMENT EVALUATION COMMITTEE

S. No	Name	Approved/ Not Approved	Remarks	Signature
1				
2				
3				

GUIDE ALLOTTED:

S.No	Name	Designation	Domain Area	Signature
1.				

PO, PSO Relevance and Justification

^{*} To be Filled by the Guide and Project Coordinator

S.No			PO, PSO	Justification
1	•	PO1	Engineering Knowledge	
2	•	PO2	Problem Analysis	
3	•	PO3	Design/Development of Solution	
4	•	PO4	Conduct Investigation of Complex Problems	
5	•	PO5	Modern Tool Usage	
6	•	PO6	The Engineer and Society	
7	•	PO7	Environment and Sustainability	
8	•	PO8	Ethics	
9	•	PO9	Individual and Team Work	
10	•	PO10	Communication	
11	•	PO11	Project Management and Finance	
12	•	PO12	Life Long Learning	
13	•	PSO1	Professional Skills	
14	•	PSO2	Computational Skills	

Problem Statement:


The problem is to determine how to design secure deduplication systems with higher reliability in cloud computing. Hence it is been proposed in the distributed cloud storage servers into deduplication systems to provide better fault tolerance. To protect data confidentiality, the secret sharing technique is utilized, which is also compatible with the distributed storage systems. To support deduplication, a short cryptographic hash value of the content will also be computed and sent to each storage server as the fingerprint of the fragment stored at each server

Scope/Objectives of the Project:

Secure auditing and deduplication is big problem in cloud environment. This technique can be used for securely monitoring server space allocation. In this technique how to maintain back up data and remove unwanted file on server.

Methodology of work: (Including diagram, flow chart and design calculations)

It has shown how to design secure deduplication systems with higher reliability in cloud computing. By introducing the distributed cloud storage servers into deduplication systems to provide better fault tolerance. To further protect data confidentiality, the secret sharing technique is utilized, which is also compatible with the distributed storage systems. In more details, a file is first split and encoded into fragments by using the technique of secret sharing, instead of encryption mechanisms. These shares will be distributed across multiple independent storage servers.



Expected Outcome of the Project:

Deduplication can be run as an inline process as the data is being written into the storage system and/or as a background process to eliminate duplicates after the data is written to disk.

Application of the Project:

Data deduplication is a process that eliminates excessive copies of data and significantly decreases storage capacity requirements.

Deduplication can be run as an inline process as the data is being written into the storage system and/or as a background process to eliminate duplicates after the data is written to disk.

At NetApp, deduplication is a zero data-loss technology that is run both as an inline process and as a background process to maximize savings. It is run opportunistically as an inline process so that it doesn't interfere with client operations, and it is run comprehensively in the background to maximize savings. Deduplication is turned on by default, and the system automatically runs it on all volumes and aggregates without any manual intervention.

The performance overhead is minimal for deduplication operations, because it runs in a dedicated efficiency domain that is separate from the client read/write domain. It runs behind the scenes, regardless of what application is run or how the data is being accessed (NAS or <u>SAN</u>).

Deduplication savings are maintained as data moves around – when the data is replicated to a DR site, when it's backed up to a vault, or when it moves between on premises, <u>hybrid cloud</u>, and/or public cloud.

Advantages/Disadvantages:

Advantages:

- Greater backup capacity
- The data is continuously validated
- Higher data recovery service level
- Facilitate the realization of backup data disaster recovery

Disadvantages:

 With deduplication removing redundancies from a system, organizations using the technology could run an increased risk of data corruption if something goes wrong. For example, if the referenced data goes bad, then all of the data that points to it in your system goes bad too. Therefore, it's even more important to create backups of your data when using deduplication, just in case.

Is the project proposed relevant to the Industry / Society or Institution?

Yes/No: Yes

Can the product or process developed in the project be taken up for filing a Patent?

Yes / No: No

Any other Technical Details (Please specify):