

Quality Gates Before Implementation

Catch problems while the artifacts are still cheap to change, not after code exists.

What You'll Learn

1

Generate and use a requirements-quality checklist

2


Run a cross-artifact consistency analysis before code is written

3

Budget token/cost usage and place security, compliance, and coverage checks as gates


GATE ONE

Checklist: "Unit Tests for Requirements"




Unit tests for requirements, before any code exists

Analyze: Cross-Artifact Consistency



Catches drift between artifacts while it's still cheap to fix

Token budget and compliance checks belong here too, not bolted on afterward.



All four are planned gates, not afterthoughts bolted on later

APPLYING THE CONCEPTS

GitHub Spec Kit

Checklist and Analyze

```
/speckit.checklist
```

Generates a custom, reviewer-owned quality checklist for the feature. Run broadly or focused on one area, so a high-risk feature can get a deeper pass than a routine one without extra manual setup.

```
/speckit.analyze
```

A read-only cross-artifact analysis across spec.md, plan.md, and tasks.md. Run before implementing, while artifacts are still cheap to adjust, and it changes nothing on its own, it only reports what it finds.

APPLYING THE CONCEPTS

OpenSpec

No Pre-Implementation Equivalent

No direct equivalent

OpenSpec has no checklist or analyze command that runs before code is written. Its closest command, `/opsx:verify`, exists, but it checks the implementation against the artifacts after `/opsx:apply`, not the artifacts against each other beforehand, so it answers a related but different question.

What to use instead

This is a genuinely different point in the loop, not a substitute for a pre-implementation gate. We'll come back to `/opsx:verify` in Module 6, where it belongs: reviewing what got built, not what's about to be built, once code already exists to check against the plan.

Module 5 at a Glance

	GitHub Spec Kit	OpenSpec
Pre-code quality gate	/speckit.checklist + /speckit.analyze	None (closest command runs after code)
Timing	Before implementation	/opsx:verify runs after /opsx:apply
Takeaway	Purpose-built pre-implementation gates	Gate the equivalent concern later, in Module 6

Key Takeaways

- Quality gates exist to catch problems while they're still cheap to fix, which is always before code, not after.
- Spec Kit has purpose-built pre-implementation gates; OpenSpec's equivalent operates later in the loop, once there's code to check.
- Token budget is a design decision, not just a cost line item, and it should be planned alongside the other gates, not tacked on afterward.