Rajalakshmi Engineering College

Name: Karthikeyan M
Email: 240801150@rajalakshmi.edu.in
Roll no: 2116240801150
Phone: 8056008890
Branch: REC
Department: I ECE FB
Batch: 2028
Degree: B.E - ECE

Scan to verify results

NeoColab_REC_CS23231_DATA STRUCTURES

REC_DS using C_Week 2_COD_Question 4

Attempt : 1
Total Mark : 10
Marks Obtained : 10

Section 1 : Coding

1. Problem Statement

Ravi is developing a student registration system for a college. To efficiently store and manage the student IDs, he decides to implement a doubly linked list where each node represents a student's ID.

In this system, each student's ID is stored sequentially, and the system needs to display all registered student IDs in the order they were entered.

Implement a program that creates a doubly linked list, inserts student IDs, and displays them in the same order.

Input Format

The first line contains an integer N the number of student IDs.

The second line contains N space-separated integers representing the student IDs.

Output Format

The output should display the single line containing N space-separated integers representing the student IDs stored in the doubly linked list.

Refer to the sample output for formatting specifications.

Sample Test Case

Input: 5
10 20 30 40 50
Output: 10 20 30 40 50

Answer

```
#include<stdio.h>
#include<stdlib.h>

typedef struct Node{
 int id;
 struct Node* next;
 struct Node* prev;
}node;

node* head=NULL;
node* temp=NULL;
void newNode(int a){
   node* newnode=(node*)malloc(sizeof(node));
   newnode->id=a;
   newnode->next=NULL;
   newnode->prev=NULL;

   if(head==NULL)
   {
      head=temp=newnode;
   }
   head->next=newnode;
   head=head->next;
}
```

```
void traverse()
{
   while(temp!=NULL){
      printf("%d",temp->id);
      temp=temp->next;
   }
}
int main()
{
   int n,id;
   scanf("%d",&n);
   for(int i=0;i<n;i++)
   {
      scanf("%d",&id);
      newNode(id);
   }
   traverse();
}
```

Status : Correct **Marks : 10/10**