

## Request 1

Testleaf interface showing Request 1 configuration and response.

**Request Details:**

- Method: POST
- URL: `https://api.groq.com/openai/v1/audio/speech`
- Auth Type: Inherit auth from parent
- Bearer Token: `{{auth_secret_01f}}`

**Response Details:**

- Status: 200 OK
- Time: 1.38 s
- Size: 402.04 KB

The response body is an audio player showing 0:00 / 0:08.

## Request 2

Testleaf interface showing Request 2 configuration and response.


**Request Details:**

- Method: POST
- URL: `https://api.groq.com/openai/v1/chat/completions`
- Body: JSON

**Response Details:**

- Status: 200 OK
- Time: 3.74 s
- Size: 1.07 KB

The response body is a JSON object containing chat completion details.



Request 3

Testleaf

Overview POST S01-Text t GenAI-Jul-H POST S02- Multi POST S03-Gene No environment

GenAI-Jul-HomeAssignment > S03-GenerateAPITestcasesFromSwaggerCode

POST https://api.groq.com/openai/v1/chat/completions

Send

Docs Params Authorization Headers 9 Body Scripts Tests Settings Cookies

raw JSON Schema Beautify

Body 200 OK 2.85 s 2.42 KB Save Response

```
{
  "id": "chatcmpl-6515d2af-dd10-4a91-a2c7-3397d10d3ed5",
  "object": "chat.completion",
  "created": 1784126751,
  "model": "openai/gpt-oss-120b",
  "choices": [
    {
      "index": 0,
      "message": {
        "role": "assistant",
        "content": "import io.restassured.RestAssured;\nimport io.restassured.http.ContentType;\nimport io.restassured.response.Response;\nimport org.testng.Assert;\nimport org.testng.annotations.BeforeClass;\nimport org.testng.annotations.Test;\nimport java.util.HashMap;\nimport java.util.Map;\n\npublic class PetApiCzudTest {\n\n    private static final long PET_ID = System.currentTimeMillis();\n    private static final String PET_NAME_INITIAL = \"TestPet\";\n    private static final String PET_NAME_UPDATED = \"UpdatedPet\";\n    private static final String PET_STATUS_INITIAL = \"available\";\n    private static final String PET_STATUS_UPDATED = \"sold\";\n\n    @BeforeClass\n    public void setUp() {\n        RestAssured.baseURI = \"https://petstore.swagger.io/v2\";\n    }\n\n    @Test\n    public void createPet() {\n        Map<String, Object> requestBody = new HashMap<>();\n        requestBody.put(\"name\", PET_NAME_INITIAL);\n        requestBody.put(\"status\", PET_STATUS_INITIAL);\n        Response response = RestAssured.given().contentType(ContentType.JSON)\n            .body(requestBody)\n            .post(\"/pet\");\n        Assert.assertEquals(response.getStatusCode(), 200, \"Create pet status code\");\n        Assert.assertEquals(response.jsonPath().getLong(\"id\"), PET_ID, \"Pet ID after creation\");\n        Assert.assertEquals(response.jsonPath().get(\"name\"), PET_NAME_INITIAL, \"Pet name after creation\");\n        Assert.assertEquals(response.jsonPath().get(\"status\"), PET_STATUS_INITIAL, \"Pet status after creation\");\n    }\n\n    @Test\n    public void updatePet() {\n        Map<String, Object> requestBody = new HashMap<>();\n        requestBody.put(\"name\", PET_NAME_UPDATED);\n        requestBody.put(\"status\", PET_STATUS_UPDATED);\n        Response response = RestAssured.given().contentType(ContentType.JSON)\n            .body(requestBody)\n            .put(\"/pet/{id}\", PET_ID);\n        Assert.assertEquals(response.getStatusCode(), 200, \"Update pet status code\");\n        Assert.assertEquals(response.jsonPath().getLong(\"id\"), PET_ID, \"Pet ID after update\");\n        Assert.assertEquals(response.jsonPath().get(\"name\"), PET_NAME_UPDATED, \"Pet name after update\");\n        Assert.assertEquals(response.jsonPath().get(\"status\"), PET_STATUS_UPDATED, \"Pet status after update\");\n    }\n\n    @Test\n    public void deletePet() {\n        Response response = RestAssured.given().contentType(ContentType.JSON)\n            .body(requestBody)\n            .delete(\"/pet/{id}\", PET_ID);\n        Assert.assertEquals(response.getStatusCode(), 200, \"Delete pet status code\");\n        Assert.assertEquals(response.jsonPath().get(\"id\"), PET_ID, \"Pet ID after delete\");\n        Assert.assertEquals(response.jsonPath().get(\"name\"), PET_NAME_INITIAL, \"Pet name after delete\");\n        Assert.assertEquals(response.jsonPath().get(\"status\"), PET_STATUS_INITIAL, \"Pet status after delete\");\n    }\n}
```

ENVIRONMENTS SPECS FLOWS

Connect Git Console Terminal 0 0 Import Complete

Global Vault Tools

20:42 15-07-2026

Testleaf

Overview POST S01-Text t GenAI-Jul-H POST S02- Multi POST S03-Gene No environment

GenAI-Jul-HomeAssignment > S03-GenerateAPITestcasesFromSwaggerCode

POST https://api.groq.com/openai/v1/chat/completions

Send

Docs Params Authorization Headers 9 Body Scripts Tests Settings Cookies

raw JSON Schema Beautify

Body 200 OK 2.85 s 2.42 KB Save Response

```
{
  "id": "chatcmpl-6515d2af-dd10-4a91-a2c7-3397d10d3ed5",
  "object": "chat.completion",
  "created": 1784126751,
  "model": "openai/gpt-oss-120b",
  "choices": [
    {
      "index": 0,
      "message": {
        "role": "assistant",
        "content": "import io.restassured.RestAssured;\nimport io.restassured.http.ContentType;\nimport io.restassured.response.Response;\nimport org.testng.Assert;\nimport org.testng.annotations.BeforeClass;\nimport org.testng.annotations.Test;\nimport java.util.HashMap;\nimport java.util.Map;\n\npublic class PetApiCzudTest {\n\n    private static final long PET_ID = System.currentTimeMillis();\n    private static final String PET_NAME_INITIAL = \"TestPet\";\n    private static final String PET_NAME_UPDATED = \"UpdatedPet\";\n    private static final String PET_STATUS_INITIAL = \"available\";\n    private static final String PET_STATUS_UPDATED = \"sold\";\n\n    @BeforeClass\n    public void setUp() {\n        RestAssured.baseURI = \"https://petstore.swagger.io/v2\";\n    }\n\n    @Test\n    public void createPet() {\n        Map<String, Object> requestBody = new HashMap<>();\n        requestBody.put(\"name\", PET_NAME_INITIAL);\n        requestBody.put(\"status\", PET_STATUS_INITIAL);\n        Response response = RestAssured.given().contentType(ContentType.JSON)\n            .body(requestBody)\n            .post(\"/pet\");\n        Assert.assertEquals(response.getStatusCode(), 200, \"Create pet status code\");\n        Assert.assertEquals(response.jsonPath().getLong(\"id\"), PET_ID, \"Pet ID after creation\");\n        Assert.assertEquals(response.jsonPath().get(\"name\"), PET_NAME_INITIAL, \"Pet name after creation\");\n        Assert.assertEquals(response.jsonPath().get(\"status\"), PET_STATUS_INITIAL, \"Pet status after creation\");\n    }\n\n    @Test\n    public void updatePet() {\n        Map<String, Object> requestBody = new HashMap<>();\n        requestBody.put(\"name\", PET_NAME_UPDATED);\n        requestBody.put(\"status\", PET_STATUS_UPDATED);\n        Response response = RestAssured.given().contentType(ContentType.JSON)\n            .body(requestBody)\n            .put(\"/pet/{id}\", PET_ID);\n        Assert.assertEquals(response.getStatusCode(), 200, \"Update pet status code\");\n        Assert.assertEquals(response.jsonPath().getLong(\"id\"), PET_ID, \"Pet ID after update\");\n        Assert.assertEquals(response.jsonPath().get(\"name\"), PET_NAME_UPDATED, \"Pet name after update\");\n        Assert.assertEquals(response.jsonPath().get(\"status\"), PET_STATUS_UPDATED, \"Pet status after update\");\n    }\n\n    @Test\n    public void deletePet() {\n        Response response = RestAssured.given().contentType(ContentType.JSON)\n            .body(requestBody)\n            .delete(\"/pet/{id}\", PET_ID);\n        Assert.assertEquals(response.getStatusCode(), 200, \"Delete pet status code\");\n        Assert.assertEquals(response.jsonPath().get(\"id\"), PET_ID, \"Pet ID after delete\");\n        Assert.assertEquals(response.jsonPath().get(\"name\"), PET_NAME_INITIAL, \"Pet name after delete\");\n        Assert.assertEquals(response.jsonPath().get(\"status\"), PET_STATUS_INITIAL, \"Pet status after delete\");\n    }\n}
```

ENVIRONMENTS SPECS FLOWS

Connect Git Console Terminal 0 0 Import Complete

Global Vault Tools

20:43 15-07-2026

Testleaf

Search

Invite Upgrade

Overview POST S01-Text GenAI-Jul-H POST S02- Multi POST S03-GenerateAPI TestcasesFromSwaggerCode

POST https://api.groq.com/openai/v1/chat/completions Send

Docs Params Authorization Headers 9 Body Scripts Tests Settings Cookies

raw JSON Schema Beautify

Body 200 OK 2.85 s 2.42 KB Save Response

```
{} JSON Preview Visualize
pet(){}
    Assert.assertEquals(response.getStatusCode(), 200, "Create pet status code");
    Assert.assertEquals(response.jsonPath().getLong("id"), PET_ID, "Pet ID after creation");
    Assert.assertEquals(response.jsonPath().getString("name"), PET_NAME_INITIAL, "Pet name after creation");
    Assert.assertEquals(response.jsonPath().getString("status"), PET_STATUS_INITIAL, "Pet status after creation");
    @Test(dependsOnMethods = {"createPet"})
    public void getPetById() {
        Response response = RestAssured.given().pathParam("petId", PET_ID).get("/pet/{petId}");
        Assert.assertEquals(response.getStatusCode(), 200, "Get pet status code");
        Assert.assertEquals(response.jsonPath().getLong("id"), PET_ID, "Pet ID retrieval");
        Assert.assertEquals(response.jsonPath().getString("name"), PET_NAME_INITIAL, "Pet name retrieval");
        Assert.assertEquals(response.jsonPath().getString("status"), PET_STATUS_INITIAL, "Pet status retrieval");
    }
    @Test(dependsOnMethods = {"getPetById"})
    public void deletePet() {
        Response response = RestAssured.given().pathParam("petId", PET_ID).delete("/pet/{petId}");
        Assert.assertEquals(response.getStatusCode(), 200, "Delete pet status code");
    }
}
```

Connect Git Console Terminal 0 0 1 Import Complete

Globals Vault Tools

20:43 15-07-2026

New Chat

Run S01 and capture audio output

Add assertions for audio response

Inspect request body & parameters

Describe what you need. Press @ for context, / for Skills.

Auto

Testleaf

Search

Invite Upgrade

Overview POST S01-Text GenAI-Jul-H POST S02- Multi POST S03-GenerateAPI TestcasesFromSwaggerCode

POST https://api.groq.com/openai/v1/chat/completions Send

Docs Params Authorization Headers 9 Body Scripts Tests Settings Cookies

raw JSON Schema Beautify

Body 200 OK 2.85 s 2.42 KB Save Response

```
{} JSON Preview Visualize
PET_STATUS_INITIAL, "Pet status retrieval");
    @Test(dependsOnMethods = {"getPetById"})
    public void updatePet() {
        Map<String, Object> requestBody = new HashMap<>();
        requestBody.put("id", PET_ID);
        requestBody.put("name", PET_NAME_UPDATED);
        requestBody.put("status", PET_STATUS_UPDATED);
        Response response = RestAssured.given().body(requestBody).contentType("application/json").put("/pet/{petId}");
        Assert.assertEquals(response.getStatusCode(), 200, "Update pet status code");
        Assert.assertEquals(response.jsonPath().getLong("id"), PET_ID, "Pet ID after update");
        Assert.assertEquals(response.jsonPath().getString("name"), PET_NAME_UPDATED, "Pet name after update");
        Assert.assertEquals(response.jsonPath().getString("status"), PET_STATUS_UPDATED, "Pet status after update");
    }
    @Test(dependsOnMethods = {"updatePet"})
    public void deletePet() {
        Response response = RestAssured.given().pathParam("petId", PET_ID).delete("/pet/{petId}");
        Assert.assertEquals(response.getStatusCode(), 200, "Delete pet status code");
    }
}
```

Connect Git Console Terminal 0 0 1 Import Complete

Globals Vault Tools

20:43 15-07-2026

New Chat

Run S01 and capture audio output

Add assertions for audio response

Inspect request body & parameters

Describe what you need. Press @ for context, / for Skills.

Auto



Testleaf

Overview POST S01-Text GenAI-Jul-H POST S02- Multi POST S03-GenerateAPI... No environment

GenAI-Jul-HomeAssignment > S03-GenerateAPI... Save Share

POST https://api.groq.com/openai/v1/chat/completions Send

Docs Params Authorization Headers Body Scripts Tests Settings Cookies

raw JSON Schema Beautify

Body 200 OK 2.85 s 2.42 KB Save Response

```
{
  "usage": {
    "queue_time": 0.322639107,
    "prompt_tokens": 396,
    "prompt_time": 0.082355178,
    "completion_tokens": 1111,
    "completion_time": 2.357020349,
    "total_tokens": 1507,
    "total_time": 2.439375527,
    "completion_tokens_details": {
      "reasoning_tokens": 0,
      "text_tokens": 1111
    }
  },
  "logprobs": null,
  "finish_reason": "stop"
}
```

Run S01 and capture audio output  
Add assertions for audio response  
Inspect request body & parameters

Describe what you need. Press @ for context, / for Skills.

Auto

Connect Git Console Terminal 0 0 Import Complete

Globals Vault Tools

20:44 15-07-2026