

Selenium Script generation






```
package com.leaftaps.stepdefs;

import io.cucumber.java.After;
import io.cucumber.java.Before;
import io.cucumber.java.en.*;

import org.openqa.selenium.*;
import org.openqa.selenium.chrome.ChromeDriver;
import org.openqa.selenium.support.ui.*;

import java.time.Duration;

import static org.junit.Assert.*;
```

```
public class LoginStepDefinitions {

    private WebDriver driver;
    private WebDriverWait wait;

    @Before
    public void setUp() {
        // ChromeDriver executable must be available in the system PATH
        driver = new ChromeDriver();
        wait = new WebDriverWait(driver, Duration.ofSeconds(15));
        driver.manage().window().maximize();
    }

    @After
    public void tearDown() {
        if (driver != null) {
            driver.quit();
        }
    }

    @Given("I open the login page")
    public void i_open_the_login_page() {
        driver.get("https://leaftaps.com/opentaps/control/main");
    }

    @When("I enter {string} into the Username field")
    public void i_enter_into_the_username_field(String username) {
        WebElement usernameField = wait.until(
                ExpectedConditions.elementToBeClickable(By.id("username")));
        usernameField.clear();
        usernameField.sendKeys(username);
    }


    @When("I enter {string} into the Password field")
    public void i_enter_into_the_password_field(String password) {
        WebElement passwordField = wait.until(
                ExpectedConditions.elementToBeClickable(By.id("password")));
        passwordField.clear();
        passwordField.sendKeys(password);
    }


    @When("I click the Login button")
    public void i_click_the_login_button() {
        // The login button is an <input type="submit" value="Login">
        WebElement loginBtn = wait.until(
                ExpectedConditions.elementToBeClickable(
                        By.cssSelector("input.decorativeSubmit[value='Login']")));
        loginBtn.click();
    }

    @Then("I should see the home page")
    public void i_should_see_the_home_page() {
        // After a successful login a "Logout" link is typically displayed.
        WebElement logoutLink = wait.until(
                ExpectedConditions.visibilityOfElementLocated(By.linkText("Logout")));
        assertTrue("Logout link should be visible after successful login",
```


```
            logoutLink.isDisplayed());
    }
}
```

Playwright Scrip generation





Playwright getting error


Reset Chat
⚠ java/playwright combination is not yet supported. Only Java/Selenium is currently available.
Copy
Feature: Login to OpenTaps

LOGO CHANGE