

# Test Run Report




## Test Run Overview

Started 23 Apr 2021, 13:51:41  
Ended 23 Apr 2021, 13:52:03  
Duration (mm:ss) 00:22.478

## Test Results Summary

Passed 0  
Failed 24  
Skipped 1



## Test Case Summary

- tests
    - Other Sample Test
      - Batch Level execution (Run folder)
        - Test Case 2.testcase
- failed failed failed failed

● Connection exception while opening Partner connection. Connection name: Admin, environment: <default>, authEndpoint: <https://test.salesforce.com/services/Soap/u/50.0>, userName: kramu711@provar.trialsbx1, password: [empty], securityToken: [empty]

● [LoginFault]

● Error when attempting to connect to Salesforce as Admin

● Connection not found. Connection Name: Admin

■ Result Assertion failed (result is not a supported type). Assertion: Check Name, result type: null

- Test Case 3.testcase
- failed

● Connection exception while opening Partner connection. Connection name: Admin, environment: <default>, authEndpoint: <https://test.salesforce.com/services/Soap/u/50.0>, userName: kramu711@provar.trialsbx1, password: [empty], securityToken: [empty]

● [LoginFault]

● Error when attempting to connect to Salesforce as Admin

● Connection not found. Connection Name: Admin

- Create Account, Opp, Contact
    - Create via API.testcase
- failed failed

● Connection exception while opening Partner connection. Connection name: Admin, environment: <default>, authEndpoint: <https://test.salesforce.com/services/Soap/u/50.0>, userName: kramu711@provar.trialsbx1, password: [empty], securityToken: [empty]

● [LoginFault]

- Error when attempting to connect to Salesforce as Admin



Create via UI.testcase

● failed

● Connection exception while opening Partner connection. Connection name: Admin, environment: <default>, authEndpoint: https://test.salesforce.com/services/Soap/u/50.0, userName: kramu711@provar.trialsbx1, password: [empty], securityToken: [empty]

- [LoginFault]

- Error when attempting to connect to Salesforce as Admin

- Connection not found. Connection Name: Admin

- Connection not found. Connection Name: Admin

- Connection not found. Connection Name: Admin

- One or more Sub-Test Steps failed.

- Connection not found. Connection Name: Admin

- Connection not found. Connection Name: Admin

- Connection not found. Connection Name: Admin

- Connection not found. Connection Name: Admin

- Connection not found. Connection Name: Admin

- Connection not found. Connection Name: Admin

- Connection not found. Connection Name: Admin

- Connection not found. Connection Name: Admin

- Connection not found. Connection Name: Admin

- Connection not found. Connection Name: Admin

- Connection not found. Connection Name: Admin

- Connection not found. Connection Name: Admin

- One or more Sub-Test Steps failed.

- Connection not found. Connection Name: Admin

- Connection not found. Connection Name: Admin

- Connection not found. Connection Name: Admin

- Connection not found. Connection Name: Admin

- One or more Sub-Test Steps failed.

- Connection not found. Connection Name: Admin

- Connection not found. Connection Name: Admin

- Connection not found. Connection Name: Admin

- Connection not found. Connection Name: Admin

- Connection not found. Connection Name: Admin

- Connection not found. Connection Name: Admin

- Connection not found. Connection Name: Admin

- Connection not found. Connection Name: Admin

- Connection not found. Connection Name: Admin

- Connection not found. Connection Name: Admin

- Connection not found. Connection Name: Admin

- Connection not found. Connection Name: Admin

- One or more Sub-Test Steps failed.

- Connection not found. Connection Name: Admin

- Connection not found. Connection Name: Admin

- Connection not found. Connection Name: Admin

- Connection not found. Connection Name: Admin

- One or more Sub-Test Steps failed.

- Connection not found. Connection Name: Admin
- Connection not found. Connection Name: Admin
- Connection not found. Connection Name: Admin
- Connection not found. Connection Name: Admin
- One or more Sub-Test Steps failed.
- Connection not found. Connection Name: Admin
- Connection not found. Connection Name: Admin
- Connection not found. Connection Name: Admin
- Connection not found. Connection Name: Admin
- One or more Sub-Test Steps failed.
- Connection not found. Connection Name: Admin
- Connection not found. Connection Name: Admin
- Connection not found. Connection Name: Admin
- Connection not found. Connection Name: Admin
- Connection not found. Connection Name: Admin
- Connection not found. Connection Name: Admin
- Connection not found. Connection Name: Admin
- Connection not found. Connection Name: Admin
- Connection not found. Connection Name: Admin
- One or more Sub-Test Steps failed.
- Connection not found. Connection Name: Admin

## Data Cleaning

● failed

### Delete Provar Test Accounts.testcase

● failed

● Connection exception while opening Partner connection. Connection name: Admin, environment: <default>, authEndpoint: https://test.salesforce.com/services/Soap/u/50.0, userName: kramu711@provar.trialsbx1, password: [empty], securityToken: [empty]

● [LoginFault]

● Error when attempting to connect to Salesforce as Admin

## Excel read and callable test

● failed

### API Callable.testcase

● failed

● Connection exception while opening Partner connection. Connection name: Admin, environment: <default>, authEndpoint: https://test.salesforce.com/services/Soap/u/50.0, userName: kramu711@provar.trialsbx1, password: [empty], securityToken: [empty]

● [LoginFault]

● Error when attempting to connect to Salesforce as Admin

### API ReadExcel.testcase

● failed

● Connection exception while opening Partner connection. Connection name: Admin, environment: <default>, authEndpoint: https://test.salesforce.com/services/Soap/u/50.0, userName: kramu711@provar.trialsbx1, password: [empty], securityToken: [empty]

● [LoginFault]

● Error when attempting to connect to Salesforce as Admin

● Sub-Test Steps failed for iteration 1

## Provar Special SF API examples

🚫 skipped

### ApexExecute.testcase

🚫 skipped

## Service Cloud

● failed

### Create Opportunity From Existing Account.testcase

● failed

● Connection exception while opening Partner connection. Connection name: Admin, environment: <default>, authEndpoint: https://test.salesforce.com/services/Soap/u/50.0, userName: kramu711@provar.trialsbx1, password: [empty], securityToken: [empty]

● [LoginFault]

● Error when attempting to connect to Salesforce as Admin

## Validation Rule

● failed

### New Opportunity and validation rule.testcase

● failed

● Connection exception while opening Partner connection. Connection name: Admin, environment: <default>, authEndpoint: https://test.salesforce.com/services/Soap/u/50.0, userName: kramu711@provar.trialsbx1, password: [empty], securityToken: [empty]

- [LoginFault]
- Error when attempting to connect to Salesforce as Admin
- Connection not found. Connection Name: Admin
- Connection not found. Connection Name: Admin
- Connection not found. Connection Name: Admin
- One or more Sub-Test Steps failed.
- Connection not found. Connection Name: Admin
- Connection not found. Connection Name: Admin
- Connection not found. Connection Name: Admin
- Connection not found. Connection Name: Admin
- Connection not found. Connection Name: Admin
- Connection not found. Connection Name: Admin
- Connection not found. Connection Name: Admin
- Connection not found. Connection Name: Admin
- Connection not found. Connection Name: Admin
- Connection not found. Connection Name: Admin
- Connection not found. Connection Name: Admin
- Connection not found. Connection Name: Admin
- Connection not found. Connection Name: Admin
- Connection not found. Connection Name: Admin
- Connection not found. Connection Name: Admin
- One or more Sub-Test Steps failed.
- Connection not found. Connection Name: Admin

## VF Test Case

● failed

### VF Product Selector.testcase

● failed

● Connection exception while opening Partner connection. Connection name: Admin, environment: <default>, authEndpoint: https://test.salesforce.com/services/Soap/u/50.0, userName: kramu711@provar.trialsbx1, password: [empty], securityToken: [empty]

- [LoginFault]
- Error when attempting to connect to Salesforce as Admin

## WebServiceCall - Rest & Soap

● failed

### SFCaseWebServices.testcase

● failed

● Connection exception while opening Partner connection. Connection name: Admin, environment: <default>, authEndpoint: https://test.salesforce.com/services/Soap/u/50.0, userName: kramu711@provar.trialsbx1, password: [empty], securityToken: [empty]

- [LoginFault]
- Error when attempting to connect to Salesforce as Admin
- Connection not found. Connection Name: Admin

❌ Assertion failed. (expected) New = null (actual)

### SFRestService.testcase

● failed

● Connection exception while opening Partner connection. Connection name: Admin, environment: <default>, authEndpoint: https://test.salesforce.com/services/Soap/u/50.0, userName: kramu711@provar.trialsbx1, password: [empty], securityToken: [empty]

- [LoginFault]

- Error when attempting to connect to Salesforce as Admin
- Connection not found. Connection Name: Admin
- Connection not found. Connection Name: Admin

Account not as expected. (expected) Burlington Textiles Corp of America = null (actual)

## Trial Tests

● failed

### Lessons

● failed

#### Lesson 1 and 2 Create Lead.testcase

● failed

● Connection exception while opening Partner connection. Connection name: Admin, environment: <default>, authEndpoint: https://test.salesforce.com/services/Soap/u/50.0, userName: kramu711@provar.trialsbx1, password: [empty], securityToken: [empty]

● [LoginFault]

● Error when attempting to connect to Salesforce as Admin

#### Lesson 3 Create Opportunity.testcase

● failed

● Connection exception while opening Partner connection. Connection name: Admin, environment: <default>, authEndpoint: https://test.salesforce.com/services/Soap/u/50.0, userName: kramu711@provar.trialsbx1, password: [empty], securityToken: [empty]

● [LoginFault]

● Error when attempting to connect to Salesforce as Admin

#### Lesson 4 Create Opportunity2.testcase

● failed

● Connection exception while opening Partner connection. Connection name: Admin, environment: <default>, authEndpoint: https://test.salesforce.com/services/Soap/u/50.0, userName: kramu711@provar.trialsbx1, password: [empty], securityToken: [empty]

● [LoginFault]

● Error when attempting to connect to Salesforce as Admin

#### Lesson 5 Log a Call.testcase

● failed

● Connection exception while opening Partner connection. Connection name: Admin, environment: <default>, authEndpoint: https://test.salesforce.com/services/Soap/u/50.0, userName: kramu711@provar.trialsbx1, password: [empty], securityToken: [empty]

● [LoginFault]

● Error when attempting to connect to Salesforce as Admin

#### Lesson 6 Callable Create Opportunity.testcase

● failed

● Connection exception while opening Partner connection. Connection name: Admin, environment: <default>, authEndpoint: https://test.salesforce.com/services/Soap/u/50.0, userName: kramu711@provar.trialsbx1, password: [empty], securityToken: [empty]

● [LoginFault]

● Error when attempting to connect to Salesforce as Admin

#### Lesson 6 Manage Account.testcase

● failed

● Connection exception while opening Partner connection. Connection name: Admin, environment: <default>, authEndpoint: https://test.salesforce.com/services/Soap/u/50.0, userName: kramu711@provar.trialsbx1, password: [empty], securityToken: [empty]

● [LoginFault]

● Error when attempting to connect to Salesforce as Admin

## Solved Exercises

● failed

### Exercise 1 and 2 - Create Account.testcase

● failed

● Connection exception while opening Partner connection. Connection name: Admin, environment: <default>, authEndpoint: https://test.salesforce.com/services/Soap/u/50.0, userName: kramu711@provar.trialsbx1, password: [empty], securityToken: [empty]

● [LoginFault]

● Error when attempting to connect to Salesforce as Admin

### Exercise 3 Create Case.testcase

● failed

● Connection exception while opening Partner connection. Connection name: Admin, environment: <default>, authEndpoint: https://test.salesforce.com/services/Soap/u/50.0, userName: kramu711@provar.trialsbx1, password: [empty], securityToken: [empty]

● [LoginFault]

● Error when attempting to connect to Salesforce as Admin

### Exercise 4 Create Case2.testcase

● failed

● Connection exception while opening Partner connection. Connection name: Admin, environment: <default>, authEndpoint: https://test.salesforce.com/services/Soap/u/50.0, userName: kramu711@provar.trialsbx1, password: [empty], securityToken: [empty]

● [LoginFault]

- Error when attempting to connect to Salesforce as Admin

#### Exercise 5 Create Account and Contact.testcase

● failed

● Connection exception while opening Partner connection. Connection name: Admin, environment: <default>, authEndpoint: https://test.salesforce.com/services/Soap/u/50.0, userName: kramu711@provar.trialsbx1, password: [empty], securityToken: [empty]

- [LoginFault]

- Error when attempting to connect to Salesforce as Admin

#### Exercise 6 API Create Account.testcase

● failed

● Connection exception while opening Partner connection. Connection name: Admin, environment: <default>, authEndpoint: https://test.salesforce.com/services/Soap/u/50.0, userName: kramu711@provar.trialsbx1, password: [empty], securityToken: [empty]

- [LoginFault]

- Error when attempting to connect to Salesforce as Admin

#### Exercise 6 Callable Create Case.testcase

● failed

● Connection exception while opening Partner connection. Connection name: Admin, environment: <default>, authEndpoint: https://test.salesforce.com/services/Soap/u/50.0, userName: kramu711@provar.trialsbx1, password: [empty], securityToken: [empty]


- [LoginFault]

- Error when attempting to connect to Salesforce as Admin

## Test Case 2.testcase

---


### Summary

Started	23 Apr 2021, 13:51:45
Ended	23 Apr 2021, 13:51:46
Duration (mm:ss)	00:00.732
Outcome	 failed

### Output

#### Salesforce Connect: Admin (Test)

 Connecting to Salesforce as Admin

 Connection details. Connection name: Admin, result name: Admin, result scope: Test, urlString: sf:user=kramu711@provar.trialsbx1;environment=SANDBOX;clientId={clientId};clientSecret={clientSecret};lightningMode=true, environment: <default>, userName: kramu711@provar.trialsbx1, password: [empty] securityToken: [empty]

 Create object id log file.

 Opening Partner connection


 Connection exception while opening Partner connection. Connection name: Admin, environment: <default>, authEndpoint: https://test.salesforce.com/services/Soap/u/50.0, userName: kramu711@provar.trialsbx1, password: [empty], securityToken: [empty]

 [LoginFault]

 Error when attempting to connect to Salesforce as Admin

#### Read the Account Created in setup test case

##### Read Object: Account = {AccountId}

 Reading a Salesforce object. Connection Name: Admin, Name: Account, Id: null, field count: 2


 Connection not found. Connection Name: Admin

 Result Assertion failed (result is not a supported type). Assertion: Check Name, result type: null

## Test Case 3.testcase

---


### Summary

Started	23 Apr 2021, 13:51:46
Ended	23 Apr 2021, 13:51:47
Duration (mm:ss)	00:00.561
Outcome	 failed

### Output

#### Salesforce Connect: Admin (Test)

 Connecting to Salesforce as Admin

 Connection details. Connection name: Admin, result name: Admin, result scope: Test, urlString: sf:user=kramu711@provar.trialsbx1;environment=SANDBOX;clientId={clientId};clientSecret={clientSecret};lightningMode=true, environment: <default>, userName: kramu711@provar.trialsbx1, password: [empty] securityToken: [empty]

 Create object id log file.

 Opening Partner connection


 Connection exception while opening Partner connection. Connection name: Admin, environment: <default>, authEndpoint: https://test.salesforce.com/services/Soap/u/50.0, userName: kramu711@provar.trialsbx1, password: [empty], securityToken: [empty]

 [LoginFault]

 Error when attempting to connect to Salesforce as Admin

#### Create Contact in Account read in test case 2

##### Create Object: Contact=>ContactId

 Creating a new Salesforce object. Connection Name: Admin, Name: Contact, field count: 2

● Connection not found. Connection Name: Admin

## Create via API.testcase

---

### Summary

Started	23 Apr 2021, 13:51:47
Ended	23 Apr 2021, 13:51:47
Duration (mm:ss)	00:00.726
Outcome	● failed

### Output

#### ● Salesforce Connect: Admin (Test)

① Connecting to Salesforce as Admin

⚙ Connection details. Connection name: Admin, result name: Admin, result scope: Test, urlString: sf:user=kramu711@provar.trialsbx1;environment=SANDBOX;clientId={clientId};clientSecret={clientSecret};lightningMode=true, environment: <default>, userName: kramu711@provar.trialsbx1, password: [empty] securityToken: [empty]

⚙ Create object id log file.

⚙ Opening Partner connection

● Connection exception while opening Partner connection. Connection name: Admin, environment: <default>, authEndpoint: https://test.salesforce.com/services/Soap/u/50.0, userName: kramu711@provar.trialsbx1, password: [empty], securityToken: [empty]

● [LoginFault]

● Error when attempting to connect to Salesforce as Admin

#### ⚠ Create an account

⚙ Create Object: Account=>AccountId

#### ⚠ Create an opp under above account

⚙ Create Object: Opportunity=>OpportunityId

#### ⚠ Create a contact under above account

⚙ Create Object: Contact=>ContactId

## Create via UI.testcase

---

### Summary

Started	23 Apr 2021, 13:51:47
Ended	23 Apr 2021, 13:51:48
Duration (mm:ss)	00:00.656
Outcome	● failed

### Output

#### ● Salesforce Connect: Admin (Test)

① Connecting to Salesforce as Admin

⚙ Connection details. Connection name: Admin, result name: Admin, result scope: Test, urlString: sf:user=kramu711@provar.trialsbx1;environment=SANDBOX;clientId={clientId};clientSecret={clientSecret};lightningMode=true, environment: <default>, userName: kramu711@provar.trialsbx1, password: [empty] securityToken: [empty]

⚙ Create object id log file.

⚙ Opening Partner connection

● Connection exception while opening Partner connection. Connection name: Admin, environment: <default>, authEndpoint: https://test.salesforce.com/services/Soap/u/50.0, userName: kramu711@provar.trialsbx1, password: [empty], securityToken: [empty]

● [LoginFault]

● Error when attempting to connect to Salesforce as Admin

#### ● Create Account

● On SF Account home screen



① Start of With Screen. Connection Name: Admin, target: sf:ui:target?action=ObjectHome&object=Account

● Connection not found. Connection Name: Admin

● Click the New button

① Start of Interact. Connection: Admin, Locator: ui:locator?name=New&path=ObjectHome%2Frecent, before wait: null, after wait: null, auto retry: default

● Connection not found. Connection Name: Admin

● Connection not found. Connection Name: Admin

● One or more Sub-Test Steps failed.

● Connection not found. Connection Name: Admin

● On SF Account new screen

① Start of With Screen. Connection Name: Admin, target: sf:ui:target?action=New&object=Account

● Connection not found. Connection Name: Admin

● Set Values: Account\_Name

① Setting value Account\_Name to Provar\_Acc\_15N

⚙ Configuration: ValueScope:Test

⚠ Value already exists with different scope - using existing scope. Expression: Account\_Name, supplied scope: Test, existing scope: Global

⚠ Warning - setting value Account\_Name to Provar\_Acc\_15N

● Set the Account Name field to Provar\_Acc\_15N

① Start of Interact. Connection: Admin, Locator: ui:locator?name=Name&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DAccount%26field%3DName, before wait: default, after wait: default, auto retry: default

● Connection not found. Connection Name: Admin

● Connection not found. Connection Name: Admin

● Set the Phone field to 8039484738

① Start of Interact. Connection: Admin, Locator: ui:locator?name=Phone&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DAccount%26field%3DPhone, before wait: null, after wait: null, auto retry: default

● Connection not found. Connection Name: Admin

● Connection not found. Connection Name: Admin

● Set the Type picklist to ProspectProspect

① Start of Interact. Connection: Admin, Locator: ui:locator?name=Type&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DAccount%26field%3DType, before wait: null, after wait: null, auto retry: default

● Connection not found. Connection Name: Admin

● Connection not found. Connection Name: Admin

● Set the Industry picklist to AgricultureAgriculture

① Start of Interact. Connection: Admin, Locator: ui:locator?name=Industry&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DAccount%26field%3DIndustry, before wait: null, after wait: null, auto retry: default

● Connection not found. Connection Name: Admin

● Connection not found. Connection Name: Admin

● Click the Save button

① Start of Interact. Connection: Admin, Locator: ui:locator?name=save&binding=sf%3Aui%3Abinding%3Aobject%3Faction%3Dsave%26object%3DAccount, before wait: null, after wait: null, auto retry: default

● Connection not found. Connection Name: Admin

● Connection not found. Connection Name: Admin

● One or more Sub-Test Steps failed.

● Connection not found. Connection Name: Admin

● Create Opportunity under created account

● On SF Account view screen

① Start of With Screen. Connection Name: Admin, target: sf:ui:target?action=View&object=Account

● Connection not found. Connection Name: Admin

● Click the Opportunities New button

① Start of Interact. Connection: Admin, Locator: ui:locator?name=New&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DAccount%26action%3DNew%26relationship%3DOpportunities, before wait: default, after wait: default, auto retry: default

- Connection not found. Connection Name: Admin
- Connection not found. Connection Name: Admin
- One or more Sub-Test Steps failed.
- Connection not found. Connection Name: Admin
- On SF Opportunity new screen
  - ① Start of With Screen. Connection Name: Admin, target: sf:ui:target?action=New&object=Opportunity
  - Connection not found. Connection Name: Admin
  - Set Values: Opp\_Name
    - ① Setting value Opp\_Name to Provar\_Opp\_175
    - ⚙ Configuration: ValueScope:Test
    - Successfully set Opp\_Name to Provar\_Opp\_175
  - Set the Opportunity Name field to Provar\_Opp\_175
    - ① Start of Interact. Connection: Admin, Locator: ui:locator?name=Name&binding=sf%3Aui%3AAbinding%3Aobject%3Fobject%3DOppportunity%26field%3DName, before wait: null, after wait: null, auto retry: default
    - Connection not found. Connection Name: Admin
    - Connection not found. Connection Name: Admin
  - Set the Close Date field to 2016-12-29
    - ① Start of Interact. Connection: Admin, Locator: ui:locator?name=CloseDate&binding=sf%3Aui%3AAbinding%3Aobject%3Fobject%3DOppportunity%26field%3DCloseDate, before wait: null, after wait: null, auto retry: default
    - Connection not found. Connection Name: Admin
    - Connection not found. Connection Name: Admin
  - Set the Stage picklist to ProspectingProspecting
    - ① Start of Interact. Connection: Admin, Locator: ui:locator?name=StageName&binding=sf%3Aui%3AAbinding%3Aobject%3Fobject%3DOppportunity%26field%3DStageName, before wait: null, after wait: null, auto retry: default
    - Connection not found. Connection Name: Admin
    - Connection not found. Connection Name: Admin
  - Set the Probability (%) field to 20
    - ① Start of Interact. Connection: Admin, Locator: ui:locator?name=Probability&binding=sf%3Aui%3AAbinding%3Aobject%3Fobject%3DOppportunity%26field%3DProbability, before wait: null, after wait: null, auto retry: default
    - Connection not found. Connection Name: Admin
    - Connection not found. Connection Name: Admin
  - Click the Save button
    - ① Start of Interact. Connection: Admin, Locator: ui:locator?name=save&binding=sf%3Aui%3AAbinding%3Aobject%3Faction%3Dsave%26object%3DOppportunity, before wait: null, after wait: null, auto retry: default
    - Connection not found. Connection Name: Admin
    - Connection not found. Connection Name: Admin
  - One or more Sub-Test Steps failed.
  - Connection not found. Connection Name: Admin
- Create Contact under created account
  - On SF Account All Accounts list view
    - ① Start of With Screen. Connection Name: Admin, target: sf:ui:target?object=Account&action=List&listView=All\_Accounts
    - Connection not found. Connection Name: Admin
    - With Account rows {Name = Provar\_Acc\_15N}
      - ① Start of With Row. Connection Name: Admin, target: sf:ui:locator:row?table=List%2FlistView%2FlistTable
      - Connection not found. Connection Name: Admin
      - Connection not found. Connection Name: Admin
    - 🖱 Click the Account Name link
    - One or more Sub-Test Steps failed.
    - Connection not found. Connection Name: Admin
  - On SF Account view screen
    - ① Start of With Screen. Connection Name: Admin, target: sf:ui:target?action=View&object=Account

- Connection not found. Connection Name: Admin
- Click the Contacts NewContact button
  - ① Start of Interact. Connection: Admin, Locator: ui:locator?name=NewContact&binding=sf%3Aui%3AAbinding%3Aobject%3Fobject%3DAccount%26action%3DNewContact%26relationship%3DContacts, before wait: null, after wait: null, auto retry: default
  - Connection not found. Connection Name: Admin
  - Connection not found. Connection Name: Admin
- One or more Sub-Test Steps failed.
- Connection not found. Connection Name: Admin
- On SF Contact Record Type selection screen
  - ① Start of With Screen. Connection Name: Admin, target: sf:ui:target?object=Contact&action=recordTypeNew
  - Connection not found. Connection Name: Admin
  - Click the Continue button
    - ① Start of Interact. Connection: Admin, Locator: ui:locator?name=save&path=selectRecordType, before wait: null, after wait: null, auto retry: default
    - Connection not found. Connection Name: Admin
    - Connection not found. Connection Name: Admin
  - One or more Sub-Test Steps failed.
  - Connection not found. Connection Name: Admin
- On SF Contact new screen
  - ① Start of With Screen. Connection Name: Admin, target: sf:ui:target?object=Contact&action=New
  - Connection not found. Connection Name: Admin
  - Set the First Name field to vikas
    - ① Start of Interact. Connection: Admin, Locator: ui:locator?name=FirstName&binding=sf%3Aui%3AAbinding%3Aobject%3Fobject%3DContact%26field%3DFirstName, before wait: null, after wait: null, auto retry: default
    - Connection not found. Connection Name: Admin
    - Connection not found. Connection Name: Admin
  - Set the Last Name field to wig
    - ① Start of Interact. Connection: Admin, Locator: ui:locator?name=LastName&binding=sf%3Aui%3AAbinding%3Aobject%3Fobject%3DContact%26field%3DLastName, before wait: null, after wait: null, auto retry: default
    - Connection not found. Connection Name: Admin
    - Connection not found. Connection Name: Admin
  - Set the Phone field to 9010200393
    - ① Start of Interact. Connection: Admin, Locator: ui:locator?name=Phone&binding=sf%3Aui%3AAbinding%3Aobject%3Fobject%3DContact%26field%3DPhone, before wait: null, after wait: null, auto retry: default
    - Connection not found. Connection Name: Admin
    - Connection not found. Connection Name: Admin
  - Click the Save button
    - ① Start of Interact. Connection: Admin, Locator: ui:locator?name=save&binding=sf%3Aui%3AAbinding%3Aobject%3Fobject%3DContact%26action%3Dsave, before wait: null, after wait: null, auto retry: default
    - Connection not found. Connection Name: Admin
    - Connection not found. Connection Name: Admin
  - One or more Sub-Test Steps failed.
  - Connection not found. Connection Name: Admin

## Delete Provar Test Accounts.testcase

---

### Summary

Started	23 Apr 2021, 13:51:48
Ended	23 Apr 2021, 13:51:49
Duration (mm:ss)	00:00.804
Outcome	● failed

## Output

### ● Salesforce Connect: Admin (Test)

📘 Connecting to Salesforce as Admin

⚙️ Connection details. Connection name: Admin, result name: Admin, result scope: Test, urlString: sf:user=kramu711@provar.trialsbx1;environment=SANDBOX;clientId={clientId};clientSecret={clientSecret};lightningMode=true, environment: <default>, userName: kramu711@provar.trialsbx1, password: [empty] securityToken: [empty]

⚙️ Create object id log file.

⚙️ Opening Partner connection

● Connection exception while opening Partner connection. Connection name: Admin, environment: <default>, authEndpoint: https://test.salesforce.com/services/Soap/u/50.0, userName: kramu711@provar.trialsbx1, password: [empty], securityToken: [empty]

● [LoginFault]

● Error when attempting to connect to Salesforce as Admin

⚠️ Create Object: Account=>AccountId

⚠️ On SF Account View screen

🖱️ Click the Cases New button

⚠️ On SF Case New screen

🖱️ Set the Case Origin picklist to Phone

🖱️ Click the Save button

⚠️ Delete accounts

🔗 SOQL Query: select Id,CaseNumber from Case where AccountId= '{AccountId}'=>CaseRows

🔗 If: {CaseRows.Id != NULL}

🔗 Then

🔗 Delete Object: {CaseRows.Id}

🔗 Delete Object: {AccountId}

🔗 Else

🔗 Delete Object: {AccountId}

## 📄 API Callable.testcase

## Summary

Started	23 Apr 2021, 13:51:49
Ended	23 Apr 2021, 13:51:50
Duration (mm:ss)	00:00.709
Outcome	● failed

## Output

### ● Salesforce Connect: Admin (Test)

📘 Connecting to Salesforce as Admin

⚙️ Connection details. Connection name: Admin, result name: Admin, result scope: Test, urlString: sf:user=kramu711@provar.trialsbx1;environment=SANDBOX;clientId={clientId};clientSecret={clientSecret};lightningMode=true, environment: <default>, userName: kramu711@provar.trialsbx1, password: [empty] securityToken: [empty]

⚙️ Create object id log file.

⚙️ Opening Partner connection

● Connection exception while opening Partner connection. Connection name: Admin, environment: <default>, authEndpoint: https://test.salesforce.com/services/Soap/u/50.0, userName: kramu711@provar.trialsbx1, password: [empty], securityToken: [empty]

● [LoginFault]

● Error when attempting to connect to Salesforce as Admin

⚠️ Set Values: AccountName

⚠️ Search Account and create opportunity under it

🔗 SOQL Query: select Id from Account where Name = '{AccountName}'=>AccountRows

🔗 SOQL Query: select Id from Account where Name='{AccountName}'=>AccountRows

🔗 Create Object: Opportunity=>OpportunityId

## API ReadExcel.testcase

---

### Summary


Started 23 Apr 2021, 13:51:50  
Ended 23 Apr 2021, 13:51:51  
Duration (mm:ss) 00:01.056  
Outcome ● failed


### Output


#### ● Read Excel sheet and loop through data to process using callable test

 Loading data from Parameter Value Source ...


 Loading Parameter Value Source row 1:

 ==Column=> RowNumber = PrimitiveValueImpl [ value: 2, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]


 ==Column=> StageName = PrimitiveValueImpl [ value: Prospecting, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

 ==Column=> Probability = PrimitiveValueImpl [ value: 10, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

 Loading Parameter Value Source row 2:


 ==Column=> RowNumber = PrimitiveValueImpl [ value: 3, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

 ==Column=> StageName = PrimitiveValueImpl [ value: Qualification, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

 ==Column=> Probability = PrimitiveValueImpl [ value: 20, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

Loaded 2 rows from Parameter Value Source.

#### ● For Each: {ExcelData}>=>Row

 Start of iteration 1 of 2.


##### ● Iteration 1

##### ● Call API Callable

##### ● API Callable

##### ● Salesforce Connect: Admin (Test)

 Connecting to Salesforce as Admin

 Connection details. Connection name: Admin, result name: Admin, result scope: Test, urlString: sf:user=kramu711@provar.trialsbx1;environment=SANDBOX;clientId={clientId};clientSecret={clientSecret};lightningMode=true;environment: <default>, userName: kramu711@provar.trialsbx1, password: [empty] securityToken: [empty]


 Create object id log file.


 Opening Partner connection

● Connection exception while opening Partner connection. Connection name: Admin, environment: <default>, authEndpoint: https://test.salesforce.com/services/Soap/u/50.0, userName: kramu711@provar.trialsbx1, password: [empty], securityToken: [empty]

● [LoginFault]


● Error when attempting to connect to Salesforce as Admin

 Set Values: AccountName

 Search Account and create opportunity under it

 SOQL Query: select Id from Account where Name = '{AccountName}'=>AccountRows

 SOQL Query: select Id from Account where Name='{AccountName}'=>AccountRows

 Create Object: Opportunity=>OpportunityId

● Sub-Test Steps failed for iteration 1

## ApexExecute.testcase




---

### Summary

Started 23 Apr 2021, 13:51:51  
Ended 23 Apr 2021, 13:51:51  
Duration (mm:ss) 00:00.000

Outcome  skipped


## Output

-  Salesforce Connect: Admin (Test)
-  Execute Apex code to change title for all contacts
  -  Apex Execute



























## Create Opportunity From Existing Account.testcase

---

### Summary

Started	23 Apr 2021, 13:51:51
Ended	23 Apr 2021, 13:51:51
Duration (mm:ss)	00:00.566
Outcome	 failed


## Output

-  Login to ServiceCloud
  -  Salesforce Connect: Admin (Test)
    -  Connecting to Salesforce as Admin
      -  Connection details. Connection name: Admin, result name: Admin, result scope: Test, urlString: sf:user=kramu711@provar.trialsbx1;environment=SANDBOX;clientId={clientId};clientSecret={clientSecret};lightningMode=true, environment: <default>, userName: kramu711@provar.trialsbx1, password: [empty] securityToken: [empty]
      -  Create object id log file.
      -  Opening Partner connection
        -  Connection exception while opening Partner connection. Connection name: Admin, environment: <default>, authEndpoint: https://test.salesforce.com/services/Soap/u/50.0, userName: kramu711@provar.trialsbx1, password: [empty], securityToken: [empty]
    -  [LoginFault]
    -  Error when attempting to connect to Salesforce as Admin
-  Lookup Existing Account
  -  On SF Accounts tab (All Accounts)
    -  With Account rows 1
      -  Click the Account Name field
-  Create Opportunity and check Validation rules
  -  On SF Account view screen
    -  Click the Opportunities New button
  -  On SF Opportunity new screen
    -  Set the Opportunity Name field to Pharma123
    -  Set the Opportunity Name field to pharma123
    -  Set the Close Date field to 2015-09-11
    -  Set the Stage picklist to Qualification
    -  Set the Amount field to 9999999
    -  Click the Save button
    -  UI Assert : Expected Validation Error message on Amount
    -  Set the Amount field to 1,000
    -  Click the Save button

## New Opportunity and validation rule.testcase

---

### Summary

Started	23 Apr 2021, 13:51:51
Ended	23 Apr 2021, 13:51:52
Duration (mm:ss)	00:00.775
Outcome	 failed

## Output

- Login to Sales Cloud
  - Salesforce Connect: Admin (Test)
    - ① Connecting to Salesforce as Admin
      - ⚙ Connection details. Connection name: Admin, result name: Admin, result scope: Test, urlString: sf:user=kramu711@provar.trialsbx1;environment=SANDBOX;clientId={clientId};clientSecret={clientSecret};lightningMode=true, environment: <default>, userName: kramu711@provar.trialsbx1, password: [empty] securityToken: [empty]
      - ⚙ Create object id log file.
      - ⚙ Opening Partner connection
        - Connection exception while opening Partner connection. Connection name: Admin, environment: <default>, authEndpoint: https://test.salesforce.com/services/Soap/u/50.0, userName: kramu711@provar.trialsbx1, password: [empty], securityToken: [empty]
    - [LoginFault]
    - Error when attempting to connect to Salesforce as Admin
- Create New Opportunity and assert validation rule
  - On SF Opportunity home screen
    - ① Start of With Screen. Connection Name: Admin, target: sf:ui:target?object=Opportunity&action=ObjectHome
      - Connection not found. Connection Name: Admin
    - Click the New button
      - ① Start of Interact. Connection: Admin, Locator: ui:locator?name=New&path=ObjectHome%2Frecent, before wait: default, after wait: default, auto retry: default
        - Connection not found. Connection Name: Admin
        - Connection not found. Connection Name: Admin
      - One or more Sub-Test Steps failed.
      - Connection not found. Connection Name: Admin
  - On SF Opportunity new screen
    - ① Start of With Screen. Connection Name: Admin, target: sf:ui:target?object=Opportunity&action=New
      - Connection not found. Connection Name: Admin
    - Set the Opportunity Name field to Pharma123
      - ① Start of Interact. Connection: Admin, Locator: ui:locator?name=Name&binding=sf%3Aui%3AAbinding%3Aobject%3Fobject%26field%3DName, before wait: default, after wait: default, auto retry: default
        - Connection not found. Connection Name: Admin
        - Connection not found. Connection Name: Admin
    - Set the Close Date field to 2021-04-26
      - ① Start of Interact. Connection: Admin, Locator: ui:locator?name=CloseDate&binding=sf%3Aui%3AAbinding%3Aobject%3Fobject%3DOpportunity%26field%3DCloseDate, before wait: default, after wait: default, auto retry: default
        - Connection not found. Connection Name: Admin
        - Connection not found. Connection Name: Admin
    - Set the Stage picklist to Qualification
      - ① Start of Interact. Connection: Admin, Locator: ui:locator?name=StageName&binding=sf%3Aui%3AAbinding%3Aobject%3Fobject%3DOpportunity%26field%3DStageName, before wait: null, after wait: null, auto retry: default
        - Connection not found. Connection Name: Admin
        - Connection not found. Connection Name: Admin
    - Set the Amount field to {111111111111}
      - ① Start of Interact. Connection: Admin, Locator: ui:locator?name=Amount&binding=sf%3Aui%3AAbinding%3Aobject%3Fobject%3DOpportunity%26field%3DAmount, before wait: default, after wait: default, auto retry: default
        - Connection not found. Connection Name: Admin
        - Connection not found. Connection Name: Admin
    - Click the Save button
      - ① Start of Interact. Connection: Admin, Locator: ui:locator?name=save&binding=sf%3Aui%3AAbinding%3Aobject%3Fobject%3DOpportunity%26action%3Dsave, before wait: default, after wait: default, auto retry: default
        - Connection not found. Connection Name: Admin

- Connection not found. Connection Name: Admin
- UI Assert: Expected Validation error message on Amount
  - ① Start of UIAssert. Connection: Admin
  - Connection not found. Connection Name: Admin
  - Connection not found. Connection Name: Admin
- Set the Amount field to 1,000
  - ① Start of Interact. Connection: Admin, Locator: ui:locator?name=Amount&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DOpportunity%26field%3DAmount, before wait: default, after wait: default, auto retry: default
  - Connection not found. Connection Name: Admin
  - Connection not found. Connection Name: Admin
- Click the Save button
  - ① Start of Interact. Connection: Admin, Locator: ui:locator?name=save&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DOpportunity%26action%3Dsave, before wait: default, after wait: default, auto retry: default
  - Connection not found. Connection Name: Admin
  - Connection not found. Connection Name: Admin
- One or more Sub-Test Steps failed.
- Connection not found. Connection Name: Admin

## VF Product Selector.testcase

---

### Summary

Started	23 Apr 2021, 13:51:52
Ended	23 Apr 2021, 13:51:53
Duration (mm:ss)	00:00.760
Outcome	● failed

### Output


- Salesforce Connect: Admin (Test)
  - ① Connecting to Salesforce as Admin
  - ⚙ Connection details. Connection name: Admin, result name: Admin, result scope: Test, urlString: sf:user=kramu711@provar.trialsbx1;environment=SANDBOX;clientId={clientId};clientSecret={clientSecret};lightningMode=true, environment: <default>, userName: kramu711@provar.trialsbx1, password: [empty] securityToken: [empty]
  - ⚙ Create object id log file.
  - ⚙ Opening Partner connection
  - Connection exception while opening Partner connection. Connection name: Admin, environment: <default>, authEndpoint: https://test.salesforce.com/services/Soap/u/50.0, userName: kramu711@provar.trialsbx1, password: [empty], securityToken: [empty]
  - [LoginFault]
  - Error when attempting to connect to Salesforce as Admin
- ⚠ On SF Opportunity Home screen
  - 🖱 Set the Search Type select to Recently Viewed Opportunities
  - 🖱 Click the Go! button
- ⚠ On SF Opportunity Recently Viewed Opportunities list view
  - 🖱 With List/listView/listTable {3}
  - 🖱 Click the Opportunity Name link
- ⚠ On SF Opportunity View screen
  - 🖱 Click the Product Selector button
- ⚠ On SF ProvarQS\_\_ProductSelector page with pageobject ProductSelector
  - 🖱 Set the Opportunity Name field to Dickenson Mobile Generators
  - 🖱 With Line Items rows 2
    - 🖱 Set the Amount field to 100
    - 🖱 Set the Select Product select to GenWatt Diesel 1000kW
    - 🖱 Set the Notes field to Test Note
  - 🖱 Click the Save button



## SFCaseWebServices.testcase

---


### Summary

Started	23 Apr 2021, 13:51:53
Ended	23 Apr 2021, 13:51:54
Duration (mm:ss)	00:00.694
Outcome	 failed

### Output

#### Salesforce Connect: Admin (Test)

 Connecting to Salesforce as Admin

 Connection details. Connection name: Admin, result name: Admin, result scope: Test, urlString: sf:user=kramu711@provar.trialsbx1;environment=SANDBOX;clientId={clientId};clientSecret={clientSecret};lightningMode=true, environment: <default>, userName: kramu711@provar.trialsbx1, password: [empty] securityToken: [empty]

 Create object id log file.

 Opening Partner connection


 Connection exception while opening Partner connection. Connection name: Admin, environment: <default>, authEndpoint: https://test.salesforce.com/services/Soap/u/50.0, userName: kramu711@provar.trialsbx1, password: [empty], securityToken: [empty]

 [LoginFault]

 Error when attempting to connect to Salesforce as Admin

#### Set Values: CaseStatus


 Setting value CaseStatus to New

 Configuration: ValueScope:Test

Successfully set CaseStatus to New

#### Soap request to get cases with status New

##### Web Service Request (SOAP): getCasesForCaseStatus#WebResponse

 Calling a Web Service. Connection Name: Admin, Service URL: CasesWebServiceService

 Connection not found. Connection Name: Admin


##### Assert: Status of the 1st received case with 'New'

 Assertion failed. (expected) New = null (actual)

## SFRestService.testcase

---


### Summary

Started	23 Apr 2021, 13:51:54
Ended	23 Apr 2021, 13:51:54
Duration (mm:ss)	00:00.701
Outcome	 failed

### Output

#### Salesforce Connect: Admin (Test)

 Connecting to Salesforce as Admin

 Connection details. Connection name: Admin, result name: Admin, result scope: Test, urlString: sf:user=kramu711@provar.trialsbx1;environment=SANDBOX;clientId={clientId};clientSecret={clientSecret};lightningMode=true, environment: <default>, userName: kramu711@provar.trialsbx1, password: [empty] securityToken: [empty]

 Create object id log file.

 Opening Partner connection

 Connection exception while opening Partner connection. Connection name: Admin, environment: <default>, authEndpoint: https://test.salesforce.com/services/Soap/u/50.0, userName: kramu711@provar.trialsbx1, password: [empty], securityToken: [empty]

- [LoginFault]
- Error when attempting to connect to Salesforce as Admin
- SOQL Query: select Id from Account where Name = 'Burlington Textiles Corp of America'=>AccountId
  - ① Reading a Salesforce object. Connection Name: Admin, Query: select Id from Account where Name = 'Burlington Textiles Corp of America'
  - Connection not found. Connection Name: Admin
- Send Rest request to get account details for account id
  - Web Request (HTTP/REST): #RestResponse
    - ① Calling a Web Service. Connection Name: Admin, target: rest:untyped?method=GET&bodyStyle=JSON
    - Connection not found. Connection Name: Admin
  - Assert: Received Account Name with Account name corresponding to AccountID
    - ❌ Account not as expected. (expected) Burlington Textiles Corp of America = null (actual)

## Lesson 1 and 2 Create Lead.testcase

---

### Summary

Started	23 Apr 2021, 13:51:54
Ended	23 Apr 2021, 13:51:55
Duration (mm:ss)	00:00.717
Outcome	● failed

### Output

- Salesforce Connect: SF\_Admin (Test)
  - ① Connecting to Salesforce as Admin
    - ⚙ Connection details. Connection name: Admin, result name: SF\_Admin, result scope: Test, urlString: sf:user=kramu711@provar.trialsbx1;environment=SANDBOX;clientId={clientId};clientSecret={clientSecret};lightningMode=true, environment: <default>, userName: kramu711@provar.trialsbx1, password: [empty] securityToken: [empty]
    - ⚙ Create object id log file.
    - ⚙ Opening Partner connection
      - Connection exception while opening Partner connection. Connection name: Admin, environment: <default>, authEndpoint: https://test.salesforce.com/services/Soap/u/50.0, userName: kramu711@provar.trialsbx1, password: [empty], securityToken: [empty]
  - [LoginFault]
  - Error when attempting to connect to Salesforce as Admin
- ⚠ On SF Lead Home screen
  - 🖱 Click the New button
- ⚠ On SF Lead New screen
  - 🖱 Set the Lead Source picklist to Phone Inquiry
  - 🖱 Set the First Name field to Tom
  - 🖱 Set the Last Name field to Parker
  - 🖱 Set the Company field to Playton PLC
  - 🖱 Click the Save button

## Lesson 3 Create Opportunity.testcase

---

### Summary

Started	23 Apr 2021, 13:51:55
Ended	23 Apr 2021, 13:51:56
Duration (mm:ss)	00:00.721
Outcome	● failed

### Output

- Salesforce Connect: SF\_Admin (Test)

Connecting to Salesforce as Admin

Connection details. Connection name: Admin, result name: SF\_Admin, result scope: Test, urlString: sf:user=kramu711@provar.trialsbx1;environment=SANDBOX;clientId={clientId};clientSecret={clientSecret};lightningMode=true, environment: <default>, userName: kramu711@provar.trialsbx1, password: [empty] securityToken: [empty]

Create object id log file.

Opening Partner connection

Connection exception while opening Partner connection. Connection name: Admin, environment: <default>, authEndpoint: https://test.salesforce.com/services/Soap/u/50.0, userName: kramu711@provar.trialsbx1, password: [empty], securityToken: [empty]

[LoginFault]

Error when attempting to connect to Salesforce as Admin

On SF Opportunity Home screen

Click the New button

On SF Opportunity New screen

Set the Opportunity Name field to Opportunity 1

Today link the Close Date field

Lookup the Account reference

On SF Account Lookup screen

Set the Search text to Burlington Textiles Corp of America

Click the Go! button

Click the Account Name button

Set the Stage picklist to Prospecting

UI Assert: Check Probability is 10%

Set the Amount field to 2m

Click the Save button

UI Assert: Amount cannot exceed \$1M

Set the Amount field to 999999

Click the Save button

## Lesson 4 Create Opportunity2.testcase

### Summary

Started	23 Apr 2021, 13:51:56
Ended	23 Apr 2021, 13:51:57
Duration (mm:ss)	00:00.985
Outcome	failed

### Output

Salesforce Connect: SF\_Admin (Test)

Connecting to Salesforce as Admin

Connection details. Connection name: Admin, result name: SF\_Admin, result scope: Test, urlString: sf:user=kramu711@provar.trialsbx1;environment=SANDBOX;clientId={clientId};clientSecret={clientSecret};lightningMode=true, environment: <default>, userName: kramu711@provar.trialsbx1, password: [empty] securityToken: [empty]

Create object id log file.

Opening Partner connection

Connection exception while opening Partner connection. Connection name: Admin, environment: <default>, authEndpoint: https://test.salesforce.com/services/Soap/u/50.0, userName: kramu711@provar.trialsbx1, password: [empty], securityToken: [empty]

[LoginFault]

Error when attempting to connect to Salesforce as Admin

On SF Opportunity Home screen

Click the New button











On SF Opportunity New screen

Set the Opportunity Name field to Opportunity 1

Set the Close Date field to {DateAdd(TODAY, 30)}

Lookup the Account reference


On SF Account Lookup screen

-  Set the Search text to Burlington Textiles Corp of America
-  Click the Go! button
-  Click the Account Name button
-  Set the Stage picklist to Prospecting
-  UI Assert: Check Probability is 10%
-  Set the Amount field to 2m
-  Click the Save button
-  UI Assert: Amount cannot exceed \$1M
-  Set the Amount field to 999999
-  Click the Save button




















## Lesson 5 Log a Call.testcase

---

### Summary

Started	23 Apr 2021, 13:51:57
Ended	23 Apr 2021, 13:51:57
Duration (mm:ss)	00:00.670
Outcome	 failed


### Output

- Set Values: ActivitySubject
  -  Setting value ActivitySubject to Call P7VI
  -  Configuration: ValueScope:Test
  - Successfully set ActivitySubject to Call P7VI
- Salesforce Connect: SF\_Admin (Test)
  -  Connecting to Salesforce as Admin
  -  Connection details. Connection name: Admin, result name: SF\_Admin, result scope: Test, urlString: sf:user=kramu711@provar.trialsbx1;environment=SANDBOX;clientId={clientId};clientSecret={clientSecret};lightningMode=true, environment: <default>, userName: kramu711@provar.trialsbx1, password: [empty] securityToken: [empty]
  -  Create object id log file.
  -  Opening Partner connection
  -  Connection exception while opening Partner connection. Connection name: Admin, environment: <default>, authEndpoint: https://test.salesforce.com/services/Soap/u/50.0, userName: kramu711@provar.trialsbx1, password: [empty], securityToken: [empty]
  -  [LoginFault]
  -  Error when attempting to connect to Salesforce as Admin
-  On SF Case All Open Cases list view
  -  With Case rows 1
    -  Click the Case Number field
-  On SF Case Publisher Action Log a Call screen
  -  Set the Subject field to Call
  -  Set the Comments field to Test
  -  Click the Create button
-  On SF Case View screen
  -  With ActivityHistories rows {TASK\_SUBJECT = "Call"}
    -  UI Assert

## Lesson 6 Callable Create Opportunity.testcase

---

### Summary

Started	23 Apr 2021, 13:51:57
Ended	23 Apr 2021, 13:51:58
Duration (mm:ss)	00:00.987
Outcome	 failed

## Output

### ● Salesforce Connect: SF\_Admin (Test)

📘 Connecting to Salesforce as Admin

⚙️ Connection details. Connection name: Admin, result name: SF\_Admin, result scope: Test, urlString: sf:user=kramu711@provar.trialsbx1;environment=SANDBOX;clientId={clientId};clientSecret={clientSecret};lightningMode=true, environment: <default>, userName: kramu711@provar.trialsbx1, password: [empty] securityToken: [empty]

⚙️ Create object id log file.

⚙️ Opening Partner connection

● Connection exception while opening Partner connection. Connection name: Admin, environment: <default>, authEndpoint: https://test.salesforce.com/services/Soap/u/50.0, userName: kramu711@provar.trialsbx1, password: [empty], securityToken: [empty]

● [LoginFault]

● Error when attempting to connect to Salesforce as Admin

⚠️ Create Object: Opportunity=>OpportunityId

## 📖 Lesson 6 Manage Account.testcase

### Summary

Started	23 Apr 2021, 13:51:58
Ended	23 Apr 2021, 13:51:59
Duration (mm:ss)	00:00.715
Outcome	● failed

## Output

### ● Salesforce Connect: SF\_Admin (Test)

📘 Connecting to Salesforce as Admin

⚙️ Connection details. Connection name: Admin, result name: SF\_Admin, result scope: Test, urlString: sf:user=kramu711@provar.trialsbx1;environment=SANDBOX;clientId={clientId};clientSecret={clientSecret};lightningMode=true, environment: <default>, userName: kramu711@provar.trialsbx1, password: [empty] securityToken: [empty]

⚙️ Create object id log file.

⚙️ Opening Partner connection

● Connection exception while opening Partner connection. Connection name: Admin, environment: <default>, authEndpoint: https://test.salesforce.com/services/Soap/u/50.0, userName: kramu711@provar.trialsbx1, password: [empty], securityToken: [empty]

● [LoginFault]

● Error when attempting to connect to Salesforce as Admin

⚠️ Create Object: Account=>AccountId

⚠️ On SF Account View screen

🖱️ Click the Edit button

⚠️ On SF Account Edit screen

🖱️ Set the Account Number field to {UniquelId(10)}

🖱️ Set the Active picklist to Yes

🖱️ Click the Save button

⚠️ Update Object: Account = {AccountId}

⚠️ Read Object: Account = {AccountId}

⚠️ SOQL Query: select AccountNumber from Account where Id = '{AccountId}'=>AccountRows

⚠️ Call Lesson 6 Callable Create Opportunity

## 📖 Exercise 1 and 2 - Create Account.testcase

### Summary


Started	23 Apr 2021, 13:51:59
---------	-----------------------

Ended	23 Apr 2021, 13:52:00
Duration (mm:ss)	00:00.710
Outcome	 failed

## Output

### ● Salesforce Connect: SF\_Admin (Test)

 Connecting to Salesforce as Admin

 Connection details. Connection name: Admin, result name: SF\_Admin, result scope: Test, urlString: sf:user=kramu711@provar.trialsbx1;environment=SANDBOX;clientId={clientId};clientSecret={clientSecret};lightningMode=true, environment: <default>, userName: kramu711@provar.trialsbx1, password: [empty] securityToken: [empty]


 Create object id log file.

 Opening Partner connection


● Connection exception while opening Partner connection. Connection name: Admin, environment: <default>, authEndpoint: https://test.salesforce.com/services/Soap/u/50.0, userName: kramu711@provar.trialsbx1, password: [empty], securityToken: [empty]

● [LoginFault]

● Error when attempting to connect to Salesforce as Admin


 On SF Account Home screen

 Click the New button

 On SF Account New screen

 Set the Account Name field to Barton Media


 Check the Approved field


 Set the Number of Locations field to 15

 Today link the SLA Expiration Date field

 Set the SLA picklist to Gold


 Set the SLA Serial Number field to BH3234299K

 Set the Website field to www.bartonmedia.com

 Click the Save button

## Exercise 3 Create Case.testcase


## Summary

Started	23 Apr 2021, 13:52:00
Ended	23 Apr 2021, 13:52:00
Duration (mm:ss)	00:00.681
Outcome	 failed

## Output

### ● Salesforce Connect: SF\_Admin (Test)

 Connecting to Salesforce as Admin

 Connection details. Connection name: Admin, result name: SF\_Admin, result scope: Test, urlString: sf:user=kramu711@provar.trialsbx1;environment=SANDBOX;clientId={clientId};clientSecret={clientSecret};lightningMode=true, environment: <default>, userName: kramu711@provar.trialsbx1, password: [empty] securityToken: [empty]

 Create object id log file.

 Opening Partner connection


● Connection exception while opening Partner connection. Connection name: Admin, environment: <default>, authEndpoint: https://test.salesforce.com/services/Soap/u/50.0, userName: kramu711@provar.trialsbx1, password: [empty], securityToken: [empty]


● [LoginFault]

● Error when attempting to connect to Salesforce as Admin


 On SF Case Home screen











 Click the New button

 On SF Case New screen

 Lookup the Account reference

 On SF Account Lookup screen


 Set the Search text to Burlington Textiles Corp of America

-  Click the Go! button
-  Click the Account Name button
-  Set the Priority picklist to High
-  Set the Case Origin picklist to Phone
-  Click the Save button
-  UI Assert: check Potential Liability error message
-  UI Assert: check Engineering Req Number error message
-  Set the Engineering Req Number field to 2342IKL11
-  Set the Potential Liability picklist to Yes
-  Click the Save button

## Exercise 4 Create Case2.testcase

---


### Summary

Started 23 Apr 2021, 13:52:00  
 Ended 23 Apr 2021, 13:52:01  
 Duration (mm:ss) 00:00.703  
 Outcome  failed

### Output

#### Salesforce Connect: SF\_Admin (Test)

 Connecting to Salesforce as Admin

 Connection details. Connection name: Admin, result name: SF\_Admin, result scope: Test, urlString: sf:user=kramu711@provar.trialsbx1;environment=SANDBOX;clientId={clientId};clientSecret={clientSecret};lightningMode=true, environment: <default>, userName: kramu711@provar.trialsbx1, password: [empty] securityToken: [empty]

 Create object id log file.

 Opening Partner connection

 Connection exception while opening Partner connection. Connection name: Admin, environment: <default>, authEndpoint: https://test.salesforce.com/services/Soap/u/50.0, userName: kramu711@provar.trialsbx1, password: [empty], securityToken: [empty]


 [LoginFault]


 Error when attempting to connect to Salesforce as Admin

#### On SF Case Home screen


 Click the New button


#### On SF Case New screen

 Lookup the Account reference

 On SF Account Lookup screen


 Set the Search text to Burlington Textiles Corp of America


 Click the Go! button

 Click the Account Name button

 Set the Case Origin picklist to Phone


 Set the Priority picklist to High


 Click the Save button

 UI Assert: check Potential Liability error message


 UI Assert: check Engineering Req Number error message

 Set the Potential Liability picklist to Yes


 Set the Engineering Req Number field to 2342IKL11


 Click the Save button

#### On SF Case View screen

 Click the Edit button

#### On SF Case Edit screen


 Set the Subject field to {caseId}

 Click the Save button

## Exercise 5 Create Account and Contact.testcase


---


## Summary

Started 23 Apr 2021, 13:52:01  
Ended 23 Apr 2021, 13:52:02  
Duration (mm:ss) 00:00.687  
Outcome  failed

## Output

### ● Set Values: AccountName


 Setting value AccountName to Strider Bank (ref: U1PBBM)

 Configuration: ValueScope:Test


Successfully set AccountName to Strider Bank (ref: U1PBBM)

### ● Salesforce Connect: SF\_Admin (Test)

 Connecting to Salesforce as Admin

 Connection details. Connection name: Admin, result name: SF\_Admin, result scope: Test, urlString:

sf:user=kramu711@provar.trialsbx1;environment=SANDBOX;clientId={clientId};clientSecret={clientSecret};lightningMode=true, environment:  
<default>, userName: kramu711@provar.trialsbx1, password: [empty] securityToken: [empty]


 Create object id log file.

 Opening Partner connection


● Connection exception while opening Partner connection. Connection name: Admin, environment: <default>, authEndpoint: https://  
test.salesforce.com/services/Soap/u/50.0, userName: kramu711@provar.trialsbx1, password: [empty], securityToken: [empty]

● [LoginFault]

● Error when attempting to connect to Salesforce as Admin


 On SF Account Home screen

 Click the New button


 On SF Account New screen

 Set the Active picklist to Yes

 Set the SLA picklist to Gold


 Set the SLA Serial Number field to 12GH54FF

 Today link the SLA Expiration Date field


 Set the Account Name field to {AccountName}

 Click the Save button


 On SF Account All Accounts list view

 With Account rows {Name = \$AccountName}


 Click the Account Name field

 On SF Account View screen

 Click the Contacts New Contact (Customer) button


 On SF Contact Record Type selection screen

 Click the Continue button

 On SF Contact (Employee) New screen


 Set the First Name field to Lucinda

 Set the Last Name field to Jeffries

 Click the Save button

## Exercise 6 API Create Account.testcase

## Summary

Started 23 Apr 2021, 13:52:02  
Ended 23 Apr 2021, 13:52:02  
Duration (mm:ss) 00:00.671  
Outcome  failed

## Output

### ● Salesforce Connect: SF\_Admin (Test)



❗ Connecting to Salesforce as Admin

⚙ Connection details. Connection name: Admin, result name: SF\_Admin, result scope: Test, urlString: sf:user=kramu711@provar.trialsbx1;environment=SANDBOX;clientId={clientId};clientSecret={clientSecret};lightningMode=true, environment: <default>, userName: kramu711@provar.trialsbx1, password: [empty] securityToken: [empty]

⚙ Create object id log file.

⚙ Opening Partner connection

● Connection exception while opening Partner connection. Connection name: Admin, environment: <default>, authEndpoint: https://test.salesforce.com/services/Soap/u/50.0, userName: kramu711@provar.trialsbx1, password: [empty], securityToken: [empty]

● [LoginFault]

● Error when attempting to connect to Salesforce as Admin

⚠ Create Object: Account=>AccountId

⚠ Call Exercise 6 Callable Create Case

⚠ Read Object: Account = {AccountId}

## 📄 Exercise 6 Callable Create Case.testcase

---

### Summary

Started	23 Apr 2021, 13:52:02
Ended	23 Apr 2021, 13:52:03
Duration (mm:ss)	00:00.634
Outcome	● failed

### Output

● Salesforce Connect: SF\_Admin (Test)

❗ Connecting to Salesforce as Admin

⚙ Connection details. Connection name: Admin, result name: SF\_Admin, result scope: Test, urlString: sf:user=kramu711@provar.trialsbx1;environment=SANDBOX;clientId={clientId};clientSecret={clientSecret};lightningMode=true, environment: <default>, userName: kramu711@provar.trialsbx1, password: [empty] securityToken: [empty]

⚙ Create object id log file.

⚙ Opening Partner connection

● Connection exception while opening Partner connection. Connection name: Admin, environment: <default>, authEndpoint: https://test.salesforce.com/services/Soap/u/50.0, userName: kramu711@provar.trialsbx1, password: [empty], securityToken: [empty]

● [LoginFault]

● Error when attempting to connect to Salesforce as Admin

⚠ Create Object: Case=>CaseId

⚠ Update Object: Account = {AccountId}