

Test Run Report




Test Run Overview

Started	23 Apr 2021, 14:51:05
Ended	23 Apr 2021, 14:53:22
Duration (mm:ss)	02:17.299

Test Results Summary

Passed	2
Failed	0
Skipped	0




Test Case Summary

tests	● successful
Account API.testcase	● successful
Test Case 2.testcase	● successful

Account API.testcase


Summary

Started 23 Apr 2021, 14:51:05
Ended 23 Apr 2021, 14:51:12
Duration (mm:ss) 00:07.405
Outcome  successful

Output

Salesforce Connect: DevSandbox (Test)

 Connecting to Salesforce as DevSandbox

 Connection details. Connection name: DevSandbox, result name: DevSandbox, result scope: Test, urlString: sf:user=karthikeyan.ramu@cognizant.com;password={password};securityToken={securityToken};environment=PROD_DEV;lightningMode=true, environment: <default>, userName: karthikeyan.ramu@cognizant.com, password: [supplied] securityToken: [supplied]

 Create object id log file.

 Opening Partner connection

 Opening SOAP connection


 Opening Metadata connection

Successfully connected to Salesforce as DevSandbox


Read Excel


 Loading data from Parameter Value Source ...

 Loading Parameter Value Source row 1:


 ==Column=> RowNumber = PrimitiveValueImpl [value: 2, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

 ==Column=> Account_Name = PrimitiveValueImpl [value: ProvarTesting1, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]


 ==Column=> Parent_Account = PrimitiveValueImpl [value: Test123456, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

 ==Column=> Phone_Number = PrimitiveValueImpl [value: 7896541236, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

 ==Column=> Type = PrimitiveValueImpl [value: Installation Partner, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]


 ==Column=> Rating = PrimitiveValueImpl [value: Hot, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

 Loading Parameter Value Source row 2:


 ==Column=> RowNumber = PrimitiveValueImpl [value: 3, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

 ==Column=> Account_Name = PrimitiveValueImpl [value: ProvarTesting2, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

 ==Column=> Parent_Account = PrimitiveValueImpl [value: ProvarTesting1, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]


 ==Column=> Phone_Number = PrimitiveValueImpl [value: 7859651236, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

 ==Column=> Type = PrimitiveValueImpl [value: Installation Partner, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

 ==Column=> Rating = PrimitiveValueImpl [value: Hot, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

Loaded 2 rows from Parameter Value Source.

For Each: {ExcelData}=>Row

 Start of iteration 1 of 2.


Iteration 1


Create Object: Account=>AccountId

 Creating a new Salesforce object. Connection Name: DevSandbox, Name: Account, field count: 4


 Failed to connect to Master Lock Manager in timeout period - assuming dead. Host: localhost, port: 59250

 Setting fields:

 =Field=> ParentId = 0015g00000BwdvDAAR

 =Field=> Type = {Row.Type}

 =Field=> Phone = 7896541236

 =Field=> Name = ProvarTesting1

- Account created successfully. Object Id: 0015g00000Bwh7sAAB, Result Name: AccountId
- ① Logging Salesforce Object Id for clean up. Object Name: Account, id: 0015g00000Bwh7sAAB
- ① Start of iteration 2 of 2.
- Iteration 2
 - Create Object: Account=>AccountId
 - ① Creating a new Salesforce object. Connection Name: DevSandbox, Name: Account, field count: 4
 - ① Setting fields:
 - ① =Field=> ParentId = 0015g00000BwdvDAAR
 - ① =Field=> Type = {Row.Type}
 - ① =Field=> Phone = 7859651236
 - ① =Field=> Name = ProvarTesting2
 - Account created successfully. Object Id: 0015g00000Bwh7xAAB, Result Name: AccountId
 - ① Logging Salesforce Object Id for clean up. Object Name: Account, id: 0015g00000Bwh7xAAB
- ① Reached the end of the List.

Test Case 2.testcase

Summary

Started	23 Apr 2021, 14:51:12
Ended	23 Apr 2021, 14:53:19
Duration (mm:ss)	02:06.439
Outcome	● successful


Output

- Salesforce Connect: DevSandbox (Test)
 - ① Connecting to Salesforce as DevSandbox
 - ⚙ Connection details. Connection name: DevSandbox, result name: DevSandbox, result scope: Test, urlString: sf:user=karthikeyan.ramu@cognizant.com;password={password};securityToken={securityToken};environment=PROD_DEV;lightningMode=true, environment: <default>, userName: karthikeyan.ramu@cognizant.com, password: [supplied] securityToken: [supplied]
 - ⚙ Create object id log file.
 - ⚙ Opening Partner connection
 - ⚙ Opening SOAP connection
 - ⚙ Opening Metadata connection
 - Successfully connected to Salesforce as DevSandbox
- On SF Account Home screen
 - ① Start of With Screen. Connection Name: DevSandbox, target: sf:ui:target?object=Account&action=ObjectHome
 - ① Opening Chrome webdriver instance to https://login.salesforce.com/
 - ⚙ Add Chrome browser specific capabilities
 - Successfully opened Chrome webdriver to https://login.salesforce.com/
 - ① Opening Page context. Name: screen, data: null, frame: null
 - ① Opening Salesforce page. Object: Account, RelatedList: null, Action: ObjectHome, Page URL: /lightning/o/001/list?filterName=Recent, Current URL: chrome://new-tab-page/
 - ① Opening Salesforce user home page
 - ⚙ Navigate to home page
 - ⚙ Perform page load wait
 - ⚙ Perform page load wait
 - Successfully opened user home page
 - ① Going to update browser window handles.

⚙️ Update browser window handles.

Successfully updated browser window handles.

● Click the New button



After Screenshot : 2021/04/23 14:51:35

① Start of Interact. Connection: DevSandbox, Locator: ui:locator?name=New&binding=sf%3Aui%3AAbinding%3Aobject%3Fobject%3DAccount%26action%3DNew, before wait: default, after wait: default, auto retry: default

① Locator: ui:locator?name=New&binding=sf%3Aui%3AAbinding%3Aobject%3Fobject%3DAccount%26action%3DNew

① Interaction: ui:interaction?name=action

① Switched focus to main window. URL: https://cts-61f-dev-ed.lightning.force.com/lightning/o/Account/list?filterName=Recent

① Interaction: ui:interaction?name=action

① Find action link element using xpath: (//div[contains(@class, 'active') and (contains(@class, 'oneContent') or contains(@class, 'main-content'))]//div[contains(@class, 'forceObjectHomeDesktop') or contains(@class, 'oneConsoleObjectHome') or contains(@class, 'forceRelatedListDesktop') or (contains(@class, 'slds-table_joined') and contains(@class, 'test-listViewManager'))]//ul[contains(@class, 'oneActionsRibbon')] | //div[contains(@class, 'forceActionsDropDownMenuList') and contains(@class, 'visible')])//a[contains(@data-aura-rendered-by, '836:0')]

① Waiting for element to be present. Timeout(seconds): 10

① Doing before wait. waitUrl: default

① End of <default> wait.

① Found element: [[ChromeDriver: chrome on XP (31a2bcae5bbd6a18e9d8a2ee4fe6e131)] -> xpath: (//div[contains(@class, 'active') and (contains(@class, 'oneContent') or contains(@class, 'main-content'))]//div[contains(@class, 'forceObjectHomeDesktop') or contains(@class, 'oneConsoleObjectHome') or contains(@class, 'forceRelatedListDesktop') or (contains(@class, 'slds-table_joined') and contains(@class, 'test-listViewManager'))]//ul[contains(@class, 'oneActionsRibbon')] | //div[contains(@class, 'forceActionsDropDownMenuList') and contains(@class, 'visible')])//a[contains(@data-aura-rendered-by, '836:0')]

① Clicking WebElement using Javascript Click. WebElement: WebElement [tag: a, text: New, href: javascript:void(0);]

① Doing after wait. waitUrl: default

① End of <default> wait.

① Sending screenshot. Data length: 111151

① Going to update browser window handles.

⚙️ Update browser window handles.

Successfully updated browser window handles.

① All Sub-Test Steps were successful.

① Closing Page context. Name: screen, data: null, frame: null

① Main window reselected. Window: main

① Switched focus to main window. URL: https://cts-61f-dev-ed.lightning.force.com/lightning/o/Account/new?count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=MRU_LIST&backgroundContext=%2Flightning%2Fo%2FAccount%2Flist%3FfilterName%3DRecent

① Going to update browser window handles.

⚙️ Update browser window handles.

Successfully updated browser window handles.

● On SF Account New screen

① Start of With Screen. Connection Name: DevSandbox, target: sf:ui:target?object=Account&action=New&noOverride=true

① Opening Page context. Name: screen, data: null, frame: null


① Hover>Clicking WebElement. WebElement [tag: h2, text: New Account]

① Going to update browser window handles.


⚙️ Update browser window handles.

Successfully updated browser window handles.

● Set the Account Name field to ProvarTesting



Before Screenshot : 2021/04/23 14:51:46



After Screenshot : 2021/04/23 14:51:52

① Start of Interact. Connection: DevSandbox, Locator: ui:locator?name=Name&binding=sf%3Aui%3AAbinding%3Aobject%3Fobject%3DAccount%26field%3DName, before wait: default, after wait: default, auto retry: default

① Locator: ui:locator?name=Name&binding=sf%3Aui%3AAbinding%3Aobject%3Fobject%3DAccount%26field%3DName

① Interaction: ui:interaction?name=set

① Switched focus to main window. URL: https://cts-61f-dev-ed.lightning.force.com/lightning/o/Account/new?count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=MRU_LIST&backgroundContext=%2Flightning%2Fo%2FAccount%2Flist%3FfilterName%3DRecent

① Interaction: ui:interaction?name=set

① Sending screenshot. Data length: 110843

① Finding field placeholder using xpath: //div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])][last()]/*[contains(@class, 'forceDetailPanel') or contains(@class, 'detail-panel-root')]/*[self::force-record-layout-section or (self::section or self::div) and contains(@class, 'forcePageBlockSection')]/*[self::label and (contains(@class, 'uiLabel') or contains(@class, 'slds-form-element__label')) and not(contains(@class, 'hide')) or (self::span and (contains(@class, 'inputLabel') or contains(@class, 'slds-form-element__label')) or (self::div and contains(@class, 'test-id__field-label-container')) or (self::lightning-grouped-combobox and contains(@class, 'forceTextEnumLookup')) or (self::div and contains(@class, 'lightningInputRichText')) and (//text()[normalize-space()='Account Name'] or //text()='Account Name')]/ancestor::div[1]

① Find field using relative xpath: //input

ⓘ Waiting for element to be present. Timeout(seconds): 10

ⓘ Doing before wait. waitUrl: default

ⓘ End of <default> wait.

ⓘ Found element: [[[org.openqa.selenium.remote.RemoteWebElement@4ce67f93 -> unknown locator]] -> xpath: ./input]

ⓘ Got webElement. tagName: INPUT, id: input-158, type: text, class: slds-input

ⓘ Typing value. tagName: INPUT, type: text, value: ProvarTesting, blur: false

ⓘ Doing after wait. waitUrl: default

ⓘ End of <default> wait.

ⓘ Sending screenshot. Data length: 113985

ⓘ Going to update browser window handles.

✳ Update browser window handles.

Successfully updated browser window handles.

● Set the Parent Account reference to Test123456

ⓘ Start of Interact. Connection: DevSandbox, Locator: ui:locator?name=ParentId&binding=sf%3Aui%3AAbinding%3Aobject%3Fobject%3DAccount%26field%3DParentId, before wait: default, after wait: default, auto retry: default

ⓘ Locator: ui:locator?name=ParentId&binding=sf%3Aui%3AAbinding%3Aobject%3Fobject%3DAccount%26field%3DParentId

ⓘ Interaction: ui:interaction?name=set

ⓘ Switched focus to main window. URL: https://cts-61f-dev-ed.lightning.force.com/lightning/o/Account/new?count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=MRU_LIST&backgroundContext=%2Fflighting%2Fo%2FAccount%2Flist%3FilterName%3DRecent

ⓘ Interaction: ui:interaction?name=set

ⓘ Finding field placeholder using xpath: //div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])][last()]/*[contains(@class, 'forceDetailPanel') or contains(@class, 'detail-panel-root')]/*[self::force-record-layout-section or (self::section or self::div) and contains(@class, 'forcePageBlockSection ')]/[1]/*[(self::label and (contains(@class, 'uiLabel') or contains(@class, 'slds-form-element__label')) and not(contains(@class, 'hide '))) or (self::span and (contains(@class, 'inputLabel') or contains(@class, 'slds-form-element__label')) or (self::div and contains(@class, 'test-id__field-label-container') or (self::lightning-grouped-combobox and contains(@class, 'forceTextEnumLookup')) or (self::div and contains(@class, 'lightningInputRichText')) and (./text()[normalize-space()='Parent Account'] or ./text() = 'Parent Account')/ancestor::div[1]

ⓘ Find field using relative xpath: ./input

ⓘ Waiting for element to be present. Timeout(seconds): 10

ⓘ Doing before wait. waitUrl: default

ⓘ End of <default> wait.

ⓘ Found element: [[[org.openqa.selenium.remote.RemoteWebElement@4ce67f97 -> unknown locator]] -> xpath: ./input]

ⓘ Got webElement. tagName: INPUT, id: input-292, type: text, class: slds-input slds-combobox__input

ⓘ Typing value. tagName: INPUT, type: text, value: Test123456, blur: false

ⓘ Clicking WebElement. WebElement [tag: lightning-base-combobox-formatted-text, text: Test123456]

ⓘ Doing after wait. waitUrl: default

ⓘ End of <default> wait.

ⓘ Going to update browser window handles.

✳ Update browser window handles.

Successfully updated browser window handles.

● Set the Phone field to 7896541236

ⓘ Start of Interact. Connection: DevSandbox, Locator: ui:locator?name=Phone&binding=sf%3Aui%3AAbinding%3Aobject%3Fobject%3DAccount%26field%3DPhone, before wait: default, after wait: default, auto retry: default

ⓘ Locator: ui:locator?name=Phone&binding=sf%3Aui%3AAbinding%3Aobject%3Fobject%3DAccount%26field%3DPhone

ⓘ Interaction: ui:interaction?name=set

ⓘ Switched focus to main window. URL: https://cts-61f-dev-ed.lightning.force.com/lightning/o/Account/new?count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=MRU_LIST&backgroundContext=%2Fflighting%2Fo%2FAccount%2Flist%3FilterName%3DRecent

ⓘ Interaction: ui:interaction?name=set

ⓘ Finding field placeholder using xpath: //div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])][last()]/*[contains(@class, 'forceDetailPanel') or contains(@class, 'detail-panel-root')]/*[self::force-record-layout-section or (self::section or self::div) and

contains(@class,'forcePageBlockSection '))][1]/*(((self::label and (contains(@class,'uiLabel') or contains(@class,'slds-form-element__label')) and not(contains(@class,'hide '))) or (self::span and (contains(@class,'inputLabel') or contains(@class,'slds-form-element__label')))) or (self::div and contains(@class,'test-id__field-label-container')) or (self::lightning-grouped-combobox and contains(@class,'forceTextEnumLookup')) or (self::div and contains(@class,'lightningInputRichText')) and (./text()[normalize-space()='Phone'] or ./text() = 'Phone'))/ancestor::div[1]

① Find field using relative xpath: `./input`

① Waiting for element to be present. Timeout(seconds): 10

① Doing before wait. waitUrl: default

① End of <default> wait.

① Found element: [[[org.openqa.selenium.remote.RemoteWebElement@4ce67fb2 -> unknown locator]] -> xpath: `./input`]

① Got webElement. tagName: INPUT, id: input-160, type: text, class: slds-input

① Typing value. tagName: INPUT, type: text, value: 7896541236, blur: false

① Doing after wait. waitUrl: default

① End of <default> wait.

① Going to update browser window handles.

✦ Update browser window handles.

Successfully updated browser window handles.

● Set the Type picklist to Installation Partner

① Start of Interact. Connection: DevSandbox, Locator: `ui:locator?name=Type&binding=sf%3Aui%3AAbinding%3AObject%3FObject%3DAccount%26field%3DType`, before wait: default, after wait: default, auto retry: default

① Locator: `ui:locator?name=Type&binding=sf%3Aui%3AAbinding%3AObject%3FObject%3DAccount%26field%3DType`

① Interaction: `ui:interaction?name=set`

① Switched focus to main window. URL: `https://cts-61f-dev-ed.lightning.force.com/lightning/o/Account/new?count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=MRU_LIST&backgroundContext=%2Fflighting%2Fo%2FAccount%2Flist%3FilterName%3DRecent`

① Interaction: `ui:interaction?name=set`

① Finding field placeholder using xpath: `//div[contains(@class,'open') and (contains(@class,'forceModal') or contains(@class,'uiModal')) and (contains(@class,'active') or following-sibling::div[contains(@class,'forceFormPageError')])][last()]/*[contains(@class,'forceDetailPanel') or contains(@class,'detail-panel-root')]/*[(((self::force-record-layout-section) or ((self::section or self::div) and contains(@class,'forcePageBlockSection ')))[1]/*(((self::label and (contains(@class,'uiLabel') or contains(@class,'slds-form-element__label')) and not(contains(@class,'hide '))) or (self::span and (contains(@class,'inputLabel') or contains(@class,'slds-form-element__label')))) or (self::div and contains(@class,'test-id__field-label-container')) or (self::lightning-grouped-combobox and contains(@class,'forceTextEnumLookup')) or (self::div and contains(@class,'lightningInputRichText')) and (./text()[normalize-space()='Type'] or ./text() = 'Type'))/ancestor::div[1]`

① Find field using relative xpath: `./*[self::a or self::input]`

① Waiting for element to be present. Timeout(seconds): 10

① Doing before wait. waitUrl: default

① End of <default> wait.

① Found element: [[[org.openqa.selenium.remote.RemoteWebElement@4ce67fb4 -> unknown locator]] -> xpath: `./*[self::a or self::input]`]

① Got webElement. tagName: INPUT, id: input-185, type: text, class: slds-input slds-combobox__input

① Typing value. tagName: INPUT, type: text, value: Installation Partner, blur: false

① Clicking WebElement using Javascript Click. WebElement: WebElement [tag: lightning-base-combobox-item, text: Installation Partner]

① Doing after wait. waitUrl: default


① End of <default> wait.

① Going to update browser window handles.

✦ Update browser window handles.

Successfully updated browser window handles.

● Set the Rating picklist to Hot



After Screenshot : 2021/04/23 14:52:06

① Start of Interact. Connection: DevSandbox, Locator: ui:locator?name=Rating&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DAccount%26field%3DRating, before wait: default, after wait: default, auto retry: default

① Locator: ui:locator?name=Rating&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DAccount%26field%3DRating

① Interaction: ui:interaction?name=set

① Switched focus to main window. URL: https://cts-61f-dev-ed.lightning.force.com/lightning/o/Account/new?count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=MRU_LIST&backgroundContext=%2Flightning%2Fo%2FAccount%2Flist%3FfilterName%3DRecent

① Interaction: ui:interaction?name=set

① Finding field placeholder using xpath: //div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])][last()]/*[contains(@class, 'forceDetailPanel') or contains(@class, 'detail-panel-root')]/*[self::force-record-layout-section or (self::section or self::div) and contains(@class, 'forcePageBlockSection')]][1]/*[self::label and (contains(@class, 'uiLabel') or contains(@class, 'slds-form-element__label')) and not(contains(@class, 'hide')) or (self::span and (contains(@class, 'inputLabel') or contains(@class, 'slds-form-element__label')) or (self::div and contains(@class, 'test-id__field-label-container') or (self::lightning-grouped-combobox and contains(@class, 'forceTextEnumLookup')) or (self::div and contains(@class, 'lightningInputRichText')))] and (/text()[normalize-space()='Rating'] or ./text() = 'Rating')]/ancestor::div[1]

① Find field using relative xpath: ../../*[self::a or self::input]

① Waiting for element to be present. Timeout(seconds): 10

① Doing before wait. waitUrl: default

① End of <default> wait.

① Found element: [[[org.openqa.selenium.remote.RemoteWebElement@4ce67fb8 -> unknown locator]] -> xpath: ../../*[self::a or self::input]]

① Got webElement. tagName: INPUT, id: input-152, type: text, class: slds-input slds-combobox__input

① Typing value. tagName: INPUT, type: text, value: Hot, blur: false

① Clicking WebElement using Javascript Click. WebElement: WebElement [tag: lightning-base-combobox-item, text: Hot]

① Doing after wait. waitUrl: default

① End of <default> wait.


① Sending screenshot. Data length: 117711

① Going to update browser window handles.

⚙ Update browser window handles.

Successfully updated browser window handles.

● Click the Save button



After Screenshot : 2021/04/23 14:52:11

- ① Start of Interact. Connection: DevSandbox, Locator: ui:locator?name=save&binding=sf%3Aui%3AAbinding%3AObject%3Fobject%3DAccount%26action%3Dsave, before wait: default, after wait: default, auto retry: default
- ① Locator: ui:locator?name=save&binding=sf%3Aui%3AAbinding%3AObject%3Fobject%3DAccount%26action%3Dsave
- ① Interaction: ui:interaction?name=action
- ① Switched focus to main window. URL: https://cts-61f-dev-ed.lightning.force.com/lightning/o/Account/new?count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=MRU_LIST&backgroundContext=%2Flightning%2Fo%2FAccount%2Flist%3FilterName%3DRecent
- ① Interaction: ui:interaction?name=action
- ① Find action link element using xpath: //div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])][last()]/div[(contains(@class, 'footer') and contains(@class, 'active')) or contains(@class, 'footer-visible')]/ancestor::*[self::force-form-footer or self::records-base-record-form][@records-lwcdetailpanel_lwcdetailpanel]/runtime_platform_actions-action-renderer[@apiname='save' or @apiname='SaveEdit']/*[self::a or self::button]
- ① Waiting for element to be present. Timeout(seconds): 10
- ① Doing before wait. waitUrl: default
- ① End of <default> wait.
- ① Found element: [[ChromeDriver: chrome on XP (31a2bcae5bbd6a18e9d8a2ee4fe6e131)] -> xpath: //div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])][last()]/div[(contains(@class, 'footer') and contains(@class, 'active')) or contains(@class, 'footer-visible')]/ancestor::*[self::force-form-footer or self::records-base-record-form][@records-lwcdetailpanel_lwcdetailpanel]/runtime_platform_actions-action-renderer[@apiname='save' or @apiname='SaveEdit']/*[self::a or self::button]]
- ① Clicking WebElement using Javascript Click. WebElement: WebElement [tag: button, text: Save]
- ① Doing after wait. waitUrl: default
- ① End of <default> wait.
- ① Sending screenshot. Data length: 253714

① Going to update browser window handles.

⚙ Update browser window handles.

Successfully updated browser window handles.

① All Sub-Test Steps were successful.

① Switched focus to main window. URL: <https://cts-61f-dev-ed.lightning.force.com/lightning/r/Account/0015g00000Bwh8CAAR/view>

① Injecting script to get created object ID from aura component

📄 Storing created Salesforce Object ID. Result Name: accountId, created ID: 0015g00000Bwh8CAAR, location: <https://cts-61f-dev-ed.lightning.force.com/lightning/r/Account/0015g00000Bwh8CAAR/view>

① Logging Salesforce Object Id for clean up. Object Name: Account, id: 0015g00000Bwh8CAAR

① Closing Page context. Name: screen, data: null, frame: null

① Main window reselected. Window: main

① Switched focus to main window. URL: <https://cts-61f-dev-ed.lightning.force.com/lightning/r/Account/0015g00000Bwh8CAAR/view>

① Going to update browser window handles.

⚙ Update browser window handles.

Successfully updated browser window handles.

● On SF Account View screen

① Start of With Screen. Connection Name: DevSandbox, target: [sf:ui:target?object=Account&action=View&noOverride=true](#)

① Opening Page context. Name: screen, data: null, frame: null

① Activating detailTab tab


① Hover>Clicking WebElement. WebElement [tag: a, text: Details, href: javascript:void(0)]

① Going to update browser window handles.

⚙ Update browser window handles.

Successfully updated browser window handles.

● Account Name Validation



After Screenshot : 2021/04/23 14:52:28

① Start of UiAssert. Connection: DevSandbox

① Resolving field title

① Switched focus to main window. URL: https://cts-61f-dev-ed.lightning.force.com/lightning/r/Account/0015g00000Bwh8CAAR/view

① Find title using xpath: `//*[contains(@class, 'active') and ((self::div and contains(@class, 'oneContent')) or (self::section and ((contains(@class, 'oneConsoleTab') and ancestor::div[contains(@class, 'active') and (contains(@class, 'oneWorkspace') or contains(@class, 'navexWorkspace')) and not(contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab')))) or (not(contains(@class, 'oneConsoleTab')) and contains(@class, 'tabContent') and ancestor::div[contains(@class, 'active') and (contains(@class, 'oneWorkspace') or contains(@class, 'navexWorkspace')) and contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab'))))]//*[self::h1 or self::div or self::slot and contains(@class, 'slds-page-header') and contains(@class, 'title')]/*[self::span and contains(@class, 'uiOutputText') or (self::a and contains(@class, 'forceOutputLookup')) or (self::lightning-formatted-text) or (self::lightning-formatted-name)]`

① Waiting for element to be present. Timeout(seconds): 10

① Doing before wait. waitUrl: default

① End of <default> wait.

① Found element: `[[ChromeDriver: chrome on XP (31a2bcae5bbd6a18e9d8a2ee4fe6e131)] -> xpath: //*[contains(@class, 'active') and ((self::div and contains(@class, 'oneContent')) or (self::section and ((contains(@class, 'oneConsoleTab') and ancestor::div[contains(@class, 'active') and (contains(@class, 'oneWorkspace') or contains(@class, 'navexWorkspace')) and not(contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab')))) or (not(contains(@class, 'oneConsoleTab')) and contains(@class, 'tabContent') and ancestor::div[contains(@class, 'active') and (contains(@class, 'oneWorkspace') or contains(@class, 'navexWorkspace')) and contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab'))))]//*[self::h1 or self::div or self::slot and contains(@class, 'slds-page-header') and contains(@class, 'title')]/*[self::span and contains(@class, 'uiOutputText') or (self::a and contains(@class, 'forceOutputLookup')) or (self::lightning-formatted-text) or (self::lightning-formatted-name)]`

① Asserting field attributes: title

① Asserting Attribute: value to PrimitiveValueImpl [value: ProvarTesting, valueId=0, createdUpdateSeq=-1, updatedUpdateSeq=-1]

✓ Assertion successful.ProvarTesting Equals ProvarTesting

① Asserting Attribute: visible to PrimitiveValueImpl [value: true, valueId=0, createdUpdateSeq=-1, updatedUpdateSeq=-1]

✓ Assertion successful.true Equals true

① Asserting Attribute: disabled to PrimitiveValueImpl [value: false, valueId=0, createdUpdateSeq=-1, updatedUpdateSeq=-1]

✓ Assertion successful.false EqualTo false

① Asserting Attribute: inView to PrimitiveValueImpl [value: Fully, valueId=0, createdUpdateSeq=-1, updatedUpdateSeq=-1]

✓ Assertion successful.Fully EqualTo Fully

① Object read successfully. Result Name: Values

① Sending screenshot. Data length: 270638

① Going to update browser window handles.

✳ Update browser window handles.

Successfully updated browser window handles.

● Parent Account Validation

① Start of UiAssert. Connection: DevSandbox

① Resolving field Name

① Switched focus to main window. URL: https://cts-61f-dev-ed.lightning.force.com/lightning/r/Account/0015g00000Bwh8CAAR/view

① Activating detailTab tab

① Hover>Clicking WebElement. WebElement [tag: a, text: Details, href: javascript:void(0)]

① Finding field placeholder using xpath: `//*[contains(@class, 'active') and ((self::div and contains(@class, 'oneContent')) or (self::section and ((contains(@class, 'oneConsoleTab') and ancestor::div[contains(@class, 'active') and (contains(@class, 'oneWorkspace') or contains(@class, 'navexWorkspace')) and not(contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab')))) or (not(contains(@class, 'oneConsoleTab')) and contains(@class, 'tabContent') and ancestor::div[contains(@class, 'active') and (contains(@class, 'oneWorkspace') or contains(@class, 'navexWorkspace')) and contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab')))))]]//*[contains(@class, 'forceDetailPanel') or contains(@class, 'detail-panel-root')]/*[(self::force-record-layout-section) or (self::div and (contains(@class, 'forcePageBlockSectionView') or contains(@class, 'test-id__section slds-section '))))][1]/div[(contains(@class, 'labelCol') or contains(@class, 'field-label-container')) and (span/text()[normalize-space()='Account Name' or (.) ='Account Name'])/following-sibling::div[1]]/*[(self::div and contains(@class, 'dataCol')) or (self::span and contains(@class, 'test-id__field-value'))]`

① Waiting for element to be present. Timeout(seconds): 10

① Finding field elements using relativePath: `//*[@self::lightning-formatted-name or self::lightning-formatted-text]`

① Waiting for element to be present. Timeout(seconds): 10

① Doing before wait. waitUrl: default

① End of <default> wait.

① Found element: `[[[ChromeDriver: chrome on XP (31a2bcae5bbd6a18e9d8a2ee4fe6e131)] -> xpath: //*[contains(@class, 'active') and ((self::div and contains(@class, 'oneContent')) or (self::section and ((contains(@class, 'oneConsoleTab') and ancestor::div[contains(@class, 'active') and (contains(@class, 'oneWorkspace') or contains(@class, 'navexWorkspace')) and not(contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab')))) or (not(contains(@class, 'oneConsoleTab')) and contains(@class, 'tabContent') and ancestor::div[contains(@class, 'active') and (contains(@class, 'oneWorkspace') or contains(@class, 'navexWorkspace')) and contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab')))))]]//*[contains(@class, 'forceDetailPanel') or contains(@class, 'detail-panel-root')]/*[(self::force-record-layout-section) or (self::div and (contains(@class, 'forcePageBlockSectionView') or contains(@class, 'test-id__section slds-section '))))][1]/div[(contains(@class, 'labelCol') or contains(@class, 'field-label-container')) and (span/text()[normalize-space()='Account Name' or (.) ='Account Name'])/following-sibling::div[1]]/*[(self::div and contains(@class, 'dataCol')) or (self::span and contains(@class, 'test-id__field-value'))]] -> xpath: //*[@self::lightning-formatted-name or self::lightning-formatted-text]`

① Asserting field attributes: Name

① Asserting Attribute: value to PrimitiveValueImpl [value: ProvarTesting, valueId=0, createdUpdateSeq=-1, updatedUpdateSeq=-1]

✓ Assertion successful.ProvarTesting EqualTo ProvarTesting

① Object read successfully. Result Name: Values

① Going to update browser window handles.

✳ Update browser window handles.

Successfully updated browser window handles.

● Phone Number Validation

① Start of UiAssert. Connection: DevSandbox

① Resolving field Phone

① Switched focus to main window. URL: https://cts-61f-dev-ed.lightning.force.com/lightning/r/Account/0015g00000Bwh8CAAR/view

① Activating detailTab tab

① Hover>Clicking WebElement. WebElement [tag: a, text: Details, href: javascript:void(0)]

① Finding field placeholder using xpath: `//*[contains(@class, 'active') and ((self::div and contains(@class, 'oneContent')) or (self::section and ((contains(@class, 'oneConsoleTab') and ancestor::div[contains(@class, 'active') and (contains(@class, 'oneWorkspace') or contains(@class, 'navexWorkspace')) and not(contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab')))) or (not(contains(@class, 'oneConsoleTab')) and contains(@class, 'tabContent') and ancestor::div[contains(@class, 'active') and (contains(@class, 'oneWorkspace') or contains(@class, 'navexWorkspace')) and contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab')))))]]//*[contains(@class, 'forceDetailPanel') or contains(@class, 'detail-panel-root')]/*[(self::force-record-layout-section) or (self::div and (contains(@class, 'forcePageBlockSectionView') or contains(@class, 'test-id__section slds-section '))))][1]/div[(contains(@class, 'labelCol') or contains(@class, 'field-label-container')) and (span/text()[normalize-space()='Account Name' or (.) ='Account Name'])/following-sibling::div[1]]/*[(self::div and contains(@class, 'dataCol')) or (self::span and contains(@class, 'test-id__field-value'))]`

```
or contains(@class, 'navexWorkspace')) and contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab')))) )//
*[contains(@class, 'forceDetailPanel') or contains(@class, 'detail-panel-root')]/*[(self::force-record-layout-section) or (self::div and
(contains(@class, 'forcePageBlockSectionView') or contains(@class, 'test-id__section slds-section ')))]1//div[(contains(@class, 'labelCol') or
contains(@class, 'field-label-container')) and (span/text()[normalize-space()='Phone' or (.) ='Phone'])/following-sibling::div{1}/*[(self::div and
contains(@class, 'dataCol')) or (self::span and contains(@class, 'test-id__field-value'))]
```

ⓘ Waiting for element to be present. Timeout(seconds): 10

ⓘ Finding field elements using relativePath: ../lightning-formatted-phone

ⓘ Waiting for element to be present. Timeout(seconds): 10

ⓘ Doing before wait. waitUrl: default

ⓘ End of <default> wait.

ⓘ Found element: [[[[[ChromeDriver: chrome on XP (31a2bcae5bbd6a18e9d8a2ee4fe6e131)] -> xpath: //*[contains(@class, 'active') and ((self::div and contains(@class, 'oneContent')) or (self::section and ((contains(@class, 'oneConsoleTab') and ancestor::div[contains(@class, 'active') and contains(@class, 'oneWorkspace') or contains(@class, 'navexWorkspace') and not(contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab')))) or (not(contains(@class, 'oneConsoleTab') and contains(@class, 'tabContent') and ancestor::div[contains(@class, 'active') and (contains(@class, 'oneWorkspace') or contains(@class, 'navexWorkspace') and contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab')))))]/*[contains(@class, 'forceDetailPanel') or contains(@class, 'detail-panel-root')]/*[(self::force-record-layout-section) or (self::div and (contains(@class, 'forcePageBlockSectionView') or contains(@class, 'test-id__section slds-section ')))]1//div[(contains(@class, 'labelCol') or contains(@class, 'field-label-container')) and (span/text()[normalize-space()='Phone' or (.) ='Phone'])/following-sibling::div{1}/*[(self::div and contains(@class, 'dataCol')) or (self::span and contains(@class, 'test-id__field-value'))]] -> xpath: ../lightning-formatted-phone]

ⓘ Asserting field attributes: Phone

ⓘ Asserting Attribute: value to PrimitiveValueImpl [value: (789) 654-1236, valueId=0, createdUpdateSeq=-1, updatedUpdateSeq=-1]

✅ Assertion successful.(789) 654-1236 EqualTo (789) 654-1236

ⓘ Asserting Attribute: visible to PrimitiveValueImpl [value: true, valueId=0, createdUpdateSeq=-1, updatedUpdateSeq=-1]

✅ Assertion successful.true EqualTo true

ⓘ Object read successfully. Result Name: Values

ⓘ Going to update browser window handles.

⚙ Update browser window handles.

Successfully updated browser window handles.

ⓘ All Sub-Test Steps were successful.

ⓘ Closing Page context. Name: screen, data: null, frame: null

ⓘ Main window reselected. Window: main

ⓘ Switched focus to main window. URL: https://cts-61f-dev-ed.lightning.force.com/lightning/r/Account/0015g00000Bwh8CAAR/view

ⓘ Going to update browser window handles.

⚙ Update browser window handles.

Successfully updated browser window handles.

● On SF Global Search

ⓘ Start of With Screen. Connection Name: DevSandbox, target: sf:ui:target?action=GlobalSearch


ⓘ Opening Page context. Name: screen, data: null, frame: null

ⓘ Going to update browser window handles.

⚙ Update browser window handles.

Successfully updated browser window handles.

● Set the Search Box field to ProvarTesting



After Screenshot : 2021/04/23 14:52:47

- ① Start of Interact. Connection: DevSandbox, Locator: ui:locator?name=searchBox, before wait: default, after wait: default, auto retry: default
- ① Locator: ui:locator?name=searchBox
- ① Interaction: ui:interaction?name=set
- ① Switched focus to main window. URL: https://cts-61f-dev-ed.lightning.force.com/lightning/r/Account/0015g00000Bwh8CAAR/view
- ① Interaction: ui:interaction?name=set
- ① Doing before wait. waitUrl: default
- ① End of <default>; wait.
- ① Found element: [org.openqa.selenium.remote.RemoteWebElement@4ce67ff8 -> unknown locator]
- ① Got webElement. tagName: INPUT, id: 155:82;a, type: text, class: slds-input slds-text-color_default slds-p-left--none slds-size--1-of-1 input default input uiInput uiInputTextForAutocomplete uiInput--{remove}
- ① Typing value. tagName: INPUT, type: text, value: ProvarTesting, blur: false
- ① Doing after wait. waitUrl: default
- ① End of <default>; wait.
- ① Sending screenshot. Data length: 342458
- ① Going to update browser window handles.
- ⚡ Update browser window handles.
- Successfully updated browser window handles.
- ① All Sub-Test Steps were successful.
- ① Closing Page context. Name: screen, data: null, frame: null
- ① Main window reselected. Window: main

① Switched focus to main window. URL: <https://cts-61f-dev-ed.lightning.force.com/one/one.app#eyJjb21wb25lbnREZWYiOiJmb3JjZVNIYXJjaDpzZWYyY2hQYWdlRGVza3RvcCslmF0dHJpYnV0ZXMiOmsidGVybSI6IlByb3ZhciRic3RpbmciLCJzY29wZU1hcC%3D%3D>

① Going to update browser window handles.

⚙ Update browser window handles.

Successfully updated browser window handles.

● On SF Account Search screen

① Start of With Screen. Connection Name: DevSandbox, target: sf:ui:target?object=Account&action=Search

① Opening Page context. Name: screen, data: null, frame: null

① Clicking WebElement. WebElement [tag: button, text: Show More]

① Hover>Clicking WebElement. WebElement [tag: a, text: Accounts, href: javascript:void(0);]

① Going to update browser window handles.

⚙ Update browser window handles.

Successfully updated browser window handles.

● With Account rows {ACCOUNT_NAME = "ProvarTesting"}

① Start of With Row. Connection Name: DevSandbox, target: sf:ui:locator:row?table=Search%2FsearchView%2FsearchTable

① Waiting for element to be present. Timeout(seconds): 10

① Populating webelement cells into the row Row Count: 0

Populated the row elements.

① Applying row locator to rows. Row Count: 17, Row Locator: {ACCOUNT_NAME = "ProvarTesting"}

The row locator matched 1 row.

① Going to update browser window handles.

⚙ Update browser window handles.

Successfully updated browser window handles.

● Click the Account Name field

① Start of Interact. Connection: DevSandbox, Locator: ui:locator?name=ACCOUNT_NAME&binding=sf%3Aui%3AAbinding%3Aobject%3Fobject%3DAccount%26field%3DName, before wait: default, after wait: default, auto retry: default

① Locator: ui:locator?name=ACCOUNT_NAME&binding=sf%3Aui%3AAbinding%3Aobject%3Fobject%3DAccount%26field%3DName

① Interaction: ui:interaction?name=action

① Switched focus to main window. URL: <https://cts-61f-dev-ed.lightning.force.com/one/one.app#eyJjb21wb25lbnREZWYiOiJmb3JjZVNIYXJjaDpzZWYyY2hQYWdlRGVza3RvcCslmF0dHJpYnV0ZXMiOmsidGVybSI6IlByb3ZhciRic3RpbmciLCJzY29wZU1hcC%3D%3D>

① Interaction: ui:interaction?name=action

① Doing before wait. waitUrl: default

① End of <default> wait.

① Found element: [ChromeDriver: chrome on XP (31a2bcae5bbd6a18e9d8a2ee4fe6e131)] -> xpath: //div[contains(@class, 'active') and (contains(@class, 'oneContent') or contains(@class, 'main-content'))]/div[contains(@class, 'forceSearchSearch')]/div[contains(@class, 'forceSearchResultsRegion')]/h2[contains(., 'Accounts')]/ancestor::div[contains(@class, 'forceSearchSearchResultsGridHeader')]/following-sibling::div[contains(@class, 'forceSearchResultsGridView') or contains(@class, 'forceSearchResultsGridLVM')]/table//tbody//tr]] -> xpath: *[self::td or self::th]/a]

① Clicking WebElement using Javascript Click. WebElement: WebElement [tag: a, text: ProvarTesting, href: <https://cts-61f-dev-ed.lightning.force.com/lightning/r/0015g00000Bwh8CAAR/view>]

① Doing after wait. waitUrl: default

① End of <default> wait.

① Going to update browser window handles.

⚙ Update browser window handles.

Successfully updated browser window handles.

① All Sub-Test Steps were successful.

① Going to update browser window handles.

⚙ Update browser window handles.

Successfully updated browser window handles.

● On SF Account View screen

- ① Start of With Screen. Connection Name: DevSandbox, target: sf:ui:target?object=Account&action=View&noOverride=true
- ① Opening Page context. Name: screen, data: null, frame: null
- ① Activating detailTab tab
- ① Hover>Clicking WebElement. WebElement [tag: a, text: Details, href: javascript:void(0)]
- ① Going to update browser window handles.
- ⚙ Update browser window handles.
- Successfully updated browser window handles.

● Account Name Validation

The image displays two screenshots of the Salesforce user interface for an account named 'ProvarTesting'. The top screenshot shows the 'Details' tab, which includes fields for Account Owner (karthikeyan Ramu), Phone ((789) 654-1236), Website, and various other account details. The bottom screenshot shows the 'Billing' tab, which includes fields for Billing Address, Customer Priority, SLA, and other billing-related information. Both screenshots feature the standard Salesforce navigation bar at the top and a right-hand panel for activity and chatter.

After Screenshot : 2021/04/23 14:53:02

- ① Start of UiAssert. Connection: DevSandbox
- ① Resolving field title
- ① Switched focus to main window. URL: https://cts-61f-dev-ed.lightning.force.com/lightning/r/Account/0015g00000Bwh8CAAR/view
- ① Find title using xpath: `//*[contains(@class, 'active') and ((self::div and contains(@class, 'oneContent')) or (self::section and ((contains(@class, 'oneConsoleTab') and ancestor::div[contains(@class, 'active') and (contains(@class, 'oneWorkspace') or contains(@class, 'navexWorkspace')) and not(contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab')))) or (not(contains(@class, 'oneConsoleTab')) and contains(@class, 'tabContent') and ancestor::div[contains(@class, 'active') and (contains(@class, 'oneWorkspace') or contains(@class, 'navexWorkspace')) and contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab')))))]/*[(self::h1 or self::div or self::slot) and contains(@class, 'slds-page-header') and contains(@class, 'title')]/*[(self::span and contains(@class, 'uiOutputText')) or (self::a and contains(@class, 'forceOutputLookup')) or (self::lightning-formatted-text) or (self::lightning-formatted-name)]`
- ① Waiting for element to be present. Timeout(seconds): 10
- ① Doing before wait. waitUrl: default
- ① End of <default> wait.
- ① Found element: `[[ChromeDriver: chrome on XP (31a2bcae5bbd6a18e9d8a2ee4fe6e131)] -> xpath: //*[contains(@class, 'active') and ((self::div and contains(@class, 'oneContent')) or (self::section and ((contains(@class, 'oneConsoleTab') and ancestor::div[contains(@class, 'active') and (contains(@class, 'oneWorkspace') or contains(@class, 'navexWorkspace')) and not(contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab')))) or (not(contains(@class, 'oneConsoleTab')) and contains(@class, 'tabContent') and ancestor::div[contains(@class, 'active') and (contains(@class, 'oneWorkspace') or contains(@class, 'navexWorkspace')) and contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab')))))]/*[(self::h1 or self::div or self::slot) and contains(@class, 'slds-page-header') and contains(@class, 'title')]/*[(self::span and contains(@class, 'uiOutputText')) or (self::a and contains(@class, 'forceOutputLookup')) or (self::lightning-formatted-text) or (self::lightning-formatted-name)]`

not(contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab')))) or (not(contains(@class, 'oneConsoleTab')) and contains(@class, 'tabContent') and ancestor::div[contains(@class, 'active') and (contains(@class, 'oneWorkspace') or contains(@class, 'navexWorkspace')) and contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab')))))/*[(self::h1 or self::div or self::slot) and contains(@class, 'slds-page-header') and contains(@class, 'title')/*[(self::span and contains(@class, 'uiOutputText')) or (self::a and contains(@class, 'forceOutputLookup')) or (self::lightning-formatted-text) or (self::lightning-formatted-name)]]

① Asserting field attributes: title

① Asserting Attribute: value to PrimitiveValueImpl [value: ProvarTesting, valuelid=0, createdUpdateSeq=-1, updatedUpdateSeq=-1]

✓ Assertion successful.ProvarTesting EqualTo ProvarTesting

① Asserting Attribute: visible to PrimitiveValueImpl [value: true, valuelid=0, createdUpdateSeq=-1, updatedUpdateSeq=-1]

✓ Assertion successful.true EqualTo true

① Asserting Attribute: disabled to PrimitiveValueImpl [value: false, valuelid=0, createdUpdateSeq=-1, updatedUpdateSeq=-1]

✓ Assertion successful.false EqualTo false

① Asserting Attribute: inView to PrimitiveValueImpl [value: Fully, valuelid=0, createdUpdateSeq=-1, updatedUpdateSeq=-1]

✓ Assertion successful.Fully EqualTo Fully

① Object read successfully. Result Name: Values

① Sending screenshot. Data length: 266971

① Going to update browser window handles.

✳ Update browser window handles.

Successfully updated browser window handles.

● Parent Account Validation

① Start of UiAssert. Connection: DevSandbox

① Resolving field Name

① Switched focus to main window. URL: <https://cts-61f-dev-ed.lightning.force.com/lightning/r/Account/0015g00000Bwh8CAAR/view>

① Activating detailTab tab

① Hover>Clicking WebElement. WebElement [tag: a, text: Details, href: javascript:void(0)]

① Finding field placeholder using xpath: (/*[contains(@class, 'active') and ((self::div and contains(@class, 'oneContent')) or (self::section and ((contains(@class, 'oneConsoleTab') and ancestor::div[contains(@class, 'active') and (contains(@class, 'oneWorkspace') or contains(@class, 'navexWorkspace')) and not(contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab')))) or (not(contains(@class, 'oneConsoleTab')) and contains(@class, 'tabContent') and ancestor::div[contains(@class, 'active') and (contains(@class, 'oneWorkspace') or contains(@class, 'navexWorkspace')) and contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab')))))/*[contains(@class, 'forceDetailPanel') or contains(@class, 'detail-panel-root')/*[(self::force-record-layout-section) or (self::div and (contains(@class, 'forcePageBlockSectionView') or contains(@class, 'test-id__section slds-section')))]1//div[(contains(@class, 'labelCol') or contains(@class, 'field-label-container')) and (span/text()[normalize-space()='Account Name' or (.) ='Account Name'])/following-sibling::div[1]/*[(self::div and contains(@class, 'dataCol')) or (self::span and contains(@class, 'test-id__field-value'))]]

① Waiting for element to be present. Timeout(seconds): 10

① Finding field elements using relativePath: ./*[self::lightning-formatted-name or self::lightning-formatted-text]

① Waiting for element to be present. Timeout(seconds): 10

① Doing before wait. waitUrl: default

① End of <default>gt; wait.

① Found element: [[[[ChromeDriver: chrome on XP (31a2bcae5bbd6a18e9d8a2ee4fe6e131)] -> xpath: (/*[contains(@class, 'active') and ((self::div and contains(@class, 'oneContent')) or (self::section and ((contains(@class, 'oneConsoleTab') and ancestor::div[contains(@class, 'active') and (contains(@class, 'oneWorkspace') or contains(@class, 'navexWorkspace')) and not(contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab')))) or (not(contains(@class, 'oneConsoleTab')) and contains(@class, 'tabContent') and ancestor::div[contains(@class, 'active') and (contains(@class, 'oneWorkspace') or contains(@class, 'navexWorkspace')) and contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab')))))/*[contains(@class, 'forceDetailPanel') or contains(@class, 'detail-panel-root')/*[(self::force-record-layout-section) or (self::div and (contains(@class, 'forcePageBlockSectionView') or contains(@class, 'test-id__section slds-section')))]1//div[(contains(@class, 'labelCol') or contains(@class, 'field-label-container')) and (span/text()[normalize-space()='Account Name' or (.) ='Account Name'])/following-sibling::div[1]/*[(self::div and contains(@class, 'dataCol')) or (self::span and contains(@class, 'test-id__field-value'))]] -> xpath: ./*[self::lightning-formatted-name or self::lightning-formatted-text]]

① Asserting field attributes: Name

① Asserting Attribute: value to PrimitiveValueImpl [value: ProvarTesting, valuelid=0, createdUpdateSeq=-1, updatedUpdateSeq=-1]

✓ Assertion successful.ProvarTesting EqualTo ProvarTesting

① Asserting Attribute: visible to PrimitiveValueImpl [value: true, valuelid=0, createdUpdateSeq=-1, updatedUpdateSeq=-1]

✓ Assertion successful.true EqualTo true

❗ Asserting Attribute: disabled to PrimitiveValueImpl [value: false, valueId=0, createdUpdateSeq=-1, updatedUpdateSeq=-1]

✅ Assertion successful.false EqualTo false

❗ Asserting Attribute: focused to PrimitiveValueImpl [value: false, valueId=0, createdUpdateSeq=-1, updatedUpdateSeq=-1]

✅ Assertion successful.false EqualTo false

❗ Object read successfully. Result Name: Values

❗ Going to update browser window handles.

🔄 Update browser window handles.

Successfully updated browser window handles.

● Phone Number Validation

❗ Start of UiAssert. Connection: DevSandbox

❗ Resolving field Phone

❗ Switched focus to main window. URL: <https://cts-61f-dev-ed.lightning.force.com/lightning/r/Account/0015g00000Bwh8CAAR/view>

❗ Activating detailTab tab

❗ Hover>Clicking WebElement. WebElement [tag: a, text: Details, href: javascript:void(0)]

❗ Finding field placeholder using xpath: (`//*[contains(@class, 'active') and ((self::div and contains(@class, 'oneContent')) or (self::section and ((contains(@class, 'oneConsoleTab') and ancestor::div[contains(@class, 'active') and (contains(@class, 'oneWorkspace') or contains(@class, 'navexWorkspace')) and not(contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab')))) or (not(contains(@class, 'oneConsoleTab')) and contains(@class, 'tabContent') and ancestor::div[contains(@class, 'active') and (contains(@class, 'oneWorkspace') or contains(@class, 'navexWorkspace')) and contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab'))))]//*[contains(@class, 'forceDetailPanel') or contains(@class, 'detail-panel-root')]/*[(self::force-record-layout-section) or (self::div and (contains(@class, 'forcePageBlockSectionView') or contains(@class, 'test-id__section slds-section ')))]`)[1]//div[(contains(@class, 'labelCol') or contains(@class, 'field-label-container')) and (span/text()[normalize-space()='Phone' or (.)='Phone'])]/following-sibling::div[1]//*[self::div and contains(@class, 'dataCol')] or (self::span and contains(@class, 'test-id__field-value'))]

❗ Waiting for element to be present. Timeout(seconds): 10

❗ Finding field elements using relativePath: `./lightning-formatted-phone`

❗ Waiting for element to be present. Timeout(seconds): 10

❗ Doing before wait. waitUrl: default

❗ End of `<default>`; wait.

❗ Found element: `[[[[ChromeDriver: chrome on XP (31a2bcae5bbd6a18e9d8a2ee4fe6e131)] -> xpath: (//*[contains(@class, 'active') and ((self::div and contains(@class, 'oneContent')) or (self::section and ((contains(@class, 'oneConsoleTab') and ancestor::div[contains(@class, 'active') and (contains(@class, 'oneWorkspace') or contains(@class, 'navexWorkspace')) and not(contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab')))) or (not(contains(@class, 'oneConsoleTab')) and contains(@class, 'tabContent') and ancestor::div[contains(@class, 'active') and (contains(@class, 'oneWorkspace') or contains(@class, 'navexWorkspace')) and contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab'))))]//*[contains(@class, 'forceDetailPanel') or contains(@class, 'detail-panel-root')]/*[(self::force-record-layout-section) or (self::div and (contains(@class, 'forcePageBlockSectionView') or contains(@class, 'test-id__section slds-section ')))])[1]//div[(contains(@class, 'labelCol') or contains(@class, 'field-label-container')) and (span/text()[normalize-space()='Phone' or (.)='Phone'])]/following-sibling::div[1]//*[self::div and contains(@class, 'dataCol')] or (self::span and contains(@class, 'test-id__field-value'))]` -> xpath: `./lightning-formatted-phone`]

❗ Asserting field attributes: Phone

❗ Asserting Attribute: value to PrimitiveValueImpl [value: (789) 654-1236, valueId=0, createdUpdateSeq=-1, updatedUpdateSeq=-1]

✅ Assertion successful.(789) 654-1236 EqualTo (789) 654-1236

❗ Asserting Attribute: visible to PrimitiveValueImpl [value: true, valueId=0, createdUpdateSeq=-1, updatedUpdateSeq=-1]

✅ Assertion successful.true EqualTo true

❗ Object read successfully. Result Name: Values

❗ Going to update browser window handles.

🔄 Update browser window handles.

Successfully updated browser window handles.

❗ All Sub-Test Steps were successful.

❗ Closing Page context. Name: screen, data: null, frame: null

❗ Main window reselected. Window: main

❗ Switched focus to main window. URL: <https://cts-61f-dev-ed.lightning.force.com/lightning/r/Account/0015g00000Bwh8CAAR/view>

❗ Switched focus to main window. URL: <https://cts-61f-dev-ed.lightning.force.com/lightning/r/Account/0015g00000Bwh8CAAR/view>

❗ Going to update browser window handles.

🔄 Update browser window handles.

Successfully updated browser window handles.

① All Sub-Test Steps were successful.

① Closing Page context. Name: screen, data: null, frame: null

① Main window reselected. Window: main

① Switched focus to main window. URL: <https://cts-61f-dev-ed.lightning.force.com/lightning/r/Account/0015g00000Bwh8CAAR/view>

① Going to update browser window handles.

⚙ Update browser window handles.

Successfully updated browser window handles.