

Test Run Report




Test Run Overview

Started	23 Apr 2021, 15:35:40
Ended	23 Apr 2021, 15:35:46
Duration (mm:ss)	00:05.838

Test Results Summary

Passed	0
Failed	1
Skipped	0



Test Case Summary

tests


Delete_Account_API.testcase

● failed
● failed

- Failed to delete Object. Error Messages: invalid record id
- Failed to delete Object. Error Messages: invalid record id
- Failed to delete Object. Error Messages: invalid record id
- Failed to delete Object. Error Messages: invalid record id
- Failed to delete Object. Error Messages: invalid record id

Delete_Account_API.testcase

Summary

Started 23 Apr 2021, 15:35:40
Ended 23 Apr 2021, 15:35:46
Duration (mm:ss) 00:05.837
Outcome  failed

Output

- Salesforce Connect: DevSandbox (Test) ⌚ 15:35:40(00:00.014)
 - ① Connecting to Salesforce as DevSandbox
 - ① Successfully connected to Salesforce as DevSandbox
- Read Excel ⌚ 15:35:44(00:03.402)
 - ① Loading data from Parameter Value Source ...
 - ① Loading Parameter Value Source row 1:
 - ① ==Column=> RowNumber = PrimitiveValueImpl [value: 2, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
 - ① ==Column=> AccountId = PrimitiveValueImpl [value: 0015g00000BwhlzAAJ, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
 - ① Loading Parameter Value Source row 2:
 - ① ==Column=> RowNumber = PrimitiveValueImpl [value: 4, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
 - ① Loading Parameter Value Source row 3:
 - ① ==Column=> RowNumber = PrimitiveValueImpl [value: 4, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
 - ① ==Column=> AccountId = PrimitiveValueImpl [value: 0015g00000BwhM8AAJ, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
 - ① Loading Parameter Value Source row 4:
 - ① ==Column=> RowNumber = PrimitiveValueImpl [value: 6, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
 - ① Loading Parameter Value Source row 5:
 - ① ==Column=> RowNumber = PrimitiveValueImpl [value: 6, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
 - ① ==Column=> AccountId = PrimitiveValueImpl [value: 0015g00000BwhMDAAZ, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
 - Loaded 5 rows from Parameter Value Source.
 - For Each: {ExcelData}=>Row ⌚ 15:35:44(00:03.483)
 - ① Start of iteration 1 of 5.
 - Iteration 1 ⌚ 15:35:44(00:03.549)
 - Delete Object: {AccountId} ⌚ 15:35:44(00:03.550)
 - ① Loading data from Parameter Value Source ...
 - ① Loading Parameter Value Source row 1:
 - ① ==Column=> RowNumber = PrimitiveValueImpl [value: 2, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
 - ① ==Column=> AccountId = PrimitiveValueImpl [value: 0015g00000BwhlzAAJ, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
 - ① Loading Parameter Value Source row 2:
 - ① ==Column=> RowNumber = PrimitiveValueImpl [value: 4, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
 - ① Loading Parameter Value Source row 3:
 - ① ==Column=> RowNumber = PrimitiveValueImpl [value: 4, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
 - ① ==Column=> AccountId = PrimitiveValueImpl [value: 0015g00000BwhM8AAJ, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
 - ① Loading Parameter Value Source row 4:
 - ① ==Column=> RowNumber = PrimitiveValueImpl [value: 6, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
 - ① Loading Parameter Value Source row 5:

❌ ==Column=> RowNumber = PrimitiveValueImpl [value: 6, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

❌ ==Column=> AccountId = PrimitiveValueImpl [value: 0015g00000BwhMDAAZ, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

Loaded 5 rows from Parameter Value Source.

❌ Deleting an existing Salesforce object. Connection Name: DevSandbox, Id: null

● Failed to delete Object. Error Messages: invalid record id

❌ Start of iteration 2 of 5.

● Iteration 2

⌚ 15:35:44(00:04.015)

● Delete Object: {AccountId}

⌚ 15:35:44(00:04.018)

❌ Loading data from Parameter Value Source ...

❌ Loading Parameter Value Source row 1:

❌ ==Column=> RowNumber = PrimitiveValueImpl [value: 2, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

❌ ==Column=> AccountId = PrimitiveValueImpl [value: 0015g00000BwhlZAAJ, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

❌ Loading Parameter Value Source row 2:

❌ ==Column=> RowNumber = PrimitiveValueImpl [value: 4, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

❌ Loading Parameter Value Source row 3:

❌ ==Column=> RowNumber = PrimitiveValueImpl [value: 4, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

❌ ==Column=> AccountId = PrimitiveValueImpl [value: 0015g00000BwhM8AAJ, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

❌ Loading Parameter Value Source row 4:

❌ ==Column=> RowNumber = PrimitiveValueImpl [value: 6, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

❌ Loading Parameter Value Source row 5:

❌ ==Column=> RowNumber = PrimitiveValueImpl [value: 6, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

❌ ==Column=> AccountId = PrimitiveValueImpl [value: 0015g00000BwhMDAAZ, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

Loaded 5 rows from Parameter Value Source.

❌ Deleting an existing Salesforce object. Connection Name: DevSandbox, Id: null

● Failed to delete Object. Error Messages: invalid record id

❌ Start of iteration 3 of 5.

● Iteration 3

⌚ 15:35:45(00:04.481)

● Delete Object: {AccountId}

⌚ 15:35:45(00:04.483)

❌ Loading data from Parameter Value Source ...

❌ Loading Parameter Value Source row 1:

❌ ==Column=> RowNumber = PrimitiveValueImpl [value: 2, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

❌ ==Column=> AccountId = PrimitiveValueImpl [value: 0015g00000BwhlZAAJ, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

❌ Loading Parameter Value Source row 2:

❌ ==Column=> RowNumber = PrimitiveValueImpl [value: 4, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

❌ Loading Parameter Value Source row 3:

❌ ==Column=> RowNumber = PrimitiveValueImpl [value: 4, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

❌ ==Column=> AccountId = PrimitiveValueImpl [value: 0015g00000BwhM8AAJ, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

❌ Loading Parameter Value Source row 4:

❌ ==Column=> RowNumber = PrimitiveValueImpl [value: 6, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

❌ Loading Parameter Value Source row 5:

❌ ==Column=> RowNumber = PrimitiveValueImpl [value: 6, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

❌ ==Column=> AccountId = PrimitiveValueImpl [value: 0015g00000BwhMDAAZ, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

Loaded 5 rows from Parameter Value Source.

❌ Deleting an existing Salesforce object. Connection Name: DevSandbox, Id: null

● Failed to delete Object. Error Messages: invalid record id

❌ Start of iteration 4 of 5.

● Iteration 4

⌚ 15:35:45(00:04.933)

● Delete Object: {AccountId}

⌚ 15:35:45(00:04.934)

❌ Loading data from Parameter Value Source ...

❌ Loading Parameter Value Source row 1:

❌ ==Column=> RowNumber = PrimitiveValueImpl [value: 2, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

❌ ==Column=> AccountId = PrimitiveValueImpl [value: 0015g00000BwhIzAAJ, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

❌ Loading Parameter Value Source row 2:

❌ ==Column=> RowNumber = PrimitiveValueImpl [value: 4, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

❌ Loading Parameter Value Source row 3:

❌ ==Column=> RowNumber = PrimitiveValueImpl [value: 4, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

❌ ==Column=> AccountId = PrimitiveValueImpl [value: 0015g00000BwhM8AAJ, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

❌ Loading Parameter Value Source row 4:

❌ ==Column=> RowNumber = PrimitiveValueImpl [value: 6, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

❌ Loading Parameter Value Source row 5:

❌ ==Column=> RowNumber = PrimitiveValueImpl [value: 6, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

❌ ==Column=> AccountId = PrimitiveValueImpl [value: 0015g00000BwhMDAAZ, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

Loaded 5 rows from Parameter Value Source.

❌ Deleting an existing Salesforce object. Connection Name: DevSandbox, Id: null

● Failed to delete Object. Error Messages: invalid record id

❌ Start of iteration 5 of 5.

● Iteration 5

⌚ 15:35:46(00:05.383)

● Delete Object: {AccountId}

⌚ 15:35:46(00:05.384)

❌ Loading data from Parameter Value Source ...

❌ Loading Parameter Value Source row 1:

❌ ==Column=> RowNumber = PrimitiveValueImpl [value: 2, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

❌ ==Column=> AccountId = PrimitiveValueImpl [value: 0015g00000BwhIzAAJ, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

❌ Loading Parameter Value Source row 2:

❌ ==Column=> RowNumber = PrimitiveValueImpl [value: 4, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

❌ Loading Parameter Value Source row 3:

❌ ==Column=> RowNumber = PrimitiveValueImpl [value: 4, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

❌ ==Column=> AccountId = PrimitiveValueImpl [value: 0015g00000BwhM8AAJ, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

❌ Loading Parameter Value Source row 4:

❌ ==Column=> RowNumber = PrimitiveValueImpl [value: 6, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

❌ Loading Parameter Value Source row 5:

❌ ==Column=> RowNumber = PrimitiveValueImpl [value: 6, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

❌ ==Column=> AccountId = PrimitiveValueImpl [value: 0015g00000BwhMDAAZ, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

Loaded 5 rows from Parameter Value Source.

❌ Deleting an existing Salesforce object. Connection Name: DevSandbox, Id: null

● Failed to delete Object. Error Messages: invalid record id

❌ Reached the end of the List.

❌ Handling managed resource. Name: DevSandbox

④ Salesforce Connection handled successfully. Name: DevSandbox