Test Run Report

Test Run Overview

Started	23 Apr 2021, 14:41:38
Ended	23 Apr 2021, 14:44:18
Duration (mm:ss)	02:39.985

Test Results Summary

Passed	2
Failed	0
Skipped	0

2 Passed (100%)
0 Failed (0%)
0 Skipped (0%)

● Passed ● Failed ○ Skipped

Test Case Summary

📁 tests	successful
🗎 Account API.testcase	successful
🗎 Test Case 2.testcase	successful

Account API.testcase

Summary

Started	23 Apr 2021, 14:41:38
Ended	23 Apr 2021, 14:41:45
Duration (mm:ss)	00:06.327
Outcome	● successful

Output

● Salesforce Connect: DevSandbox (Test)

ⓘ Connecting to Salesforce as DevSandbox

✤ Connection details. Connection name: DevSandbox, result name: DevSandbox, result scope: Test, urlString: sf:user=karthikeyan.ramu@cognizant.com;password={password};securityToken={securityToken};environment=PROD_DEV;lightningMode=true, environment: <default>, userName: karthikeyan.ramu@cognizant.com, password: [supplied] securityToken: [supplied]

✤ Create object id log file.

✤ Opening Partner connection

✤ Opening SOAP connection

✤ Opening Metadata connection

Successfully connected to Salesforce as DevSandbox

● Read Excel

ⓘ Loading data from Parameter Value Source ...

ⓘ Loading Parameter Value Source row 1:

ⓘ ==Column=> RowNumber = PrimitiveValueImpl [value: 2, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ ==Column=> Account_Name = PrimitiveValueImpl [value: ProvarTesting1, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ ==Column=> Parent_Account = PrimitiveValueImpl [value: Test123456, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ ==Column=> Phone_Number = PrimitiveValueImpl [value: 7896541236, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ ==Column=> Type = PrimitiveValueImpl [value: Installation Partner, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ ==Column=> Rating = PrimitiveValueImpl [value: Hot, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ Loading Parameter Value Source row 2:

ⓘ ==Column=> RowNumber = PrimitiveValueImpl [value: 3, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ ==Column=> Account_Name = PrimitiveValueImpl [value: ProvarTesting2, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ ==Column=> Parent_Account = PrimitiveValueImpl [value: ProvarTesting1, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ ==Column=> Phone_Number = PrimitiveValueImpl [value: 7859651236, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ ==Column=> Type = PrimitiveValueImpl [value: Installation Partner, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ ==Column=> Rating = PrimitiveValueImpl [value: Hot, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

Loaded 2 rows from Parameter Value Source.

● For Each: {ExcelData}=>Row

ⓘ Start of iteration 1 of 2.

● Iteration 1

● Create Object: Account=>AccountId

ⓘ Creating a new Salesforce object. Connection Name: DevSandbox, Name: Account, field count: 4

⚠ Failed to connect to Master Lock Manager in timeout period - assuming dead. Host: localhost, port: 58974

ⓘ Setting fields:

ⓘ =Field=> ParentId = 0015g00000BwdvDAAR

ⓘ =Field=> Type = {Row.Type}

ⓘ =Field=> Phone = 7896541236

ⓘ =Field=> Name = ProvarTesting1

📄 Account created successfully. Object Id: 0015g00000Bwh6IAAR, Result Name: AccountId

ⓘ Logging Salesforce Object Id for clean up. Object Name: Account, id: 0015g00000Bwh6IAAR

ⓘ Start of iteration 2 of 2.

● Iteration 2
  ● Create Object: Account=>AccountId
    ⓘ Creating a new Salesforce object. Connection Name: DevSandbox, Name: Account, field count: 4

    ⓘ Setting fields:

    ⓘ =Field=> ParentId = 0015g00000BwdvDAAR

    ⓘ =Field=> Type = {Row.Type}

    ⓘ =Field=> Phone = 7859651236

    ⓘ =Field=> Name = ProvarTesting2

    📄 Account created successfully. Object Id: 0015g00000Bwh6NAAR, Result Name: AccountId

    ⓘ Logging Salesforce Object Id for clean up. Object Name: Account, id: 0015g00000Bwh6NAAR

ⓘ Reached the end of the List.

🖫 Test Case 2.testcase

Summary

Started	23 Apr 2021, 14:41:45
Ended	23 Apr 2021, 14:43:55
Duration (mm:ss)	02:10.163
Outcome	● successful

Output

● Salesforce Connect: DevSandbox (Test)
  ⓘ Connecting to Salesforce as DevSandbox

  ⚜ Connection details. Connection name: DevSandbox, result name: DevSandbox, result scope: Test, urlString:
  sf:user=karthikeyan.ramu@cognizant.com;password={password};securityToken={securityToken};environment=PROD_DEV;lightningMode=true,
  environment: <default>, userName: karthikeyan.ramu@cognizant.com, password: [supplied] securityToken: [supplied]

  ⚜ Create object id log file.

  ⚜ Opening Partner connection

  ⚜ Opening SOAP connection

  ⚜ Opening Metadata connection

  Successfully connected to Salesforce as DevSandbox

● On SF Account Home screen
  ⓘ Start of With Screen. Connection Name: DevSandbox, target: sf:ui:target?object=Account&action=ObjectHome

  ⓘ Opening Chrome webdriver instance to https://login.salesforce.com/

  ⚜ Add Chrome browser specific capabilities

  Successfully opened Chrome webdriver to https://login.salesforce.com/

  ⓘ Opening Page context. Name: screen, data: null, frame: null

  ⓘ Opening Salesforce page. Object: Account, RelatedList: null, Action: ObjectHome, Page URL: /lightning/o/001/list?filterName=Recent, Current URL:
  chrome://new-tab-page/

  ⓘ Opening Salesforce user home page

  ⚜ Navigate to home page

  ⚜ Perform page load wait

  ⚜ Perform page load wait

  Successfully opened user home page

  ⓘ Going to update browser window handles.

� Update browser window handles.

Successfully updated browser window handles.

🟢 Click the New button

ⓘ Start of Interact. Connection: DevSandbox, Locator: ui:locator?name=New&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DAccount%26action%3DNew, before wait: default, after wait: default, auto retry: default

ⓘ Locator: ui:locator?name=New&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DAccount%26action%3DNew

ⓘ Interaction: ui:interaction?name=action

ⓘ Switched focus to main window. URL: https://cts-61f-dev-ed.lightning.force.com/lightning/o/Account/list?filterName=Recent

ⓘ Interaction: ui:interaction?name=action

ⓘ Find action link element using xpath: (//div[contains(@class, 'active') and (contains(@class, 'oneContent') or contains(@class, 'main-content'))]//div[contains(@class, 'forceObjectHomeDesktop') or contains(@class, 'oneConsoleObjectHome') or contains(@class, 'forceRelatedListDesktop')or (contains(@class, 'slds-table_joined') and contains(@class, 'test-listViewManager'))]//ul[contains(@class, 'oneActionsRibbon')] | //div[contains(@class, 'forceActionsDropDownMenuList') and contains(@class, ' visible')])//a[contains(@data-aura-rendered-by, '838:0')]

ⓘ Waiting for element to be present. Timeout(seconds): 10

ⓘ Doing before wait. waitUrl: default

ⓘ End of <default> wait.

ⓘ Found element: [[ChromeDriver: chrome on XP (2919d25e0e4ca70681e5c5366c1b36bd)] -> xpath: (//div[contains(@class, 'active') and (contains(@class, 'oneContent') or contains(@class, 'main-content'))]//div[contains(@class, 'forceObjectHomeDesktop') or contains(@class, 'oneConsoleObjectHome') or contains(@class, 'forceRelatedListDesktop')or (contains(@class, 'slds-table_joined') and contains(@class, 'test-listViewManager'))]//ul[contains(@class, 'oneActionsRibbon')] | //div[contains(@class, 'forceActionsDropDownMenuList') and contains(@class, ' visible')])//a[contains(@data-aura-rendered-by, '838:0')]]

ⓘ Clicking WebElement using Javascript Click. WebElement: WebElement [tag: a, text: New, href: javascript:void(0);]

ⓘ Doing after wait. waitUrl: default

ⓘ End of <default> wait.

ⓘ Sending screenshot. Data length: 108931

ⓘ Going to update browser window handles.

🌟 Update browser window handles.

Successfully updated browser window handles.

ⓘ All Sub-Test Steps were successful.

ⓘ Closing Page context. Name: screen, data: null, frame: null

ⓘ Main window reselected. Window: main

ⓘ Switched focus to main window. URL: https://cts-61f-dev-ed.lightning.force.com/lightning/o/Account/new?count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=MRU_LIST&backgroundContext=%2Flightning%2Fo%2FAccount%2Flist%3FfilterName%3DRecent

ⓘ Going to update browser window handles.

🌟 Update browser window handles.

Successfully updated browser window handles.

🟢 On SF Account New screen

ⓘ Start of With Screen. Connection Name: DevSandbox, target: sf:ui:target?object=Account&action=New&noOverride=true

ⓘ Opening Page context. Name: screen, data: null, frame: null

ⓘ Hover>Clicking WebElement. WebElement [tag: h2, text: New Account]

ⓘ Going to update browser window handles.

✳ Update browser window handles.

Successfully updated browser window handles.

🟢 Set the Account Name field to ProvarTesting

Before Screenshot : 2021/04/23 14:42:18

After Screenshot : 2021/04/23 14:42:23

ⓘ Start of Interact. Connection: DevSandbox, Locator: ui:locator?name=Name&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DAccount%26field%3DName, before wait: default, after wait: default, auto retry: default

ⓘ Locator: ui:locator?name=Name&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DAccount%26field%3DName

ⓘ Interaction: ui:interaction?name=set

ⓘ Switched focus to main window. URL: https://cts-61f-dev-ed.lightning.force.com/lightning/o/Account/new?count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=MRU_LIST&backgroundContext=%2Flightning%2Fo%2FAccount%2Flist%3FfilterName%3DRecent

ⓘ Interaction: ui:interaction?name=set

ⓘ Sending screenshot. Data length: 108841

ⓘ Finding field placehoder using xpath: //div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])][last()]//*[contains(@class, 'forceDetailPanel') or contains(@class, 'detail-panel-root')]//*[(self::force-record-layout-section) or ((self::section or self::div) and contains(@class,'forcePageBlockSection '))][1]//*[((self::label and (contains(@class,'uiLabel') or contains(@class,'slds-form-element__label')) and not(contains(@class, 'hide '))) or (self::span and (contains(@class,'inputLabel') or contains(@class,'slds-form-element__label'))) or (self::div and contains(@class,'test-id__field-label-container')) or (self::lightning-grouped-combobox and contains(@class, 'forceTextEnumLookup')) or (self::div and contains(@class, 'lightningInputRichText'))) and (.//text()[normalize-space()='Account Name'] or .//text() = 'Account Name')]/ancestor::div[1]

ⓘ Find field using relative xpath: .//input

ⓘ Waiting for element to be present. Timeout(seconds): 10

ⓘ Doing before wait. waitUrl: default

ⓘ End of <default> wait.

ⓘ Found element: [[[org.openqa.selenium.remote.RemoteWebElement@6e076659 -> unknown locator]] -> xpath: .//input]

ⓘ Got webElement. tagName: INPUT, id: input-158, type: text, class: slds-input

ⓘ Typing value. tagName: INPUT, type: text, value: ProvarTesting, blur: false

ⓘ Doing after wait. waitUrl: default

ⓘ End of <default> wait.

ⓘ Sending screenshot. Data length: 111722

ⓘ Going to update browser window handles.

✿ Update browser window handles.

Successfully updated browser window handles.

● Set the Parent Account reference to Test123456

ⓘ Start of Interact. Connection: DevSandbox, Locator: ui:locator?name=ParentId&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DAccount%26field%3DParentId, before wait: default, after wait: default, auto retry: default

ⓘ Locator: ui:locator?name=ParentId&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DAccount%26field%3DParentId

ⓘ Interaction: ui:interaction?name=set

ⓘ Switched focus to main window. URL: https://cts-61f-dev-ed.lightning.force.com/lightning/o/Account/new?count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=MRU_LIST&backgroundContext=%2Flightning%2Fo%2FAccount%2Flist%3FfilterName%3DRecent

ⓘ Interaction: ui:interaction?name=set

ⓘ Finding field placehoder using xpath: //div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])][last()]//*[contains(@class, 'forceDetailPanel') or contains(@class, 'detail-panel-root')]//*[(self::force-record-layout-section) or ((self::section or self::div) and contains(@class,'forcePageBlockSection '))][1]//*[((self::label and (contains(@class,'uiLabel') or contains(@class,'slds-form-element__label')) and not(contains(@class, 'hide '))) or (self::span and (contains(@class,'inputLabel') or contains(@class,'slds-form-element__label'))) or (self::div and contains(@class,'test-id__field-label-container')) or (self::lightning-grouped-combobox and contains(@class, 'forceTextEnumLookup')) or (self::div and contains(@class, 'lightningInputRichText'))) and (.//text()[normalize-space()='Parent Account'] or .//text() = 'Parent Account')]/ancestor::div[1]

ⓘ Find field using relative xpath: .//input

ⓘ Waiting for element to be present. Timeout(seconds): 10

ⓘ Doing before wait. waitUrl: default

ⓘ End of <default> wait.

ⓘ Found element: [[[org.openqa.selenium.remote.RemoteWebElement@6e07665d -> unknown locator]] -> xpath: .//input]

ⓘ Got webElement. tagName: INPUT, id: input-292, type: text, class: slds-input slds-combobox__input

ⓘ Typing value. tagName: INPUT, type: text, value: Test123456, blur: false

ⓘ Clicking WebElement. WebElement [tag: lightning-base-combobox-formatted-text, text: Test123456]

ⓘ Doing after wait. waitUrl: default

ⓘ End of <default> wait.

ⓘ Going to update browser window handles.

✿ Update browser window handles.

Successfully updated browser window handles.

● Set the Phone field to 7896541236

ⓘ Start of Interact. Connection: DevSandbox, Locator: ui:locator?name=Phone&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DAccount%26field%3DPhone, before wait: default, after wait: default, auto retry: default

ⓘ Locator: ui:locator?name=Phone&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DAccount%26field%3DPhone

ⓘ Interaction: ui:interaction?name=set

ⓘ Switched focus to main window. URL: https://cts-61f-dev-ed.lightning.force.com/lightning/o/Account/new?count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=MRU_LIST&backgroundContext=%2Flightning%2Fo%2FAccount%2Flist%3FfilterName%3DRecent

ⓘ Interaction: ui:interaction?name=set

ⓘ Finding field placehoder using xpath: //div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])][last()]//*[contains(@class, 'forceDetailPanel') or contains(@class, 'detail-panel-root')]//*[(self::force-record-layout-section) or ((self::section or self::div) and

contains(@class,'forcePageBlockSection '))][1]//*[((self::label and (contains(@class,'uiLabel') or contains(@class,'slds-form-element__label')) and not(contains(@class, 'hide '))) or (self::span and (contains(@class,'inputLabel') or contains(@class,'slds-form-element__label'))) or (self::div and contains(@class,'test-id__field-label-container')) or (self::lightning-grouped-combobox and contains(@class, 'forceTextEnumLookup')) or (self::div and contains(@class, 'lightningInputRichText'))) and (.//text()[normalize-space()='Phone'] or .//text() = 'Phone')]/ancestor::div[1]

ⓘ Find field using relative xpath: .//input

ⓘ Waiting for element to be present. Timeout(seconds): 10

ⓘ Doing before wait. waitUrl: default

ⓘ End of <default> wait.

ⓘ Found element: [[[org.openqa.selenium.remote.RemoteWebElement@6e076678 -> unknown locator]] -> xpath: .//input]

ⓘ Got webElement. tagName: INPUT, id: input-160, type: text, class: slds-input

ⓘ Typing value. tagName: INPUT, type: text, value: 7896541236, blur: false

ⓘ Doing after wait. waitUrl: default

ⓘ End of <default> wait.

ⓘ Going to update browser window handles.

✴ Update browser window handles.

Successfully updated browser window handles.

● Set the Type picklist to Installation Partner

ⓘ Start of Interact. Connection: DevSandbox, Locator: ui:locator?name=Type&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DAccount%26field%3DType, before wait: default, after wait: default, auto retry: default

ⓘ Locator: ui:locator?name=Type&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DAccount%26field%3DType

ⓘ Interaction: ui:interaction?name=set

ⓘ Switched focus to main window. URL: https://cts-61f-dev-ed.lightning.force.com/lightning/o/Account/new?count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=MRU_LIST&backgroundContext=%2Flightning%2Fo%2FAccount%2Flist%3FfilterName%3DRecent

ⓘ Interaction: ui:interaction?name=set

ⓘ Finding field placehoder using xpath: //div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])][last()]//*[contains(@class, 'forceDetailPanel') or contains(@class, 'detail-panel-root')]//*[(self::force-record-layout-section) or ((self::section or self::div) and contains(@class,'forcePageBlockSection '))][1]//*[((self::label and (contains(@class,'uiLabel') or contains(@class,'slds-form-element__label')) and not(contains(@class, 'hide '))) or (self::span and (contains(@class,'inputLabel') or contains(@class,'slds-form-element__label'))) or (self::div and contains(@class,'test-id__field-label-container')) or (self::lightning-grouped-combobox and contains(@class, 'forceTextEnumLookup')) or (self::div and contains(@class, 'lightningInputRichText'))) and (.//text()[normalize-space()='Type'] or .//text() = 'Type')]/ancestor::div[1]

ⓘ Find field using relative xpath: .//*[self::a or self::input]

ⓘ Waiting for element to be present. Timeout(seconds): 10

ⓘ Doing before wait. waitUrl: default

ⓘ End of <default> wait.

ⓘ Found element: [[[org.openqa.selenium.remote.RemoteWebElement@6e07667a -> unknown locator]] -> xpath: .//*[self::a or self::input]]

ⓘ Got webElement. tagName: INPUT, id: input-185, type: text, class: slds-input slds-combobox__input

ⓘ Typing value. tagName: INPUT, type: text, value: Installation Partner, blur: false

ⓘ Clicking WebElement using Javascript Click. WebElement: WebElement [tag: lightning-base-combobox-item, text: Installation Partner]

ⓘ Doing after wait. waitUrl: default

ⓘ End of <default> wait.

ⓘ Going to update browser window handles.

✴ Update browser window handles.

Successfully updated browser window handles.

● Set the Rating picklist to Hot

After Screenshot : 2021/04/23 14:42:37

ⓘ Start of Interact. Connection: DevSandbox, Locator: ui:locator?name=Rating&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DAccount%26field%3DRating, before wait: default, after wait: default, auto retry: default

ⓘ Locator: ui:locator?name=Rating&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DAccount%26field%3DRating

ⓘ Interaction: ui:interaction?name=set

ⓘ Switched focus to main window. URL: https://cts-61f-dev-ed.lightning.force.com/lightning/o/Account/new?count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=MRU_LIST&backgroundContext=%2Flightning%2Fo%2FAccount%2Flist%3FfilterName%3DRecent

ⓘ Interaction: ui:interaction?name=set

ⓘ Finding field placehoder using xpath: //div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])][last()]//*[contains(@class, 'forceDetailPanel') or contains(@class, 'detail-panel-root')]//*[(self::force-record-layout-section) or ((self::section or self::div) and contains(@class,'forcePageBlockSection '))][1]//*[((self::label and (contains(@class,'uiLabel') or contains(@class,'slds-form-element__label')) and not(contains(@class, 'hide '))) or (self::span and (contains(@class,'inputLabel') or contains(@class,'slds-form-element__label'))) or (self::div and contains(@class,'test-id__field-label-container')) or (self::lightning-grouped-combobox and contains(@class, 'forceTextEnumLookup')) or (self::div and contains(@class, 'lightningInputRichText'))) and (.//text()[normalize-space()='Rating'] or .//text() = 'Rating')]/ancestor::div[1]

ⓘ Find field using relative xpath: .//*[self::a or self::input]

ⓘ Waiting for element to be present. Timeout(seconds): 10

ⓘ Doing before wait. waitUrl: default

ⓘ End of <default> wait.

ⓘ Found element: [[[org.openqa.selenium.remote.RemoteWebElement@6e07667e -> unknown locator]] -> xpath: .//*[self::a or self::input]]

ⓘ Got webElement. tagName: INPUT, id: input-152, type: text, class: slds-input slds-combobox__input

ⓘ Typing value. tagName: INPUT, type: text, value: Hot, blur: false

ⓘ Clicking WebElement using Javascript Click. WebElement: WebElement [tag: lightning-base-combobox-item, text: Hot]

ⓘ Doing after wait. waitUrl: default

ⓘ End of <default> wait.

ⓘ Sending screenshot. Data length: 115669

ⓘ Going to update browser window handles.

✳ Update browser window handles.

Successfully updated browser window handles.

● Click the Save button

ⓘ Start of Interact. Connection: DevSandbox, Locator: ui:locator?name=save&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DAccount%26action%3Dsave, before wait: default, after wait: default, auto retry: default

ⓘ Locator: ui:locator?name=save&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DAccount%26action%3Dsave

ⓘ Interaction: ui:interaction?name=action

ⓘ Switched focus to main window. URL: https://cts-61f-dev-ed.lightning.force.com/lightning/o/Account/new?count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=MRU_LIST&backgroundContext=%2Flightning%2Fo%2FAccount%2Flist%3FfilterName%3DRecent

ⓘ Interaction: ui:interaction?name=action

ⓘ Find action link element using xpath: //div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])][last()]//div[(contains(@class, 'footer') and contains(@class, 'active')) or contains(@class, 'footer-visible')]/ancestor::*[self::force-form-footer or self::records-base-record-form][@records-lwcdetailpanel_lwcdetailpanel]//runtime_platform_actions-action-renderer[@apiname='save' or @apiname='SaveEdit']//*[self::a or self::button]

ⓘ Waiting for element to be present. Timeout(seconds): 10

ⓘ Doing before wait. waitUrl: default

ⓘ End of <default> wait.

ⓘ Found element: [[ChromeDriver: chrome on XP (2919d25e0e4ca70681e5c5366c1b36bd)] -> xpath: //div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])][last()]//div[(contains(@class, 'footer') and contains(@class, 'active')) or contains(@class, 'footer-visible')]/ancestor::*[self::force-form-footer or self::records-base-record-form][@records-lwcdetailpanel_lwcdetailpanel]//runtime_platform_actions-action-renderer[@apiname='save' or @apiname='SaveEdit']//*[self::a or self::button]]

ⓘ Clicking WebElement using Javascript Click. WebElement: WebElement [tag: button, text: Save]

ⓘ Doing after wait. waitUrl: default

ⓘ End of <default> wait.

ⓘ Sending screenshot. Data length: 287277

ⓘ Going to update browser window handles.

✳ Update browser window handles.

Successfully updated browser window handles.

ⓘ All Sub-Test Steps were successful.

ⓘ Switched focus to main window. URL: https://cts-61f-dev-ed.lightning.force.com/lightning/r/Account/0015g00000Bwh6XAAR/view

ⓘ Injecting script to get created object ID from aura component

▤ Storing created Salesforce Object ID. Result Name: accountId, created ID: 0015g00000Bwh6XAAR, location: https://cts-61f-dev-ed.lightning.force.com/lightning/r/Account/0015g00000Bwh6XAAR/view

ⓘ Logging Salesforce Object Id for clean up. Object Name: Account, id: 0015g00000Bwh6XAAR

ⓘ Closing Page context. Name: screen, data: null, frame: null

ⓘ Main window reselected. Window: main

ⓘ Switched focus to main window. URL: https://cts-61f-dev-ed.lightning.force.com/lightning/r/Account/0015g00000Bwh6XAAR/view

ⓘ Going to update browser window handles.

✳ Update browser window handles.

Successfully updated browser window handles.

● On SF Account View screen

ⓘ Start of With Screen. Connection Name: DevSandbox, target: sf:ui:target?object=Account&action=View&noOverride=true

⚠ Not populating record types for Salesforce Object - no objectMetadata. Connection: DevSandbox, object: Calendar, metadataTrace: null

ⓘ Opening Page context. Name: screen, data: null, frame: null

ⓘ Activating detailTab tab

ⓘ Hover>Clicking WebElement. WebElement [tag: a, text: Details, href: javascript:void(0)]

ⓘ Going to update browser window handles.

✳ Update browser window handles.

Successfully updated browser window handles.

● Account Name Validation

ⓘ Start of UiAssert. Connection: DevSandbox

ⓘ Resolving field title

ⓘ Switched focus to main window. URL: https://cts-61f-dev-ed.lightning.force.com/lightning/r/Account/0015g00000Bwh6XAAR/view

ⓘ Find title using xpath: //*[contains(@class, 'active') and ((self::div and contains(@class, 'oneContent')) or (self::section and ((contains(@class, 'oneConsoleTab') and ancestor::div[contains(@class, 'active') and (contains(@class, 'oneWorkspace') or contains(@class, 'navexWorkspace')) and not(contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab')))]) or (not(contains(@class, 'oneConsoleTab')) and contains(@class, 'tabContent') and ancestor::div[contains(@class, 'active') and (contains(@class, 'oneWorkspace') or contains(@class, 'navexWorkspace')) and contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab')])))]//*[(self::h1 or self::div or self::slot) and contains(@class,'slds-page-header') and contains(@class,'title')]//*[(self::span and contains(@class,'uiOutputText')) or (self::a and contains(@class,'forceOutputLookup')) or (self::lightning-formatted-text) or (self::lightning-formatted-name)]

ⓘ Waiting for element to be present. Timeout(seconds): 10

ⓘ Doing before wait. waitUrl: default

ⓘ End of <default> wait.

ⓘ Found element: [[ChromeDriver: chrome on XP (2919d25e0e4ca70681e5c5366c1b36bd)] -> xpath: //*[contains(@class, 'active') and ((self::div and contains(@class, 'oneContent')) or (self::section and ((contains(@class, 'oneConsoleTab') and ancestor::div[contains(@class, 'active') and (contains(@class, 'oneWorkspace') or contains(@class, 'navexWorkspace')) and not(contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab'))]) or (not(contains(@class, 'oneConsoleTab')) and contains(@class, 'tabContent') and ancestor::div[contains(@class, 'active') and (contains(@class, 'oneWorkspace') or contains(@class, 'navexWorkspace')) and contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab')])))]//*[(self::h1 or self::div or self::slot) and contains(@class,'slds-page-header') and contains(@class,'title')]//*[(self::span and contains(@class,'uiOutputText')) or (self::a and contains(@class,'forceOutputLookup')) or (self::lightning-formatted-text) or (self::lightning-formatted-name)]]

ⓘ Asserting field attributes: title

ⓘ Asserting Attribute: value to PrimitiveValueImpl [value: ProvarTesting, valueId=0, createdUpdateSeq=-1, updatedUpdateSeq=-1]

✅ Assertion successful.ProvarTesting EqualTo ProvarTesting

ⓘ Asserting Attribute: visible to PrimitiveValueImpl [value: true, valueId=0, createdUpdateSeq=-1, updatedUpdateSeq=-1]

✅ Assertion successful.true EqualTo true

ⓘ Asserting Attribute: disabled to PrimitiveValueImpl [value: false, valueId=0, createdUpdateSeq=-1, updatedUpdateSeq=-1]

☑ Assertion successful.false EqualTo false

ⓘ Asserting Attribute: inView to PrimitiveValueImpl [value: Fully, valueId=0, createdUpdateSeq=-1, updatedUpdateSeq=-1]

☑ Assertion successful.Fully EqualTo Fully

ⓘ Object read successfully. Result Name: Values

ⓘ Sending screenshot. Data length: 270303

ⓘ Going to update browser window handles.

✳ Update browser window handles.

Successfully updated browser window handles.

● Parent Account Validation

ⓘ Start of UiAssert. Connection: DevSandbox

ⓘ Resolving field Name

ⓘ Switched focus to main window. URL: https://cts-61f-dev-ed.lightning.force.com/lightning/r/Account/0015g00000Bwh6XAAR/view

ⓘ Activating detailTab tab

ⓘ Hover>Clicking WebElement. WebElement [tag: a, text: Details, href: javascript:void(0)]

ⓘ Finding field placeholder using xpath: (//*[contains(@class, 'active') and ((self::div and contains(@class, 'oneContent')) or (self::section and ((contains(@class, 'oneConsoleTab') and ancestor::div[contains(@class, 'active') and (contains(@class, 'oneWorkspace') or contains(@class, 'navexWorkspace')) and not(contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab'))]) or (not(contains(@class, 'oneConsoleTab')) and contains(@class, 'tabContent') and ancestor::div[contains(@class, 'active') and (contains(@class, 'oneWorkspace') or contains(@class, 'navexWorkspace')) and contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab')]))))]//*[contains(@class, 'forceDetailPanel') or contains(@class, 'detail-panel-root')]//*[(self::force-record-layout-section) or (self::div and (contains(@class, 'forcePageBlockSectionView') or contains(@class, 'test-id__section slds-section ')))][1]//div[(contains(@class,'labelCol') or contains(@class,'field-label-container')) and (span/text()[normalize-space()='Account Name' or (.) ='Account Name'])]/following-sibling::div[1]//*[(self::div and contains(@class,'dataCol')) or (self::span and contains(@class,'test-id__field-value'))]

ⓘ Waiting for element to be present. Timeout(seconds): 10

ⓘ Finding field elements using relativePath: .//*[self::lightning-formatted-name or self::lightning-formatted-text]

ⓘ Waiting for element to be present. Timeout(seconds): 10

ⓘ Doing before wait. waitUrl: default

ⓘ End of <default> wait.

ⓘ Found element: [[[[ChromeDriver: chrome on XP (2919d25e0e4ca70681e5c5366c1b36bd)] -> xpath: (//*[contains(@class, 'active') and ((self::div and contains(@class, 'oneContent')) or (self::section and ((contains(@class, 'oneConsoleTab') and ancestor::div[contains(@class, 'active') and (contains(@class, 'oneWorkspace') or contains(@class, 'navexWorkspace')) and not(contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab')]) or (not(contains(@class, 'oneConsoleTab')) and contains(@class, 'tabContent') and ancestor::div[contains(@class, 'active') and (contains(@class, 'oneWorkspace') or contains(@class, 'navexWorkspace')) and contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab')]))))]//*[contains(@class, 'forceDetailPanel') or contains(@class, 'detail-panel-root')]//*[(self::force-record-layout-section) or (self::div and (contains(@class, 'forcePageBlockSectionView') or contains(@class, 'test-id__section slds-section ')))][1]//div[(contains(@class,'labelCol') or contains(@class,'field-label-container')) and (span/text()[normalize-space()='Account Name' or (.) ='Account Name'])]/following-sibling::div[1]//*[(self::div and contains(@class,'dataCol')) or (self::span and contains(@class,'test-id__field-value'))]]] -> xpath: .//*[self::lightning-formatted-name or self::lightning-formatted-text]]

ⓘ Asserting field attributes: Name

ⓘ Asserting Attribute: value to PrimitiveValueImpl [value: ProvarTesting, valueId=0, createdUpdateSeq=-1, updatedUpdateSeq=-1]

☑ Assertion successful.ProvarTesting EqualTo ProvarTesting

ⓘ Object read successfully. Result Name: Values

ⓘ Going to update browser window handles.

✳ Update browser window handles.

Successfully updated browser window handles.

● Phone Number Validation

ⓘ Start of UiAssert. Connection: DevSandbox

ⓘ Resolving field Phone

ⓘ Switched focus to main window. URL: https://cts-61f-dev-ed.lightning.force.com/lightning/r/Account/0015g00000Bwh6XAAR/view

ⓘ Activating detailTab tab

ⓘ Hover>Clicking WebElement. WebElement [tag: a, text: Details, href: javascript:void(0)]

ⓘ Finding field placeholder using xpath: (//*[contains(@class, 'active') and ((self::div and contains(@class, 'oneContent')) or (self::section and ((contains(@class, 'oneConsoleTab') and ancestor::div[contains(@class, 'active') and (contains(@class, 'oneWorkspace') or contains(@class, 'navexWorkspace')) and not(contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab'))]) or (not(contains(@class, 'oneConsoleTab')) and contains(@class, 'tabContent') and ancestor::div[contains(@class, 'active') and (contains(@class, 'oneWorkspace')

or contains(@class, 'navexWorkspace')) and contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab')]))))]//
[contains(@class, 'forceDetailPanel') or contains(@class, 'detail-panel-root')]//[(self::force-record-layout-section) or (self::div and
(contains(@class, 'forcePageBlockSectionView') or contains(@class, 'test-id__section slds-section ')))][1]//div[(contains(@class,'labelCol') or
contains(@class,'field-label-container')) and (span/text()[normalize-space()='Phone' or (.) ='Phone'])]/following-sibling::div[1]//*[(self::div and
contains(@class,'dataCol')) or (self::span and contains(@class,'test-id__field-value'))]

 ⓘ Waiting for element to be present. Timeout(seconds): 10

 ⓘ Finding field elements using relativePath: .//lightning-formatted-phone

 ⓘ Waiting for element to be present. Timeout(seconds): 10

 ⓘ Doing before wait. waitUrl: default

 ⓘ End of <default> wait.

 ⓘ Found element: [[[[ChromeDriver: chrome on XP (2919d25e0e4ca70681e5c5366c1b36bd)] -> xpath: (//*[contains(@class, 'active') and
((self::div and contains(@class, 'oneContent')) or (self::section and ((contains(@class, 'oneConsoleTab') and ancestor::div[contains(@class,
'active') and (contains(@class, 'oneWorkspace') or contains(@class, 'navexWorkspace')) and not(contains(@class, 'hasPinnedRegionTemplate')
and contains(@class, 'hasActiveSubtab')]) or (not(contains(@class, 'oneConsoleTab')) and contains(@class, 'tabContent') and
ancestor::div[contains(@class, 'active') and (contains(@class, 'oneWorkspace') or contains(@class, 'navexWorkspace')) and contains(@class,
'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab')]))))]//*[contains(@class, 'forceDetailPanel') or contains(@class,
'detail-panel-root')]//*[(self::force-record-layout-section) or (self::div and (contains(@class, 'forcePageBlockSectionView') or contains(@class,
'test-id__section slds-section ')))][1]//div[(contains(@class,'labelCol') or contains(@class,'field-label-container')) and (span/text()[normalize-
space()='Phone' or (.) ='Phone'])]/following-sibling::div[1]//*[(self::div and contains(@class,'dataCol')) or (self::span and contains(@class,'test-
id__field-value'))]]] -> xpath: .//lightning-formatted-phone]

 ⓘ Asserting field attributes: Phone

 ⓘ Asserting Attribute: value to PrimitiveValueImpl [value: (789) 654-1236, valueId=0, createdUpdateSeq=-1, updatedUpdateSeq=-1]

 ☑ Assertion successful.(789) 654-1236 EqualTo (789) 654-1236

 ⓘ Asserting Attribute: visible to PrimitiveValueImpl [value: true, valueId=0, createdUpdateSeq=-1, updatedUpdateSeq=-1]

 ☑ Assertion successful.true EqualTo true

 ⓘ Object read successfully. Result Name: Values

 ⓘ Going to update browser window handles.

 ✷ Update browser window handles.

 Successfully updated browser window handles.

ⓘ All Sub-Test Steps were successful.

ⓘ Closing Page context. Name: screen, data: null, frame: null

ⓘ Main window reselected. Window: main

ⓘ Switched focus to main window. URL: https://cts-61f-dev-ed.lightning.force.com/lightning/r/Account/0015g00000Bwh6XAAR/view

ⓘ Going to update browser window handles.

✷ Update browser window handles.

Successfully updated browser window handles.

🔵 On SF Global Search

 ⓘ Start of With Screen. Connection Name: DevSandbox, target: sf:ui:target?action=GlobalSearch

 ⓘ Opening Page context. Name: screen, data: null, frame: null

 ⓘ Going to update browser window handles.

 ✷ Update browser window handles.

 Successfully updated browser window handles.

 🔵 Set the Search Box field to ProvarTesting

After Screenshot : 2021/04/23 14:43:23

ⓘ Start of Interact. Connection: DevSandbox, Locator: ui:locator?name=searchBox, before wait: default, after wait: default, auto retry: default

ⓘ Locator: ui:locator?name=searchBox

ⓘ Interaction: ui:interaction?name=set

ⓘ Switched focus to main window. URL: https://cts-61f-dev-ed.lightning.force.com/lightning/r/Account/0015g00000Bwh6XAAR/view

ⓘ Interaction: ui:interaction?name=set

ⓘ Doing before wait. waitUrl: default

ⓘ End of <default> wait.

ⓘ Found element: [org.openqa.selenium.remote.RemoteWebElement@6e0766be -> unknown locator]

ⓘ Got webElement. tagName: INPUT, id: 155:82;a, type: text, class: slds-input slds-text-color_default slds-p-left--none slds-size--1-of-1 input default input uiInput uiInputTextForAutocomplete uiInput--{remove}

ⓘ Typing value. tagName: INPUT, type: text, value: ProvarTesting, blur: false

ⓘ Doing after wait. waitUrl: default

ⓘ End of <default> wait.

ⓘ Sending screenshot. Data length: 342458

ⓘ Going to update browser window handles.

✳ Update browser window handles.

Successfully updated browser window handles.

ⓘ All Sub-Test Steps were successful.

ⓘ Closing Page context. Name: screen, data: null, frame: null

ⓘ Main window reselected. Window: main

ⓘ Switched focus to main window. URL: https://cts-61f-dev-ed.lightning.force.com/one/
one.app#eyJjb25wb25lbnREZWYiOiJmb3JjZVNlYXJjaDpzZWFyY2hQYWdlIRGVza3RvcCIsImF0dHJpYnV0ZXMiOnsidGVybSI6IlByb3ZhclRlc3RpbmciLCJjZ29wZU1hcC
%3D%3D

ⓘ Going to update browser window handles.

✳ Update browser window handles.

Successfully updated browser window handles.

● On SF Account Search screen

   ⓘ Start of With Screen. Connection Name: DevSandbox, target: sf:ui:target?object=Account&action=Search

   ⓘ Opening Page context. Name: screen, data: null, frame: null

   ⓘ Clicking WebElement. WebElement [tag: button, text: Show More]

   ⓘ Hover>Clicking WebElement. WebElement [tag: a, text: Accounts, href: javascript:void(0);]

   ⓘ Going to update browser window handles.

   ✳ Update browser window handles.

   Successfully updated browser window handles.

    ● With Account rows {ACCOUNT_NAME = "ProvarTesting"}

      ⓘ Start of With Row. Connection Name: DevSandbox, target: sf:ui:locator:row?table=Search%2FsearchView%2FsearchTable

      ⓘ Waiting for element to be present. Timeout(seconds): 10

      ⓘ Populating webelement cells into the row Row Count: 0

      Populated the row elements.

      ⓘ Applying row locator to rows. Row Count: 15, Row Locator: {ACCOUNT_NAME = "ProvarTesting"}

      The row locator matched 1 row.

      ⓘ Going to update browser window handles.

      ✳ Update browser window handles.

      Successfully updated browser window handles.

      ● Click the Account Name field

        ⓘ Start of Interact. Connection: DevSandbox, Locator: ui:locator?name=ACCOUNT_NAME&binding=sf%3Aui%3Abinding%3Aobject
%3Fobject%3DAccount%26field%3DName, before wait: default, after wait: default, auto retry: default

        ⓘ Locator: ui:locator?name=ACCOUNT_NAME&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DAccount%26field%3DName

        ⓘ Interaction: ui:interaction?name=action

        ⓘ Switched focus to main window. URL: https://cts-61f-dev-ed.lightning.force.com/one/
one.app#eyJjb25wb25lbnREZWYiOiJmb3JjZVNlYXJjaDpzZWFyY2hQYWdlIRGVza3RvcCIsImF0dHJpYnV0ZXMiOnsidGVybSI6IlByb3ZhclRlc3RpbmciLCJjZ29w
%3D%3D

        ⓘ Interaction: ui:interaction?name=action

        ⓘ Doing before wait. waitUrl: default

        ⓘ End of <default> wait.

        ⓘ Found element: [[[[ChromeDriver: chrome on XP (2919d25e0e4ca70681e5c5366c1b36bd)] -> xpath: //div[contains(@class, 'active') and
(contains(@class, 'oneContent') or contains(@class, 'main-content'))]//div[contains(@class,'forceSearchSearch')]//div[contains(@class,
'forceSearchResultsRegion')]//h2[contains(., 'Accounts')]/ancestor::div[contains(@class,'forceSearchSearchResultsGridHeader')]//following-
sibling::div[contains(@class,'forceSearchResultsGridView') or contains(@class, 'forceSearchResultsGridLVM')]//table//tbody//tr]] -> xpath:
*[self::td or self::th]//a]

        ⓘ Clicking WebElement using Javascript Click. WebElement: WebElement [tag: a, text: ProvarTesting, href: https://cts-61f-dev-
ed.lightning.force.com/lightning/r/0015g00000Bwh6XAAR/view]

        ⓘ Doing after wait. waitUrl: default

        ⓘ End of <default> wait.

        ⓘ Going to update browser window handles.

        ✳ Update browser window handles.

        Successfully updated browser window handles.

      ⓘ All Sub-Test Steps were successful.

   ⓘ Going to update browser window handles.

      ✳ Update browser window handles.

      Successfully updated browser window handles.

    ● On SF Account View screen

ⓘ Start of With Screen. Connection Name: DevSandbox, target: sf:ui:target?object=Account&action=View&noOverride=true

ⓘ Opening Page context. Name: screen, data: null, frame: null

ⓘ Activating detailTab tab

ⓘ Hover>Clicking WebElement. WebElement [tag: a, text: Details, href: javascript:void(0)]

ⓘ Going to update browser window handles.

✳ Update browser window handles.

Successfully updated browser window handles.

🟢 Account Name Validation

After Screenshot : 2021/04/23 14:43:38

ⓘ Start of UiAssert. Connection: DevSandbox

ⓘ Resolving field title

ⓘ Switched focus to main window. URL: https://cts-61f-dev-ed.lightning.force.com/lightning/r/Account/0015g00000Bwh6XAAR/view

ⓘ Find title using xpath: //*[contains(@class, 'active') and ((self::div and contains(@class, 'oneContent')) or (self::section and ((contains(@class, 'oneConsoleTab') and ancestor::div[contains(@class, 'active') and (contains(@class, 'oneWorkspace') or contains(@class, 'navexWorkspace')) and not(contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab'))]) or (not(contains(@class, 'oneConsoleTab')) and contains(@class, 'tabContent') and ancestor::div[contains(@class, 'active') and (contains(@class, 'oneWorkspace') or contains(@class, 'navexWorkspace')) and contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab')]))))]//*[(self::h1 or self::div or self::slot) and contains(@class,'slds-page-header') and contains(@class,'title')]//*[(self::span and contains(@class,'uiOutputText')) or (self::a and contains(@class,'forceOutputLookup')) or (self::lightning-formatted-text) or (self::lightning-formatted-name)]

ⓘ Waiting for element to be present. Timeout(seconds): 10

ⓘ Doing before wait. waitUrl: default

ⓘ End of <default> wait.

ⓘ Found element: [[ChromeDriver: chrome on XP (2919d25e0e4ca70681e5c5366c1b36bd)] -> xpath: //*[contains(@class, 'active') and ((self::div and contains(@class, 'oneContent')) or (self::section and ((contains(@class, 'oneConsoleTab') and ancestor::div[contains(@class, 'active') and (contains(@class, 'oneWorkspace') or contains(@class, 'navexWorkspace')) and

not(contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab'))]) or (not(contains(@class, 'oneConsoleTab')) and contains(@class, 'tabContent') and ancestor::div[contains(@class, 'active') and (contains(@class, 'oneWorkspace') or contains(@class, 'navexWorkspace')) and contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab')]))))]//*[(self::h1 or self::div or self::slot) and contains(@class,'slds-page-header') and contains(@class,'title')]//*[(self::span and contains(@class,'uiOutputText')) or (self::a and contains(@class,'forceOutputLookup')) or (self::lightning-formatted-text) or (self::lightning-formatted-name)]]

ⓘ Asserting field attributes: title

ⓘ Asserting Attribute: value to PrimitiveValueImpl [value: ProvarTesting, valueId=0, createdUpdateSeq=-1, updatedUpdateSeq=-1]

✅ Assertion successful.ProvarTesting EqualTo ProvarTesting

ⓘ Asserting Attribute: visible to PrimitiveValueImpl [value: true, valueId=0, createdUpdateSeq=-1, updatedUpdateSeq=-1]

✅ Assertion successful.true EqualTo true

ⓘ Asserting Attribute: disabled to PrimitiveValueImpl [value: false, valueId=0, createdUpdateSeq=-1, updatedUpdateSeq=-1]

✅ Assertion successful.false EqualTo false

ⓘ Asserting Attribute: inView to PrimitiveValueImpl [value: Fully, valueId=0, createdUpdateSeq=-1, updatedUpdateSeq=-1]

✅ Assertion successful.Fully EqualTo Fully

ⓘ Object read successfully. Result Name: Values

ⓘ Sending screenshot. Data length: 266871

ⓘ Going to update browser window handles.

✴ Update browser window handles.

Successfully updated browser window handles.

● Parent Account Validation

ⓘ Start of UiAssert. Connection: DevSandbox

ⓘ Resolving field Name

ⓘ Switched focus to main window. URL: https://cts-61f-dev-ed.lightning.force.com/lightning/r/Account/0015g00000Bwh6XAAR/view

ⓘ Activating detailTab tab

ⓘ Hover>Clicking WebElement. WebElement [tag: a, text: Details, href: javascript:void(0)]

ⓘ Finding field placeholder using xpath: (//*[contains(@class, 'active') and ((self::div and contains(@class, 'oneContent')) or (self::section and ((contains(@class, 'oneConsoleTab') and ancestor::div[contains(@class, 'active') and (contains(@class, 'oneWorkspace') or contains(@class, 'navexWorkspace')) and not(contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab'))]) or (not(contains(@class, 'oneConsoleTab')) and contains(@class, 'tabContent') and ancestor::div[contains(@class, 'active') and (contains(@class, 'oneWorkspace') or contains(@class, 'navexWorkspace')) and contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab')]))))]//*[contains(@class, 'forceDetailPanel') or contains(@class, 'detail-panel-root')]//*[(self::force-record-layout-section) or (self::div and (contains(@class, 'forcePageBlockSectionView') or contains(@class, 'test-id__section slds-section ')))][1]//div[(contains(@class,'labelCol') or contains(@class,'field-label-container')) and (span/text()[normalize-space()='Account Name' or (.) ='Account Name'])]/following-sibling::div[1]//*[(self::div and contains(@class,'dataCol')) or (self::span and contains(@class,'test-id__field-value'))]

ⓘ Waiting for element to be present. Timeout(seconds): 10

ⓘ Finding field elements using relativePath: .//*[self::lightning-formatted-name or self::lightning-formatted-text]

ⓘ Waiting for element to be present. Timeout(seconds): 10

ⓘ Doing before wait. waitUrl: default

ⓘ End of <default> wait.

ⓘ Found element: [[[[ChromeDriver: chrome on XP (2919d25e0e4ca70681e5c5366c1b36bd)] -> xpath: (//*[contains(@class, 'active') and ((self::div and contains(@class, 'oneContent')) or (self::section and ((contains(@class, 'oneConsoleTab') and ancestor::div[contains(@class, 'active') and (contains(@class, 'oneWorkspace') or contains(@class, 'navexWorkspace')) and not(contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab'))]) or (not(contains(@class, 'oneConsoleTab')) and contains(@class, 'tabContent') and ancestor::div[contains(@class, 'active') and (contains(@class, 'oneWorkspace') or contains(@class, 'navexWorkspace')) and contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab')]))))]//*[contains(@class, 'forceDetailPanel') or contains(@class, 'detail-panel-root')]//*[(self::force-record-layout-section) or (self::div and (contains(@class, 'forcePageBlockSectionView') or contains(@class, 'test-id__section slds-section ')))][1]//div[(contains(@class,'labelCol') or contains(@class,'field-label-container')) and (span/text()[normalize-space()='Account Name' or (.) ='Account Name'])]/following-sibling::div[1]//*[(self::div and contains(@class,'dataCol')) or (self::span and contains(@class,'test-id__field-value'))]]] -> xpath: .//*[self::lightning-formatted-name or self::lightning-formatted-text]]

ⓘ Asserting field attributes: Name

ⓘ Asserting Attribute: value to PrimitiveValueImpl [value: ProvarTesting, valueId=0, createdUpdateSeq=-1, updatedUpdateSeq=-1]

✅ Assertion successful.ProvarTesting EqualTo ProvarTesting

ⓘ Asserting Attribute: visible to PrimitiveValueImpl [value: true, valueId=0, createdUpdateSeq=-1, updatedUpdateSeq=-1]

✅ Assertion successful.true EqualTo true

ⓘ Asserting Attribute: disabled to PrimitiveValueImpl [value: false, valueId=0, createdUpdateSeq=-1, updatedUpdateSeq=-1]

✅ Assertion successful.false EqualTo false

ⓘ Asserting Attribute: focused to PrimitiveValueImpl [value: false, valueId=0, createdUpdateSeq=-1, updatedUpdateSeq=-1]

✅ Assertion successful.false EqualTo false

ⓘ Object read successfully. Result Name: Values

ⓘ Going to update browser window handles.

✳ Update browser window handles.

Successfully updated browser window handles.

● Phone Number Validation

ⓘ Start of UiAssert. Connection: DevSandbox

ⓘ Resolving field Phone

ⓘ Switched focus to main window. URL: https://cts-61f-dev-ed.lightning.force.com/lightning/r/Account/0015g00000Bwh6XAAR/view

ⓘ Activating detailTab tab

ⓘ Hover>Clicking WebElement. WebElement [tag: a, text: Details, href: javascript:void(0)]

ⓘ Finding field placeholder using xpath: (//*[contains(@class, 'active') and ((self::div and contains(@class, 'oneContent')) or (self::section and ((contains(@class, 'oneConsoleTab') and ancestor::div[contains(@class, 'active') and (contains(@class, 'oneWorkspace') or contains(@class, 'navexWorkspace')) and not(contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab'))]) or (not(contains(@class, 'oneConsoleTab')) and contains(@class, 'tabContent') and ancestor::div[contains(@class, 'active') and (contains(@class, 'oneWorkspace') or contains(@class, 'navexWorkspace')) and contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab')]))))]//*[contains(@class, 'forceDetailPanel') or contains(@class, 'detail-panel-root')]//*[(self::force-record-layout-section) or (self::div and (contains(@class, 'forcePageBlockSectionView') or contains(@class, 'test-id__section slds-section ')))][1]//div[(contains(@class,'labelCol') or contains(@class,'field-label-container')) and (span/text()[normalize-space()='Phone' or (.) ='Phone'])]/following-sibling::div[1]//*[(self::div and contains(@class,'dataCol')) or (self::span and contains(@class,'test-id__field-value'))]

ⓘ Waiting for element to be present. Timeout(seconds): 10

ⓘ Finding field elements using relativePath: .//lightning-formatted-phone

ⓘ Waiting for element to be present. Timeout(seconds): 10

ⓘ Doing before wait. waitUrl: default

ⓘ End of <default> wait.

ⓘ Found element: [[[[ChromeDriver: chrome on XP (2919d25e0e4ca70681e5c5366c1b36bd)] -> xpath: (//*[contains(@class, 'active') and ((self::div and contains(@class, 'oneContent')) or (self::section and ((contains(@class, 'oneConsoleTab') and ancestor::div[contains(@class, 'active') and (contains(@class, 'oneWorkspace') or contains(@class, 'navexWorkspace')) and not(contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab'))]) or (not(contains(@class, 'oneConsoleTab')) and contains(@class, 'tabContent') and ancestor::div[contains(@class, 'active') and (contains(@class, 'oneWorkspace') or contains(@class, 'navexWorkspace')) and contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab')]))))]//*[contains(@class, 'forceDetailPanel') or contains(@class, 'detail-panel-root')]//*[(self::force-record-layout-section) or (self::div and (contains(@class, 'forcePageBlockSectionView') or contains(@class, 'test-id__section slds-section ')))][1]//div[(contains(@class,'labelCol') or contains(@class,'field-label-container')) and (span/text()[normalize-space()='Phone' or (.) ='Phone'])]/following-sibling::div[1]//*[(self::div and contains(@class,'dataCol')) or (self::span and contains(@class,'test-id__field-value'))]]]] -> xpath: .//lightning-formatted-phone]

ⓘ Asserting field attributes: Phone

ⓘ Asserting Attribute: value to PrimitiveValueImpl [value: (789) 654-1236, valueId=0, createdUpdateSeq=-1, updatedUpdateSeq=-1]

✅ Assertion successful.(789) 654-1236 EqualTo (789) 654-1236

ⓘ Asserting Attribute: visible to PrimitiveValueImpl [value: true, valueId=0, createdUpdateSeq=-1, updatedUpdateSeq=-1]

✅ Assertion successful.true EqualTo true

ⓘ Object read successfully. Result Name: Values

ⓘ Going to update browser window handles.

✳ Update browser window handles.

Successfully updated browser window handles.

ⓘ All Sub-Test Steps were successful.

ⓘ Closing Page context. Name: screen, data: null, frame: null

ⓘ Main window reselected. Window: main

ⓘ Switched focus to main window. URL: https://cts-61f-dev-ed.lightning.force.com/lightning/r/Account/0015g00000Bwh6XAAR/view

ⓘ Switched focus to main window. URL: https://cts-61f-dev-ed.lightning.force.com/lightning/r/Account/0015g00000Bwh6XAAR/view

ⓘ Going to update browser window handles.

✳ Update browser window handles.

Successfully updated browser window handles.

ⓘ All Sub-Test Steps were successful.

ⓘ Closing Page context. Name: screen, data: null, frame: null

ⓘ Main window reselected. Window: main

ⓘ Switched focus to main window. URL: https://cts-61f-dev-ed.lightning.force.com/lightning/r/Account/0015g00000Bwh6XAAR/view

ⓘ Going to update browser window handles.

✸ Update browser window handles.

Successfully updated browser window handles.

ⓘ All Sub-Test Steps were successful.

ⓘ Closing Page context. Name: screen, data: null, frame: null

ⓘ Main window reselected. Window: main

ⓘ Switched focus to main window. URL: https://cts-61f-dev-ed.lightning.force.com/lightning/r/Account/0015g00000Bwh6XAAR/view