Test Run Report




Test Run Overview

Started 04 May 2021, 15:17:15 Ended 04 May 2021, 15:23:24


Duration (mm:ss) 06:09.291

Test Results Summary

Passed 3 Failed 0 Skipped 0



Test Case Summary



Lesson 1 and 2 Create Lead.testcase

Output

- Salesforce Connect: SF_Admin (Test)
 - (i) Connecting to Salesforce as SF_Admin

Successfully connected to Salesforce as SF_Admin

- On SF Lead Home screen
 - ① Start of With Screen. Connection Name: SF_Admin, target: sf:ui:target?action=ObjectHome&object=Lead
 - A Failed to connect to Master Lock Manager in timeout period assuming dead. Host: localhost, port: 50063
 - (i) Opening Chrome webdriver instance to https://test.salesforce.com/

Successfully opened Chrome webdriver to https://test.salesforce.com/

- (i) Opening Page context. Name: screen, data: null, frame: null
- ① Opening Salesforce page. Object: Lead, RelatedList: null, Action: ObjectHome, Page URL: /lightning/o/00Q/list?filterName=Recent, Current URL: chrome://new-tab-page/
- (i) Opening Salesforce user home page

Successfully opened user home page

(i) Going to update browser window handles.

Successfully updated browser window handles.

- Click the New button
 - ① Start of Interact. Connection: SF_Admin, Locator: ui:locator?name=New&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DLead %26action%3DNew, before wait: default, after wait: default, auto retry: default
 - ① Locator: ui:locator?name=New&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DLead%26action%3DNew
 - 1 Interaction: ui:interaction?name=action
 - 1 Switched focus to main window. URL: https://provar-trial-org--trialsbx1.lightning.force.com/lightning/o/Lead/list?filterName=Recent
 - (i) Interaction: ui:interaction?name=action
 - ① Find action link element using xpath: (//div[contains(@class, 'active') and (contains(@class, 'oneContent') or contains(@class, 'main-content'))]// div[contains(@class, 'forceObjectHomeDesktop') or contains(@class, 'forceRelatedListDesktop')or (contains(@class, 'slds-table_joined') and contains(@class, 'test-listViewManager'))]//ul[contains(@class, 'oneActionsRibbon')] | // div[contains(@class, 'forceActionsDropDownMenuList') and contains(@class, 'visible')])//a[contains(@data-aura-rendered-by, '655:0')]
 - (i) Waiting for element to be present. Timeout(seconds): 10
 - 1 Doing before wait. waitUrl: default
 - i End of <default> wait.
 - ① Found element: [[ChromeDriver: chrome on XP (21183aa831e0871b1719841a2ac907ec)] -> xpath: (//div[contains(@class, 'active') and (contains(@class, 'oneContent') or contains(@class, 'main-content'))]//div[contains(@class, 'forceObjectHomeDesktop') or contains(@class, 'oneConsoleObjectHome') or contains(@class, 'forceRelatedListDesktop')or (contains(@class, 'slds-table_joined') and contains(@class, 'test-listViewManager'))]//ul[contains(@class, 'oneActionsRibbon')] | //div[contains(@class, 'forceActionsDropDownMenuList') and contains(@class, 'visible')])//a[contains(@data-aura-rendered-by, '655:0')]]
 - ① Clicking WebElement using Javascript Click. WebElement: WebElement [tag: a, text: New, href: javascript:void(0);]
 - 1 Doing after wait. waitUrl: default
 - i End of <default> wait.
 - (i) Going to update browser window handles.

Successfully updated browser window handles.

- i All Sub-Test Steps were successful.
- (i) Closing Page context. Name: screen, data: null, frame: null
- 1 Main window reselected. Window: main
- ① Switched focus to main window. URL: https://provar-trial-org--trialsbx1.lightning.force.com/lightning/o/Lead/new? count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=MRU_LIST&backgroundContext=%2Flightning%2Fo%2FLead%2Flist%3FfilterName%3DRecent
- (i) Going to update browser window handles.

Successfully updated browser window handles.

On SF Lead New screen

- ① Start of With Screen. Connection Name: SF Admin, target: sf:ui:target?action=New&object=Lead
- (i) Opening Page context. Name: screen, data: null, frame: null
- ① Hover>Clicking WebElement. WebElement [tag: h2, text: New Lead]
- Going to update browser window handles.

Successfully updated browser window handles.

Set the Lead Source picklist to Phone Inquiry

- ① Start of Interact. Connection: SF_Admin, Locator: ui:locator?name=LeadSource&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DLead %26field%3DLeadSource, before wait: default, after wait: default, auto retry: default
- ① Locator: ui:locator?name=LeadSource&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DLead%26field%3DLeadSource
- i Interaction: ui:interaction?name=set
- ① Switched focus to main window. URL: https://provar-trial-org--trialsbx1.lightning.force.com/lightning/o/Lead/new? count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=MRU_LIST&backgroundContext=%2Flightning%2Fo%2FLead%2Flist%3FfilterName%3DRecent
- 1 Interaction: ui:interaction?name=set
- ① Finding field placehoder using xpath: //div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])][last()]//*[contains(@class, 'forceDetailPanel') or contains(@class, 'detail-panel-root')]//*[(self::force-record-layout-section) or ((self::section or self::div) and contains(@class, 'forcePageBlockSection '))][3]//*[(self::label and (contains(@class, 'uiLabel') or contains(@class, 'slds-form-element_label')) and not(contains(@class, 'hide '))) or (self::span and (contains(@class, 'inputLabel') or contains(@class, 'slds-form-element_label'))) or (self::div and contains(@class, 'test-id_field-label-container')) or (self::lightning-grouped-combobox and contains(@class, 'forceTextEnumLookup')) or (self::div and contains(@class, 'lightningInputRichText'))) and (.//text()[normalize-space()='Lead Source'] or .//text() = 'Lead Source')]/ancestor::div[1]
- i Find field using relative xpath: .//*[self::a or self::input]
- (i) Waiting for element to be present. Timeout(seconds): 10
- 1 Doing before wait. waitUrl: default
- End of <default> wait.
- 1 Found element: [[[org.openqa.selenium.remote.RemoteWebElement@6daf677a -> unknown locator]] -> xpath: //*[self::a or self::input]]
- Got webElement. tagName: INPUT, id: input-188, type: text, class: slds-input slds-combobox_input
- 1 Typing value. tagName: INPUT, type: text, value: Phone Inquiry, blur: false
- Clicking WebElement using Javascript Click. WebElement: WebElement [tag: lightning-base-combobox-item, text: Phone Inquiry]
- ① Doing after wait. waitUrl: default
- End of <default> wait.
- Going to update browser window handles.

Successfully updated browser window handles.

Set the First Name field to Tom

- ① Start of Interact. Connection: SF_Admin, Locator: ui:locator?name=FirstName&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DLead %26field%3DFirstName, before wait: null, after wait: null, auto retry: default
- ① Locator: ui:locator?name=FirstName&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DLead%26field%3DFirstName
- i Interaction: ui:interaction?name=set
- ① Switched focus to main window. URL: https://provar-trial-org--trialsbx1.lightning.force.com/lightning/o/Lead/new? count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=MRU_LIST&backgroundContext=%2Flightning%2Fo%2FLead%2Flist%3FfilterName%3DRecent
- ① Interaction: ui:interaction?name=set
- ① Finding field placehoder using xpath: //div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])][last()]//*[contains(@class, 'forceDetailPanel') or contains(@class, 'detail-panel-root')]//*[(self::force-record-layout-section) or ((self::section or self::div) and contains(@class, 'forcePageBlockSection '))][1]//*[((self::label and (contains(@class, 'uiLabel') or contains(@class, 'slds-form-element_label')) and not(contains(@class, 'hide '))) or (self::ghtning-grouped-combobox and contains(@class, 'forceTextEnumLookup')) or (self::div and contains(@class, 'lightningInputRichText'))) and (.//text()[normalize-space()='First Name'] or .//text() = 'First Name')]/ancestor::div[1]
- (i) Find field using relative xpath: .//input
- (1) Waiting for element to be present. Timeout(seconds): 10
- 1 Doing before wait. waitUrl: default
- i End of <default> wait.
- 1 Found element: [[[org.openqa.selenium.remote.RemoteWebElement@6daf677f -> unknown locator]] -> xpath: .//input

- 1 Got webElement. tagName: INPUT, id: input-143, type: text, class: slds-input
- 1 Typing value. tagName: INPUT, type: text, value: Tom, blur: false
- 1 Doing after wait. waitUrl: default
- i End of <default> wait.
- (i) Going to update browser window handles.

Set the Last Name field to Parker


- ① Start of Interact. Connection: SF_Admin, Locator: ui:locator?name=LastName&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DLead %26field%3DLastName, before wait: null, after wait: null, auto retry: default
- 1 Locator: ui:locator?name=LastName&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DLead%26field%3DLastName
- i Interaction: ui:interaction?name=set
- ① Switched focus to main window. URL: https://provar-trial-org--trialsbx1.lightning.force.com/lightning/o/Lead/new? count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=MRU_LIST&backgroundContext=%2Flightning%2Fo%2FLead%2Flist%3FfilterName%3DRecent
- i Interaction: ui:interaction?name=set
- ① Finding field placehoder using xpath: //div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])][last()]/*[contains(@class, 'forcePageError')])][last()]/*[contains(@class, 'forcePageError')]/*[(self::force-record-layout-section) or ((self::section or self::div) and contains(@class, 'forcePageBlockSection'))][1]//*[((self::force-record-layout-section) or ((self::section or self::div) and contains(@class, 'forcePageBlockSection')]][1]//*[((self::label and (contains(@class, uiLabel') or contains(@class, 'slds-form-element_label')) and not(contains(@class, 'hide'))) or (self::sightning-grouped-combobox and contains(@class, 'forceTextEnumLookup')) or (self::div and contains(@class, 'lightningInputRichText'))) and (.//text()[normalize-space()='Last Name'] or .//text() = 'Last Name')]/ancestor::div[1]
- i Find field using relative xpath: .//input
- (i) Waiting for element to be present. Timeout(seconds): 10
- i Doing before wait. waitUrl: default
- i End of <default> wait.
- 1 Found element: [[[org.openga.selenium.remote.RemoteWebElement@6daf6783 -> unknown locator]] -> xpath: .//input
- ① Got webElement. tagName: INPUT, id: input-144, type: text, class: slds-input
- 1 Typing value. tagName: INPUT, type: text, value: Parker, blur: false
- Doing after wait. waitUrl: default
- i End of <default> wait.
- (i) Going to update browser window handles.

Successfully updated browser window handles.


Set the Company field to Playton PLC

- ① Start of Interact. Connection: SF_Admin, Locator: ui:locator?name=Company&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DLead %26field%3DCompany, before wait: null, after wait: null, auto retry: default
- ① Locator: ui:locator?name=Company&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DLead%26field%3DCompany
- 1 Interaction: ui:interaction?name=set
- ① Switched focus to main window. URL: https://provar-trial-org--trialsbx1.lightning.force.com/lightning/o/Lead/new? count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=MRU_LIST&backgroundContext=%2Flightning%2Fo%2FLead%2Flist%3FfilterName%3DRecent
- 1 Interaction: ui:interaction?name=set
- ① Finding field placehoder using xpath: //div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])][last()]//*[contains(@class, 'forceDetailPanel') or contains(@class, 'detail-panel-root')]/*[[self::force-record-layout-section) or ((self::section or self::div) and contains(@class, 'forcePageBlockSection '))][[1]/*[((self::label and (contains(@class, 'uiLabel') or contains(@class, 'slds-form-element_label')) and not(contains(@class, 'hide '))) or (self::span and (contains(@class, 'inputLabel') or contains(@class, 'forceTextEnumLookup')) or (self::div and contains(@class, 'lightningInputRichText'))) and (.//text()[normalize-space()='Company'] or .//text() = 'Company')]/ancestor::div[1]
- i Find field using relative xpath: .//input
- (i) Waiting for element to be present. Timeout(seconds): 10
- Doing before wait. waitUrl: default
- i End of <default> wait.
- ① Found element: [[[org.openqa.selenium.remote.RemoteWebElement@6daf679a -> unknown locator]] -> xpath: .//input]

- ① Got webElement. tagName: INPUT, id: input-150, type: text, class: slds-input
- ① Typing value. tagName: INPUT, type: text, value: Playton PLC, blur: false
- i Doing after wait. waitUrl: default
- i End of <default> wait.
- (i) Going to update browser window handles.
- Successfully updated browser window handles.
- Click the Save button



Before Screenshot: 2021/05/04 15:18:04



After Screenshot : 2021/05/04 15:18:06

- ① Start of Interact. Connection: SF_Admin, Locator: ui:locator?name=save&binding=sf%3Aui%3Abinding%3Aobject%3Faction%3Dsave %26object%3DLead, before wait: default, after wait: default, auto retry: default
- ① Locator: ui:locator?name=save&binding=sf%3Aui%3Abinding%3Aobject%3Faction%3Dsave%26object%3DLead
- ① Interaction: ui:interaction?name=action
- ① Switched focus to main window. URL: https://provar-trial-org--trialsbx1.lightning.force.com/lightning/o/Lead/new? count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=MRU_LIST&backgroundContext=%2Flightning%2Fo%2FLead%2Flist%3FfilterName%3DRecent
- i Interaction: ui:interaction?name=action
- (i) Sending screenshot. Data length: 79934
- ① Find action link element using xpath: //div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])][last()]//div[(contains(@class, 'footer') and contains(@class, 'active')) or contains(@class, 'footer-visible')]/ancestor::*[self::force-form-footer or self::records-base-record-form][@records-lwcdetailpanel]//runtime_platform_actions-action-renderer[@apiname='save' or @apiname='SaveEdit']//*[self::a or self::button]
- (i) Waiting for element to be present. Timeout(seconds): 10
- i Doing before wait. waitUrl: default

- i End of <default> wait.
- ① Found element: [[ChromeDriver: chrome on XP (21183aa831e0871b1719841a2ac907ec)] -> xpath: //div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])][[last()]//div[(contains(@class, 'footer') and contains(@class, 'active')) or contains(@class, 'footer-visible')]/ ancestor::*[self::force-form-footer or self::records-base-record-form][@records-lwcdetailpanel_|wcdetailpanel]//runtime_platform_actions-action-renderer[@apiname='save' or @apiname='SaveEdit']/*[self::a or self::button]]
- ① Clicking WebElement using Javascript Click. WebElement: WebElement [tag: button, text: Save]
- i Doing after wait. waitUrl: default
- i End of <default> wait.
- (i) Sending screenshot. Data length: 71817
- (i) Going to update browser window handles.

- All Sub-Test Steps were successful.
- ① Switched focus to main window. URL: https://provar-trial-org--trialsbx1.lightning.force.com/lightning/r/Lead/00Q0Q000004llwSUAU/view
- (i) Injecting script to get created object ID from aura component
- Storing created Salesforce Object ID. Result Name: leadId, created ID: 00Q0Q000004llwSUAU, location: https://provar-trial-org-trialsbx1.lightning.force.com/lightning/r/Lead/00Q0Q000004llwSUAU/view
- 1 Logging Salesforce Object Id for clean up. Object Name: Lead, id: 00Q0Q000004llwSUAU
- (1) Closing Page context. Name: screen, data: null, frame: null
- i Main window reselected. Window: main
- ① Switched focus to main window. URL: https://provar-trial-org--trialsbx1.lightning.force.com/lightning/r/Lead/00Q0Q000004IlwSUAU/view
- (i) Going to update browser window handles.

Successfully updated browser window handles.

Lesson 3 Create Opportunity.testcase

Output

- Salesforce Connect: SF_Admin (Test)
 - (i) Connecting to Salesforce as SF_Admin

Successfully connected to Salesforce as SF_Admin

- On SF Opportunity Home screen
 - Start of With Screen. Connection Name: SF_Admin, target: sf:ui:target?action=ObjectHome&object=Opportunity
 - (i) Opening Chrome webdriver instance to https://test.salesforce.com/

Successfully opened Chrome webdriver to https://test.salesforce.com/

- (i) Opening Page context. Name: screen, data: null, frame: null
- ① Opening Salesforce page. Object: Opportunity, RelatedList: null, Action: ObjectHome, Page URL: /lightning/o/006/list?filterName=Recent, Current URL: chrome://new-tab-page/
- Opening Salesforce user home page

Successfully opened user home page

(i) Going to update browser window handles.

Successfully updated browser window handles.

Click the New button

- ① Start of Interact. Connection: SF_Admin, Locator: ui:locator?name=New&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DOpportunity %26field%3DNew, before wait: default, after wait: default, auto retry: default
- ① Locator: ui:locator?name=New&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DOpportunity%26field%3DNew
- i Interaction: ui:interaction?name=action
- (1) Switched focus to main window. URL: https://provar-trial-org--trialsbx1.lightning.force.com/lightning/o/Opportunity/list?filterName=Recent
- 1 Interaction: ui:interaction?name=action
- ① Find action link element using xpath: (//div[contains(@class, 'active') and (contains(@class, 'oneContent') or contains(@class, 'main-content'))]// div[contains(@class, 'forceObjectHomeDesktop') or contains(@class, 'oneConsoleObjectHome') or contains(@class, 'forceRelatedListDesktop')or

(contains(@class, 'slds-table_joined') and contains(@class, 'test-listViewManager'))]//ul[contains(@class, 'oneActionsRibbon')] | // div[contains(@class, 'forceActionsDropDownMenuList') and contains(@class, 'visible')])//a[contains(@data-aura-rendered-by, '914:0')]

- (1) Waiting for element to be present. Timeout(seconds): 10
- Doing before wait. waitUrl: default
- i End of <default> wait.
- ① Found element: [[ChromeDriver: chrome on XP (9710cd792671717842406cc28ec0aefb)] -> xpath: (//div[contains(@class, 'active') and (contains(@class, 'oneContent') or contains(@class, 'main-content'))]//div[contains(@class, 'forceObjectHomeDesktop') or contains(@class, 'oneConsoleObjectHomeDesktop') or contains(@class, 'forceRelatedListDesktop') or (contains(@class, 'slds-table_joined') and contains(@class, 'test-listViewManager'))]//ul[contains(@class, 'oneActionsRibbon')] | //div[contains(@class, 'forceActionsDropDownMenuList') and contains(@class, visible')]//a[contains(@data-aura-rendered-by, '914:0')]]
- ① Clicking WebElement using Javascript Click. WebElement: WebElement [tag: a, text: New, href: javascript:void(0);]
- ① Doing after wait. waitUrl: default
- 1 End of <default> wait.
- (i) Going to update browser window handles.

Successfully updated browser window handles.

- All Sub-Test Steps were successful.
- (i) Closing Page context. Name: screen, data: null, frame: null
- i Main window reselected. Window: main
- ① Switched focus to main window. URL: https://provar-trial-org--trialsbx1.lightning.force.com/lightning/o/Opportunity/new? count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=MRU_LIST&backgroundContext=%2Flightning%2Fo%2FOpportunity%2Flist %3FfilterName%3DRecent
- (i) Going to update browser window handles.

Successfully updated browser window handles.

On SF Opportunity New screen

- ① Start of With Screen. Connection Name: SF_Admin, target: sf:ui:target?action=New&object=Opportunity
- (1) Opening Page context. Name: screen, data: null, frame: null
- 1 Hover>Clicking WebElement. WebElement [tag: h2, text: New Opportunity]
- (i) Going to update browser window handles.

Successfully updated browser window handles.

Set the Opportunity Name field to Opportunity 1

- ① Start of Interact. Connection: SF_Admin, Locator: ui:locator?name=Name&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DOpportunity %26field%3DName, before wait: default, after wait: default, auto retry: default
- 1 Locator: ui:locator?name=Name&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DOpportunity%26field%3DName
- 1 Interaction: ui:interaction?name=set
- ① Switched focus to main window. URL: https://provar-trial-org--trialsbx1.lightning.force.com/lightning/o/Opportunity/new? count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=MRU_LIST&backgroundContext=%2Flightning%2Fo%2FOpportunity%2Flist%3FfilterName%3DRecent
- 1 Interaction: ui:interaction?name=set
- ① Finding field placehoder using xpath: //div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])/[self::forceFormPageError')])/[self::forcePageInceDetailPanel') or contains(@class, 'detail-panel-root')]//*[(self::forceFormPageInceDetailPanel') or contains(@class, 'forcePageBlockSection '))][1]/*[(self::forceFormPageInceDetailPanel')] or contains(@class, 'forcePageBlockSection '))][1]/*[(self::forceFormPageError')]/[n]/*[(self::dissection or self::div) and contains(@class, 'forcePageBlockSection '))][1]/*[(self::forceFormPageError')]/[self::dissection or self::div) and contains(@class, 'self-inceDetailPanel*)) or (self::dissection or self::div) and contains(@class, 'self-inceDetailPanel*)) or (self::dissection or self::dissection or self::div) and contains(@class, 'self-inceDetailPanel*)) or (self::dissection or self::dissection or self::div) and contains(@class, 'self-inceDetailPanel*)) or (self::dissection or self::dissection or self::div) and contains(@class, 'self-inceDetailPanel*)) or (self::dissection or self::dissection or self::dissection or self::div) and contains(@class, 'self-inceDetailPanel*)) or (self::dissection or self::dissection or
- ① Find field using relative xpath: .//input
- ① Waiting for element to be present. Timeout(seconds): 10
- 1 Doing before wait. waitUrl: default
- i End of <default> wait.
- 1 Found element: [[[org.openqa.selenium.remote.RemoteWebElement@5110f564 -> unknown locator]] -> xpath: .//input
- 1 Got webElement. tagName: INPUT, id: input-130, type: text, class: slds-input
- ① Typing value. tagName: INPUT, type: text, value: Opportunity 1, blur: false
- Doing after wait. waitUrl: default

- i End of <default> wait.
- (i) Going to update browser window handles.

Today link the Close Date field

- ① Start of Interact. Connection: SF_Admin, Locator: ui:locator?name=CloseDate&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DOpportunity%26field%3DCloseDate, before wait: default, after wait: default, auto retry: default
- ① Locator: ui:locator?name=CloseDate&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DOpportunity%26field%3DCloseDate
- Interaction: ui:interaction?name=sfToday
- ① Switched focus to main window. URL: https://provar-trial-org--trialsbx1.lightning.force.com/lightning/o/Opportunity/new? count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=MRU_LIST&backgroundContext=%2Flightning%2Fo%2FOpportunity%2Flist%3FfilterName%3DRecent
- (i) Interaction: ui:interaction?name=sfToday
- ① Finding field placehoder using xpath: //div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])][last()]//*[contains(@class, 'forceDetailPanel') or contains(@class, 'detail-panel-root')]//*[(self::force-record-layout-section) or ((self::section or self::div) and contains(@class, forcePageBlockSection '))][1]//*[((self::label and (contains(@class, 'uiLabel') or contains(@class, 'slds-form-element_label')) and not(contains(@class, 'hide '))) or (self::span and (contains(@class, 'inputLabel') or contains(@class, 'slds-form-element_label'))) or (self::div and contains(@class, 'test-id__field-label-container')) or (self::diyntaing-grouped-combobox and contains(@class, 'forceTextEnumLookup')) or (self::div and contains(@class, 'lightningInputRichText'))) and (.//text()[normalize-space()='Close Date'] or .//text() = 'Close Date')]/ancestor::div[1]
- i Find field using relative xpath: .//input
- (i) Waiting for element to be present. Timeout(seconds): 10
- Doing before wait, waitUrl: default
- i End of <default> wait.
- ⑤ Found element: [[[org.openqa.selenium.remote.RemoteWebElement@5110f568 -> unknown locator]] -> xpath: .//input]
- Clicking WebElement. WebElement [tag: input]
- ① Clicking WebElement. WebElement [tag: button, text: Today]
- i Doing after wait. waitUrl: default
- i End of <default> wait.
- Going to update browser window handles.

Successfully updated browser window handles.

Lookup the Account reference

- ① Start of Interact. Connection: SF_Admin, Locator: ui:locator?name=Accountld&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DOpportunity%26field%3DAccountld, before wait: default, after wait: default, auto retry: default
- ① Locator: ui:locator?name=AccountId&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DOpportunity%26field%3DAccountId
- 1 Interaction: ui:interaction?name=sfLookup
- ① Switched focus to main window. URL: https://provar-trial-org--trialsbx1.lightning.force.com/lightning/o/Opportunity/new? count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=MRU_LIST&backgroundContext=%2Flightning%2Fo%2FOpportunity%2Flist%3FfilterName%3DRecent
- 1 Interaction: ui:interaction?name=sfLookup
- ① Finding field placehoder using xpath: //div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])][[ast()]//*[contains(@class, 'forceDetailPanel') or contains(@class, 'detail-panel-root')]/*[[self::force-record-layout-section) or ((self::section or self::div) and contains(@class, 'forcePageBlockSection '))][[1]/*[((self::label and (contains(@class, 'uiLabel') or contains(@class, 'glas-form-element_label')) and not(contains(@class, 'hide '))) or (self::span and (contains(@class, 'inputLabel') or contains(@class, 'forceTextEnumLookup')) or (self::div and contains(@class, 'lightningInputRichText'))) and (.//text()[normalize-space()='Account Name'] or .//text() = 'Account Name')]/ancestor::div[1]
- 1 Find field using relative xpath: .//input
- (1) Waiting for element to be present. Timeout(seconds): 10
- i Doing before wait. waitUrl: default
- End of <default> wait.
- ① Found element: [[[org.openqa.selenium.remote.RemoteWebElement@5110f56d -> unknown locator]] -> xpath: .//input]
- ① Hover>Clicking WebElement. WebElement [tag: input]
- (1) Waiting for lookup dropdown list to appear
- 1 Doing after wait, waitUrl: default

- i End of <default> wait.
- (i) Going to update browser window handles.

On SF Account Lookup screen

- ① Start of With Screen. Connection Name: SF_Admin, target: sf:ui:target?lookup=Account
- (1) Opening Page context. Name: screen, data: null, frame: null
- (i) Going to update browser window handles.

Successfully updated browser window handles.

Set the Search text to Burlington Textiles Corp of America

- ① Start of Interact. Connection: SF_Admin, Locator: ui:locator?name=SearchName&path=searchFrame, before wait: default, after wait: default, auto retry: default
- 1 Locator: ui:locator?name=SearchName&path=searchFrame
- 1 Interaction: ui:interaction?name=set
- ① Switched focus to main window. URL: https://provar-trial-org--trialsbx1.lightning.force.com/lightning/o/Opportunity/new? count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=MRU_LIST&backgroundContext=%2Flightning%2Fo%2FOpportunity%2Flist%3FfilterName%3DRecent
- i Doing before wait. waitUrl: default
- i End of <default> wait.
- ① Found element: [[ChromeDriver: chrome on XP (9710cd792671717842406cc28ec0aefb)] -> xpath: (//*[contains(@class, 'active') and ((contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal'))) or (self::section and ((contains(@class, 'oneConsoleTab') and ancestor::div[contains(@class, 'active') and (contains(@class, 'oneWorkspace') or contains(@class, 'navexWorkspace')) and not(contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab'))]) or (not(contains(@class, 'oneConsoleTab')) and contains(@class, 'tabContent') and ancestor::div[contains(@class, 'active') and (contains(@class, 'oneWorkspace') or contains(@class, 'navexWorkspace')) and contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'oneWorkspace') or contains(@class, 'navexWorkspace')) and contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'oneContent'))] | //div[contains(@class, 'oneUtilityBarContainer')]//div[contains(@class, 'oneContent') or contains(@class, 'main-content'))] | //div[contains(@class, 'oneUtilityBarContainer')]//div[contains(@class, 'slds-docked_container') and contains(@class, 'forceDockingPanel DOCKED')]//div[contains(@class, 'slds-is-open') and contains(@class, 'slds-docked-composer')] | // div[contains(@class, 'orcePomPageError')])[last()] | //*[(self::form or self::div) and contains(@class, 'forceDetailPanel') and contains(@class, 'inlineEditEnabled')]//*[self::div[contains(@class, 'forceSearchInputLookupDesktop')] or self::lightning-lookup-desktop]// input[@aria-expanded='true' or contains(@class, 'active')earce.
- ① Clicking WebElement. WebElement [tag: lightning-base-combobox-item, text: Search Show All Results for "Burlington Textiles Corp of America"]
- Doing after wait. waitUrl: default
- End of <default> wait.
- Going to update browser window handles.

Successfully updated browser window handles.

Click the Go! button

- ⑤ Start of Interact. Connection: SF_Admin, Locator: ui:locator?name=go&path=searchFrame, before wait: default, after wait: default, auto retry: default
- ① Locator: ui:locator?name=go&path=searchFrame
- i Interaction: ui:interaction?name=action
- ① Switched focus to main window. URL: https://provar-trial-org--trialsbx1.lightning.force.com/lightning/o/Opportunity/new? count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=MRU_LIST&backgroundContext=%2Flightning%2Fo%2FOpportunity%2Flist%3FfilterName%3DRecent
- i Doing before wait. waitUrl: default
- i End of <default> wait.
- (i) Found element: com.provar.core.model.ui.java.NullWebElement@16fe280
- Doing after wait. waitUrl: default
- i End of <default> wait.
- (i) Going to update browser window handles

Successfully updated browser window handles.

Click the Account Name button

① Start of Interact. Connection: SF_Admin, Locator: ui:locator?name=Name&path=resultsFrame%2FresultsTable %2FresultsRow&rowLocator=Name+%3D+%27Burlington+Textiles+Corp+of+America%27, before wait: default, after wait: default, auto retry: default

- ① Locator: ui:locator?name=Name&path=resultsFrame%2FresultsTable%2FresultsRow&rowLocator=Name+%3D+%27Burlington+Textiles +Corp+of+America%27
- 1 Interaction: ui:interaction?name=action
- ① Switched focus to main window. URL: https://provar-trial-org--trialsbx1.lightning.force.com/lightning/o/Opportunity/new? count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=MRU_LIST&backgroundContext=%2Flightning%2Fo%2FOpportunity%2Flist%3FfilterName%3DRecent
- i Interaction: ui:interaction?name=action
- (i) Populating webelement cells into the row Row Count: 0

Populated the row elements.

① Applying row locator to rows. Row Count: 1, Row Locator: {Name = "Burlington Textiles Corp of America"}

The row locator matched 1 row.

- i Doing before wait. waitUrl: default
- i End of <default> wait.
- ⑤ Found element: [[[org.openqa.selenium.remote.RemoteWebElement@5110f589 -> unknown locator]] -> xpath: td[1]/span|td[1]//a]
- ① Clicking WebElement using Javascript Click. WebElement: WebElement [tag: a, text: Burlington Textiles Corp of America, href: https://provar-trial-org--trialsbx1.lightning.force.com/lightning/r/0011t000004QW6aAAG/view]
- i Doing after wait. waitUrl: default
- i End of <default> wait.
- (i) Going to update browser window handles.

Successfully updated browser window handles.

- i All Sub-Test Steps were successful.
- (i) Closing Page context. Name: screen, data: null, frame: null
- (i) Main window reselected. Window: main
- ① Switched focus to main window. URL: https://provar-trial-org--trialsbx1.lightning.force.com/lightning/o/Opportunity/new? count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=MRU_LIST&backgroundContext=%2Flightning%2Fo%2FOpportunity%2Flist%3FfilterName%3DRecent
- ① Switched focus to main window. URL: https://provar-trial-org--trialsbx1.lightning.force.com/lightning/o/Opportunity/new?count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=MRU_LIST&backgroundContext=%2Flightning%2Fo%2FOpportunity%2Flist%3FfilterName%3DRecent
- Going to update browser window handles.

Successfully updated browser window handles.

Set the Stage picklist to Prospecting

- ① Start of Interact. Connection: SF_Admin, Locator: ui:locator?name=StageName&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DOpportunity%26field%3DStageName, before wait: default, after wait: default, auto retry: default
- ① Locator: ui:locator?name=StageName&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DOpportunity%26field%3DStageName
- i Interaction: ui:interaction?name=set
- ① Switched focus to main window. URL: https://provar-trial-org--trialsbx1.lightning.force.com/lightning/o/Opportunity/new?count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=MRU_LIST&backgroundContext=%2Flightning%2Fo%2FOpportunity%2Flist%3FfilterName%3DRecent
- 1 Interaction: ui:interaction?name=set
- ① Finding field placehoder using xpath: //div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])][last()]//*[contains(@class, 'forceDetailPanel') or contains(@class, 'detail-panel-root')]//*[(self::force-record-layout-section) or ((self::section or self::div) and contains(@class, 'forcePageBlockSection '))][1]//*[((self::label and (contains(@class, 'uiLabel') or contains(@class, 'slds-form-element_label')) and not(contains(@class, 'hide '))) or (self::span and (contains(@class, 'inputLabel') or contains(@class, 'slds-form-element_label'))) or (self::div and contains(@class, 'test-id_field-label-container')) or (self::lightning-grouped-combobox and contains(@class, 'forceTextEnumLookup')) or (self::div and contains(@class, 'lightningInputRichText'))) and (.//text()[normalize-space()='Stage'] or .//text() = 'Stage')]/ancestor::div[1]
- ⑤ Find field using relative xpath: .//*[self::a or self::input]
- ① Waiting for element to be present. Timeout(seconds): 10
- ① Doing before wait. waitUrl: default
- i End of <default> wait.
- ① Found element: [[[org.openqa.selenium.remote.RemoteWebElement@5110f58b -> unknown locator]] -> xpath: .//*[self::a or self::input]]
- ① Got webElement. tagName: INPUT, id: input-157, type: text, class: slds-input slds-combobox__input
- ① Typing value. tagName: INPUT, type: text, value: Prospecting, blur: false

- ① Clicking WebElement using Javascript Click. WebElement: WebElement [tag: lightning-base-combobox-item, text: Prospecting]
 ① Doing after wait. waitUrl: default
- i End of <default> wait.
- (i) Going to update browser window handles.
- Successfully updated browser window handles.
- UI Assert: Check Probability is 10%
 - Start of UiAssert. Connection: SF_Admin
 Resolving field Probability
 - ① Switched focus to main window. URL: https://provar-trial-org--trialsbx1.lightning.force.com/lightning/o/Opportunity/new? count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=MRU_LIST&backgroundContext=%2Flightning%2Fo%2FOpportunity%2Flist%3FfilterName%3DRecent
 - ① Finding field placehoder using xpath: //div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])][last()]//*[contains(@class, 'forceDetailPanel') or contains(@class, 'detail-panel-root')]//*[(self::force-record-layout-section) or ((self::section or self::div) and contains(@class, 'forcePageBlockSection '))][1]//*[((self::label and (contains(@class, 'uiLabel') or contains(@class, 'slds-form-element_label')) and contains(@class, 'hide '))) or (self::sightning-grouped-combobox and contains(@class, 'forceTextEnumLookup')) or (self::div and contains(@class, 'lightningInputRichText'))) and (.//text()[normalize-space()='Probability (%)'] or .//text() = 'Probability (%)')]/ancestor::div[1]
 - i) Find field using relative xpath: .//input
 - (i) Waiting for element to be present. Timeout(seconds): 10
 - i Doing before wait. waitUrl: default
 - i End of <default> wait.
 - ⑤ Found element: [[[org.openga.selenium.remote.RemoteWebElement@5110f5a4 -> unknown locator]] -> xpath: .//input]
 - Asserting field attributes: Probability
 - ① Asserting Attribute: value to PrimitiveValueImpl [value: 10, valueId=0, createdUpdateSeq=-1, updatedUpdateSeq=-1]
 - Assertion successful.10% Contains 10
 - (i) Object read successfully. Result Name: Values
 - Going to update browser window handles.

Set the Amount field to 2m

- ① Start of Interact. Connection: SF_Admin, Locator: ui:locator?name=Amount&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DOpportunity%26field%3DAmount, before wait: default, after wait: default, auto retry: default
- Locator: ui:locator?name=Amount&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DOpportunity%26field%3DAmount
- 1 Interaction: ui:interaction?name=set
- ① Switched focus to main window. URL: https://provar-trial-org--trialsbx1.lightning.force.com/lightning/o/Opportunity/new? count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=MRU_LIST&backgroundContext=%2Flightning%2Fo%2FOpportunity%2Flist%3FfilterName%3DRecent
- ① Interaction: ui:interaction?name=set
- ① Finding field placehoder using xpath: //div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])][last()]//*[contains(@class, 'forceDetailPanel') or contains(@class, 'detail-panel-root')]//*[(self::force-record-layout-section) or ((self::section or self::div) and contains(@class, 'forcePageBlockSection '))][1]//*[((self::label and (contains(@class, 'uiLabel') or contains(@class, 'slds-form-element_label')) and not(contains(@class, 'hide '))) or (self::span and (contains(@class, 'inputLabel') or contains(@class, 'forceTextEnumLookup')) or (self::div and contains(@class, 'lightningInputRichText'))) and (.//text()[normalize-space()='Amount'] or .//text() = 'Amount')]/ancestor::div[1]
- Find field using relative xpath: .//input
- (1) Waiting for element to be present. Timeout(seconds): 10
- ① Doing before wait. waitUrl: default
- i End of <default> wait.
- 1 Found element: [[[org.openqa.selenium.remote.RemoteWebElement@5110f5a7 -> unknown locator]] -> xpath: .//input
- (1) Got webElement. tagName: INPUT, id: input-126, type: text, class: slds-input
- (1) Typing value. tagName: INPUT, type: text, value: 2m, blur: false
- ① Doing after wait. waitUrl: default
- End of <default> wait.

(i) Going to update browser window handles.


Successfully updated browser window handles.

Click the Save button

- ① Start of Interact. Connection: SF_Admin, Locator: ui:locator?name=save&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DOpportunity %26action%3Dsave, before wait: default, after wait: default, auto retry: default
- ① Locator: ui:locator?name=save&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DOpportunity%26action%3Dsave
- i Interaction: ui:interaction?name=action
- ① Switched focus to main window. URL: https://provar-trial-org--trialsbx1.lightning.force.com/lightning/o/Opportunity/new? count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=MRU_LIST&backgroundContext=%2Flightning%2Fo%2FOpportunity%2Flist%3FfilterName%3DRecent
- 1 Interaction: ui:interaction?name=action
- ① Find action link element using xpath: //div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])][last()]//div[(contains(@class, 'footer') and contains(@class, 'active')) or contains(@class, 'footer-visible')]/ancestor::*[self::force-form-footer or self::records-base-record-form][@records-lwcdetailpanel]//runtime_platform_actions-action-renderer[@apiname='save' or @apiname='SaveEdit']//*[self::a or self::button]
- (i) Waiting for element to be present. Timeout(seconds): 10
- 1 Doing before wait. waitUrl: default
- i End of <default> wait.
- ① Found element: [[ChromeDriver: chrome on XP (9710cd792671717842406cc28ec0aefb)] -> xpath: //div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])[[last()]//div[(contains(@class, 'footer') and contains(@class, 'active')) or contains(@class, 'footer-visible')]/ ancestor::*[self::force-form-footer or self::records-base-record-form][@records-lwcdetailpanel_lwcdetailpanel]//runtime_platform_actions-action-renderer[@apiname='save' or @apiname='SaveEdit']//*[self::a or self::button]]
- ① Clicking WebElement using Javascript Click. WebElement: WebElement [tag: button, text: Save]
- Doing after wait. waitUrl: default
- i End of <default> wait.
- (i) Going to update browser window handles.

Successfully updated browser window handles.

UI Assert: Amount cannot exceed \$1M



After Screenshot : 2021/05/04 15:19:39

- 1 Start of UiAssert. Connection: SF Admin
- (i) Resolving field Amount
- ① Switched focus to main window. URL: https://provar-trial-org--trialsbx1.lightning.force.com/lightning/o/Opportunity/new?count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=MRU_LIST&backgroundContext=%2Flightning%2Fo%2FOpportunity%2Flist%3FfilterName%3DRecent
- ① Finding field placehoder using xpath: //div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])][[ast()]//*[contains(@class, 'forceDetailPanel') or contains(@class, 'detail-panel-root')]//*[[self::force-record-layout-section) or ((self::section or self::div) and contains(@class, 'forcePageBlockSection '))][[1]//*[[(self::label and (contains(@class, 'uiLabel') or contains(@class, 'glass-form-element_label')) and not(contains(@class, 'hide '))) or (self::span and (contains(@class, 'inputLabel') or contains(@class, 'forceTextEnumLookup')) or (self::div and contains(@class, 'lightningInputRichText'))) and (.//text()[normalize-space()='Amount'] or .//text() = 'Amount')]/ancestor::div[1]

- i Find field using relative xpath: .//input
- (i) Waiting for element to be present. Timeout(seconds): 10
- 1 Doing before wait. waitUrl: default
- i End of <default> wait.
- 1 Found element: [[[org.openqa.selenium.remote.RemoteWebElement@5110f5a7 -> unknown locator]] -> xpath: .//input
- (i) Asserting field attributes: Amount
- ① Asserting Attribute: message to PrimitiveValueImpl [value: Amount cannot exceed \$1M, valueId=0, createdUpdateSeq=-1, updatedUpdateSeq=-1]
- Assertion successful. Amount cannot exceed \$1M Contains Amount cannot exceed \$1M
- Reading Attribute: value
- (i) Object read successfully. Result Name: Values
- (i) Sending screenshot. Data length: 115566
- (i) Going to update browser window handles.

Set the Amount field to 999999

- ① Start of Interact. Connection: SF_Admin, Locator: ui:locator?name=Amount&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DOpportunity%26field%3DAmount, before wait: default, after wait: default, auto retry: default
- Locator: ui:locator?name=Amount&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DOpportunity%26field%3DAmount
- i Interaction: ui:interaction?name=set
- ① Switched focus to main window. URL: https://provar-trial-org--trialsbx1.lightning.force.com/lightning/o/Opportunity/new?count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=MRU_LIST&backgroundContext=%2Flightning%2Fo%2FOpportunity%2Flist%3FfilterName%3DRecent
- i Interaction: ui:interaction?name=set
- ① Finding field placehoder using xpath: //div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])][last()]//*[contains(@class, 'forceDetailPanel') or contains(@class, 'detail-panel-root')]//*[(self::force-record-layout-section) or ((self::section or self::div) and contains(@class, 'forcePageBlockSection'))][1]//*[((self::label and (contains(@class, 'uiLabel') or contains(@class, 'slds-form-element_label')) and not(contains(@class, 'hide '))) or (self::sightning-grouped-combobox and contains(@class, 'forceTextEnumLookup')) or (self::div and contains(@class, 'lightningl-grouped-combobox and contains(@class, 'forceTextEnumLookup')) or (self::div and contains(@class, 'forceTe
- Find field using relative xpath: .//input
- (1) Waiting for element to be present. Timeout(seconds): 10
- Doing before wait. waitUrl: default
- i End of <default> wait.
- ① Found element: [[[org.openga.selenium.remote.RemoteWebElement@5110f5a7 -> unknown locator]] -> xpath: .//input]
- ① Got webElement. tagName: INPUT, id: input-126, type: text, class: slds-input
- ① Typing value. tagName: INPUT, type: text, value: 999999, blur: false
- i Doing after wait. waitUrl: default
- End of <default> wait.
- Going to update browser window handles.

Successfully updated browser window handles.

Click the Save button

- ① Start of Interact. Connection: SF_Admin, Locator: ui:locator?name=save&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DOpportunity %26action%3Dsave, before wait: default, after wait: default, auto retry: default
- ① Locator: ui:locator?name=save&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DOpportunity%26action%3Dsave
- ① Interaction: ui:interaction?name=action
- ① Switched focus to main window. URL: https://provar-trial-org--trialsbx1.lightning.force.com/lightning/o/Opportunity/new? count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=MRU_LIST&backgroundContext=%2Flightning%2Fo%2FOpportunity%2Flist%3FfilterName%3DRecent
- ① Interaction: ui:interaction?name=action
- ① Find action link element using xpath: //div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])][last()]//div[(contains(@class, 'footer') and 'contains(@class, 'active') or following-sibling::div[contains(@class, 'footer')]][last()]//div[(contains(@class, 'footer') and 'contains(@class, 'footer')]]//div[(contains(@class, 'footer') and 'contains(@class, 'footer')]//div[(contains(@class, 'footer') and 'contai

contains(@class, 'active')) or contains(@class, 'footer-visible')]/ancestor::*[self::force-form-footer or self::records-base-record-form][@records-lwcdetailpanel]//runtime_platform_actions-action-renderer[@apiname='save' or @apiname='SaveEdit']/*[self::a or self::button]

- (1) Waiting for element to be present. Timeout(seconds): 10
- Doing before wait. waitUrl: default
- i End of <default> wait.
- ① Found element: [[ChromeDriver: chrome on XP (9710cd792671717842406cc28ec0aefb)] -> xpath: //div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])[[last()]//div[(contains(@class, 'footer') and contains(@class, 'active')) or contains(@class, 'footer-visible')]/ ancestor::*[self::force-form-footer or self::records-base-record-form][@records-lwcdetailpanel_lwcdetailpanel]//runtime_platform_actions-action-renderer[@apiname='save' or @apiname='SaveEdit']//*[self::a or self::button]]
- ① Clicking WebElement using Javascript Click. WebElement: WebElement [tag: button, text: Save]
- i Doing after wait. waitUrl: default
- i End of <default> wait.
- (i) Going to update browser window handles.

Successfully updated browser window handles.

- All Sub-Test Steps were successful.
- ⑤ Switched focus to main window. URL: https://provar-trial-org--trialsbx1.lightning.force.com/lightning/r/Opportunity/0060Q00000GOQ4jQAH/view
- (i) Injecting script to get created object ID from aura component
- Storing created Salesforce Object ID. Result Name: opportunityId, created ID: 0060Q0000GOQ4jQAH, location: https://provar-trial-org-trialsbx1.lightning.force.com/lightning/r/Opportunity/0060Q0000GOQ4jQAH/view
- ① Logging Salesforce Object Id for clean up. Object Name: Opportunity, id: 0060Q00000GOQ4jQAH
- (i) Closing Page context. Name: screen, data: null, frame: null
- (i) Main window reselected. Window: main
- 1 Switched focus to main window. URL: https://provar-trial-org--trialsbx1.lightning.force.com/lightning/r/Opportunity/0060Q00000GOQ4jQAH/view
- (i) Going to update browser window handles.

Successfully updated browser window handles.

App_Launcher_TC.testcase

Output

- Salesforce Connect: DevSandbox (Test)
 - Connecting to Salesforce as DevSandbox

Successfully connected to Salesforce as DevSandbox

- On WebToCaseV3 page
 - ① Start of With Screen. Connection Name: DevSandbox, target: ui:pageobject:target?pageId=pageobjects.WebToCaseV3
 - ⚠ Salesforce Object not found for Builtin Tab. Key prefix: WorkBadgeDefinition
 - △ Salesforce Object not found for Builtin Tab. Key prefix: WorkBadge
 - ⚠ Salesforce Object not found for Builtin Tab. Key prefix: Quote
 - ① Opening Chrome webdriver instance to https://login.salesforce.com/

Successfully opened Chrome webdriver to https://login.salesforce.com/

- (i) Opening Page context. Name: screen, data: null, frame: null
- (i) Opening Home Page
- Opening Salesforce user home page
- A Failed to Send Exception calling Metadata Connection method retrying. Method: checkRetrieveStatus, retryCounter: 1
- ⚠ [ConnectionException: Failed to send request to https://cts-61f-dev-ed.my.salesforce.com/services/Soap/m/50.0/00D5g000004xWLR, ConnectException: Connection timed out: connect]
- ⚠ Metadata Connection retry was successful. Method: checkRetrieveStatus
- Error doing app navigation in lightning.
- [TimeoutException: Expected condition failed: waiting for com.provar.core.testapi.ElementWait\$1@100405b (tried for 60 second(s) with 2000 MILLISECONDS interval) Build info: version: 'unknown', revision: 'unknown', time: 'unknown' System info: host:

'LAPTOP-72V7EMJO', ip: '192.168.0.10', os.name: 'Windows 10', os.arch: 'x86', os.version: '10.0', java.version: '1.8.0_281' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities [{mobileEmulationEnabled=false, timeouts={implicit=0.0, pageLoad=30000.0, script=30000.0}, hasTouchScreen=false, platform=XP, acceptSslCerts=false, goog:chromeOptions={debuggerAddress=localhost:52713}, acceptInsecureCerts=false, webStorageEnabled=true, browserName=chrome, takesScreenshot=true, javascriptEnabled=true, setWindowRect=true, webauthn:extension:largeBlob=true, unexpectedAlertBehaviour=ignore, applicationCacheEnabled=false, rotatable=false, networkConnectionEnabled=false, chrome={chromedriverVersion=90.0.4430.24 (4c6d850f087da467d926e8eddb76550aed655991-refs/branch-heads/4430@{#429}}), userDataDir=C:\Users\karth\git\Provar-Demo\demo\provarCaches\chromeProfiles\profile0}, takesHeapSnapshot=true, pageLoadStrategy=normal, strictFileInteractability=false, databaseEnabled=false, handlesAlerts=true, version=90.0.4430.93, browserConnectionEnabled=false, proxy=Proxy(direct), nativeEvents=true, locationContextEnabled=true, cssSelectorsEnabled=true, webauthn:virtualAuthenticators=true}] Session ID: 7bfb9861c453c48706e6498ef7504472]

- Error when attempting to open user home page
- (i) Going to update browser window handles.

Successfully updated browser window handles.

Click the App Launcher

- ① Start of Interact. Connection: DevSandbox, Locator: ui:pageobject:field?field=appLauncher&pageId=pageobjects.WebToCaseV3, before wait: default, auto retry: default
- ① Locator: ui:pageobject:field?field=appLauncher&pageId=pageobjects.WebToCaseV3
- ① Interaction: ui:interaction?name=action
- ① Interaction: ui:interaction?name=action
- Doing before wait. waitUrl: default
- i End of <default> wait.
- ① Doing Auto Retry wait. Timeout(seconds): 10, Interval(milliseconds): 500
- ① Doing Auto Retry wait. Timeout(seconds): 10, Interval(milliseconds): 500
- ① Doing Auto Retry wait. Timeout(seconds): 10, Interval(milliseconds): 500
- (i) Doing Auto Retry wait. Timeout(seconds): 10, Interval(milliseconds): 500
- ① Doing Auto Retry wait. Timeout(seconds): 10, Interval(milliseconds): 500
- ① Doing Auto Retry wait. Timeout(seconds): 10, Interval(milliseconds): 500
- i Doing Auto Retry wait. Timeout(seconds): 10, Interval(milliseconds): 500
- 1 Doing Auto Retry wait. Timeout(seconds): 10, Interval(milliseconds): 500
- ① Doing Auto Retry wait. Timeout(seconds): 10, Interval(milliseconds): 500
- ① Doing Auto Retry wait. Timeout(seconds): 10, Interval(milliseconds): 500
- ① Doing Auto Retry wait. Timeout(seconds): 10, Interval(milliseconds): 500
- ① Doing Auto Retry wait. Timeout(seconds): 10, Interval(milliseconds): 500
- ① Doing Auto Retry wait. Timeout(seconds): 10, Interval(milliseconds): 500
- i Doing Auto Retry wait. Timeout(seconds): 10, Interval(milliseconds): 500
- ① Doing Auto Retry wait. Timeout(seconds): 10, Interval(milliseconds): 500
- ① Doing Auto Retry wait. Timeout(seconds): 10, Interval(milliseconds): 500
- 1 Doing Auto Retry wait. Timeout(seconds): 10, Interval(milliseconds): 500
- ① Doing Auto Retry wait. Timeout(seconds): 10, Interval(milliseconds): 500
- ⚠ Stale element attempt : 1
- ① Found element: [org.openqa.selenium.remote.RemoteWebElement@9349778f -> unknown locator]
- ① Clicking WebElement using Javascript Click. WebElement: WebElement [tag: button, text: App Launcher]
- i Doing after wait. waitUrl: default
- End of <default> wait.

(i) Going to update browser window handles.

Successfully updated browser window handles.

Set the Search Apps And Items to Accounts

- ① Start of Interact. Connection: DevSandbox, Locator: ui:pageobject:field?field=searchAppsAndItems&pageId=pageobjects.WebToCaseV3, before wait: default, after wait: default, auto retry: default
- ① Locator: ui:pageobject:field?field=searchAppsAndItems&pageId=pageobjects.WebToCaseV3
- i Interaction: ui:interaction?name=set
- ① Switched focus to main window. URL: https://cts-61f-dev-ed.lightning.force.com/lightning/page/home
- i Interaction: ui:interaction?name=set
- 1 Doing before wait. waitUrl: default
- i End of <default> wait.
- ① Doing Auto Retry wait. Timeout(seconds): 10, Interval(milliseconds): 500
- ① Found element: [org.openqa.selenium.remote.RemoteWebElement@93497790 -> unknown locator]
- 1 Got webElement. tagName: INPUT, id: input-117, type: search, class: slds-input
- 1 Typing value, tagName: INPUT, type: search, value: Accounts, blur: false
- i Doing after wait. waitUrl: default
- i End of <default> wait.
- (i) Going to update browser window handles.

Successfully updated browser window handles.

Click the Accounts

- ① Start of Interact. Connection: DevSandbox, Locator: ui:pageobject:field?field=accounts&pageId=pageobjects.WebToCaseV3, before wait: default, after wait: default, auto retry: default
- ① Locator: ui:pageobject:field?field=accounts&pageId=pageobjects.WebToCaseV3
- 1 Interaction: ui:interaction?name=action
- ① Switched focus to main window. URL: https://cts-61f-dev-ed.lightning.force.com/lightning/page/home
- i Interaction: ui:interaction?name=action
- 1 Doing before wait. waitUrl: default
- 1 End of <default> wait.
- ① Found element: [org.openqa.selenium.remote.RemoteWebElement@93497792 -> unknown locator]
- ① Clicking WebElement using Javascript Click. WebElement: WebElement [tag: a, text: Accounts, href: https://cts-61f-dev-ed.lightning.force.com/lightning/o/Account/home]
- Doing after wait. waitUrl: default
- ① End of <default> wait.
- Going to update browser window handles.

Successfully updated browser window handles.

- All Sub-Test Steps were successful.
- (i) Closing Page context. Name: screen, data: null, frame: null
- (1) Main window reselected. Window: main
- ⑤ Switched focus to main window. URL: https://cts-61f-dev-ed.lightning.force.com/lightning/o/Account/list?filterName=Recent
- (i) Going to update browser window handles.

Successfully updated browser window handles.

On SF Account Home screen

- ① Start of With Screen. Connection Name: DevSandbox, target: sf:ui:target?object=Account&action=ObjectHome
- (i) Opening Page context. Name: screen, data: null, frame: null
- Going to update browser window handles.

Successfully updated browser window handles.

Click the New button

① Start of Interact. Connection: DevSandbox, Locator: ui:locator?name=New&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DAccount %26action%3DNew, before wait: default, after wait: default, auto retry: default

- ① Locator: ui:locator?name=New&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DAccount%26action%3DNew
- 1 Interaction: ui:interaction?name=action
- ① Switched focus to main window. URL: https://cts-61f-dev-ed.lightning.force.com/lightning/o/Account/list?filterName=Recent
- i Interaction: ui:interaction?name=action
- ① Find action link element using xpath: (//div[contains(@class, 'active') and (contains(@class, 'oneContent') or contains(@class, 'main-content'))]// div[contains(@class, 'forceObjectHomeDesktop') or contains(@class, 'forceRelatedListDesktop')or (contains(@class, 'slds-table_joined') and contains(@class, 'test-listViewManager'))]//ul[contains(@class, 'oneActionsRibbon')] | // div[contains(@class, 'forceActionsDropDownMenuList') and contains(@class, 'visible')])//a[contains(@data-aura-rendered-by, '1504:0')]
- (i) Waiting for element to be present. Timeout(seconds): 10
- i Doing before wait. waitUrl: default
- i End of <default> wait.
- ① Found element: [[ChromeDriver: chrome on XP (7bfb9861c453c48706e6498ef7504472)] -> xpath: (//div[contains(@class, 'active') and (contains(@class, 'oneContent') or contains(@class, 'main-content'))]//div[contains(@class, 'forceObjectHomeDesktop') or contains(@class, 'oneConsoleObjectHome') or contains(@class, 'forceRelatedListDesktop') or (contains(@class, 'slds-table_joined') and contains(@class, 'test-listViewManager'))]//ul[contains(@class, 'oneActionsRibbon')] | //div[contains(@class, 'forceActionsDropDownMenuList') and contains(@class, 'isible'))]//a[contains(@data-aura-rendered-by, '1504:0')]]
- ① Clicking WebElement using Javascript Click. WebElement: WebElement [tag: a, text: New, href: javascript:void(0);]
- ① Doing after wait. waitUrl: default
- i End of <default> wait.
- (i) Going to update browser window handles.

- All Sub-Test Steps were successful.
- (1) Closing Page context. Name: screen, data: null, frame: null
- (i) Main window reselected. Window: main
- ① Switched focus to main window. URL: https://cts-61f-dev-ed.lightning.force.com/lightning/o/Account/new? count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=MRU_LIST&backgroundContext=%2Flightning%2Fo%2FAccount%2Flist%3FfilterName%3DRecent
- Going to update browser window handles.

Successfully updated browser window handles.

On SF Account New screen

- ① Start of With Screen. Connection Name: DevSandbox, target: sf:ui:target?object=Account&action=New&noOverride=true
- ① Opening Page context. Name: screen, data: null, frame: null
- ① Hover>Clicking WebElement. WebElement [tag: h2, text: New Account]
- Going to update browser window handles.

Successfully updated browser window handles.

Set the Account Name field to Provar_Demo

- ① Start of Interact. Connection: DevSandbox, Locator: ui:locator?name=Name&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DAccount %26field%3DName, before wait: default, after wait: default, auto retry: default
- 1 Locator: ui:locator?name=Name&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DAccount%26field%3DName
- i Interaction: ui:interaction?name=set
- ① Switched focus to main window. URL: https://cts-61f-dev-ed.lightning.force.com/lightning/o/Account/new? count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=MRU_LIST&backgroundContext=%2Flightning%2Fo%2FAccount%2Flist%3FfilterName%3DRecent
- i Interaction: ui:interaction?name=set
- ① Finding field placehoder using xpath: //div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])][last()]//*[contains(@class, 'forceDetailPanel') or contains(@class, 'detail-panel-root')]//*[(self::force-record-layout-section) or ((self::section or self::div) and contains(@class, 'forcePageBlockSection '))][1]//*[(self::label and (contains(@class, 'uiLabel') or contains(@class, 'goalss, 'slds-form-element_label')) and not(contains(@class, 'hide '))) or (self::span and (contains(@class, 'inputLabel') or contains(@class, 'forceTextEnumLookup')) or (self::div and contains(@class, 'forceTextEnumLookup')) or (self::div and contains(@class, 'lightningInputRichText'))) and (.//text()[normalize-space()='Account Name'] or .//text() = 'Account Name')]/ancestor::div[1]
- i Find field using relative xpath: .//input
- (i) Waiting for element to be present. Timeout(seconds): 10
- i Doing before wait. waitUrl: default


- 1 End of <default> wait.
- ① Found element: [[[org.openqa.selenium.remote.RemoteWebElement@d5e57a64 -> unknown locator]] -> xpath: .//input]
- 1 Got webElement. tagName: INPUT, id: input-211, type: text, class: slds-input
- ① Typing value. tagName: INPUT, type: text, value: Provar_Demo, blur: false
- Doing after wait. waitUrl: default
- i End of <default> wait.
- (i) Going to update browser window handles.

Set the Rating picklist to Cold

- ① Start of Interact. Connection: DevSandbox, Locator: ui:locator?name=Rating&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DAccount %26field%3DRating, before wait: default, after wait: default, auto retry: default
- ① Locator: ui:locator?name=Rating&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DAccount%26field%3DRating
- i Interaction: ui:interaction?name=set
- ① Switched focus to main window. URL: https://cts-61f-dev-ed.lightning.force.com/lightning/o/Account/new? count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=MRU_LIST&backgroundContext=%2Flightning%2Fo%2FAccount%2Flist%3FfilterName%3DRecent
- 1 Interaction: ui:interaction?name=set
- ① Finding field placehoder using xpath: //div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])][last()]//*[contains(@class, 'forceDetailPanel') or contains(@class, 'detail-panel-root')]/*[[self::force-record-layout-section) or ((self::section or self::div) and contains(@class, 'forcePageBlockSection '))][1]]/*[((self::label and (contains(@class, 'uiLabel') or contains(@class, 'slds-form-element_label')) and not(contains(@class, 'hide '))) or (self::span and (contains(@class, 'inputLabel') or contains(@class, 'slds-form-element_label'))) or (self::div and contains(@class, 'test-id_field-label-container')) or (self::lightning-grouped-combobox and contains(@class, 'forceTextEnumLookup')) or (self::div and contains(@class, 'lightningInputRichText'))) and (.//text()[normalize-space()='Rating'] or .//text() = 'Rating')]/ancestor::div[1]
- Find field using relative xpath: .//*[self::a or self::input]
- (i) Waiting for element to be present. Timeout(seconds): 10
- (i) Doing before wait. waitUrl: default
- End of <default> wait.
- 1 Found element: [[[org.openqa.selenium.remote.RemoteWebElement@d5e57a68 -> unknown locator]] -> xpath: //*[self::a or self::input]]
- 1 Got webElement. tagName: INPUT, id: input-205, type: text, class: slds-input slds-combobox_input
- ① Typing value. tagName: INPUT, type: text, value: Cold, blur: false
- ① Clicking WebElement using Javascript Click. WebElement: WebElement [tag: lightning-base-combobox-item, text: Cold]
- ① Doing after wait. waitUrl: default
- End of <default> wait.
- (i) Going to update browser window handles.


Successfully updated browser window handles.

Set the Description field to Test Provar Demo



- ① Start of Interact. Connection: DevSandbox, Locator: ui:locator?name=Description&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DAccount%26field%3DDescription, before wait: default, after wait: default, auto retry: default
- ① Locator: ui:locator?name=Description&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DAccount%26field%3DDescription
- i Interaction: ui:interaction?name=set
- ① Switched focus to main window. URL: https://cts-61f-dev-ed.lightning.force.com/lightning/o/Account/new? count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=MRU_LIST&backgroundContext=%2Flightning%2Fo%2FAccount%2Flist%3FfilterName%3DRecent
- i Interaction: ui:interaction?name=set
- ① Finding field placehoder using xpath: //div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])][last()]/*[contains(@class, 'forcePageError')])][last()]/*[contains(@class, 'forcePageError')]/*[(self::force-record-layout-section) or ((self::section or self::div) and contains(@class, 'forcePageBlockSection'))][4]/*[((self::label and (contains(@class, uiLabel') or contains(@class, 'slds-form-element_label')) and not(contains(@class, 'hide'))) or (self::slabel and (contains(@class, 'inputLabel') or contains(@class, 'slds-form-element_label'))) or (self::div and contains(@class, 'test-id__field-label-container')) or (self::lightning-grouped-combobox and contains(@class, 'forceTextEnumLookup')) or (self::div and contains(@class, 'lightninglnputRichText'))) and (.//text()[normalize-space()=Description'] or .//text() = 'Description')]/ancestor::div[1]
- i Find field using relative xpath: .//textarea
- (i) Waiting for element to be present. Timeout(seconds): 10
- ① Doing before wait. waitUrl: default
- i End of <default> wait.
- ① Found element: [[[org.openga.selenium.remote.RemoteWebElement@d5e57a81 -> unknown locator]] -> xpath: //textarea]
- ① Got webElement. tagName: TEXTAREA, id: input-337, type: null, class: slds-textarea
- 1 Typing value. tagName: TEXTAREA, type: null, value: Test Provar Demo, blur: false
- ① Doing after wait. waitUrl: default
- i End of <default> wait.
- i Sending screenshot. Data length: 92659
- (i) Going to update browser window handles.

Click the Save button



After Screenshot : 2021/05/04 15:22:47

- ① Start of Interact. Connection: DevSandbox, Locator: ui:locator?name=save&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DAccount %26action%3Dsave, before wait: default, after wait: default, auto retry: default
- ① Locator: ui:locator?name=save&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DAccount%26action%3Dsave
- 1 Interaction: ui:interaction?name=action
- ① Switched focus to main window. URL: https://cts-61f-dev-ed.lightning.force.com/lightning/o/Account/new? count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=MRU_LIST&backgroundContext=%2Flightning%2Fo%2FAccount%2Flist%3FfilterName%3DRecent
- 1 Interaction: ui:interaction?name=action
- ① Find action link element using xpath: //div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])][last()]//div[(contains(@class, 'footer') and contains(@class, 'active')) or contains(@class, 'footer-visible')]/ancestor::*[self::force-form-footer or self::records-base-record-form][@records-lwcdetailpanel]//runtime_platform_actions-action-renderer[@apiname='save' or @apiname='SaveEdit']//*[self::a or self::button]
- (1) Waiting for element to be present. Timeout(seconds): 10
- i Doing before wait. waitUrl: default
- End of <default> wait.
- ① Found element: [[ChromeDriver: chrome on XP (7bfb9861c453c48706e6498ef7504472)] -> xpath: //div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])][last()]//div[(contains(@class, 'footer') and contains(@class, 'active')) or contains(@class, 'footer-visible')]/
 ancestor::*[self::force-form-footer or self::records-base-record-form][@records-lwcdetailpanel_lwcdetailpanel]//runtime_platform_actions-action-renderer[@apiname='Save' or @apiname='SaveEdit']//*[self::a or self::button]]
- ① Clicking WebElement using Javascript Click. WebElement: WebElement [tag: button, text: Save]
- Doing after wait. waitUrl: default
- ① End of <default> wait.
- ① Sending screenshot. Data length: 282230

(i) Going to update browser window handles.

Successfully updated browser window handles.

- All Sub-Test Steps were successful.
- ① Switched focus to main window. URL: https://cts-61f-dev-ed.lightning.force.com/lightning/r/Account/0015g00000ByjfDAAR/view
- (i) Injecting script to get created object ID from aura component
- Storing created Salesforce Object ID. Result Name: accountId, created ID: 0015g00000ByjfDAAR, location: https://cts-61f-deved.lightning.force.com/lightning/r/Account/0015g00000ByjfDAAR/view
- ① Logging Salesforce Object Id for clean up. Object Name: Account, id: 0015g00000ByjfDAAR
- (i) Closing Page context. Name: screen, data: null, frame: null
- i Main window reselected. Window: main
- ① Switched focus to main window. URL: https://cts-61f-dev-ed.lightning.force.com/lightning/r/Account/0015g00000ByjfDAAR/view
- (i) Going to update browser window handles.


Successfully updated browser window handles.

On SF Account View screen

- 1 Start of With Screen. Connection Name: DevSandbox, target: sf:ui:target?object=Account&action=View&noOverride=true
- A Not populating record types for Salesforce Object no objectMetadata. Connection: DevSandbox, object: Calendar, metadataTrace: null
- (i) Opening Page context. Name: screen, data: null, frame: null
- Activating detailTab tab
- ① Hover>Clicking WebElement. WebElement [tag: a, text: Details, href: javascript:void(0)]
- (i) Going to update browser window handles.


Successfully updated browser window handles.

Ul Assert



After Screenshot: 2021/05/04 15:23:06

- Start of UiAssert. Connection: DevSandbox
- (i) Resolving field title
- 1 Switched focus to main window. URL: https://cts-61f-dev-ed.lightning.force.com/lightning/r/Account/0015g00000ByjfDAAR/view
- ① Find title using xpath: //*[contains(@class, 'active') and ((self::div and contains(@class, 'oneContent')) or (self::section and ((contains(@class, 'oneConsoleTab') and ancestor::div[contains(@class, 'active') and (contains(@class, 'oneWorkspace') or contains(@class, 'navexWorkspace')) and not(contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab')]) or (not(contains(@class, 'oneConsoleTab')) and contains(@class, 'tabContent') and ancestor::div[contains(@class, 'active') and (contains(@class, 'oneWorkspace') or contains(@class, 'oneWorkspace')) and contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab')])))]//*[(self::h1 or self::div or self::slot) and contains(@class, 'slds-page-header') and contains(@class, 'title')]//*[(self::span and contains(@class, 'uiOutputText')) or (self::lightning-formatted-text) or (self::lightning-formatted-name)]
- (i) Waiting for element to be present. Timeout(seconds): 10
- i Doing before wait. waitUrl: default
- i End of <default> wait.
- ① Found element: [[ChromeDriver: chrome on XP (7bfb9861c453c48706e6498ef7504472)] -> xpath: //*[contains(@class, 'active') and ((self::div and contains(@class, 'oneContent')) or (self::section and ((contains(@class, 'oneConsoleTab') and ancestor::div[contains(@class, 'active') and (contains(@class, 'oneWorkspace') or contains(@class, 'navexWorkspace')) and not(contains(@class, 'hasPrinnedRegionTemplate') and contains(@class, 'hasActiveSubtab'))]] or (not(contains(@class, 'oneConsoleTab')) and contains(@class, 'tabContent') and ancestor::div[contains(@class, 'active') and (contains(@class, 'oneWorkspace')) and contains(@class, 'tabContent') and contains(@class, 'hasActiveSubtab')])))]//*[(self::h1 or self::div or self::slot) and contains(@class, 'slds-page-header') and contains(@class, 'title')]//*[(self::span and contains(@class, 'uiOutputText')) or (self::a and contains(@class, forceOutputLookup')) or (self::lightning-formatted-text) or (self::lightning-formatted-name)]]
- (i) Asserting field attributes: title
- (i) Reading Attribute: value
- (i) Object read successfully. Result Name: Values
- (i) Sending screenshot. Data length: 259351
- (i) Going to update browser window handles.
- Successfully updated browser window handles.
- UI Assert



After Screenshot : 2021/05/04 15:23:14

- Start of UiAssert. Connection: DevSandbox
- Resolving field Name
- 1 Switched focus to main window. URL: https://cts-61f-dev-ed.lightning.force.com/lightning/r/Account/0015g00000ByjfDAAR/view
- Activating detailTab tab
- ① Hover>Clicking WebElement. WebElement [tag: a, text: Details, href: javascript:void(0)]
- ① Finding field placehoder using xpath: (//*[contains(@class, 'active') and ((self::div and contains(@class, 'oneContent')) or (self::section and ((contains(@class, 'oneConsoleTab') and ancestor::div[contains(@class, 'active') and (contains(@class, 'oneWorkspace') or contains(@class, 'navexWorkspace')) and not(contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab'))]) or (not(contains(@class, 'oneConsoleTab')) and contains(@class, 'tabContent') and ancestor::div[contains(@class, 'active') and (contains(@class, 'oneWorkspace') or contains(@class, 'navexWorkspace')) and contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab')]))))]//*[contains(@class, 'forceDetailPanel') or contains(@class, 'detail-panel-root')]//*[(self::force-record-layout-section) or (self::div and contains(@class, 'forceDageBlockSectionView') or contains(@class, 'test-id__section slds-section ')))]/[1]//div[(contains(@class,'labelCol') or contains(@class,'field-label-container')) and (span/text()[normalize-space()='Account Name' or (.) ='Account Name'])]/following-sibling::div[1]//*[(self::div and contains(@class, 'dataCol')) or (self::span and contains(@class, 'test-id__field-value'))]
- (1) Waiting for element to be present. Timeout(seconds): 10
- ⑤ Finding field elements using relativePath: //*[self::lightning-formatted-name or self::lightning-formatted-text]
- (i) Waiting for element to be present. Timeout(seconds): 10
- Doing before wait. waitUrl: default
- i End of <default> wait.
- ① Found element: [[[[ChromeDriver: chrome on XP (7bfb9861c453c48706e6498ef7504472)] -> xpath: (//*[contains(@class, 'active') and ((self::div and contains(@class, 'oneContent')) or (self::section and ((contains(@class, 'oneConsoleTab') and ancestor::div[contains(@class, 'active') and (contains(@class, 'oneWorkspace') or contains(@class, 'navexWorkspace')) and not(contains(@class, 'hasPrinnedRegionTemplate') and contains(@class, 'hasActiveSubtab')]]) or (not(contains(@class, 'oneConsoleTab')) and contains(@class, 'tabContent') and ancestor::div(contains(@class, 'active') and (contains(@class, 'oneWorkspace') or contains(@class, 'navexWorkspace')) and contains(@class, 'hasPrinnedRegionTemplate') and contains(@class, 'hasActiveSubtab')])))]/*[contains(@class, 'forceDetailPanel') or contains(@class, 'detail-panel-root')]//*[(self::force-record-layout-section) or (self::div and (contains(@class, 'forcePageBlockSectionView') or contains(@class, 'test-id__section sids-section '))))][1]/div[(contains(@class, 'labelCol') or contains(@class, 'field-label-container'))) and (span/text()[normalize-

 $space() = `Account Name' or (.) = `Account Name'])]/following-sibling::div[1]//*[(self::div and contains(@class, 'dataCol')) or (self::span and contains(@class, 'test-id_field-value'))]]] -> xpath: .//*[self::lightning-formatted-name or self::lightning-formatted-text]]$

- (i) Asserting field attributes: Name
- (i) Reading Attribute: value
- ① Object read successfully. Result Name: Values
- Sending screenshot. Data length: 259351
- (i) Going to update browser window handles.

Successfully updated browser window handles.

- ① All Sub-Test Steps were successful.
- (1) Closing Page context. Name: screen, data: null, frame: null
- 1 Main window reselected. Window: main
- 1 Switched focus to main window. URL: https://cts-61f-dev-ed.lightning.force.com/lightning/r/Account/0015g00000ByjfDAAR/view
- (i) Going to update browser window handles.

Successfully updated browser window handles.