Test Run Report




Test Run Overview

Started 23 Apr 2021, 13:52:56 Ended 23 Apr 2021, 13:53:31


Duration (mm:ss) 00:34.881

Test Results Summary

Passed 1 Failed 0 Skipped 0



Test Case Summary



successfulsuccessful

Account API.testcase

Summary

Started 23 Apr 2021, 13:52:56 Ended 23 Apr 2021, 13:53:31

Duration (mm:ss) 00:34.872
Outcome successful

Output

- Salesforce Connect: DevSandbox (Test)
 - (i) Connecting to Salesforce as DevSandbox
 - **Connection details. Connection name: DevSandbox, result name: DevSandbox, result scope: Test, urlString: sf:user=karthikeyan.ramu@cognizant.com;password={password};securityToken={securityToken};environment=PROD_DEV;lightningMode=true, environment: <default>, userName: karthikeyan.ramu@cognizant.com, password: [supplied] securityToken: [supplied]
 - Create object id log file.
 - Opening Partner connection

 - Opening Metadata connection

Successfully connected to Salesforce as DevSandbox

- Read Excel
 - (i) Loading data from Parameter Value Source ...
 - 1 Loading Parameter Value Source row 1:
 - ① ==Column=> RowNumber = PrimitiveValueImpl [value: 2, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
 - ① ==Column=> Account_Name = PrimitiveValueImpl [value: ProvarTesting1, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
 - 1 ==Column=> Parent_Account = PrimitiveValueImpl [value: Test123456, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
 - 1 ==Column=> Phone_Number = PrimitiveValueImpl [value: 7896541236, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
 - 1 ==Column=> Type = PrimitiveValueImpl [value: Installation Partner, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
 - 1 ==Column=> Rating = PrimitiveValueImpl [value: Hot, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
 - (i) Loading Parameter Value Source row 2:
 - ① ==Column=> RowNumber = PrimitiveValueImpl [value: 3, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
 - ① ==Column=> Account_Name = PrimitiveValueImpl [value: ProvarTesting2, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
 - 1 ==Column=> Parent_Account = PrimitiveValueImpl [value: ProvarTesting1, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
 - ① ==Column=> Phone_Number = PrimitiveValueImpl [value: 7859651236, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
 - 1 ==Column=> Type = PrimitiveValueImpl [value: Installation Partner, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
 - ① ==Column=> Rating = PrimitiveValueImpl [value: Hot, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

Loaded 2 rows from Parameter Value Source.

- For Each: {ExcelData}=>Row
 - Start of iteration 1 of 2.
 - Iteration 1
 - Create Object: Account=>AccountId
 - ① Creating a new Salesforce object. Connection Name: DevSandbox, Name: Account, field count: 4
 - ⚠ Salesforce Object not found for Builtin Tab. Key prefix: WorkBadgeDefinition
 - ▲ Salesforce Object not found for Builtin Tab. Key prefix: WorkBadge
 - A Salesforce Object not found for Builtin Tab. Key prefix: Quote
 - (i) Setting fields:
 - i =Field=> Parentld = 0015g00000BwdvDAAR
 - i =Field=> Type = {Row.Type}

- ① =Field=> Phone = 7896541236
- i =Field=> Name = ProvarTesting1
- Account created successfully. Object Id: 0015g00000BwgeEAAR, Result Name: AccountId
- ① Logging Salesforce Object Id for clean up. Object Name: Account, id: 0015g00000BwgeEAAR
- (i) Start of iteration 2 of 2.
- Iteration 2
 - Create Object: Account=>AccountId
 - ① Creating a new Salesforce object. Connection Name: DevSandbox, Name: Account, field count: 4
 - (i) Setting fields:
 - i =Field=> ParentId = 0015g00000BwdvDAAR
 - i =Field=> Type = {Row.Type}
 - (i) =Field=> Phone = 7859651236
 - i =Field=> Name = ProvarTesting2
 - Account created successfully. Object Id: 0015g00000BwgeJAAR, Result Name: AccountId
 - ① Logging Salesforce Object Id for clean up. Object Name: Account, id: 0015g00000BwgeJAAR
- (i) Reached the end of the List.