



Workpath SDK Attestation Overview

Product Group: HP Workpath SDK

Version: 1.6.3

Revised: November 11, 2025

HP Inc.
11311 Chinden Blvd.
Boise, ID 83714 USA

HP Confidential

Table of Contents

1	Introduction	3
1.1	Document conventions	3
2	Attestation.....	4
3	Test attestation feature in debug mode	5
3.1	Enable LDB mode on device	5
3.2	Create an application using attestation service	5
3.3	Install an application on device, then update Client Credentials using hpktool	6
4	Attestation Sample on a device.....	7
5	Legal notice	8
6	Support.....	9

1 Introduction

This document provides information for Attestation feature and Attestation Sample.


1.1 Document conventions

The following conventions are used throughout this document to define, describe, and discuss the API: function prototypes, data structure definitions, enumerated constants.

- **Name** – Bold signifies item names such as button names and menu items.
- <name> – Angle brackets mark URLs.
- {value} – Curly braces represent values to be replaced.
- Identifiers for defined constants use all UPPERCASE letters.
- *Name* – Italicized type refers to formal function parameters, data structure types and fields, and other defined or enumerated types in the text body (for example, *streamtype*).
- Numbers are in decimal format unless otherwise noted.
- Name - Monospaced type is used for code fragments, function prototypes and data type definitions.
- Function names are usually accompanied by parentheses (for example, `function()`).

2 Attestation

Workpath supports HP App Attestation feature which is integrated with hp.io, App center and eco-system for providing secured architecture in the application. "Secured" architecture includes removing credentials like password from application sources. Key concept of attestation is HP Token Proxy delegates the request to the target service instead of application, so application doesn't need to keep any secret inside. This service has the dependency with HP systems, so application should request the integration to eco-systems to join HP App Attestation feature.



3 Test attestation feature in debug mode

3.1 Enable LDB mode on device

HP Token Proxy is working after finishing V&V of an application through HPCC, hence Workpath provides debugging environment with LDB mode for the purpose of test.

3.2 Create an application using attestation service

SDK provides API to retrieve app token for calling attestation service. Sample shows how to call method.

```
1. @Override
2. protected AppToken doInBackground(Void... voids) {
3.     try {
4.         AppToken appToken = AttestationService.getAppToken(mContextRef.get(), result);
5.         return appToken;
6.     } catch (Exception e) {
7.         mException = e;
8.     }
9.     return null;
10. }
```

Calling API in GetAppTokenTask.java

3.3 Install an application on device, then update Client Credentials using hpktool

Client credentials should be registered when requesting V&V to HPCC. But, for debugging and testing, application can use any client_id and secret. The response from HP Token Proxy includes client_id and secret. This step is required for test purpose.

HPK Tool (Version 1.6.3) - HPK spec 1.5.0 (Schema v2.6)

File Actions Help

This page is for updating client credentials for supporting App Attestation Debug Flow.

HPK File Select File

UUID

Host

User Name

LDB Service Key

Client credentials

```
[
{
  "client_id": "",
  "client_secret": ""
}
```


Command Location Select Folder Clear

Update

Updating credentials for debugging using hpktool

4 Attestation Sample on a device

Attestation Sample shows to retrieve app token in debug mode.



An Attestation Sample

5 Legal notice

The information contained in this documentation is subject to change without notice.

HP Inc. makes no warranty of any kind with regard to this material, including, but not limited to, the implied warranties of merchantability and fitness for a particular purpose. HP Inc. shall not be liable for errors contained herein or for incidental or consequential damages in connection with the furnishing, performance, or use of this material.

This document contains proprietary information that is protected by copyright. All rights are reserved. No part of this documentation may be transformed, reproduced, or translated to another language without prior.

© Copyright 2018 HP Development Company, L.P.

6 Support

The HP Solution Business Program (SBP) support staff has established a procedure for submitting technical problems to the Incident Call Center (ICC). All SBP members must be registered with the Solution Programs Portal (SPP) to access technical support and other feedback or reporting activities.

Log on to the portal at <<http://www.hp.com/go/solutions>> to submit your issue to technical support. After you submit the issue, a report will be generated for the Incident Call Center. A Technical Support representative will be assigned to validate the incident and to work on a fix. HP will contact you for further information regarding the incident as quickly as possible.