



Workpath SDK Mass Storage Overview

Product Group: HP Workpath SDK

Version: 1.6.3

Revised: November 11, 2025

HP Inc.
11311 Chinden Blvd.
Boise, ID 83714 USA

HP Confidential

Table of Contents

1	Introduction	3
1.1	Document conventions	3
2	Mass storage	4
2.1	Mass storage types	4
2.1.1	USB	4
2.1.2	HDD.....	4
3	CustomerDataFile	5
4	Mass Storage Sample on a device	6
5	Getting a mass storage event	7
6	Mass storage for Scan, Print	8
6.1	Scan	9
6.2	Print.....	10
7	Legal notice	11
8	Support.....	12

1 Introduction

This document provides the information how to interact with mass storage in Workpath.

1.1 Document conventions

The following conventions are used throughout this document to define, describe, and discuss the API: function prototypes, data structure definitions, enumerated constants.

- **Name** – Bold signifies item names such as button names and menu items.
- <name> – Angle brackets mark URLs.
- {value} – Curly braces represent values to be replaced.
- Identifiers for defined constants use all UPPERCASE letters.
- *Name* – Italicized type refers to formal function parameters, data structure types and fields, and other defined or enumerated types in the text body (for example, *streamtype*).
- Numbers are in decimal format unless otherwise noted.
- Name - Monospaced type is used for code fragments, function prototypes and data type definitions.
- Function names are usually accompanied by parentheses (for example, `function()`).

2 Mass storage

Workpath SDK defines API in `com.hp.workpath.api.massstorage` package that can be called by Workpath enabled devices to retrieve mass storage information such as USB.

2.1 Mass storage types

Mass storage provides "StorageType" enums to get available storage of the access by application. Since Workpath SDK v1.3, USB storage has been supported.

2.1.1 USB

When USB is attached on a device, application can retrieve attached USB details such as drive name, path and protocol information using `MassStorageService.getStorageList()` API.

NOTE: USB 3.0 is not shown in the list of storage because it's not supported on device.

2.1.2 HDD

When HDD is installed on a device, application can retrieve HDD details such as drive name, path, and protocol information using `MassStorageService.getStorageList()` API. It recommends using Workpath SDK v1.6.2.

3 CustomerDataFile

To read, write and retrieve files from USB or HDD, Workpath SDK provides "CustomerDataFile" class from SDK 1.6. In the case of HDD, Application's file is stored in sandboxed storage, and it's deleted by uninstallation or deletion of customer data partition.

Constructors

Constructor and Description

`CustomerDataFile(android.content.Context context, MassStorageInfo storageInfo, java.lang.String pathname)`
Creates a new CustomerDataFile instance from pathname

Method Summary

All Methods


Instance Methods

Concrete Methods

Modifier and Type	Method and Description
boolean	<code>createNewFile()</code> Atomically creates a new, empty file named by this pathname.
boolean	<code>delete()</code> Deletes the file or directory.
boolean	<code>exists()</code> Returns true if the file or the directory by pathname exists.
java.lang.String	<code>getName()</code> Returns the name of the file or directory.
java.lang.String	<code>getPackageName()</code> Returns the package path for accessing the storage.
CustomerDataFile	<code>getParentFile()</code> Returns the CustomerDataFile of this pathname's parent.
java.lang.String	<code>getPath()</code> Returns the pathname string of the file or directory.
MassStorageInfo	<code>getStorageInfo()</code> Returns the Storage information of the file or directory denoted by pathname.
boolean	<code>isDirectory()</code> Returns true if the file by pathname is a directory.
boolean	<code>isFile()</code> Returns true if the file by pathname is a file.

4 Mass Storage Sample on a device

Mass Storage Sample shows how to get storage list and read/write a file using SDK API.



A page of Mass storage sample

5 Getting a mass storage event

When mass storage is attached or removed on a device, Workpath SDK sends an event to application. Application can get it using observer implementation.

```
1. /**
2.  * Receives notification about mass storage state update.
3.  */
4. private class MassStorageChangeObserver extends MassStorageService.AbstractMassStorageC
   hangeObserver {
5.     public MassStorageChangeObserver(Handler handler) {
6.         super(handler);
7.     }
8.
9.     @Override
10.    public void onChange() {
11.        Log.d(TAG, "Received onChange");
12.        showRetrieveDialog();
13.    }
14. }
```

An event of mass storage

6 Mass storage for Scan, Print

Application can send a document to mass storage or retrieve a document from mass storage. Workpath SDK provides to retrieve storage information as follows:

```
1. @Override
2. protected List<MassStorageInfo> doInBackground(Void... voids) {
3.     return MassStorageService.getStorageList(mContextRef.get(), result);
4. }
```

Retrieving USB information from mass storage API

6.1 Scan

Scan provides `ScanAttributes.UsbBuilder` to send scanned documents to USB. `ScanSample` shows sample codes to integrate the feature as follows:

```
1. case USB:
2.     final String usbLocation = mPrefs.getString(ScanConfigureFragment.PREF_USB_LOCATION
3.         , "");
4.     return new ScanAttributes.UsbBuilder(usbLocation)
5.         .setColorMode(cm)
6.         .setDuplex(du)
7.         .setDocumentFormat(df)
8.         .setScanSize(ss)
9.         .setResolution(resolution)
10.        .setOrientation(orientation)
11.        .setScanPreview(scanPreview)
12.        .setBackgroundCleanup(backgroundCleanup)
13.        .setContrastAdjustment(contrastAdjustment)
14.        .setDarknessAdjustment(darknessAdjustment)
15.        .setBlankImageRemovalMode(blankImageRemovalMode)
16.        .setColorDropoutMode(colorDropoutMode)
17.        .setCropMode(cropMode)
18.        .setProgressDialogMode(progressDialogMode)
19.        .setOutputQuality(outputQuality)
20.        .setTransmissionMode(transmissionMode)
21.        .setJobAssemblyMode(jobAssemblyMode)
22.        .setFileOptionsAttributes(fileOptionsAttributes)
23.        .setFileName(filename)
24.        .build(capabilities);
```

Storing a scanned document to USB

6.2 Print

Print provides `PrintAttributes.PrintFromUsbBuilder` to print from USB. `PrintSample` includes sample codes and guide.

```
1. } else if (source == PrintAttributes.Source.USB) {
2.     String filePath = mPrefs.getString(PrintConfigureFragment.PREF_USB_FILENAME, "");
3.
4.     Log.i(TAG, "Selected usb file: " + filePath);
5.
6.     // building with common print attributes set
7.     attributes = new PrintAttributes.PrintFromUsbBuilder(filePath)
8.         .setCollateMode(collateMode)
9.         .setColorMode(cm)
10.        .setDuplex(duplex)
11.        .setAutoFit(af)
12.        .setStapleMode(sm)
13.        .setPaperSource(psrc)
14.        .setPaperSize(psz)
15.        .setDocumentFormat(dfmt)
16.        .setCopies(copies)
17.        .setJobName(jobName)
18.        .build(caps);
```

Printing a document from USB

7 Legal notice

The information contained in this documentation is subject to change without notice.

HP Inc. makes no warranty of any kind with regard to this material, including, but not limited to, the implied warranties of merchantability and fitness for a particular purpose. HP Inc. shall not be liable for errors contained herein or for incidental or consequential damages in connection with the furnishing, performance, or use of this material.

This document contains proprietary information that is protected by copyright. All rights are reserved. No part of this documentation may be transformed, reproduced, or translated to another language without prior.

© Copyright 2018 HP Development Company, L.P.

8 Support

The HP Solution Business Program (SBP) support staff has established a procedure for submitting technical problems to the Incident Call Center (ICC). All SBP members must be registered with the Solution Programs Portal (SPP) to access technical support and other feedback or reporting activities.

Log on to the portal at <<http://www.hp.com/go/solutions>> to submit your issue to technical support. After you submit the issue, a report will be generated for the Incident Call Center. A Technical Support representative will be assigned to validate the incident and to work on a fix. HP will contact you for further information regarding the incident as quickly as possible.