



Workpath SDK Scan Options

Product Group: HP Workpath SDK

Version: 1.6.3

Revised: November 11, 2025

HP Inc.
11311 Chinden Blvd.
Boise, ID 83714 USA

HP Confidential

Table of Contents

1 **Create Multiple Files3**

2 **Erase Edges4**

3 **CaptureMode5**

4 **CropMode6**

5 **Auto Rotate7**

6 **Automatic Tone8**

7 **Automatically Straighten (deskew)9**

8 **HTTP Server setting10**



9 **Legal notice14**

10 **Support.....15**

1 Create Multiple Files

: Split Attachment by Page & Max Pages Per Attachment

Destination	Omni Supported	Workpath Supported
Scan to Job Storage	X	0
Scan to HTTP	-	0
Scan to FTP	-	0
Scan to Network Folder	0	0
Scan to Email	0	0
Scan to USB Drive	0	0



2 Erase Edges

: Erase Back Margin, Erase Front Margin

<i>Destination</i>	<i>Omni</i>	<i>Workpath</i>
	<i>Supported</i>	<i>Supported</i>
Scan to Job Storage	0	0
Scan to HTTP	-	0
Scan to FTP	-	0
Scan to Network Folder	0	0
Scan to Email	0	0
Scan to USB Drive	0	0



Normal case



Erase edges
Top, Left, Right, Bottom: 2 inch

3 CaptureMode

<i>Destination</i>	<i>Omni</i>	<i>Workpath</i>
	<i>Supported</i>	<i>Supported</i>
<i>Scan to Job Storage</i>	0	0
<i>Scan to HTTP</i>	-	0
<i>Scan to FTP</i>	-	0
<i>Scan to Network Folder</i>	0	0
<i>Scan to Email</i>	0	0
<i>Scan to USB Drive</i>	0	0

<i>Scan Mode Feature</i>	<i>Omni</i>	<i>Workpath</i>
	<i>Supported</i>	<i>Supported</i>
<i>STANDARD</i>	0	0
<i>STANDARD_ADD_PAGES</i>	-	0
<i>BOOK_CAPTURE</i>	0	0
<i>ID_CAPTURE_PROMPT_BOTH_SIDES</i>	0	0
<i>ID_CAPTURE_PROMPT_BACK_SIDE_ONLY</i>	0	0

4 CropMode

<i>Destination</i>	<i>Omni</i>	<i>Workpath</i>
	<i>Supported</i>	<i>Supported</i>
Scan to Job Storage	0	0
Scan to HTTP	-	0
Scan to FTP	-	0
Scan to Network Folder	0	0
Scan to Email	0	0
Scan to USB Drive	0	0

<i>Feature</i>	<i>Omni</i>	<i>Workpath</i>
	<i>Supported</i>	<i>Supported</i>
OFF (DO_NOT_CROP)	0	0
ON (CROP_TO_CONTENT)	0	0
CROP_TO_PAPER (Flow model only)	0	0



A4, Crop to content



A4, Crop to paper, Original

5 Auto Rotate


<i>Destination</i>	<i>Omni</i>	<i>Workpath</i>
	<i>Supported</i>	<i>Supported</i>
<i>Scan to Job Storage</i>	0	0
<i>Scan to HTTP</i>	-	0
<i>Scan to FTP</i>	-	0
<i>Scan to Network Folder</i>	0	0
<i>Scan to Email</i>	0	0
<i>Scan to USB Drive</i>	0	0

<i>Feature</i>	<i>Omni</i>	<i>Workpath</i>
	<i>Supported</i>	<i>Supported</i>
<i>AUTO_DETECT (Flow only)</i>	0	0
<i>PORTRAIT</i>	0	0
<i>LANDSCAPE</i>	0	0

6 Automatic Tone

<i>Destination</i>	<i>Omni</i>	<i>Workpath</i>
	<i>Supported</i>	<i>Supported</i>
<i>Scan to Job Storage</i>	0	0
<i>Scan to HTTP</i>	-	0
<i>Scan to FTP</i>	-	0
<i>Scan to Network Folder</i>	0	0
<i>Scan to Email</i>	0	0
<i>Scan to USB Drive</i>	0	0

<i>Feature</i>	<i>Omni</i>	<i>Workpath</i>
	<i>Supported</i>	<i>Supported</i>
<i>DISABLE</i>	0	0
<i>ENABLE (Flow model only)</i>	0	0



AutomaticToneMode : Off



AutomaticToneMode : On


7 Automatically Straighten (deskew)

Destination	Omni	Workpath
	Supported	Supported
Scan to Job Storage	0	0
Scan to HTTP	-	0
Scan to FTP	-	0
Scan to Network Folder	0	0
Scan to Email	0	0
Scan to USB Drive	0	0

Feature	Omni	Workpath
	Supported	Supported
DISABLE	0	0
ENABLE (Flow model only)	0	0



Put paper in ADF like this



OFF



ON

8 HTTP Server setting

There is a Scan to HTTP option in the destination settings.
This option allows sending the scanned files to an HTTP server.
To receive the files, an HTTP server is required.
Here is an example of how to set up an HTTP server.

There are various ways to build an HTTP server.
This example will provide a step-by-step guide to deploying a Java web application on an Apache Tomcat.

Step 1. Install Apache Tomcat (<https://tomcat.apache.org/whichversion.html>)

Step 2. Create a Java web application and create a new Apache server using installed Apache Tomcat.

Step 3. Input servlet information in web.xml
(This is an example.)

```
1. <servlet>
2.     <servlet-name>fileUploadHandler</servlet-name>
3.     <servlet-class>sdk.FileUploader</servlet-class>
4. </servlet>
5.
6. <servlet-mapping>
7.     <servlet-name>fileUploadHandler</servlet-name>
8.     <url-pattern>/file/*</url-pattern>
9. </servlet-mapping>
```

Step 4. Add a section for receiving and saving files through the POST method.
(This is an example of HTTP file uploader)

```
1. @WebServlet(name="fileUploadHandler",urlPatterns={"/file"})
2.
3. public class FileUploader extends HttpServlet {
4.
5.     private static final long serialVersionUID = 1L;
6.     final static String PATH = "D:/HTTPTest/";
7.
8.     /**
9.      * @see HttpServlet#HttpServlet()
10.    */
11.    public FileUploader() {
12.        super();
13.    }
14.
15.    /**
16.     * @see HttpServlet#doPost(HttpServletRequest request, HttpServletResponse
17.     response)
18.    */
```

```

19. protected void doPos(HttpServletRequest request, HttpServletResponse
    response) throws ServletException, IOException {
20.
21.     String file_name = null;
22.     response.setContentType("text/html");
23.     PrintWriter out = response.getWriter();
24.     boolean isMultipartContent =
ServletFileUpload.isMultipartContent(request);
25.     if (!isMultipartContent) {
26.         response.setStatus(400);
27.         return;
28.     }
29.
30.     FileItemFactory factory = new DiskFileItemFactory();
31.     ServletFileUpload upload = new ServletFileUpload(factory);
32.     try {
33.         List<FileItem> fields = upload.parseRequest(request);
34.         Iterator<FileItem> it = fields.iterator();
35.         if (!it.hasNext()) {
36.             return;
37.         } while (it.hasNext()) {
38.             FileItem fileItem = it.next();
39.             boolean isFormField = fileItem.isFormField();
40.             if (isFormField) {
41.                 if (file_name == null) {
42.                     if (fileItem.getFieldName().equals("file")) {
43.                         file_name = fileItem.getString();
44.                     }
45.                 }
46.             } else {
47.                 if (fileItem.getSize() > 0) {
48.                     File file = new File(fileItem.getName());
49.                     file_name = file.getName();
50.                     File desFile = new File(PATH + file_name);
51.                     if (desFile.exists()) {
52.                         desFile.delete();
53.                     }
54.                     fileItem.write(desFile);
55.                 }
56.             }
57.         }
58.     } catch (Exception e) {
59.         response.setStatus(503);
60.         e.printStackTrace();
61.     } finally {
62.         out.close();
63.     }
64. }

```

Step 5. Upload scan file using Scan Sample

URL: http://{server_address}/file

Server address and port can be different with each environment. Please check it.

Scan To HTTP Attributes**Destination URL**

`http://192.168.1.100:8080/HTTPpages/file`

Example) This is an example of HTTP Scan job metadata (Jpeg, 2 image job)

```

Content-Type: multipart/form-data; boundary=-----9b6e80d6f830

-----9b6e80d6f830

Content-Disposition: form-data; name="ScanFileCount"
Content-Type: text/plain; charset=utf-8
2

-----9b6e80d6f830

Content-Disposition: form-data; name="ScanJobId"
Content-Type: text/plain; charset=utf-8

8c49f073-d7f5-4d90-b206-c869236f055c

-----9b6e80d6f830

Content-Disposition: form-data; name="ServerContextId"
Content-Type: text/plain; charset=utf-8

-----9b6e80d6f830

Content-Disposition: form-data; name="TransmittingState"
Content-Type: text/plain; charset=utf-8

Completed

-----9b6e80d6f830

Content-Disposition: form-data; name="ScanData000"; filename="scan-01.jpg"
Content-Type: image/jpeg

..... Scan image 1 data .....

-----9b6e80d6f830

Content-Disposition: form-data; name="ScanData001"; filename="scan-02.jpg"
Content-Type: image/jpeg

..... Scan image 2 data .....

-----9b6e80d6f830

Content-Disposition: form-data; name="MetadataFile"; filename="mymetadadatafile.xml"
Content-Type: text/plain; charset=utf-8

..... metadata file .....

-----9b6e80d6f830--

```

9 Legal notice

The information contained in this documentation is subject to change without notice.

HP Inc. makes no warranty of any kind with regard to this material, including, but not limited to, the implied warranties of merchantability and fitness for a particular purpose. HP Inc. shall not be liable for errors contained herein or for incidental or consequential damages in connection with the furnishing, performance, or use of this material.

This document contains proprietary information that is protected by copyright. All rights are reserved. No part of this documentation may be transformed, reproduced, or translated to another language without prior.

© Copyright 2018 HP Development Company, L.P.

10 Support

The HP Solution Business Program (SBP) support staff has established a procedure for submitting technical problems to the Incident Call Center (ICC). All SBP members must be registered with the Solution Programs Portal (SPP) to access technical support and other feedback or reporting activities.

Log on to the portal at <<http://www.hp.com/go/solutions>> to submit your issue to technical support. After you submit the issue, a report will be generated for the Incident Call Center. A Technical Support representative will be assigned to validate the incident and to work on a fix. HP will contact you for further information regarding the incident as quickly as possible.