



TAMILNADU ADVANCED TECHNICAL TRAINING INSTITUTE

Module 7: Regular Expressions

A regular expression (or RE) specifies a set of strings that matches it; the functions in this module let you check if a particular string matches a given regular expression (or if a given regular expression matches a particular string, which comes down to the same thing).

The `re`-module in Python gives full support for regular expressions of Pearl style. The `re` module raises the `re.error` exception whenever an error occurs while implementing or using a regular expression.

Regular expressions can be concatenated to form new regular expressions; if A and B are both regular expressions, then AB is also a regular expression. In general, if a string p matches A and another string q matches B , the string pq will match AB . This holds unless A or B contain low precedence operations; boundary conditions between A and B ; or have numbered group references. Thus, complex expressions can easily be constructed from simpler primitive expressions.

Regular expressions can contain both special and ordinary characters. Most ordinary characters, like '`'A'`', '`'a'`', or '`'0'`', are the simplest regular expressions; they simply match themselves. You can concatenate ordinary characters, so `last` matches the string '`'last'`'.

Repetition operators or quantifiers (`*`, `+`, `?`, `{m,n}`, etc) cannot be directly nested. This avoids ambiguity with the non-greedy modifier suffix `?`, and with other modifiers in other implementations. To apply a second repetition to an inner repetition, parentheses may be used. For example, the expression `(?:a{6})*` matches any multiple of six `'a'` characters.

Metacharacters

Every character in a Python RegEx is either a metacharacter or a regular character. A metacharacter has a special meaning, whereas a regular character matches itself.

Some of the basic metacharacters used in RegEx include:

- “`^`”

The ‘`^`’ character checks if the string starts with a particular word or character.

The ‘`$`’ character checks if the string ends with a particular word or character.



TAMILNADU ADVANCED TECHNICAL TRAINING INSTITUTE

The ‘ | ‘ character is used to check either/or condition.

The “+” matches one or more occurrences of a character in a string.

Special sequences

A special sequence is a ‘\’ symbol, followed by one of the particular characters. Some special sequences include:

The \A checks if the string starts with a particular character.

The \s sequence returns a match when the string contains white space characters.

The \d sequence checks if there are any digits in the given string.

The \Z sequence checks if the string ends with a particular word.

The \w sequence returns a match at every word character.