```
In [2]: ▶
```

```
import numpy as np
import pandas as pd
import seaborn as sns
from sklearn.model_selection import train_test_split
from sklearn.tree import DecisionTreeClassifier
```

```
In [3]:
```

```
df=pd.read_csv(r"C:\Users\G S R KARTHIK\Downloads\loan1.csv")
df
```

Out[3]:

	Home Owner	Marital Status	Annual Income	Defaulted Borrower
0	Yes	Single	125	No
1	No	Married	100	No
2	No	Single	70	No
3	Yes	Married	120	No
4	No	Divorced	95	Yes
5	No	Married	60	No
6	Yes	Divorced	220	No
7	No	Single	85	Yes
8	No	Married	75	No
9	No	Single	90	Yes

In [4]: ▶

df.info()

object

```
Data columns (total 4 columns):
#
     Column
                         Non-Null Count Dtype
     ----
     Home Owner
                                         object
 0
                         10 non-null
 1
     Marital Status
                         10 non-null
                                         object
 2
     Annual Income
                         10 non-null
                                         int64
```

Defaulted Borrower 10 non-null

<class 'pandas.core.frame.DataFrame'>

RangeIndex: 10 entries, 0 to 9

dtypes: int64(1), object(3)
memory usage: 448.0+ bytes

```
In [5]:
                                                                                           H
df['Marital Status'].value_counts()
Out[5]:
Marital Status
Single
Married
            4
            2
Divorced
Name: count, dtype: int64
In [6]:
                                                                                           H
df['Annual Income'].value_counts()
Out[6]:
Annual Income
125
       1
100
       1
70
       1
       1
120
95
       1
60
       1
220
       1
       1
85
75
       1
90
       1
Name: count, dtype: int64
In [7]:
                                                                                           H
convert={"Home Owner":{"Yes":1,"No":0}}
df=df.replace(convert)
df
```

Out[7]:

	Home Owner	Marital Status	Annual Income	Defaulted Borrower
0	1	Single	125	No
1	0	Married	100	No
2	0	Single	70	No
3	1	Married	120	No
4	0	Divorced	95	Yes
5	0	Married	60	No
6	1	Divorced	220	No
7	0	Single	85	Yes
8	0	Married	75	No
9	0	Single	90	Yes

```
In [8]: ▶
```

```
convert={"Marital Status":{"Single":1,"Married":2,"Divorced":3}}
df=df.replace(convert)
df
```

Out[8]:

	Home Owner	Marital Status	Annual Income	Defaulted Borrower
0	1	1	125	No
1	0	2	100	No
2	0	1	70	No
3	1	2	120	No
4	0	3	95	Yes
5	0	2	60	No
6	1	3	220	No
7	0	1	85	Yes
8	0	2	75	No
9	0	1	90	Yes

```
In [10]: ▶
```

```
x=["Home Owner","Marital Status","Annual Income"]
y=["Yes","No"]
all_inputs=df[x]
all_classes=df["Defaulted Borrower"]
```

```
In [12]: ▶
```

```
x_train,x_test,y_train,y_test=train_test_split(all_inputs,all_classes,test_size=0.3)
clf=DecisionTreeClassifier(random_state=0)
clf.fit(x_train,y_train)
```

Out[12]:

```
▼ DecisionTreeClassifier
DecisionTreeClassifier(random_state=0)
```

```
In [13]: ▶
```

```
score=clf.score(x_test,y_test)
print(score)
```

1.0

In []:	H