
Docker Desktop
Upgrade plan
Search
Ctrl+K
satya...
Containers
Images
Volumes
Dev Environments
BETA
Extensions
Add Extensions
docker-elk-main-curator-1
docker-elk-main-curator
EXITED (143)
Logs
Inspect
Terminal
Stats
2023-02-27 14:09:23 crond: crond (busybox 1.35.0) started, log level 8
2023-02-27 14:10:00 crond: USER nobody pid 8 cmd /curator/curator /.curator/delete_log_files_curator.yml
2023-02-27 14:11:00 crond: USER nobody pid 9 cmd /curator/curator /.curator/delete_log_files_curator.yml
2023-02-27 14:12:00 crond: USER nobody pid 10 cmd /curator/curator /.curator/delete_log_files_curator.yml
2023-02-27 14:13:00 crond: USER nobody pid 11 cmd /curator/curator /.curator/delete_log_files_curator.yml
2023-02-27 14:10:02 2023-02-27 08:40:02,888 INFO Preparing Action ID: 1, "delete_indices"
2023-02-27 14:10:02 2023-02-27 08:40:02,889 INFO Creating client object and testing connection
2023-02-27 14:10:02 2023-02-27 08:40:02,889 INFO Creating client object and testing connection
2023-02-27 14:10:03 2023-02-27 08:40:03,002 CRITICAL Exception encountered: Connection error caused by: ConnectionError(Connection error caused by: NewConnectionError(<urllib3.connection.HTTPConnection object at 0x7f941fc90410>: Failed to establish a new connection: [Errno 111] Connection refused))
2023-02-27 14:10:03 Unable to establish client connection to Elasticsearch!
2023-02-27 14:10:03 Exception:
2023-02-27 14:11:02 2023-02-27 08:41:02,447 INFO Preparing Action ID: 1, "delete_indices"
2023-02-27 14:11:02 2023-02-27 08:41:02,447 INFO Creating client object and testing connection
2023-02-27 14:11:02 2023-02-27 08:41:02,448 INFO Creating client object and testing connection
2023-02-27 14:11:02 2023-02-27 08:41:02,570 INFO Trying Action ID: 1, "delete_indices": Delete indices. Find which to delete by first limiting the list to logstash- prefixed indices. Then further filter those to prevent deletion of anything less than the number of days specified by unit_count. Ignore the error if the filter does not result in an actionable list of indices (ignore_empty_list) and exit cleanly.
2023-02-27 14:11:02 2023-02-27 08:41:02,605 INFO Skipping action "delete_indices" due to empty list: <class 'curator.exceptions.NoIndices'>
2023-02-27 14:11:02 2023-02-27 08:41:02,609 INFO Action ID: 1, "delete_indices" completed.
2023-02-27 14:11:02 2023-02-27 08:41:02,622 INFO All actions completed.
2023-02-27 14:12:00 2023-02-27 08:42:00,873 INFO Preparing Action ID: 1, "delete_indices"
2023-02-27 14:12:00 2023-02-27 08:42:00,873 INFO Creating client object and testing connection
2023-02-27 14:12:00 2023-02-27 08:42:00,873 INFO Creating client object and testing connection
2023-02-27 14:12:00 2023-02-27 08:42:00,900 INFO Trying Action ID: 1, "delete_indices": Delete indices. Find which to delete by first limiting the list to logstash- prefixed indices. Then further filter those to prevent deletion of anything less than the number of days specified by unit_count. Ignore the error if the filter does not result in an actionable list of indices (ignore_empty_list) and exit cleanly.
2023-02-27 14:12:00 2023-02-27 08:42:00,911 INFO Skipping action "delete_indices" due to empty list: <class 'curator.exceptions.NoIndices'>
2023-02-27 14:12:00 2023-02-27 08:42:00,911 INFO Action ID: 1, "delete_indices" completed.
2023-02-27 14:12:00 2023-02-27 08:42:00,911 INFO All actions completed.
2023-02-27 14:13:01 2023-02-27 08:43:01,126 INFO Preparing Action ID: 1, "delete_indices"
2023-02-27 14:13:01 2023-02-27 08:43:01,126 INFO Creating client object and testing connection
RAM 7.25 GB CPU 1.37%
Connected to Hub
v4.16.3
Type here to search
ENG
13:22
28-02-2023


Docker Desktop
Upgrade plan
Search
Ctrl+K
satya...
Containers
Images
Volumes
Dev Environments
BETA
Extensions
Add Extensions
docker-elk-main-curator-1
docker-elk-main-curator
EXITED (143)
Logs
Inspect
Terminal
Stats
fied by unit_count. Ignore the error if the filter does not result in an actionable list of indices (ignore_empty_lis
2023-02-27 14:14:00 2023-02-27 08:44:00,894 INFO Skipping action "delete_indices" due to empty list: <class 'cur
es'>
2023-02-27 14:14:00 2023-02-27 08:44:00,895 INFO Action ID: 1, "delete_indices" completed.
2023-02-27 14:14:00 2023-02-27 08:44:00,895 INFO All actions completed.
2023-02-27 14:15:01 2023-02-27 08:45:01,110 INFO Preparing Action ID: 1, "delete_indices"
2023-02-27 14:15:01 2023-02-27 08:45:01,110 INFO Creating client object and testing connection
2023-02-27 14:15:01 2023-02-27 08:45:01,110 INFO Creating client object and testing connection
2023-02-27 14:15:01 2023-02-27 08:45:01,145 INFO Trying Action ID: 1, "delete_indices": Delete indices. Find which to delete by first l
imiting the list to logstash- prefixed indices. Then further filter those to prevent deletion of anything less than the number of days speci
fied by unit_count. Ignore the error if the filter does not result in an actionable list of indices (ignore_empty_list) and exit cleanly.
2023-02-27 14:15:01 2023-02-27 08:45:01,157 INFO Skipping action "delete_indices" due to empty list: <class 'curator.exceptions.NoIndic
es'>
2023-02-27 14:15:01 2023-02-27 08:45:01,161 INFO Action ID: 1, "delete_indices" completed.
2023-02-27 14:15:01 2023-02-27 08:45:01,161 INFO All actions completed.
2023-02-27 14:16:00 2023-02-27 08:46:00,841 INFO Preparing Action ID: 1, "delete_indices"
2023-02-27 14:16:00 2023-02-27 08:46:00,841 INFO Creating client object and testing connection
2023-02-27 14:16:00 2023-02-27 08:46:00,841 INFO Creating client object and testing connection
2023-02-27 14:16:00 2023-02-27 08:46:00,868 INFO Trying Action ID: 1, "delete_indices": Delete indices. Find which to delete by first l
imiting the list to logstash- prefixed indices. Then further filter those to prevent deletion of anything less than the number of days speci
fied by unit_count. Ignore the error if the filter does not result in an actionable list of indices (ignore_empty_list) and exit cleanly.
2023-02-27 14:16:00 2023-02-27 08:46:00,878 INFO Skipping action "delete_indices" due to empty list: <class 'curator.exceptions.NoIndic
es'>
2023-02-27 14:16:00 2023-02-27 08:46:00,878 INFO Action ID: 1, "delete_indices" completed.
2023-02-27 14:16:00 2023-02-27 08:46:00,878 INFO All actions completed.
2023-02-27 14:17:03 2023-02-27 08:47:03,653 INFO Preparing Action ID: 1, "delete_indices"
2023-02-27 14:17:03 2023-02-27 08:47:03,654 INFO Creating client object and testing connection
2023-02-27 14:17:03 2023-02-27 08:47:03,654 INFO Creating client object and testing connection
2023-02-27 14:14:00 crond: USER nobody pid 12 cmd /curator/curator /.curator/delete_log_files_curator.yml
2023-02-27 14:15:00 crond: USER nobody pid 13 cmd /curator/curator /.curator/delete_log_files_curator.yml
2023-02-27 14:15:00 crond: USER root pid 14 cmd run-parts /etc/periodic/15min
2023-02-27 14:16:00 crond: USER nobody pid 15 cmd /curator/curator /.curator/delete_log_files_curator.yml
2023-02-27 14:17:00 crond: USER nobody pid 22 cmd /curator/curator /.curator/delete_log_files_curator.yml
2023-02-27 14:17:03 2023-02-27 08:47:03,717 INFO Trying Action ID: 1, "delete_indices": Delete indices. Find which to delete by first l
imiting the list to logstash- prefixed indices. Then further filter those to prevent deletion of anything less than the number of days speci
RAM 7.25 GB CPU 0.66%
Connected to Hub
v4.16.3
Type here to search
ENG
13:22
28-02-2023


Docker Desktop
Upgrade plan
Search
Ctrl+K
satya...
Containers
Images
Volumes
Dev Environments
BETA
Extensions
Add Extensions
docker-elk-main-curator-1
docker-elk-main-curator
EXITED (143)
Logs
Inspect
Terminal
Stats
2023-02-27 14:17:03 2023-02-27 08:47:03,731 INFO Skipping action "delete_indices" due to empty list: <class 'curator.exceptions.NoIndices'>
2023-02-27 14:17:03 2023-02-27 08:47:03,731 INFO Action ID: 1, "delete_indices" completed.
2023-02-27 14:17:03 2023-02-27 08:47:03,731 INFO All actions completed.
2023-02-27 14:18:00 2023-02-27 08:48:00,776 INFO Preparing Action ID: 1, "delete_indices"
2023-02-27 14:18:00 2023-02-27 08:48:00,777 INFO Creating client object and testing connection
2023-02-27 14:18:00 2023-02-27 08:48:00,777 INFO Creating client object and testing connection
2023-02-27 14:18:00 2023-02-27 08:48:00,807 INFO Trying Action ID: 1, "delete_indices": Delete indices. Find which to delete by first limiting the list to logstash- prefixed indices. Then further filter those to prevent deletion of anything less than the number of days specified by unit_count. Ignore the error if the filter does not result in an actionable list of indices (ignore_empty_list) and exit cleanly.
2023-02-27 14:18:00 2023-02-27 08:48:00,813 INFO Skipping action "delete_indices" due to empty list: <class 'curator.exceptions.NoIndices'>
2023-02-27 14:18:00 2023-02-27 08:48:00,813 INFO Action ID: 1, "delete_indices" completed.
2023-02-27 14:18:00 2023-02-27 08:48:00,813 INFO All actions completed.
2023-02-27 14:19:02 2023-02-27 08:49:02,091 INFO Preparing Action ID: 1, "delete_indices"
2023-02-27 14:19:02 2023-02-27 08:49:02,091 INFO Creating client object and testing connection
2023-02-27 14:19:02 2023-02-27 08:49:02,096 INFO Creating client object and testing connection
2023-02-27 14:19:02 2023-02-27 08:49:02,144 INFO Trying Action ID: 1, "delete_indices": Delete indices. Find which to delete by first limiting the list to logstash- prefixed indices. Then further filter those to prevent deletion of anything less than the number of days specified by unit_count. Ignore the error if the filter does not result in an actionable list of indices (ignore_empty_list) and exit cleanly.
2023-02-27 14:19:02 2023-02-27 08:49:02,161 INFO Skipping action "delete_indices" due to empty list: <class 'curator.exceptions.NoIndices'>
2023-02-27 14:19:02 2023-02-27 08:49:02,162 INFO Action ID: 1, "delete_indices" completed.
2023-02-27 14:19:02 2023-02-27 08:49:02,162 INFO All actions completed.
2023-02-27 14:20:00 2023-02-27 08:50:00,926 INFO Preparing Action ID: 1, "delete_indices"
2023-02-27 14:20:00 2023-02-27 08:50:00,927 INFO Creating client object and testing connection
2023-02-27 14:20:00 2023-02-27 08:50:00,927 INFO Creating client object and testing connection
2023-02-27 14:20:00 2023-02-27 08:50:00,951 INFO Trying Action ID: 1, "delete_indices": Delete indices. Find which to delete by first limiting the list to logstash- prefixed indices. Then further filter those to prevent deletion of anything less than the number of days specified by unit_count. Ignore the error if the filter does not result in an actionable list of indices (ignore_empty_list) and exit cleanly.
2023-02-27 14:20:00 2023-02-27 08:50:00,959 INFO Skipping action "delete_indices" due to empty list: <class 'curator.exceptions.NoIndices'>
2023-02-27 14:20:00 2023-02-27 08:50:00,959 INFO Action ID: 1, "delete_indices" completed.
2023-02-27 14:20:00 2023-02-27 08:50:00,959 INFO All actions completed.
2023-02-27 14:21:00 2023-02-27 08:51:00,807 INFO Preparing Action ID: 1, "delete_indices"
RAM 7.25 GB CPU 0.11%
Connected to Hub
v4.16.3
Type here to search
ENG
13:22
28-02-2023


Docker Desktop
Upgrade plan
Search
Ctrl+K
satya...
Containers
Images
Volumes
Dev Environments
BETA
Extensions
Add Extensions
docker-elk-main-curator-1
docker-elk-main-curator
EXITED (143)
Logs
Inspect
Terminal
Stats
2023-02-27 14:24:00 2023-02-27 08:54:00,886 INFO Trying Action ID: 1, "delete_indices": Delete indices. Find which to delete by first limiting the list to logstash- prefixed indices. Then further filter those to prevent deletion of anything less than the number of days specified by unit_count. Ignore the error if the filter does not result in an actionable list of indices (ignore_empty_list) and exit cleanly.
2023-02-27 14:24:00 2023-02-27 08:54:00,892 INFO Skipping action "delete_indices" due to empty list: <class 'curator.exceptions.NoIndices'>
2023-02-27 14:24:00 2023-02-27 08:54:00,892 INFO Action ID: 1, "delete_indices" completed.
2023-02-27 14:24:00 2023-02-27 08:54:00,892 INFO All actions completed.
2023-02-27 14:25:00 2023-02-27 08:55:00,857 INFO Preparing Action ID: 1, "delete_indices"
2023-02-27 14:25:00 2023-02-27 08:55:00,857 INFO Creating client object and testing connection
2023-02-27 14:25:00 2023-02-27 08:55:00,858 INFO Creating client object and testing connection
2023-02-27 14:25:00 2023-02-27 08:55:00,878 INFO Trying Action ID: 1, "delete_indices": Delete indices. Find which to delete by first limiting the list to logstash- prefixed indices. Then further filter those to prevent deletion of anything less than the number of days specified by unit_count. Ignore the error if the filter does not result in an actionable list of indices (ignore_empty_list) and exit cleanly.
2023-02-27 14:25:00 2023-02-27 08:55:00,883 INFO Skipping action "delete_indices" due to empty list: <class 'curator.exceptions.NoIndices'>
2023-02-27 14:25:00 2023-02-27 08:55:00,883 INFO Action ID: 1, "delete_indices" completed.
2023-02-27 14:25:00 2023-02-27 08:55:00,883 INFO All actions completed.
2023-02-27 14:18:00 crond: USER nobody pid 23 cmd /curator/curator /.curator/delete_log_files_curator.yml
2023-02-27 14:19:00 crond: USER nobody pid 24 cmd /curator/curator /.curator/delete_log_files_curator.yml
2023-02-27 14:20:00 crond: USER nobody pid 25 cmd /curator/curator /.curator/delete_log_files_curator.yml
2023-02-27 14:21:00 crond: USER nobody pid 26 cmd /curator/curator /.curator/delete_log_files_curator.yml
2023-02-27 14:22:00 crond: USER nobody pid 27 cmd /curator/curator /.curator/delete_log_files_curator.yml
2023-02-27 14:23:00 crond: USER nobody pid 28 cmd /curator/curator /.curator/delete_log_files_curator.yml
2023-02-27 14:24:00 crond: USER nobody pid 29 cmd /curator/curator /.curator/delete_log_files_curator.yml
2023-02-27 14:25:00 crond: USER nobody pid 30 cmd /curator/curator /.curator/delete_log_files_curator.yml
2023-02-27 14:26:00 crond: USER nobody pid 31 cmd /curator/curator /.curator/delete_log_files_curator.yml
2023-02-27 14:26:00 2023-02-27 08:56:00,986 INFO Preparing Action ID: 1, "delete_indices"
2023-02-27 14:26:00 2023-02-27 08:56:00,986 INFO Creating client object and testing connection
2023-02-27 14:26:00 2023-02-27 08:56:00,987 INFO Creating client object and testing connection
2023-02-27 14:26:01 2023-02-27 08:56:01,014 INFO Trying Action ID: 1, "delete_indices": Delete indices. Find which to delete by first limiting the list to logstash- prefixed indices. Then further filter those to prevent deletion of anything less than the number of days specified by unit_count. Ignore the error if the filter does not result in an actionable list of indices (ignore_empty_list) and exit cleanly.
2023-02-27 14:26:01 2023-02-27 08:56:01,019 INFO Skipping action "delete_indices" due to empty list: <class 'curator.exceptions.NoIndices'>
2023-02-27 14:26:01 2023-02-27 08:56:01,019 INFO Action ID: 1, "delete_indices" completed.
RAM 7.25 GB CPU 0.95%
Connected to Hub
v4.16.3
Type here to search
ENG
13:22
28-02-2023


Docker Desktop
Upgrade plan
Search
Ctrl+K
satya...
Containers
Images
Volumes
Dev Environments
BETA
Extensions
Add Extensions
docker-elk-main-curator-1
docker-elk-main-curator
EXITED (143)
Logs
Inspect
Terminal
Stats
2023-02-27 14:27:00 2023-02-27 08:57:00,908 INFO All actions completed.
2023-02-27 14:28:00 2023-02-27 08:58:00,950 INFO Preparing Action ID: 1, "delete_indices"
2023-02-27 14:28:00 2023-02-27 08:58:00,950 INFO Creating client object and testing connection
2023-02-27 14:28:00 2023-02-27 08:58:00,951 INFO Creating client object and testing connection
2023-02-27 14:28:00 2023-02-27 08:58:00,985 INFO Trying Action ID: 1, "delete_indices": Delete indices. Find which to delete by first limiting the list to logstash- prefixed indices. Then further filter those to prevent deletion of anything less than the number of days specified by unit_count. Ignore the error if the filter does not result in an actionable list of indices (ignore_empty_list) and exit cleanly.
2023-02-27 14:28:00 2023-02-27 08:58:00,990 INFO Skipping action "delete_indices" due to empty list: <class 'curator.exceptions.NoIndices'>
2023-02-27 14:28:00 2023-02-27 08:58:00,990 INFO Action ID: 1, "delete_indices" completed.
2023-02-27 14:28:00 2023-02-27 08:58:00,990 INFO All actions completed.
2023-02-27 14:29:00 2023-02-27 08:59:00,815 INFO Preparing Action ID: 1, "delete_indices"
2023-02-27 14:29:00 2023-02-27 08:59:00,815 INFO Creating client object and testing connection
2023-02-27 14:27:00 crond: USER nobody pid 32 cmd /curator/curator /.curator/delete_log_files_curator.yml
2023-02-27 14:28:00 crond: USER nobody pid 33 cmd /curator/curator /.curator/delete_log_files_curator.yml
2023-02-27 14:29:00 crond: USER nobody pid 34 cmd /curator/curator /.curator/delete_log_files_curator.yml
2023-02-27 14:29:00 2023-02-27 08:59:00,815 INFO Creating client object and testing connection
2023-02-27 14:29:00 2023-02-27 08:59:00,834 INFO Trying Action ID: 1, "delete_indices": Delete indices. Find which to delete by first limiting the list to logstash- prefixed indices. Then further filter those to prevent deletion of anything less than the number of days specified by unit_count. Ignore the error if the filter does not result in an actionable list of indices (ignore_empty_list) and exit cleanly.
2023-02-27 14:29:00 2023-02-27 08:59:00,838 INFO Skipping action "delete_indices" due to empty list: <class 'curator.exceptions.NoIndices'>
2023-02-27 14:29:00 2023-02-27 08:59:00,839 INFO Action ID: 1, "delete_indices" completed.
2023-02-27 14:29:00 2023-02-27 08:59:00,839 INFO All actions completed.
2023-02-27 14:30:00 crond: USER nobody pid 35 cmd /curator/curator /.curator/delete_log_files_curator.yml
2023-02-27 14:30:00 crond: USER root pid 36 cmd run-parts /etc/periodic/15min
2023-02-27 14:30:00 crond: USER root pid 37 cmd run-parts /etc/periodic/hourly
2023-02-27 14:30:00 2023-02-27 09:00:00,973 INFO Preparing Action ID: 1, "delete_indices"
2023-02-27 14:30:00 2023-02-27 09:00:00,974 INFO Creating client object and testing connection
2023-02-27 14:30:00 2023-02-27 09:00:00,974 INFO Creating client object and testing connection
2023-02-27 14:30:01 2023-02-27 09:00:01,002 INFO Trying Action ID: 1, "delete_indices": Delete indices. Find which to delete by first limiting the list to logstash- prefixed indices. Then further filter those to prevent deletion of anything less than the number of days specified by unit_count. Ignore the error if the filter does not result in an actionable list of indices (ignore_empty_list) and exit cleanly.
2023-02-27 14:30:01 2023-02-27 09:00:01,008 INFO Skipping action "delete_indices" due to empty list: <class 'curator.exceptions.NoIndices'>
RAM 7.25 GB CPU 0.67%
Connected to Hub
v4.16.3
Type here to search
ENG
13:22
28-02-2023


Docker Desktop
Upgrade plan
Search
Ctrl+K
satya...
Containers
Images
Volumes
Dev Environments
BETA
Extensions
Add Extensions
docker-elk-main-curator-1
docker-elk-main-curator
EXITED (143)
Logs
Inspect
Terminal
Stats
2023-02-27 14:33:00 2023-02-27 09:03:00,973 INFO All actions completed.
2023-02-27 14:34:00 2023-02-27 09:04:00,855 INFO Preparing Action ID: 1, "delete_indices"
2023-02-27 14:34:00 2023-02-27 09:04:00,855 INFO Creating client object and testing connection
2023-02-27 14:34:00 2023-02-27 09:04:00,855 INFO Creating client object and testing connection
2023-02-27 14:34:00 2023-02-27 09:04:00,882 INFO Trying Action ID: 1, "delete_indices": Delete indices. Find which to delete by first limiting the list to logstash- prefixed indices. Then further filter those to prevent deletion of anything less than the number of days specified by unit_count. Ignore the error if the filter does not result in an actionable list of indices (ignore_empty_list) and exit cleanly.
2023-02-27 14:34:00 2023-02-27 09:04:00,891 INFO Skipping action "delete_indices" due to empty list: <class 'curator.exceptions.NoIndices'>
2023-02-27 14:34:00 2023-02-27 09:04:00,891 INFO Action ID: 1, "delete_indices" completed.
2023-02-27 14:34:00 2023-02-27 09:04:00,891 INFO All actions completed.
2023-02-27 14:35:00 2023-02-27 09:05:00,894 INFO Preparing Action ID: 1, "delete_indices"
2023-02-27 14:35:00 2023-02-27 09:05:00,895 INFO Creating client object and testing connection
2023-02-27 14:35:00 2023-02-27 09:05:00,895 INFO Creating client object and testing connection
2023-02-27 14:35:00 2023-02-27 09:05:00,928 INFO Trying Action ID: 1, "delete_indices": Delete indices. Find which to delete by first limiting the list to logstash- prefixed indices. Then further filter those to prevent deletion of anything less than the number of days specified by unit_count. Ignore the error if the filter does not result in an actionable list of indices (ignore_empty_list) and exit cleanly.
2023-02-27 14:35:00 2023-02-27 09:05:00,942 INFO Skipping action "delete_indices" due to empty list: <class 'curator.exceptions.NoIndices'>
2023-02-27 14:35:00 2023-02-27 09:05:00,942 INFO Action ID: 1, "delete_indices" completed.
2023-02-27 14:35:00 2023-02-27 09:05:00,942 INFO All actions completed.
2023-02-27 14:36:00 2023-02-27 09:06:00,913 INFO Preparing Action ID: 1, "delete_indices"
2023-02-27 14:36:00 2023-02-27 09:06:00,914 INFO Creating client object and testing connection
2023-02-27 14:36:00 2023-02-27 09:06:00,914 INFO Creating client object and testing connection
2023-02-27 14:36:00 2023-02-27 09:06:00,942 INFO Trying Action ID: 1, "delete_indices": Delete indices. Find which to delete by first limiting the list to logstash- prefixed indices. Then further filter those to prevent deletion of anything less than the number of days specified by unit_count. Ignore the error if the filter does not result in an actionable list of indices (ignore_empty_list) and exit cleanly.
2023-02-27 14:36:00 2023-02-27 09:06:00,947 INFO Skipping action "delete_indices" due to empty list: <class 'curator.exceptions.NoIndices'>
2023-02-27 14:36:00 2023-02-27 09:06:00,948 INFO Action ID: 1, "delete_indices" completed.
2023-02-27 14:36:00 2023-02-27 09:06:00,948 INFO All actions completed.
2023-02-27 14:37:00 2023-02-27 09:07:00,902 INFO Preparing Action ID: 1, "delete_indices"
2023-02-27 14:37:00 2023-02-27 09:07:00,902 INFO Creating client object and testing connection
2023-02-27 14:37:00 2023-02-27 09:07:00,902 INFO Creating client object and testing connection
2023-02-27 14:37:00 2023-02-27 09:07:00,938 INFO Trying Action ID: 1, "delete_indices": Delete indices. Find which to delete by first l
RAM 7.25 GB CPU 0.67%
Connected to Hub
v4.16.3
Type here to search
ENG
13:22
28-02-2023


Docker Desktop
Upgrade plan
Search
Ctrl+K
satya...
Containers
Images
Volumes
Dev Environments
BETA
Extensions
Add Extensions
docker-elk-main-curator-1
docker-elk-main-curator
EXITED (143)
Logs
Inspect
Terminal
Stats
2023-02-27 14:48:00 2023-02-27 09:18:00,855 INFO Creating client object and testing connection
2023-02-27 14:48:00 2023-02-27 09:18:00,856 INFO Creating client object and testing connection
2023-02-27 14:48:00 2023-02-27 09:18:00,888 INFO Trying Action ID: 1, "delete_indices": Delete indices. Find which to delete by first limiting the list to logstash- prefixed indices. Then further filter those to prevent deletion of anything less than the number of days specified by unit_count. Ignore the error if the filter does not result in an actionable list of indices (ignore_empty_list) and exit cleanly.
2023-02-27 14:48:00 2023-02-27 09:18:00,892 INFO Skipping action "delete_indices" due to empty list: <class 'curator.exceptions.NoIndices'>
2023-02-27 14:48:00 2023-02-27 09:18:00,892 INFO Action ID: 1, "delete_indices" completed.
2023-02-27 14:48:00 2023-02-27 09:18:00,892 INFO All actions completed.
2023-02-27 14:49:00 2023-02-27 09:19:00,837 INFO Preparing Action ID: 1, "delete_indices"
2023-02-27 14:49:00 2023-02-27 09:19:00,837 INFO Creating client object and testing connection
2023-02-27 14:49:00 2023-02-27 09:19:00,837 INFO Creating client object and testing connection
2023-02-27 14:49:00 2023-02-27 09:19:00,856 INFO Trying Action ID: 1, "delete_indices": Delete indices. Find which to delete by first limiting the list to logstash- prefixed indices. Then further filter those to prevent deletion of anything less than the number of days specified by unit_count. Ignore the error if the filter does not result in an actionable list of indices (ignore_empty_list) and exit cleanly.
2023-02-27 14:49:00 2023-02-27 09:19:00,861 INFO Skipping action "delete_indices" due to empty list: <class 'curator.exceptions.NoIndices'>
2023-02-27 14:49:00 2023-02-27 09:19:00,861 INFO Action ID: 1, "delete_indices" completed.
2023-02-27 14:49:00 2023-02-27 09:19:00,862 INFO All actions completed.
2023-02-27 14:50:00 2023-02-27 09:20:00,857 INFO Preparing Action ID: 1, "delete_indices"
2023-02-27 14:50:00 2023-02-27 09:20:00,857 INFO Creating client object and testing connection
2023-02-27 14:50:00 2023-02-27 09:20:00,857 INFO Creating client object and testing connection
2023-02-27 14:46:00 crond: USER nobody pid 54 cmd /curator/curator /.curator/delete_log_files_curator.yml
2023-02-27 14:47:00 crond: USER nobody pid 55 cmd /curator/curator /.curator/delete_log_files_curator.yml
2023-02-27 14:48:00 crond: USER nobody pid 56 cmd /curator/curator /.curator/delete_log_files_curator.yml
2023-02-27 14:49:00 crond: USER nobody pid 57 cmd /curator/curator /.curator/delete_log_files_curator.yml
2023-02-27 14:50:00 crond: USER nobody pid 58 cmd /curator/curator /.curator/delete_log_files_curator.yml
2023-02-27 14:50:00 2023-02-27 09:20:00,884 INFO Trying Action ID: 1, "delete_indices": Delete indices. Find which to delete by first limiting the list to logstash- prefixed indices. Then further filter those to prevent deletion of anything less than the number of days specified by unit_count. Ignore the error if the filter does not result in an actionable list of indices (ignore_empty_list) and exit cleanly.
2023-02-27 14:50:00 2023-02-27 09:20:00,891 INFO Skipping action "delete_indices" due to empty list: <class 'curator.exceptions.NoIndices'>
2023-02-27 14:50:00 2023-02-27 09:20:00,892 INFO Action ID: 1, "delete_indices" completed.
2023-02-27 14:50:00 2023-02-27 09:20:00,892 INFO All actions completed.
2023-02-27 14:51:00 2023-02-27 09:21:00,833 INFO Preparing Action ID: 1, "delete_indices"
RAM 7.25 GB CPU 0.98%
Connected to Hub
v4.16.3
Type here to search
ENG
13:22
28-02-2023


Docker Desktop
Upgrade plan
Search
Ctrl+K
satya...
Containers
Images
Volumes
Dev Environments
BETA
Extensions
Add Extensions
docker-elk-main-curator-1
docker-elk-main-curator
EXITED (143)
Logs
Inspect
Terminal
Stats
2023-02-27 15:06:00 2023-02-27 09:36:00,901 INFO Preparing Action ID: 1, "delete_indices"
2023-02-27 15:06:00 2023-02-27 09:36:00,901 INFO Creating client object and testing connection
2023-02-27 15:06:00 2023-02-27 09:36:00,901 INFO Creating client object and testing connection
2023-02-27 15:06:00 2023-02-27 09:36:00,927 INFO Trying Action ID: 1, "delete_indices": Delete indices. Find which to delete by first limiting the list to logstash- prefixed indices. Then further filter those to prevent deletion of anything less than the number of days specified by unit_count. Ignore the error if the filter does not result in an actionable list of indices (ignore_empty_list) and exit cleanly.
2023-02-27 15:06:00 2023-02-27 09:36:00,931 INFO Skipping action "delete_indices" due to empty list: <class 'curator.exceptions.NoIndices'>
2023-02-27 15:06:00 2023-02-27 09:36:00,931 INFO Action ID: 1, "delete_indices" completed.
2023-02-27 15:06:00 2023-02-27 09:36:00,931 INFO All actions completed.
2023-02-27 15:07:00 2023-02-27 09:37:00,832 INFO Preparing Action ID: 1, "delete_indices"
2023-02-27 15:05:00 crond: USER nobody pid 74 cmd /curator/curator /.curator/delete_log_files_curator.yml
2023-02-27 15:06:00 crond: USER nobody pid 75 cmd /curator/curator /.curator/delete_log_files_curator.yml
2023-02-27 15:07:00 crond: USER nobody pid 76 cmd /curator/curator /.curator/delete_log_files_curator.yml
2023-02-27 15:08:00 crond: USER nobody pid 77 cmd /curator/curator /.curator/delete_log_files_curator.yml
2023-02-27 15:09:00 crond: USER nobody pid 78 cmd /curator/curator /.curator/delete_log_files_curator.yml
2023-02-27 15:07:00 2023-02-27 09:37:00,833 INFO Creating client object and testing connection
2023-02-27 15:07:00 2023-02-27 09:37:00,833 INFO Creating client object and testing connection
2023-02-27 15:07:00 2023-02-27 09:37:00,852 INFO Trying Action ID: 1, "delete_indices": Delete indices. Find which to delete by first limiting the list to logstash- prefixed indices. Then further filter those to prevent deletion of anything less than the number of days specified by unit_count. Ignore the error if the filter does not result in an actionable list of indices (ignore_empty_list) and exit cleanly.
2023-02-27 15:07:00 2023-02-27 09:37:00,858 INFO Skipping action "delete_indices" due to empty list: <class 'curator.exceptions.NoIndices'>
2023-02-27 15:07:00 2023-02-27 09:37:00,859 INFO Action ID: 1, "delete_indices" completed.
2023-02-27 15:07:00 2023-02-27 09:37:00,859 INFO All actions completed.
2023-02-27 15:08:00 2023-02-27 09:38:00,910 INFO Preparing Action ID: 1, "delete_indices"
2023-02-27 15:08:00 2023-02-27 09:38:00,910 INFO Creating client object and testing connection
2023-02-27 15:08:00 2023-02-27 09:38:00,910 INFO Creating client object and testing connection
2023-02-27 15:08:00 2023-02-27 09:38:00,936 INFO Trying Action ID: 1, "delete_indices": Delete indices. Find which to delete by first limiting the list to logstash- prefixed indices. Then further filter those to prevent deletion of anything less than the number of days specified by unit_count. Ignore the error if the filter does not result in an actionable list of indices (ignore_empty_list) and exit cleanly.
2023-02-27 15:08:00 2023-02-27 09:38:00,945 INFO Skipping action "delete_indices" due to empty list: <class 'curator.exceptions.NoIndices'>
2023-02-27 15:08:00 2023-02-27 09:38:00,945 INFO Action ID: 1, "delete_indices" completed.
2023-02-27 15:08:00 2023-02-27 09:38:00,945 INFO All actions completed.
RAM 7.25 GB CPU 0.98%
Connected to Hub
v4.16.3
Type here to search
ENG
13:22
28-02-2023


Docker Desktop
Upgrade plan
Search
Ctrl+K
satya...
Containers
Images
Volumes
Dev Environments
BETA
Extensions
Add Extensions
docker-elk-main-curator-1
docker-elk-main-curator
EXITED (143)
Logs
Inspect
Terminal
Stats
2023-02-27 15:18:00 2023-02-27 09:48:00,889 INFO Creating client object and testing connection
2023-02-27 15:18:00 2023-02-27 09:48:00,914 INFO Trying Action ID: 1, "delete_indices": Delete indices. Find which to delete by first limiting the list to logstash- prefixed indices. Then further filter those to prevent deletion of anything less than the number of days specified by unit_count. Ignore the error if the filter does not result in an actionable list of indices (ignore_empty_list) and exit cleanly.
2023-02-27 15:18:00 2023-02-27 09:48:00,918 INFO Skipping action "delete_indices" due to empty list: <class 'curator.exceptions.NoIndices'>
2023-02-27 15:18:00 2023-02-27 09:48:00,918 INFO Action ID: 1, "delete_indices" completed.
2023-02-27 15:18:00 2023-02-27 09:48:00,918 INFO All actions completed.
2023-02-27 15:19:00 2023-02-27 09:49:00,842 INFO Preparing Action ID: 1, "delete_indices"
2023-02-27 15:19:00 2023-02-27 09:49:00,842 INFO Creating client object and testing connection
2023-02-27 15:19:00 2023-02-27 09:49:00,842 INFO Creating client object and testing connection
2023-02-27 15:19:00 2023-02-27 09:49:00,861 INFO Trying Action ID: 1, "delete_indices": Delete indices. Find which to delete by first limiting the list to logstash- prefixed indices. Then further filter those to prevent deletion of anything less than the number of days specified by unit_count. Ignore the error if the filter does not result in an actionable list of indices (ignore_empty_list) and exit cleanly.
2023-02-27 15:19:00 2023-02-27 09:49:00,864 INFO Skipping action "delete_indices" due to empty list: <class 'curator.exceptions.NoIndices'>
2023-02-27 15:19:00 2023-02-27 09:49:00,864 INFO Action ID: 1, "delete_indices" completed.
2023-02-27 15:19:00 2023-02-27 09:49:00,864 INFO All actions completed.
2023-02-27 15:20:00 2023-02-27 09:50:00,832 INFO Preparing Action ID: 1, "delete_indices"
2023-02-27 15:20:00 2023-02-27 09:50:00,833 INFO Creating client object and testing connection
2023-02-27 15:20:00 2023-02-27 09:50:00,833 INFO Creating client object and testing connection
2023-02-27 15:20:00 2023-02-27 09:50:00,852 INFO Trying Action ID: 1, "delete_indices": Delete indices. Find which to delete by first limiting the list to logstash- prefixed indices. Then further filter those to prevent deletion of anything less than the number of days specified by unit_count. Ignore the error if the filter does not result in an actionable list of indices (ignore_empty_list) and exit cleanly.
2023-02-27 15:20:00 2023-02-27 09:50:00,856 INFO Skipping action "delete_indices" due to empty list: <class 'curator.exceptions.NoIndices'>
2023-02-27 15:20:00 2023-02-27 09:50:00,856 INFO Action ID: 1, "delete_indices" completed.
2023-02-27 15:20:00 2023-02-27 09:50:00,856 INFO All actions completed.
2023-02-27 15:21:00 2023-02-27 09:51:00,854 INFO Preparing Action ID: 1, "delete_indices"
2023-02-27 15:21:00 2023-02-27 09:51:00,854 INFO Creating client object and testing connection
2023-02-27 15:21:00 2023-02-27 09:51:00,855 INFO Creating client object and testing connection
2023-02-27 15:21:00 2023-02-27 09:51:00,875 INFO Trying Action ID: 1, "delete_indices": Delete indices. Find which to delete by first limiting the list to logstash- prefixed indices. Then further filter those to prevent deletion of anything less than the number of days specified by unit_count. Ignore the error if the filter does not result in an actionable list of indices (ignore_empty_list) and exit cleanly.
2023-02-27 15:21:00 2023-02-27 09:51:00,878 INFO Skipping action "delete_indices" due to empty list: <class 'curator.exceptions.NoIndic
RAM 7.25 GB CPU 1.21%
Connected to Hub
v4.16.3
Type here to search
ENG
13:22
28-02-2023


Docker Desktop
Upgrade plan
Search
Ctrl+K
satya...
Containers
Images
Volumes
Dev Environments
BETA
Extensions
Add Extensions
docker-elk-main-curator-1
docker-elk-main-curator
EXITED (143)
Logs
Inspect
Terminal
Stats
2023-02-27 15:15:00 crond: USER root pid 85 cmd run-parts /etc/periodic/15min
2023-02-27 15:16:00 crond: USER nobody pid 86 cmd /curator/curator /.curator/delete_log_files_curator.yml
2023-02-27 15:17:00 crond: USER nobody pid 87 cmd /curator/curator /.curator/delete_log_files_curator.yml
2023-02-27 15:18:00 crond: USER nobody pid 88 cmd /curator/curator /.curator/delete_log_files_curator.yml
2023-02-27 15:19:00 crond: USER nobody pid 89 cmd /curator/curator /.curator/delete_log_files_curator.yml
2023-02-27 15:20:00 crond: USER nobody pid 90 cmd /curator/curator /.curator/delete_log_files_curator.yml
2023-02-27 15:21:00 crond: USER nobody pid 91 cmd /curator/curator /.curator/delete_log_files_curator.yml
2023-02-27 15:22:00 crond: USER nobody pid 92 cmd /curator/curator /.curator/delete_log_files_curator.yml
2023-02-27 15:23:00 crond: USER nobody pid 93 cmd /curator/curator /.curator/delete_log_files_curator.yml
2023-02-27 15:24:00 crond: USER nobody pid 94 cmd /curator/curator /.curator/delete_log_files_curator.yml
2023-02-27 15:25:00 crond: USER nobody pid 95 cmd /curator/curator /.curator/delete_log_files_curator.yml
2023-02-27 15:26:00 crond: USER nobody pid 96 cmd /curator/curator /.curator/delete_log_files_curator.yml
2023-02-27 15:27:00 crond: USER nobody pid 97 cmd /curator/curator /.curator/delete_log_files_curator.yml
2023-02-27 15:28:00 crond: USER nobody pid 98 cmd /curator/curator /.curator/delete_log_files_curator.yml
2023-02-27 15:29:00 crond: USER nobody pid 99 cmd /curator/curator /.curator/delete_log_files_curator.yml
2023-02-27 15:30:00 crond: USER nobody pid 100 cmd /curator/curator /.curator/delete_log_files_curator.yml
2023-02-27 15:30:00 crond: USER root pid 101 cmd run-parts /etc/periodic/15min
2023-02-27 15:30:00 crond: USER root pid 102 cmd run-parts /etc/periodic/hourly
2023-02-27 15:31:00 crond: USER nobody pid 103 cmd /curator/curator /.curator/delete_log_files_curator.yml
2023-02-27 15:32:00 crond: USER nobody pid 104 cmd /curator/curator /.curator/delete_log_files_curator.yml
2023-02-27 15:33:00 crond: USER nobody pid 105 cmd /curator/curator /.curator/delete_log_files_curator.yml
2023-02-27 15:34:00 crond: USER nobody pid 106 cmd /curator/curator /.curator/delete_log_files_curator.yml
2023-02-27 15:35:00 crond: USER nobody pid 107 cmd /curator/curator /.curator/delete_log_files_curator.yml
2023-02-27 15:36:00 crond: USER nobody pid 108 cmd /curator/curator /.curator/delete_log_files_curator.yml
2023-02-27 15:37:00 crond: USER nobody pid 109 cmd /curator/curator /.curator/delete_log_files_curator.yml
2023-02-27 15:38:00 crond: USER nobody pid 110 cmd /curator/curator /.curator/delete_log_files_curator.yml
2023-02-27 15:39:00 crond: USER nobody pid 111 cmd /curator/curator /.curator/delete_log_files_curator.yml
2023-02-27 15:40:00 crond: USER nobody pid 112 cmd /curator/curator /.curator/delete_log_files_curator.yml
2023-02-27 15:41:00 crond: USER nobody pid 113 cmd /curator/curator /.curator/delete_log_files_curator.yml
2023-02-27 15:42:00 crond: USER nobody pid 114 cmd /curator/curator /.curator/delete_log_files_curator.yml
2023-02-27 15:43:00 crond: USER nobody pid 115 cmd /curator/curator /.curator/delete_log_files_curator.yml
2023-02-27 15:44:00 crond: USER nobody pid 116 cmd /curator/curator /.curator/delete_log_files_curator.yml
2023-02-27 15:45:00 crond: USER nobody pid 117 cmd /curator/curator /.curator/delete_log_files_curator.yml
2023-02-27 15:45:00 crond: USER root pid 118 cmd run-parts /etc/periodic/15min
RAM 7.25 GB CPU 0.43%
Connected to Hub
v4.16.3
Type here to search
ENG
13:22
28-02-2023


Self learning
localhost:9200
YAML error : end of the stream
Home - Elastic
localhost:5601/app/home#/
elastic
Find apps, content, and more.
D
Home
Help us improve the Elastic Stack
To learn about how usage data helps us manage and improve our products and services, see our Privacy Statement. To stop collection, disable usage data here.
Dismiss
Welcome home
Enterprise Search
Create search experiences with a refined set of APIs and tools.
Observability
Consolidate your logs, metrics, application traces, and system availability with purpose-built UIs.
Security
Prevent, collect, detect, and respond to threats for unified protection across your infrastructure.
Analytics
Explore, visualize, and analyze your data using a powerful suite of analytical tools and applications.
Type here to search
ENG
13:40
28-02-2023


Self learning
localhost:9200
YAML error : end of the stream o
Home - Elastic
localhost:9200
{
"name" : "elasticsearch",
"cluster_name" : "docker-cluster",
"cluster_uuid" : "pt75yDBrSFOMs5VqCWGdcg",
"version" : {
"number" : "8.6.2",
"build_flavor" : "default",
"build_type" : "docker",
"build_hash" : "2d58d0f136141f03239816a4e360a8d17b6d8f29",
"build_date" : "2023-02-13T09:35:20.314882762Z",
"build_snapshot" : false,
"lucene_version" : "9.4.2",
"minimum_wire_compatibility_version" : "7.17.0",
"minimum_index_compatibility_version" : "7.0.0"
},
"tagline" : "You Know, for Search"
}
Type here to search
ENG
13:40
28-02-2023