

General

GitBucket

Source Code Management

Build Triggers

Build Environment

Build

Post-build Actions

Description

Puppet to be deployed in any environment.

[Plain text] [Preview](#)

- ☐ Commit agent's Docker container
- ☐ Run the build inside Docker containers
- ☐ Define a Docker template
- ☒ Discard old builds

Strategy

Log Rotation

Days to keep builds

if not empty, build records are only kept up to this number of days

Max # of builds to keep

20

if not empty, only up to this number of build records are kept

ADVANCED...

- ☐ Do not Scan failed builds

GitBucket

URL

- ☐ Enable hyperlink to the issue

- ☐ GitHub project
- ☐ Disable Automated Maven Repository Cleanup
- ☐ Permission to Copy Artifact
- ☐ Promote builds when...

Rebuild options:

- ☐ Rebuild Without Asking For Parameters
- ☐ Disable Rebuilding for this job

- ☒ This project is parameterised

Git Parameter

X

Name

GIT_BRANCH

Description

Parameter Type

Branch



ADVANCED...

X

SAVE

APPLY

R

Choices

CHOOSE THE SERVER WISELY
PRODADMIN01
PRODADMINAPI01
PRODAPI04
PRODAPP01
PRODAPP02
PRODAPPLITE01
PRODESB01
PRODESB02
PRODLS01
PRODLS02
STAGINGADMIN01
STAGINGADMINAPI01
STAGINGAPI01
STAGINGAPI02
STAGINGAPP01
STAGINGAPP02
STAGINGAPPLITE01
STAGINGESB01
STAGINGESB02
STAGINGLS01
STAGINGLS02
TESTADMIN01
TESTADMINAPI01
TESTAPI01
TESTAPP01
TESTAPP02
TESTAPPLITE01
TESTESB01
TESTLS01

Jenkins

Support_Jobs

Puppet-Build-and-Deploy-DO

Description

[Plain text] Preview

ADD PARAMETER

☐ Throttle builds

☐ Prepare an environment for the run

☐ Disable this project

☐ Execute concurrent builds if necessary

JDK

Java7u80

JDK to be used for this project

ADVANCED...

Source Code Management

☐ None

☐ AWS CodePipeline

☒ Git

Repositories

Repository URL

ssh://git@bitbucket.intranet.parcelpoint.com.au:7999/ppl/parcelpoint-puppet.

Credentials

jenkins (JenkinsSSH)

ADD

SAVE

APPLY

ADVANCED...

ADD REPOSITORY

Branches to build

Branch Specifier (blank for 'any')\$GIT_BRANCH

ADD BRANCH

JenkinsSupport_JobsPuppet-Build-and-Deploy-DO

Repository browser

(Auto)

Additional Behaviours

ADD

☐ Mercurial

☐ Subversion

Build Triggers

☐ Trigger builds remotely (e.g., from scripts)

☐ Build after other projects are built

☐ Build periodically

☐ Build when a change is pushed to BitBucket

☐ Build when a change is pushed to GitBucket

☐ Build when another project is promoted

☐ GitHub Branches

☐ GitHub Pull Request Builder

☐ GitHub Pull Requests

☐ GitHub hook trigger for GITScm polling

☐ Poll SCM

Build Environment

☐ Start Xvfb before the build, and shut it down after.

☐ Delete workspace before build starts

☐ Use secret text(s) or file(s)

☐ Provide Configuration files

☐ Send files or execute commands over SSH before the build starts

☐ Send files or execute commands over SSH after the build runs

☐ Abort the build if it's stuck

☒ Add timestamps to the Console Output

☐ Color ANSI Console Output

☐ Configure release build

☐ Create a MySQL database for the job

☐ Create a formatted version number

☐ Execute shell script on remote host using ssh

☐ Generate Release Notes

☐ Inject environment variables to the build process

☐ Inject passwords to the build as environment variables

☐ Provide Node & npm bin/ folder to PATH

☐ Run Xvnc during build

☐ SSH Agent

☐ Set GitHub commit message (Must configure upstream job using GHPRB trigger)

SAVE

APPLY

☐ Set a project description

☐ Terraform

Jenkins

Support_Jobs

Puppet-Build-and-Deploy-DO

☐ Enable VNC viewer

Build

Trigger/call builds on other projects

Build Triggers

Projects to build

Parcelpoint-Build-J7-DO

☒ Block until the triggered projects finish their builds

Fail this build step if the triggered build is worse or equal to

FAILURE

Mark this build as failure if the triggered build is worse or equal to

FAILURE

Mark this build as unstable if the triggered build is worse or equal to

UNSTABLE

Predefined parameters

Parameters

```
repourl=${GIT_URL}
branch=${GIT_BRANCH}
app=${JOB_NAME}.${BUILD_ID}
```

ADVANCED...

ADD PARAMETERS

ADD PARAMETERFACTORIES

ADD TRIGGER...

Execute shell

Command

```
#!/bin/bash
app=${JOB_NAME}.${BUILD_ID}
source /tmp/auto/release-$app.txt
#echo $VERSION
ssh ubuntu@$SERVER -i /data/jenkins/.ssh/setup-keys.pem sudo apt-get update
ssh ubuntu@$SERVER -i /data/jenkins/.ssh/setup-keys.pem sudo apt-get install pa
ssh ubuntu@$SERVER -i /data/jenkins/.ssh/setup-keys.pem sudo /etc/puppet/pp-app
```

See [the list of available environment variables](#)

ADVANCED...

ADD BUILD STEP

Post-build Actions

ADD POST-BUILD ACTION

SAVE

APPLY

Jenkins

Support_Jobs

Puppet-Build-and-Deploy-DO

SAVE

APPLY