

General

GitBucket

Source Code Management

Build Triggers

Build Environment

Build

Post-build Actions

Description

Deploy Job for all applications

[Plain text] [Preview](#)

- ☐ Commit agent's Docker container
- ☐ Run the build inside Docker containers
- ☐ Define a Docker template
- ☒ Discard old builds

Strategy

Log Rotation

Days to keep builds

if not empty, build records are only kept up to this number of days

Max # of builds to keep

40

if not empty, only up to this number of build records are kept

ADVANCED...

- ☐ Do not Scan failed builds

GitBucket

URL

- ☐ Enable hyperlink to the issue

- ☐ GitHub project
- ☐ Disable Automated Maven Repository Cleanup
- ☐ Permission to Copy Artifact
- ☐ Promote builds when...

Rebuild options: ☐ Rebuild Without Asking For Parameters

- ☐ Disable Rebuilding for this job

- ☒ This project is parameterised

String Parameter

X

Name

app

Default Value

Description

SAVE

APPLY

[review](#)

string

ADD PARAMETER

☐ Throttle builds

Jenkins

Support_Jobs

Parcelpoint-Deploy-DO

☐ Prepare an environment for the run

☐ Disable this project

☐ Execute concurrent builds if necessary

JDK

Java7u80



JDK to be used for this project

ADVANCED...

Source Code Management

☒ None

☐ AWS CodePipeline

☐ Git

☐ Mercurial

☐ Subversion

Build Triggers

☐ Trigger builds remotely (e.g., from scripts)

☐ Build after other projects are built

☐ Build periodically

☐ Build when a change is pushed to BitBucket

☐ Build when a change is pushed to GitBucket

☐ Build when another project is promoted

☐ GitHub Branches

☐ GitHub Pull Request Builder

☐ GitHub Pull Requests

☐ GitHub hook trigger for GITScm polling

☐ Poll SCM

Build Environment

☐ Start Xvfb before the build, and shut it down after.

☐ Delete workspace before build starts

☐ Use secret text(s) or file(s)

☐ Provide Configuration files

☐ Send files or execute commands over SSH before the build starts

☐ Send files or execute commands over SSH after the build runs

☐ Abort the build if it's stuck

☒ Add timestamps to the Console Output

☐ Color ANSI Console Output

☐ Configure release build

☐ Create a MySQL database for the job

☐ Create a formatted

☐ Execute shell script

SAVE

APPLY

- ☐ Generate Release Notes
- ☐ Inject environment variables to the build process

Jenkins Support_Jobs Parcelpoint-Deploy-DO

- ☐ Provide Node & npm bin/ folder to PATH
- ☐ Run Xvnc during build
- ☐ SSH Agent
- ☐ Set GitHub commit status with custom context and message (Must configure upstream job using GHPRB trigger)
- ☐ Set a project description from a file in the workspace
- ☐ Terraform
- ☐ With Ant
- ☐ Enable VNC viewer

Build

Execute shell

X

Command `#!/bin/bash
source /tmp/auto/release-$app.txt
ssh ubuntu@$IP -i /data/jenkins/.ssh/setup-keys.pem sudo apt-get update
ssh ubuntu@$IP -i /data/jenkins/.ssh/setup-keys.pem sudo /etc/puppet/pp-apply.s`

See [the list of available environment variables](#)

ADVANCED...

ADD BUILD STEP

Post-build Actions

ADD POST-BUILD ACTION

SAVE

APPLY