

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agra	Moderate	110	со	1
2	Ahmedabad	Satisfactory	74	PM ₁₀	1
3	Aizawl	Good	18	PM _{2.5}	1
4	Ajmer	Satisfactory	64	O ₃	1
5	Alwar	Satisfactory	73	PM ₁₀	1
6	Amaravati	Satisfactory	55	PM ₁₀	1
7	Ambala	Satisfactory	74	PM _{2.5}	1
8	Amritsar	Satisfactory	84	PM ₁₀	1
9	Ankleshwar	Good	36	PM ₁₀	1
10	Asanol	Satisfactory	72	PM ₁₀	1
11	Aurangabad	Satisfactory	55	PM ₁₀	1
12	Bahadurgarh	Satisfactory	99	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bagalkot, Brajrajnagar, Fatehabad, Ratlam, Satna, Talcher, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Ballabgarh	Moderate	120	PM ₁₀	1
14	Bathinda	Satisfactory	78	PM ₁₀	1
15	Bengaluru	Satisfactory	53	PM ₁₀ , PM _{2.5} , NO ₂	8
16	Bhiwadi	Moderate	157	PM ₁₀	1
17	Bhiwani	Moderate	130	PM ₁₀	1
18	Bhopal	Satisfactory	63	03	1
19	Bulandshahr	Moderate	169	03	1
20	Chandigarh	Satisfactory	56	PM ₁₀	1
21	Chandrapur	Satisfactory	58	PM ₁₀	2
22	Charkhi Dadri	Moderate	148	PM ₁₀	1
23	Chennai	Satisfactory	70	CO, O ₃	4
24	Chikkaballapur	Satisfactory	57	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bagalkot, Brajrajnagar, Fatehabad, Ratlam, Satna, Talcher, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chikkamagaluru	Satisfactory	52	PM ₁₀	1
26	Coimbatore	Satisfactory	58	NO ₂	1
27	Damoh	Satisfactory	52	PM ₁₀	1
28	Delhi	Moderate	139	PM _{2.5} , O ₃ , PM ₁₀	35
29	Dewas	Satisfactory	66	O ₃	1
30	Dharuhera	Satisfactory	70	PM _{2.5}	1
31	Eloor	Satisfactory	60	PM ₁₀	1
32	Ernakulam	Moderate	105	со	1
33	Faridabad	Moderate	155	O ₃	1
34	Gandhinagar	Good	34	PM ₁₀	1
35	Gaya	Satisfactory	64	03	1
36	Ghaziabad	Moderate	159	PM ₁₀ , O ₃ , PM _{2.5}	4

Possible Health Impacts

Good	Minimal Impact
Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bagalkot, Brajrajnagar, Fatehabad, Ratlam, Satna, Talcher, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Greater Noida	Moderate	145	PM ₁₀	2
38	Gurugram	Moderate	144	O ₃ , PM _{2.5}	2
39	Guwahati	Satisfactory	55	PM _{2.5}	1
40	Gwalior	Moderate	113	03	1
41	Hajipur	Moderate	114	PM ₁₀	1
42	Hapur	Satisfactory	75	PM ₁₀	1
43	Hisar	Moderate	147	PM ₁₀	1
44	Howrah	Satisfactory	60	PM ₁₀	2
45	Hubballi	Good	49	PM ₁₀	1
46	Hyderabad	Satisfactory	53	PM ₁₀ , O ₃	5
47	Indore	Satisfactory	62	03	1
48	Jabalpur	Satisfactory	71	O ₃	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bagalkot, Brajrajnagar, Fatehabad, Ratlam, Satna, Talcher, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Jaipur	Satisfactory	88	PM ₁₀	3
50	Jalandhar	Satisfactory	78	PM ₁₀	1
51	Jind	Moderate	116	O ₃	1
52	Jodhpur	Satisfactory	77	PM ₁₀	1
53	Jorapokhar	Moderate	148	PM ₁₀	1
54	Kaithal	Moderate	119	PM ₁₀	1
55	Kalaburgi	Good	40	PM ₁₀	1
56	Kalyan	Satisfactory	58	O ₃	1
57	Kannur	Good	38	PM ₁₀	1
58	Kanpur	Satisfactory	98	PM _{2.5}	1
59	Karnal	Satisfactory	94	O ₃	1
60	Katni	Satisfactory	94	O ₃	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bagalkot, Brajrajnagar, Fatehabad, Ratlam, Satna, Talcher, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Khanna	Satisfactory	95	PM ₁₀	1
62	Kochi	Satisfactory	87	со	1
63	Kolkata	Good	46	PM ₁₀ , PM _{2.5}	5
64	Kollam	Good	49	PM ₁₀	1
65	Kota	Good	46	PM ₁₀	1
66	Kozhikode	Good	36	PM ₁₀	1
67	Kurukshetra	Satisfactory	94	PM ₁₀	1
68	Lucknow	Moderate	174	PM _{2.5}	3
69	Ludhiana	Satisfactory	74	O ₃	1
70	Maihar	Satisfactory	53	PM ₁₀	1
71	Mandi Gobindgarh	Poor	212	PM _{2.5}	1
72	Mandideep	Satisfactory	58	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bagalkot, Brajrajnagar, Fatehabad, Ratlam, Satna, Talcher, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Mandikhera	Satisfactory	78	PM ₁₀	1
74	Manesar	Moderate	107	PM ₁₀	1
75	Meerut	Moderate	117	PM ₁₀	2
76	Moradabad	Moderate	139	PM _{2.5}	1
77	Mumbai	Good	34	CO, SO ₂ , PM ₁₀	8
78	Muzaffarnagar	Poor	219	PM _{2.5}	1
79	Muzaffarpur	Satisfactory	68	O ₃	1
80	Mysuru	Good	24	O ₃	1
81	Nagpur	Satisfactory	92	O ₃	1
82	Nandesari	Very Poor	316	PM ₁₀	1
83	Narnaul	Moderate	144	PM ₁₀	1
84	Nashik	Good	33	O ₃	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Bagalkot, Brajrajnagar, Fatehabad, Ratlam, Satna, Talcher, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Navi Mumbai	Moderate	102	со	1
86	Noida	Moderate	124	PM ₁₀ , PM _{2.5}	4
87	Pali	Satisfactory	74	PM _{2.5}	1
88	Palwal	Moderate	121	PM ₁₀	1
89	Panchkula	Satisfactory	73	O ₃	1
90	Panipat	Moderate	159	PM ₁₀	1
91	Patiala	Satisfactory	66	PM ₁₀	1
92	Patna	Satisfactory	93	PM ₁₀	4
93	Pithampur	Satisfactory	63	PM ₁₀	1
94	Pune	Good	49	СО	1
95	Rajamahendravaram	Satisfactory	70	O ₃	1
96	Ramanagara	Good	44	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		

- * AQI is not calculated for today's bulletin for Bagalkot, Brajrajnagar, Fatehabad, Ratlam, Satna, Talcher, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Rohtak	Moderate	114	PM _{2.5}	1
98	Rupnagar	Moderate	180	PM ₁₀	1
99	Sagar	Satisfactory	56	PM ₁₀	1
100	Shillong	Good	40	PM _{2.5}	1
101	Siliguri	Satisfactory	53	PM _{2.5}	1
102	Singrauli	Moderate	128	PM ₁₀	1
103	Sirsa	Moderate	114	PM ₁₀	1
104	Solapur	Good	36	O ₃	1
105	Sonipat	Moderate	128	PM ₁₀	1
106	Thane	Good	44	PM ₁₀	1
107	Thiruvananthapuram	Good	37	PM _{2.5}	1
108	Tirupati	Satisfactory	54	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Bagalkot, Brajrajnagar, Fatehabad, Ratlam, Satna, Talcher, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Udaipur	Satisfactory	57	O ₃	1
110	Ujjain	Satisfactory	75	O ₃	1
111	Vapi	Good	32	SO ₂	1
112	Varanasi	Moderate	133	O ₃	1
113	Vatva	Satisfactory	62	PM ₁₀	1
114	Vijayapura	Moderate	157	O ₃	1
115	Visakhapatnam	Satisfactory	81	PM ₁₀	1
116	Yamunanagar	Moderate	150	O ₃	1

Possible Health Impacts

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		

- * AQI is not calculated for today's bulletin for Bagalkot, Brajrajnagar, Fatehabad, Ratlam, Satna, Talcher, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.