



Air Quality Index on May 08, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agra	Satisfactory	58	PM _{2.5}	1
2	Ahmedabad	Moderate	184	O ₃	1
3	Aizawl	Good	19	PM _{2.5}	1
4	Ajmer	Satisfactory	65	PM ₁₀	1
5	Alwar	Satisfactory	74	PM ₁₀	1
6	Amaravati	Good	35	PM ₁₀	1
7	Amritsar	Satisfactory	80	PM ₁₀	1
8	Asanol	Good	40	PM _{2.5}	1
9	Aurangabad	Good	49	O ₃	1
10	Bagalkot	Satisfactory	53	O ₃	1
11	Bahadurgarh	Moderate	110	PM _{2.5}	1
12	Ballabgarh	Satisfactory	76	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Ambala, Ankleshwar, Charkhi Dadri, Chikkaballapur, Chikkamagaluru, Jind, Kalaburgi, Kalyan, Kollam, Maihar, Moradabad, Rupnagar, Sirsa, Sonipat, Talcher, Thane, Udaipur, Vijayapura, Yadgir as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



Air Quality Index on May 08, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bathinda	Satisfactory	94	PM ₁₀	1
14	Bengaluru	Satisfactory	58	CO, PM ₁₀	8
15	Bhiwadi	Moderate	105	PM _{2.5}	1
16	Bhiwani	Moderate	131	PM ₁₀	1
17	Bhopal	Moderate	103	O ₃	1
18	Brajrajnagar	Satisfactory	85	O ₃	1
19	Bulandshahr	Moderate	167	O ₃	1
20	Chandigarh	Satisfactory	53	PM ₁₀	1
21	Chandrapur	Satisfactory	63	O ₃ , PM ₁₀	2
22	Chennai	Satisfactory	51	O ₃ , CO	4
23	Coimbatore	Satisfactory	71	CO	1
24	Damoh	Satisfactory	64	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Ambala, Ankleshwar, Charkhi Dadri, Chikkaballapur, Chikkamagaluru, Jind, Kalaburgi, Kalyan, Kollam, Maihar, Moradabad, Rupnagar, Sirsa, Sonipat, Talcher, Thane, Udaipur, Vijayapura, Yadgir as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



Air Quality Index on May 08, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Delhi	Moderate	134	O ₃	28
26	Dewas	Moderate	117	O ₃	1
27	Dharuhera	Satisfactory	99	O ₃	1
28	Eloor	Good	46	PM ₁₀	1
29	Ernakulam	Satisfactory	88	CO	1
30	Faridabad	Moderate	169	O ₃ , PM ₁₀	2
31	Fatehabad	Moderate	147	O ₃	1
32	Gandhinagar	Satisfactory	53	PM ₁₀	1
33	Gaya	Moderate	171	O ₃	2
34	Ghaziabad	Moderate	162	O ₃ , PM ₁₀	4
35	Greater Noida	Moderate	129	O ₃	2
36	Gurugram	Moderate	159	O ₃ , PM _{2.5} , PM ₁₀	4

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Ambala, Ankleshwar, Charkhi Dadri, Chikkaballapur, Chikkamagaluru, Jind, Kalaburgi, Kalyan, Kollam, Maihar, Moradabad, Rupnagar, Sirsa, Sonapat, Talcher, Thane, Udaipur, Vijayapura, Yadgir as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



Air Quality Index on May 08, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Guwahati	Good	45	PM ₁₀	1
38	Gwalior	Moderate	158	O ₃	1
39	Hajipur	Moderate	119	PM ₁₀	1
40	Hapur	Moderate	105	PM ₁₀	1
41	Hisar	Moderate	155	PM _{2.5}	1
42	Howrah	Satisfactory	56	O ₃	2
43	Hubballi	Satisfactory	51	PM ₁₀	1
44	Hyderabad	Satisfactory	60	PM ₁₀ , PM _{2.5}	6
45	Indore	Moderate	118	O ₃	1
46	Jabalpur	Satisfactory	94	O ₃	1
47	Jaipur	Satisfactory	79	PM ₁₀ , O ₃	2
48	Jalandhar	Moderate	105	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Ambala, Ankleshwar, Charkhi Dadri, Chikkaballapur, Chikkamagaluru, Jind, Kalaburgi, Kalyan, Kollam, Maihar, Moradabad, Rupnagar, Sirsa, Sonapat, Talcher, Thane, Udaipur, Vijayapura, Yadgir as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



Air Quality Index on May 08, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Jodhpur	Satisfactory	83	PM ₁₀	1
50	Jorapokhar	Moderate	106	PM ₁₀	1
51	Kaithal	Moderate	115	PM ₁₀	1
52	Kannur	Good	33	PM ₁₀	1
53	Kanpur	Satisfactory	67	PM _{2.5}	1
54	Karnal	Moderate	170	PM _{2.5}	1
55	Katni	Moderate	105	O ₃	1
56	Khanna	Satisfactory	85	PM ₁₀	1
57	Kochi	Satisfactory	62	CO	1
58	Kolkata	Satisfactory	53	O ₃	6
59	Kota	Satisfactory	66	PM ₁₀	1
60	Kozhikode	Good	32	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Ambala, Ankleshwar, Charkhi Dadri, Chikkaballapur, Chikkamagaluru, Jind, Kalaburgi, Kalyan, Kollam, Maihar, Moradabad, Rupnagar, Sirsa, Sonapat, Talcher, Thane, Udaipur, Vijayapura, Yadgir as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



Air Quality Index on May 08, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Kurukshetra	Moderate	125	PM ₁₀	1
62	Lucknow	Satisfactory	86	PM _{2.5} , CO	3
63	Ludhiana	Satisfactory	73	PM ₁₀	1
64	Mandi Gobindgarh	Moderate	134	PM ₁₀	1
65	Mandideep	Satisfactory	60	PM ₁₀	1
66	Mandikhera	Satisfactory	99	PM ₁₀	1
67	Manesar	Satisfactory	70	PM ₁₀	1
68	Meerut	Moderate	120	PM _{2.5}	2
69	Mumbai	Satisfactory	67	PM ₁₀ , SO ₂	7
70	Muzaffarnagar	Moderate	170	PM _{2.5}	1
71	Muzaffarpur	Satisfactory	65	O ₃	1
72	Mysuru	Good	38	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Ambala, Ankleshwar, Charkhi Dadri, Chikkaballapur, Chikkamagaluru, Jind, Kalaburgi, Kalyan, Kollam, Maihar, Moradabad, Rupnagar, Sirsa, Sonapat, Talcher, Thane, Udaipur, Vijayapura, Yadgir as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



Air Quality Index on May 08, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Nagpur	Satisfactory	76	O ₃	1
74	Nandesari	Poor	202	PM ₁₀	1
75	Narnaul	Satisfactory	97	PM ₁₀	1
76	Nashik	Satisfactory	60	O ₃	1
77	Navi Mumbai	Satisfactory	66	CO, PM ₁₀	2
78	Noida	Moderate	108	PM _{2.5} , PM ₁₀	3
79	Pali	Satisfactory	73	PM ₁₀	1
80	Palwal	Satisfactory	83	PM _{2.5}	1
81	Panchkula	Good	49	O ₃	1
82	Panipat	Moderate	182	PM ₁₀	1
83	Patiala	Satisfactory	92	PM ₁₀	1
84	Patna	Moderate	125	PM ₁₀ , O ₃	4

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Ambala, Ankleshwar, Charkhi Dadri, Chikkaballapur, Chikkamagaluru, Jind, Kalaburgi, Kalyan, Kollam, Maihar, Moradabad, Rupnagar, Sirsa, Sonipat, Talcher, Thane, Udaipur, Vijayapura, Yadgir as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



Air Quality Index on May 08, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Pithampur	Moderate	122	PM ₁₀	1
86	Pune	Very Poor	385	PM _{2.5}	1
87	Rajamahendravaram	Good	46	O ₃	1
88	Ramanagara	Satisfactory	63	SO ₂	1
89	Ratlam	Moderate	121	PM _{2.5}	1
90	Rohtak	Moderate	156	PM _{2.5}	1
91	Sagar	Satisfactory	57	PM ₁₀	1
92	Satna	Satisfactory	68	PM ₁₀	1
93	Shillong	Good	34	O ₃	1
94	Siliguri	Good	50	O ₃	1
95	Singrauli	Moderate	151	O ₃	1
96	Solapur	Satisfactory	68	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Ambala, Ankleshwar, Charkhi Dadri, Chikkaballapur, Chikkamagaluru, Jind, Kalaburgi, Kalyan, Kollam, Maihar, Moradabad, Rupnagar, Sirsa, Sonapat, Talcher, Thane, Udaipur, Vijayapura, Yadgir as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



Air Quality Index on May 08, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Thiruvananthapuram	Good	38	PM ₁₀ , CO	2
98	Tirupati	Good	47	O ₃	1
99	Ujjain	Moderate	114	O ₃	1
100	Vapi	Satisfactory	60	PM ₁₀	1
101	Varanasi	Moderate	165	O ₃	1
102	Vatva	Satisfactory	70	PM ₁₀	1
103	Visakhapatnam	Good	46	PM ₁₀	1
104	Yamunanagar	Moderate	103	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Ambala, Ankleshwar, Charkhi Dadri, Chikkaballapur, Chikkamagaluru, Jind, Kalaburgi, Kalyan, Kollam, Maihar, Moradabad, Rupnagar, Sirsa, Sonipat, Talcher, Thane, Udaipur, Vijayapura, Yadgir as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.