

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agra	Good	49	SO ₂	1
2	Ahmedabad	Moderate	191	O ₃	1
3	Aizawl	Good	13	со	1
4	Ajmer	Satisfactory	87	03	1
5	Alwar	Satisfactory	62	03	1
6	Amaravati	Satisfactory	55	PM ₁₀	1
7	Ambala	Satisfactory	59	O ₃	1
8	Amritsar	Satisfactory	64	PM ₁₀	1
9	Asanol	Satisfactory	83	PM ₁₀	1
10	Aurangabad	Satisfactory	51	O ₃	1
11	Bagalkot	Satisfactory	53	O ₃	1
12	Bahadurgarh	Good	44	СО	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * Moters to calculated for today's bulletin for Ankleshwar, Charkhi Dadri, Chikkamagaluru, Dharuhera, Eloor, Fatehabad, Hajipur, Hisar, Hubballi, Jind, Mandi Gobindgarh, Moradabad, Nandesari, Ramanagara, Rupnagar, Sonipat, Talcher, Varanasi, Vijayapura, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Ballabgarh	Satisfactory	75	PM ₁₀	1
14	Bathinda	Good	23	NO ₂	1
15	Bengaluru	Satisfactory	66	PM ₁₀ , O ₃ , CO	9
16	Bhiwadi	Satisfactory	55	PM ₁₀	1
17	Bhiwani	Satisfactory	55	PM ₁₀	1
18	Bhopal	Moderate	104	PM ₁₀	1
19	Brajrajnagar	Moderate	131	PM ₁₀	1
20	Bulandshahr	Satisfactory	85	O ₃	1
21	Chandigarh	Good	40	O ₃	1
22	Chandrapur	Satisfactory	89	PM ₁₀ , O ₃	2
23	Chennai	Good	45	O ₃ , CO	4
24	Chikkaballapur	Satisfactory	68	PM ₁₀	1

Good	Minimal Impact	
Satisfactory	Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * **Atotes** calculated for today's bulletin for Ankleshwar, Charkhi Dadri, Chikkamagaluru, Dharuhera, Eloor, Fatehabad, Hajipur, Hisar, Hubballi, Jind, Mandi Gobindgarh, Moradabad, Nandesari, Ramanagara, Rupnagar, Sonipat, Talcher, Varanasi, Vijayapura, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Coimbatore	Satisfactory	78	со	1
26	Damoh	Satisfactory	82	PM ₁₀	1
27	Delhi	Satisfactory	94	O ₃ , PM ₁₀	26
28	Dewas	Moderate	154	O ₃	1
29	Ernakulam	Satisfactory	100	со	1
30	Faridabad	Satisfactory	66	CO, PM ₁₀	2
31	Gandhinagar	Satisfactory	59	PM ₁₀	1
32	Gaya	Moderate	130	O ₃	2
33	Ghaziabad	Satisfactory	66	O ₃ , PM ₁₀	4
34	Greater Noida	Satisfactory	76	со	1
35	Gurugram	Moderate	102	O ₃ , PM ₁₀	3
36	Guwahati	Good	41	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * Achitems calculated for today's bulletin for Ankleshwar, Charkhi Dadri, Chikkamagaluru, Dharuhera, Eloor, Fatehabad, Hajipur, Hisar, Hubballi, Jind, Mandi Gobindgarh, Moradabad, Nandesari, Ramanagara, Rupnagar, Sonipat, Talcher, Varanasi, Vijayapura, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Gwalior	Moderate	106	O ₃	1
38	Hapur	Satisfactory	78	PM ₁₀	1
39	Howrah	Satisfactory	55	PM ₁₀ , PM _{2.5}	3
40	Hyderabad	Satisfactory	73	PM ₁₀ , O ₃	6
41	Indore	Moderate	107	PM ₁₀	1
42	Jabalpur	Moderate	107	O ₃	1
43	Jaipur	Satisfactory	59	O ₃	2
44	Jalandhar	Good	48	PM ₁₀	1
45	Jodhpur	Moderate	182	PM _{2.5}	1
46	Jorapokhar	Moderate	104	PM ₁₀	1
47	Kaithal	Good	42	PM ₁₀	1
48	Kalaburgi	Satisfactory	55	PM _{2.5}	1

Good	Minimal Impact	
Satisfactory	Atisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * Achitems calculated for today's bulletin for Ankleshwar, Charkhi Dadri, Chikkamagaluru, Dharuhera, Eloor, Fatehabad, Hajipur, Hisar, Hubballi, Jind, Mandi Gobindgarh, Moradabad, Nandesari, Ramanagara, Rupnagar, Sonipat, Talcher, Varanasi, Vijayapura, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Kalyan	Satisfactory	63	03	1
50	Kannur	Good	45	PM _{2.5}	1
51	Kanpur	Satisfactory	57	PM _{2.5}	1
52	Karnal	Satisfactory	59	PM ₁₀	1
53	Katni	Moderate	120	O ₃	1
54	Khanna	Good	31	PM ₁₀	1
55	Kochi	Satisfactory	56	СО	1
56	Kolkata	Good	48	PM ₁₀ , O ₃ , PM _{2.5}	7
57	Kollam	Satisfactory	63	PM _{2.5}	1
58	Kota	Satisfactory	55	03	1
59	Kozhikode	Good	41	PM ₁₀	1
60	Kurukshetra	Satisfactory	54	03	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * Achitems calculated for today's bulletin for Ankleshwar, Charkhi Dadri, Chikkamagaluru, Dharuhera, Eloor, Fatehabad, Hajipur, Hisar, Hubballi, Jind, Mandi Gobindgarh, Moradabad, Nandesari, Ramanagara, Rupnagar, Sonipat, Talcher, Varanasi, Vijayapura, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Lucknow	Satisfactory	72	PM _{2.5} , O ₃	4
62	Ludhiana	Good	35	O ₃	1
63	Maihar	Good	44	PM ₁₀	1
64	Mandideep	Satisfactory	56	PM ₁₀	1
65	Mandikhera	Satisfactory	75	PM ₁₀	1
66	Manesar	Good	50	SO ₂	1
67	Meerut	Satisfactory	68	CO, PM ₁₀	2
68	Mumbai	Good	37	SO ₂ , O ₃ , PM ₁₀	7
69	Muzaffarnagar	Satisfactory	54	PM ₁₀	1
70	Muzaffarpur	Satisfactory	65	PM _{2.5}	1
71	Mysuru	Satisfactory	83	O ₃	1
72	Nagpur	Satisfactory	70	03	1

Good	Minimal Impact	
Satisfactory	isfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * Moters to calculated for today's bulletin for Ankleshwar, Charkhi Dadri, Chikkamagaluru, Dharuhera, Eloor, Fatehabad, Hajipur, Hisar, Hubballi, Jind, Mandi Gobindgarh, Moradabad, Nandesari, Ramanagara, Rupnagar, Sonipat, Talcher, Varanasi, Vijayapura, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Narnaul	Satisfactory	59	PM ₁₀	1
74	Nashik	Satisfactory	51	O ₃	1
75	Navi Mumbai	Satisfactory	59	со	2
76	Noida	Satisfactory	67	PM ₁₀ , CO	4
77	Pali	Satisfactory	77	PM ₁₀	1
78	Palwal	Satisfactory	92	PM ₁₀	1
79	Panchkula	Good	48	со	1
80	Panipat	Satisfactory	82	PM ₁₀	1
81	Patiala	Good	23	со	1
82	Patna	Satisfactory	74	O ₃ , PM ₁₀	2
83	Pithampur	Moderate	129	PM ₁₀	1
84	Pune	Good	48	СО	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * Achitems calculated for today's bulletin for Ankleshwar, Charkhi Dadri, Chikkamagaluru, Dharuhera, Eloor, Fatehabad, Hajipur, Hisar, Hubballi, Jind, Mandi Gobindgarh, Moradabad, Nandesari, Ramanagara, Rupnagar, Sonipat, Talcher, Varanasi, Vijayapura, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Rajamahendravaram	Satisfactory	52	O ₃	1
86	Ratlam	Moderate	180	PM _{2.5}	1
87	Rohtak	Good	31	PM _{2.5}	1
88	Sagar	Satisfactory	66	PM ₁₀	1
89	Satna	Satisfactory	62	PM ₁₀	1
90	Shillong	Good	21	PM _{2.5}	1
91	Siliguri	Good	38	PM ₁₀	1
92	Singrauli	Moderate	170	PM ₁₀	1
93	Sirsa	Satisfactory	58	PM ₁₀	1
94	Solapur	Satisfactory	60	PM ₁₀	1
95	Thane	Good	42	со	1
96	Thiruvananthapuram	Satisfactory	52	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * Achitems calculated for today's bulletin for Ankleshwar, Charkhi Dadri, Chikkamagaluru, Dharuhera, Eloor, Fatehabad, Hajipur, Hisar, Hubballi, Jind, Mandi Gobindgarh, Moradabad, Nandesari, Ramanagara, Rupnagar, Sonipat, Talcher, Varanasi, Vijayapura, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Tirupati	Satisfactory	57	O ₃	1
98	Udaipur	Satisfactory	69	O ₃	1
99	Ujjain	Moderate	103	PM ₁₀	1
100	Vapi	Good	44	PM ₁₀	1
101	Vatva	Satisfactory	75	PM ₁₀	1
102	Visakhapatnam	Satisfactory	64	PM ₁₀	1
103	Yadgir	Satisfactory	57	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

* Athers to calculated for today's bulletin for Ankleshwar, Charkhi Dadri, Chikkamagaluru, Dharuhera, Eloor, Fatehabad, Hajipur, Hisar, Hubballi, Jind, Mandi Gobindgarh, Moradabad, Nandesari, Ramanagara, Rupnagar, Sonipat, Talcher, Varanasi, Vijayapura, Yamunanagar as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.