

### (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agra	Moderate	150	со	1
2	Ahmedabad	Satisfactory	56	O <sub>3</sub>	1
3	Aizawl	Good	11	SO <sub>2</sub>	1
4	Ajmer	Satisfactory	75	PM <sub>10</sub>	1
5	Alwar	Satisfactory	87	PM <sub>10</sub>	1
6	Amaravati	Good	35	O <sub>3</sub>	1
7	Ambala	Satisfactory	78	PM <sub>2.5</sub>	1
8	Amritsar	Satisfactory	99	PM <sub>10</sub>	1
9	Ankleshwar	Moderate	165	СО	1
10	Bagalkot	Satisfactory	53	PM <sub>10</sub>	1
11	Bahadurgarh	Satisfactory	89	PM <sub>10</sub>	1
12	Ballabgarh	Satisfactory	97	PM <sub>2.5</sub>	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* Athers t calculated for today's bulletin for Asanol, Aurangabad, Brajrajnagar, Chandigarh, Ernakulam, Fatehabad, Hajipur, Jind, Kalaburgi, Karnal, Kochi, Moradabad, Muzaffarpur, Nandesari, Nashik, Pune, Shillong, Sirsa, Talcher, Thane, Visakhapatnam, Yadgir as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



### (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bathinda	Satisfactory	52	PM <sub>10</sub>	1
14	Bengaluru	Good	36	CO, PM <sub>10</sub> , PM <sub>2.5</sub>	8
15	Bhiwadi	Moderate	120	PM <sub>10</sub>	1
16	Bhiwani	Moderate	133	PM <sub>10</sub>	1
17	Bhopal	Satisfactory	83	O <sub>3</sub>	1
18	Bulandshahr	Moderate	166	O <sub>3</sub>	1
19	Chandrapur	Good	28	SO <sub>2</sub> , O <sub>3</sub>	2
20	Charkhi Dadri	Moderate	151	03	1
21	Chennai	Satisfactory	61	CO, O <sub>3</sub>	4
22	Chikkaballapur	Satisfactory	52	PM <sub>10</sub>	1
23	Chikkamagaluru	Good	34	PM <sub>10</sub>	1
24	Coimbatore	Good	45	NO <sub>2</sub>	1

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* Athers t calculated for today's bulletin for Asanol, Aurangabad, Brajrajnagar, Chandigarh, Ernakulam, Fatehabad, Hajipur, Jind, Kalaburgi, Karnal, Kochi, Moradabad, Muzaffarpur, Nandesari, Nashik, Pune, Shillong, Sirsa, Talcher, Thane, Visakhapatnam, Yadgir as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



### (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Damoh	Good	26	PM <sub>10</sub>	1
26	Delhi	Moderate	115	O <sub>3</sub> , PM <sub>2.5</sub> , PM <sub>10</sub>	31
27	Dewas	Satisfactory	64	O <sub>3</sub>	1
28	Dharuhera	Satisfactory	87	СО	1
29	Eloor	Good	35	PM <sub>10</sub>	1
30	Faridabad	Moderate	158	O <sub>3</sub> , PM <sub>10</sub>	2
31	Gandhinagar	Good	39	PM <sub>10</sub>	1
32	Gaya	Good	37	со	1
33	Ghaziabad	Moderate	147	O <sub>3</sub> , PM <sub>10</sub>	4
34	Greater Noida	Moderate	129	O <sub>3</sub> , PM <sub>10</sub>	2
35	Gurugram	Moderate	142	O <sub>3</sub> , PM <sub>2.5</sub>	4
36	Guwahati	Good	30	PM <sub>2.5</sub>	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* Athers t calculated for today's bulletin for Asanol, Aurangabad, Brajrajnagar, Chandigarh, Ernakulam, Fatehabad, Hajipur, Jind, Kalaburgi, Karnal, Kochi, Moradabad, Muzaffarpur, Nandesari, Nashik, Pune, Shillong, Sirsa, Talcher, Thane, Visakhapatnam, Yadgir as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



### (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Gwalior	Moderate	120	O <sub>3</sub>	1
38	Hapur	Satisfactory	57	PM <sub>10</sub>	1
39	Hisar	Moderate	120	PM <sub>10</sub>	1
40	Howrah	Good	44	O <sub>3</sub>	1
41	Hubballi	Good	25	PM <sub>10</sub>	1
42	Hyderabad	Good	34	PM <sub>10</sub> , NO <sub>2</sub> , O <sub>3</sub>	6
43	Indore	Satisfactory	60	O <sub>3</sub>	1
44	Jabalpur	Satisfactory	53	O <sub>3</sub>	1
45	Jaipur	Satisfactory	84	O <sub>3</sub> , PM <sub>10</sub>	3
46	Jalandhar	Satisfactory	95	PM <sub>2.5</sub>	1
47	Jodhpur	Moderate	108	PM <sub>2.5</sub>	1
48	Jorapokhar	Satisfactory	79	СО	1

Good	Minimal Impact	
Satisfactory	tisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* Notes t calculated for today's bulletin for Asanol, Aurangabad, Brajrajnagar, Chandigarh, Ernakulam, Fatehabad, Hajipur, Jind, Kalaburgi, Karnal, Kochi, Moradabad, Muzaffarpur, Nandesari, Nashik, Pune, Shillong, Sirsa, Talcher, Thane, Visakhapatnam, Yadgir as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



### (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Kaithal	Moderate	187	O <sub>3</sub>	1
50	Kalyan	Good	41	03	1
51	Kannur	Good	35	со	1
52	Kanpur	Satisfactory	51	PM <sub>2.5</sub>	1
53	Katni	Satisfactory	55	03	1
54	Khanna	Satisfactory	84	PM <sub>10</sub>	1
55	Kolkata	Good	31	CO, PM <sub>10</sub> , O <sub>3</sub>	7
56	Kollam	Satisfactory	74	PM <sub>2.5</sub>	1
57	Kota	Good	49	PM <sub>10</sub>	1
58	Kozhikode	Good	40	со	1
59	Kurukshetra	Moderate	110	PM <sub>2.5</sub>	1
60	Lucknow	Satisfactory	78	PM <sub>2.5</sub> , O <sub>3</sub>	4

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* Athers t calculated for today's bulletin for Asanol, Aurangabad, Brajrajnagar, Chandigarh, Ernakulam, Fatehabad, Hajipur, Jind, Kalaburgi, Karnal, Kochi, Moradabad, Muzaffarpur, Nandesari, Nashik, Pune, Shillong, Sirsa, Talcher, Thane, Visakhapatnam, Yadgir as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



### (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Ludhiana	Satisfactory	96	PM <sub>10</sub>	1
62	Maihar	Good	25	NO <sub>2</sub>	1
63	Mandi Gobindgarh	Satisfactory	100	PM <sub>10</sub>	1
64	Mandideep	Good	39	03	1
65	Mandikhera	Satisfactory	71	PM <sub>10</sub>	1
66	Manesar	Moderate	101	PM <sub>10</sub>	1
67	Meerut	Moderate	132	O <sub>3</sub> , PM <sub>10</sub>	3
68	Mumbai	Good	31	CO, PM <sub>10</sub> , NO <sub>2</sub>	8
69	Muzaffarnagar	Satisfactory	97	PM <sub>10</sub>	1
70	Mysuru	Good	25	O <sub>3</sub>	1
71	Nagpur	Good	30	PM <sub>10</sub>	1
72	Narnaul	Satisfactory	100	PM <sub>10</sub>	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* Athers t calculated for today's bulletin for Asanol, Aurangabad, Brajrajnagar, Chandigarh, Ernakulam, Fatehabad, Hajipur, Jind, Kalaburgi, Karnal, Kochi, Moradabad, Muzaffarpur, Nandesari, Nashik, Pune, Shillong, Sirsa, Talcher, Thane, Visakhapatnam, Yadgir as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



### (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Navi Mumbai	Good	29	NO <sub>2</sub>	1
74	Noida	Moderate	149	O <sub>3</sub> , PM <sub>2.5</sub> , PM <sub>10</sub>	4
75	Pali	Satisfactory	87	PM <sub>2.5</sub>	1
76	Palwal	Satisfactory	91	PM <sub>10</sub>	1
77	Panchkula	Good	49	O <sub>3</sub>	1
78	Panipat	Moderate	169	PM <sub>10</sub>	1
79	Patiala	Satisfactory	88	PM <sub>10</sub>	1
80	Patna	Good	48	CO, PM <sub>10</sub>	5
81	Pithampur	Good	44	PM <sub>10</sub>	1
82	Rajamahendravaram	Satisfactory	53	O <sub>3</sub>	1
83	Ramanagara	Good	28	O <sub>3</sub>	1
84	Ratlam	Good	36	PM <sub>10</sub>	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* Athers t calculated for today's bulletin for Asanol, Aurangabad, Brajrajnagar, Chandigarh, Ernakulam, Fatehabad, Hajipur, Jind, Kalaburgi, Karnal, Kochi, Moradabad, Muzaffarpur, Nandesari, Nashik, Pune, Shillong, Sirsa, Talcher, Thane, Visakhapatnam, Yadgir as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



### (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Rohtak	Satisfactory	84	PM <sub>2.5</sub>	1
86	Rupnagar	Satisfactory	77	PM <sub>2.5</sub>	1
87	Sagar	Good	25	PM <sub>10</sub>	1
88	Satna	Satisfactory	55	PM <sub>10</sub>	1
89	Siliguri	Good	27	NO <sub>2</sub>	1
90	Singrauli	Satisfactory	55	SO <sub>2</sub>	1
91	Solapur	Good	36	O <sub>3</sub>	1
92	Sonipat	Moderate	144	PM <sub>10</sub>	1
93	Thiruvananthapuram	Good	41	со	1
94	Tirupati	Good	36	O <sub>3</sub>	1
95	Udaipur	Satisfactory	56	PM <sub>10</sub>	1
96	Ujjain	Satisfactory	92	O <sub>3</sub>	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* Athers t calculated for today's bulletin for Asanol, Aurangabad, Brajrajnagar, Chandigarh, Ernakulam, Fatehabad, Hajipur, Jind, Kalaburgi, Karnal, Kochi, Moradabad, Muzaffarpur, Nandesari, Nashik, Pune, Shillong, Sirsa, Talcher, Thane, Visakhapatnam, Yadgir as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



### (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Vapi	Good	29	СО	1
98	Varanasi	Satisfactory	61	SO <sub>2</sub>	1
99	Vatva	Good	45	PM <sub>10</sub>	1
100	Vijayapura	Satisfactory	55	O <sub>3</sub>	1
101	Yamunanagar	Moderate	108	PM <sub>10</sub>	1

Good	Minimal Impact	
Satisfactory	ory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* Moters calculated for today's bulletin for Asanol, Aurangabad, Brajrajnagar, Chandigarh, Ernakulam, Fatehabad, Hajipur, Jind, Kalaburgi, Karnal, Kochi, Moradabad, Muzaffarpur, Nandesari, Nashik, Pune, Shillong, Sirsa, Talcher, Thane, Visakhapatnam, Yadgir as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.