

## (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agra	Moderate	124	PM <sub>2.5</sub>	1
2	Ahmedabad	Moderate	190	O <sub>3</sub>	1
3	Aizawl	Good	20	PM <sub>2.5</sub>	1
4	Ajmer	Satisfactory	83	03	1
5	Alwar	Satisfactory	89	O <sub>3</sub>	1
6	Amaravati	Good	42	PM <sub>10</sub>	1
7	Amritsar	Satisfactory	75	PM <sub>10</sub>	1
8	Ankleshwar	Moderate	141	PM <sub>10</sub>	1
9	Asanol	Satisfactory	88	PM <sub>10</sub>	1
10	Aurangabad	Satisfactory	55	PM <sub>10</sub>	1
11	Bagalkot	Satisfactory	56	O <sub>3</sub>	1
12	Bathinda	Satisfactory	80	PM <sub>10</sub>	1

Good	Minimal Impact
Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* Motest calculated for today's bulletin for Ambala, Bahadurgarh, Ballabgarh, Brajrajnagar, Charkhi Dadri, Chikkamagaluru, Faridabad, Hajipur, Jind, Kalyan, Moradabad, Narnaul, Palwal, Panchkula, Ratlam, Shillong, Sonipat, Talcher, Vijayapura, Yadgir as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



## (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bengaluru	Satisfactory	55	PM <sub>10</sub> , CO, PM <sub>2.5</sub>	9
14	Bhiwadi	Moderate	158	PM <sub>2.5</sub>	1
15	Bhiwani	Moderate	129	PM <sub>10</sub>	1
16	Bhopal	Moderate	115	03	1
17	Bulandshahr	Moderate	185	03	1
18	Chandigarh	Satisfactory	57	PM <sub>10</sub>	1
19	Chandrapur	Satisfactory	66	O <sub>3</sub> , PM <sub>10</sub>	2
20	Chennai	Satisfactory	51	O <sub>3</sub> , CO, PM <sub>2.5</sub>	4
21	Chikkaballapur	Satisfactory	83	PM <sub>10</sub>	1
22	Coimbatore	Good	44	со	1
23	Damoh	Satisfactory	72	PM <sub>10</sub>	1
24	Delhi	Moderate	200	PM <sub>2.5</sub> , O <sub>3</sub>	33

Good	Minimal Impact
Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* Motes t calculated for today's bulletin for Ambala, Bahadurgarh, Ballabgarh, Brajrajnagar, Charkhi Dadri, Chikkamagaluru, Faridabad, Hajipur, Jind, Kalyan, Moradabad, Narnaul, Palwal, Panchkula, Ratlam, Shillong, Sonipat, Talcher, Vijayapura, Yadgir as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



## (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Dewas	Moderate	166	O <sub>3</sub>	1
26	Dharuhera	Satisfactory	92	O <sub>3</sub>	1
27	Eloor	Satisfactory	62	PM <sub>10</sub>	1
28	Ernakulam	Satisfactory	97	со	1
29	Fatehabad	Poor	216	O <sub>3</sub>	1
30	Gandhinagar	Satisfactory	75	PM <sub>10</sub>	1
31	Gaya	Moderate	172	O <sub>3</sub>	2
32	Ghaziabad	Poor	208	O <sub>3</sub> , PM <sub>2.5</sub>	4
33	Greater Noida	Moderate	154	O <sub>3</sub>	2
34	Gurugram	Moderate	158	O <sub>3</sub> , PM <sub>2.5</sub>	3
35	Guwahati	Good	47	O <sub>3</sub>	1
36	Gwalior	Moderate	160	O <sub>3</sub>	1

Good	Minimal Impact
Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* Motes t calculated for today's bulletin for Ambala, Bahadurgarh, Ballabgarh, Brajrajnagar, Charkhi Dadri, Chikkamagaluru, Faridabad, Hajipur, Jind, Kalyan, Moradabad, Narnaul, Palwal, Panchkula, Ratlam, Shillong, Sonipat, Talcher, Vijayapura, Yadgir as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



## (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Hapur	Moderate	177	PM <sub>10</sub>	1
38	Hisar	Moderate	132	PM <sub>10</sub>	1
39	Howrah	Good	40	O <sub>3</sub> , PM <sub>10</sub>	2
40	Hubballi	Satisfactory	76	со	1
41	Hyderabad	Satisfactory	72	PM <sub>2.5</sub> , PM <sub>10</sub> , O <sub>3</sub>	6
42	Indore	Satisfactory	97	O <sub>3</sub>	1
43	Jabalpur	Moderate	107	O <sub>3</sub>	1
44	Jaipur	Satisfactory	98	O <sub>3</sub> , PM <sub>10</sub>	3
45	Jalandhar	Moderate	129	PM <sub>2.5</sub>	1
46	Jodhpur	Satisfactory	92	PM <sub>10</sub>	1
47	Jorapokhar	Moderate	140	PM <sub>10</sub>	1
48	Kaithal	Moderate	163	PM <sub>10</sub>	1

Good	Minimal Impact
Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* Motes t calculated for today's bulletin for Ambala, Bahadurgarh, Ballabgarh, Brajrajnagar, Charkhi Dadri, Chikkamagaluru, Faridabad, Hajipur, Jind, Kalyan, Moradabad, Narnaul, Palwal, Panchkula, Ratlam, Shillong, Sonipat, Talcher, Vijayapura, Yadgir as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



## (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Kalaburgi	Good	45	PM <sub>2.5</sub>	1
50	Kannur	Good	38	PM <sub>2.5</sub>	1
51	Kanpur	Moderate	128	PM <sub>2.5</sub>	1
52	Karnal	Moderate	117	PM <sub>2.5</sub>	1
53	Katni	Moderate	127	PM <sub>10</sub>	1
54	Khanna	Satisfactory	94	PM <sub>10</sub>	1
55	Kochi	Satisfactory	68	СО	1
56	Kolkata	Good	44	O <sub>3</sub>	5
57	Kollam	Satisfactory	52	PM <sub>2.5</sub>	1
58	Kota	Satisfactory	60	O <sub>3</sub>	1
59	Kozhikode	Good	33	PM <sub>10</sub>	1
60	Kurukshetra	Moderate	135	PM <sub>2.5</sub>	1

Good	Minimal Impact
Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* Motest calculated for today's bulletin for Ambala, Bahadurgarh, Ballabgarh, Brajrajnagar, Charkhi Dadri, Chikkamagaluru, Faridabad, Hajipur, Jind, Kalyan, Moradabad, Narnaul, Palwal, Panchkula, Ratlam, Shillong, Sonipat, Talcher, Vijayapura, Yadgir as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



## (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Lucknow	Moderate	117	PM <sub>2.5</sub>	3
62	Ludhiana	Satisfactory	83	PM <sub>10</sub>	1
63	Maihar	Satisfactory	68	PM <sub>10</sub>	1
64	Mandi Gobindgarh	Moderate	111	PM <sub>10</sub>	1
65	Mandideep	Good	40	PM <sub>10</sub>	1
66	Mandikhera	Satisfactory	89	03	1
67	Manesar	Moderate	125	PM <sub>10</sub>	1
68	Meerut	Moderate	152	PM <sub>2.5</sub>	1
69	Mumbai	Moderate	120	PM <sub>10</sub> , PM <sub>2.5</sub>	8
70	Muzaffarnagar	Moderate	172	PM <sub>2.5</sub>	1
71	Muzaffarpur	Poor	231	03	1
72	Mysuru	Satisfactory	64	03	1

Good	Minimal Impact
Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* Motest calculated for today's bulletin for Ambala, Bahadurgarh, Ballabgarh, Brajrajnagar, Charkhi Dadri, Chikkamagaluru, Faridabad, Hajipur, Jind, Kalyan, Moradabad, Narnaul, Palwal, Panchkula, Ratlam, Shillong, Sonipat, Talcher, Vijayapura, Yadgir as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



### (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Nagpur	Satisfactory	86	O <sub>3</sub>	1
74	Nandesari	Poor	227	PM <sub>10</sub>	1
75	Nashik	Satisfactory	98	PM <sub>10</sub>	1
76	Navi Mumbai	Moderate	130	PM <sub>10</sub>	1
77	Noida	Moderate	160	O <sub>3</sub> , PM <sub>2.5</sub>	3
78	Pali	Satisfactory	90	O <sub>3</sub>	1
79	Panipat	Moderate	168	PM <sub>10</sub>	1
80	Patiala	Satisfactory	92	PM <sub>10</sub>	1
81	Patna	Poor	208	PM <sub>10</sub> , O <sub>3</sub>	4
82	Pithampur	Moderate	119	PM <sub>10</sub>	1
83	Pune	Satisfactory	51	СО	1
84	Rajamahendravaram	Satisfactory	72	O <sub>3</sub>	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* Motes t calculated for today's bulletin for Ambala, Bahadurgarh, Ballabgarh, Brajrajnagar, Charkhi Dadri, Chikkamagaluru, Faridabad, Hajipur, Jind, Kalyan, Moradabad, Narnaul, Palwal, Panchkula, Ratlam, Shillong, Sonipat, Talcher, Vijayapura, Yadgir as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



### (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Ramanagara	Satisfactory	53	O <sub>3</sub>	1
86	Rohtak	Moderate	153	PM <sub>2.5</sub>	1
87	Rupnagar	Moderate	158	PM <sub>2.5</sub>	1
88	Sagar	Good	48	PM <sub>10</sub>	1
89	Satna	Satisfactory	75	PM <sub>10</sub>	1
90	Siliguri	Good	41	O <sub>3</sub>	1
91	Singrauli	Poor	252	O <sub>3</sub>	1
92	Sirsa	Moderate	118	PM <sub>10</sub>	1
93	Solapur	Satisfactory	60	PM <sub>10</sub>	1
94	Thane	Moderate	129	PM <sub>10</sub>	1
95	Thiruvananthapuram	Satisfactory	52	O <sub>3</sub>	2
96	Tirupati	Satisfactory	53	O <sub>3</sub>	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* Motest calculated for today's bulletin for Ambala, Bahadurgarh, Ballabgarh, Brajrajnagar, Charkhi Dadri, Chikkamagaluru, Faridabad, Hajipur, Jind, Kalyan, Moradabad, Narnaul, Palwal, Panchkula, Ratlam, Shillong, Sonipat, Talcher, Vijayapura, Yadgir as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



## (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Udaipur	Satisfactory	76	O <sub>3</sub>	1
98	Ujjain	Satisfactory	78	O <sub>3</sub>	1
99	Vapi	Moderate	119	PM <sub>10</sub>	1
100	Varanasi	Moderate	154	O <sub>3</sub>	1
101	Vatva	Satisfactory	81	PM <sub>10</sub>	1
102	Visakhapatnam	Good	22	O <sub>3</sub>	1
103	Yamunanagar	Moderate	119	PM <sub>10</sub>	1

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* Motors calculated for today's bulletin for Ambala, Bahadurgarh, Ballabgarh, Brajrajnagar, Charkhi Dadri, Chikkamagaluru, Faridabad, Hajipur, Jind, Kalyan, Moradabad, Narnaul, Palwal, Panchkula, Ratlam, Shillong, Sonipat, Talcher, Vijayapura, Yadgir as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.