

PRODUCT AND ENGINEERING BRIEF

FocusMatrix

Eisenhower Productivity & Task Management
System

A local-first productivity workspace for turning urgency and importance into focused action.

Team briefing · September 2026



Executive Summary

FocusMatrix helps users capture tasks, classify them through the Eisenhower Matrix, schedule due dates and reminders, and work from a calm dashboard that runs locally.

Implemented now

- Responsive dashboard and navigation
- Task creation with urgency and importance
- Automatic quadrant classification
- Complete and reopen workflows
- Due dates and recurring local reminders

Runtime options

- Browser-based Vite application
- Portable Windows Electron executable
- Offline IndexedDB task storage
- Optional Supabase authentication
- DigitalOcean static hosting path

Important boundary: authentication is optional and currently does not synchronize tasks. Task data remains local to the browser or Electron profile.

Product Experience


Eisenhower workflow

Quadrant	Rule	Recommended behavior
Do first	Urgent + important	Act immediately
Schedule	Important + not urgent	Reserve time
Delegate	Urgent + not important	Assign or reduce
Eliminate	Not urgent + not important	Remove from attention

Current interactions

- Create tasks from the dashboard or any task-aware view.
- Set the due date, with today's date selected by default.
- Enable one-time, daily, weekly, or monthly reminders.
- Complete tasks from the matrix or task list.
- Reopen completed tasks from Closed tasks.
- Edit the local profile display name from the avatar.
- Move between Dashboard, Matrix, Tasks, Calendar, and Analytics views.

Technical Architecture



Core technologies

Area	Technology	Role
UI	React, TypeScript, Lucide	Product interface and typed components
Build	Vite	Development server and production bundle
Persistence	Dexie / IndexedDB	Local task storage and schema migrations
Desktop	Electron	Portable Windows application
Auth	Supabase, optional	Google and email identity only
Hosting	Docker, Nginx, DigitalOcean	Static web delivery

Privacy and Data Safety

- No task data is sent to the hosted server.
- Tasks are stored in the local `focus-matrix` IndexedDB database.
- Profile names are stored locally in browser storage.
- Authentication uses only browser-safe Supabase configuration.
- Service-role keys and DigitalOcean tokens must remain in secrets.
- Electron disables renderer Node integration and enables context isolation.
- No analytics, advertising, or tracking scripts are configured.

Operational limitation: local reminders run while FocusMatrix is open. Background operating-system notifications, backup/restore, export/import, and cloud task sync are not implemented yet.

Delivery and Operations

Local development

```
npm install
npm run dev
npm run build
npm run lint
```

Windows desktop build

```
npm run desktop:portable
FocusMatrix-standalone/FocusMatrix.exe
```

CI/CD

Pull requests run dependency installation, lint, and production build checks. Pushes to `main` additionally build an immutable Docker image tagged with the commit SHA, push it to DigitalOcean Container Registry, and update App Platform.

Required GitHub configuration includes `DIGITALOCEAN_ACCESS_TOKEN`, `DOCR_REGISTRY`, `DO_APP_ID`, and optional Supabase secrets.

Documentation

- `docs/USER_GUIDE.md` - user workflows
- `docs/DEVELOPMENT.md` - commands and development behavior
- `docs/ARCHITECTURE.md` - system design
- `docs/DEPLOYMENT.md` - DigitalOcean deployment
- `docs/SECURITY.md` - privacy and security boundaries

FocusMatrix · Local-first productivity, designed for focused work.