

Personalized Photo Frame *Custom E-Commerce Platform*

A complete build specification for the storefront, the photo personalization engine and the admin panel — written so a developer can start work from this document alone. Every module is broken into individual features, data, rules and acceptance criteria.

CLIENT

BroPics & Kavi Vazhi Photography

Personalized photo frame business

DOCUMENT TYPE

Internal technical specification

Phase 1 scope · No commercial terms included

PREPARED BY

JASkrypt Techverse

08 August 2026 · Ref JT/SPEC/2026-001

REFERENCE BUILDS

picloopz.com · ritwikas.com

Structure and UX reference only — see §2

SECTION 01

Purpose, scope and how to read this document

This is the single source of truth for Phase 1. Anything not written here is out of scope until it is added here.

WHAT IS BEING BUILT

- A custom e-commerce storefront for personalized photo frames, replacing manual WhatsApp order taking.
- A **photo personalization engine**: the customer uploads a photo, adjusts it, and sees it live inside the selected frame before paying.
- An **admin panel** that lets the client run products, orders, content, offers and media without a developer.
- A production-ready deployment with analytics, SEO and a documented handover.

EXPECTED LOAD (DESIGN TARGET)

- 500–1,000 visitors/day, peaks at 3× during festival campaigns.
- 10–20 orders/day; 200–600+ orders/month.
- Roughly 1–3 uploaded images per order, originals retained.

HOW TO READ IT

- \$3–\$4** — stack, environments and data model. Build these first.
- \$5–\$12** — customer-facing modules, feature by feature.
- \$13** — the personalization engine. Read it fully before estimating.
- \$14–\$15** — admin panel and order workflow.
- \$16–\$19** — non-functional: performance, SEO, security, analytics.
- \$20–\$21** — delivery milestones, definition of done, open questions.

GROUND RULES

- Every price, discount and total is calculated **server-side**. Client values are never trusted.
- Every list the customer sees is admin-manageable. No hardcoded content.
- Mobile is the primary target. Desktop is the secondary layout.

SECTION 02

Reference websites

Two live sites the client has approved as the benchmark. Use them for structure, flow and depth of content — not as a source of assets.

Reference	What to take from it	Notes for the build
picloopz.com Category → product → customize flow	Catalogue organisation for personalized gifting: category landing pages, product cards, product-highlight blocks, "How it works" steps, dispatch-time messaging on the product page.	Product content pattern to copy structurally: highlights list, how-it-works steps, size chart, photo requirement count (e.g. combo sets needing 3 photos), dispatch window.
ritwikas.com Product depth, trust content, policies	Size × frame-colour variant matrix, tabbed product information, an order-timeline widget on the product page, the "Products in motion" video rail, customer reviews with a rating breakdown, and a detailed picture-quality / DPI guidance section.	This is the closer match for our product page. \$8 and \$11 are modelled on it. Their live preview and DPI rules are the behaviour we are matching and improving on.

CLONING BOUNDARY — READ BEFORE STARTING

- Replicate**: page structure, section order, information architecture, interaction patterns, form and filter behaviour.
- Do not copy**: images, product photography, written copy, policy text, review content, logos, or any front-end code or theme assets from either site. All copy is written fresh; all photography comes from the client.
- Where a reference behaviour is required, it is written out as a requirement in this document — build from the requirement, not from the other site's markup.

SECTION 03

Technology, environments and repository

STACK

Framework	Next.js (App Router) + TypeScript
Styling	Tailwind CSS + small component layer
Backend	Next.js route handlers / server actions
Database	Supabase PostgreSQL (RLS enabled)
Auth	Supabase Auth — phone OTP + email
Storage	Supabase Storage — private buckets
Payments	Razorpay Orders API + webhooks
Editor	React Konva (canvas) — Fabric.js fallback
Server imaging	sharp — print render, thumbnails, DPI
Email / WhatsApp	Transactional email + WhatsApp Cloud API (Phase 1: templated notifications only)
Hosting	Vercel (production + preview)

ENVIRONMENTS

- local** — Supabase local or dev project, Razorpay test keys.
- preview** — every PR gets a Vercel preview against the dev database. Test payments only.
- production** — separate Supabase project, live Razorpay keys, custom domain, backups on.

REPOSITORY LAYOUT

- `/app` — routes: `(shop)`, `(account)`, `(admin)`, `/api`
- `/components` — UI; `/components/editor` isolated and lazily imported
- `/lib` — supabase clients, pricing, razorpay, image, validation schemas (zod)
- `/supabase/migrations` — every schema change is a checked-in migration
- `/scripts` — seed data, print-render worker

CONVENTIONS

- All money in **paise (integer)**. Never floats.
- All timestamps `timestampz`, stored UTC, rendered IST.
- Input validated with zod at every route boundary.

SECTION 04

Data model

Core tables and the fields that matter. Standard `id`, `created_at`, `updated_at` on every table; soft delete via `archived_at` where content must survive in old orders.

Table	Key fields	Purpose & rules
categories	name, slug, parent_id, image, sort_order, is_active, seo_title, seo_description	Two levels max. Slug immutable once live (redirect if changed).
products	title, slug, category_id, short_desc, description_html, highlights[], how_it_works[], care_text, base_price, is_active, is_featured, badges[], dispatch_days_min/max, photo_slots, allows_text_personalization, seo fields	<code>photo_slots</code> drives the editor (1 for single frame, 3 for a combo set). Price always resolved from the variant, not here.
product_variants	product_id, sku, size_label, width_in, height_in, frame_colour, material, price, compare_at_price, stock_status, print_width_px, print_height_px, min_upload_px, aspect_ratio, is_active	The size × colour matrix. Not every combination exists — availability is per row. Print dimensions feed the DPI check in §13.
product_media	product_id, variant_id?, type (image/video), url, alt, sort_order	Gallery. Videos supported for product-in-use clips.
frame_templates	variant_id, mockup_url, mask_url, printable_rect, bleed_mm, mat_inset, overlay_url	Drives the live preview: where the photo sits inside the frame mockup.
uploads	user_id?, session_id, original_url, width_px, height_px, mime, bytes, exif_stripped, status	Private bucket. Signed URLs only. Retained with the order.
customizations	upload_id, variant_id, slot_index, transform_json (scale, offset_x, offset_y, rotation, crop_rect), text_fields_json, effective_dpi, preview_url, print_file_url, render_status	One row per photo slot. <code>transform_json</code> is the reproducible recipe; the print file is rendered server-side.
carts / cart_items	session_id, user_id?, variant_id, qty, customization_ids[], unit_price_snapshot	Guest carts survive login by merging on the session id.
orders	order_no, user_id, status, payment_status, subtotal, discount, shipping, total, coupon_id, address_json, razorpay_order_id, razorpay_payment_id, notes, placed_at	Human-readable <code>order_no</code> (e.g. BP-2026-00184). Address snapshotted, never referenced.
order_items	order_id, variant_id, product_title_snapshot, variant_label_snapshot, qty, unit_price, customization_ids[], print_files[]	All display data snapshotted so old orders never change when a product is edited.
order_events	order_id, from_status, to_status, actor, note, created_at	Full audit trail; also powers customer-facing tracking.
coupons	code, type (percent/flat/free_shipping), value, min_order, max_discount, starts_at, ends_at, usage_limit, per_user_limit, applies_to (all/category/product), used_count	Validated and applied server-side only.
reviews	product_id, user_id, order_id?, rating, title, body, media[], is_verified, status (pending/approved/rejected)	Only approved reviews are public. Verified badge when linked to a delivered order.
testimonials / videos	type (testimonial/factory/unboxing/reel), title, video_url, poster_url, source, duration, sort_order, is_active, placement	Feeds the video rails in §11.
banners / homepage_sections	type, title, subtitle, image, mobile_image, link, sort_order, starts_at, ends_at, is_active	Homepage is composed from ordered sections, not hardcoded.
users / addresses	name, phone, email, role (customer/staff/admin); address lines, city, state, postcode, is_default	Role drives admin access. Phone is the primary identifier.
settings	key, value_json	Free-shipping threshold, flat shipping charge, processing days, WhatsApp number, support hours, announcement bar.

SECTION 05

Global layout & navigation

HEADER

- Announcement bar — admin editable text, optional link, dismissible, scheduling window.
- Logo, category navigation (dropdown on desktop, drawer on mobile).
- Search entry point, wishlist, account, cart with live item count.
- Sticky on scroll-up for mobile; collapses on scroll-down.

FOOTER

- Category links, policy pages, contact block, support hours, GST number.
- Social links, newsletter signup, accepted payment methods row.

PERSISTENT ELEMENTS

- Floating WhatsApp button** — deep link `wa.me` with a prefilled message containing the current product name and URL.
- Cart drawer** — slides in on add-to-cart, shows the customized preview thumbnail, not just the product image.
- Toast notifications for add/remove/coupon results.

STATIC PAGES (ADMIN-EDITABLE)

- About us, Contact, FAQ, How it works, Picture quality guide.
- Terms, Privacy, Shipping policy, Return & refund policy.

SECTION 06

Homepage

Composed of ordered, admin-managed sections. Each section can be reordered, scheduled or switched off.

Section	Behaviour
Hero banner / slider	Separate desktop and mobile images, optional heading, CTA link, autoplay with swipe, scheduling window per slide.
Category tiles	Image + name grid pulled from active categories, custom sort order.
Best sellers	Manual pick or auto by 30-day order count. Configurable in admin.
How it works	Upload → adjust → preview → order. Four illustrated steps, editable text.
Featured collections	Curated product rails with a heading and "view all" link.
Products in motion	Horizontal video rail — see §11. Muted autoplay, tap to open, product link per video.
Reviews & testimonials	Rating summary plus a carousel of approved reviews with photos.
Why us / factory	Trust block: production video, quality points, packing and dispatch promise.
Offer strip	Active coupon or campaign, auto-hidden when the coupon expires.
Recently viewed	Client-side list of the last 8 products, persisted per device.

SECTION 07

Category, listing, search and filters

LISTING PAGE

- Server-rendered grid, 2 columns on mobile, 4 on desktop.
- Product card: image (hover/second image), title, price with strike-through compare-at, discount badge, rating stars, "Customizable" tag.
- Pagination or infinite scroll with a stable URL for each page (SEO).
- Category banner, description block and SEO text under the grid.

SEARCH

- Full-text search on title, description and tags (Postgres `tsvector`).
- Type-ahead suggestions with thumbnails; recent searches stored locally.
- Empty state suggests best sellers and categories.

FILTERS & SORTING

- Filter by category, size, frame colour, material, price range, rating, availability, occasion tag.
- Filters are URL-driven (`?size=12x18&colour=black`) so results are shareable and indexable.
- Result count updates live; "clear all" and individual chip removal.
- Sort: relevance, newest, price low → high, price high → low, best selling, top rated.
- Mobile: filters open in a bottom sheet with an apply button.

ACCEPTANCE

- Any filter combination is reachable by URL and returns in under 400 ms at 500 products.
- Back navigation restores scroll position and filter state.

SECTION 08

Product detail page

The most important page in the build. Modelled on the reference sites, with the personalization step brought forward.

ABOVE THE FOLD

- Gallery — zoomable images, video support, thumbnail rail, swipe on mobile.
- Title, rating summary with review count anchor link.
- Price, compare-at price, save percentage, tax-inclusive note.

INFORMATION TABS

- Description** — rich text, highlights list, how-it-works steps.
- Picture quality** — DPI guidance and the size → required-pixels table (§13). Same content on every product, managed once.

- ▮ **Variant selector** — size and frame colour as separate controls; unavailable combinations are visibly disabled, price and gallery update on change.
- ▮ Photo requirement notice, e.g. "3 photos needed for this set".
- ▮ Primary CTA: **Personalize & add to cart** — opens the editor (\$13). Secondary: wishlist, "notify me" when out of stock.
- ▮ Dispatch estimate strip: ordered → ready → delivered, with dates computed from the product's dispatch window.
- ▮ WhatsApp help line: "Trouble uploading? Talk to us" with a prefilled message.

- ▮ **Delivery information** — processing time, delivery window, tracking, delivery attempts, shipping charge rules.
- ▮ **Return & refund** — unboxing video requirement, damage/wrong item replacement, and the "custom products are not returnable for preference" rule.
- ▮ **Additional information** — size and colour matrix, material, frame construction.

BELOW THE TABS

- ▮ Product videos rail ("in motion").
- ▮ Reviews with rating breakdown, photo reviews, sorting and pagination.
- ▮ Frequently bought together and related products.
- ▮ Recently viewed rail.
- ▮ Product FAQ accordion.

SECTION 09

Cart, checkout and payment

CART

- ▮ Line items show the **customized preview**, variant label, quantity stepper and line total.
- ▮ "Edit personalization" reopens the editor with the saved transform intact.
- ▮ Coupon field with server-side validation and a clear reason on failure.
- ▮ Order summary: subtotal, discount, shipping, total. Free-shipping progress indicator against the configured threshold.
- ▮ Guest cart persists for 30 days and merges into the account on login.

CHECKOUT

- ▮ Single page, three blocks: contact → address → payment.
- ▮ Phone OTP login or guest checkout with phone verification.
- ▮ Address form with pincode lookup for city/state autofill, saved addresses for logged-in users.
- ▮ Order notes field (occasion, delivery-by date request).
- ▮ Re-validation before payment: stock, prices, coupon, upload files present.

RAZORPAY INTEGRATION

- ▮ Server creates the Razorpay order with the server-computed amount; the client only receives the order id.
- ▮ Checkout supports UPI, cards, net banking and wallets.
- ▮ **Signature verified server-side** on callback, and again on the webhook.
- ▮ Webhook is the source of truth: `payment.captured` marks the order paid and triggers print rendering; `payment.failed` keeps the cart recoverable.
- ▮ Idempotent handling — duplicate webhooks must not create duplicate orders.
- ▮ Refunds initiated from admin, logged against the order.

NON-NEGOTIABLE

An order is only "paid" when the webhook confirms it. Never on a client-side success callback alone.

SECTION 10

Customer account & order tracking

ACCOUNT

- ▮ Phone OTP login, optional email.
- ▮ Profile: name, phone, email.
- ▮ Address book with default address.
- ▮ Wishlist.

ORDERS

- ▮ Order list with status chips and thumbnails.
- ▮ Order detail: items, customized previews, address, payment, invoice download.
- ▮ Re-order and "buy again" actions.
- ▮ Review prompt after delivery.

TRACKING

- ▮ Visual status timeline built from `order_events`.
- ▮ Courier name, AWB and tracking link when shipped.
- ▮ Status notifications by email and WhatsApp template.
- ▮ Guest tracking by order number + phone.

SECTION 11

Reviews, testimonials and trust videos

This is what the reference site does well and the client specifically asked for — the scrolling review, unboxing and factory videos that answer "who are you and why should I trust you".

VIDEO RAILS

- ▮ Horizontal, swipeable rail of vertical (9:16) videos — the reel format customers already recognise.
- ▮ Types: **customer review, unboxing, factory / production, brand story**. Each video is tagged and can be placed on the homepage, a category page, or specific products.
- ▮ Muted autoplay only when in view, poster image until then, tap to expand full-screen with sound and controls.
- ▮ Lazy loaded; the rail must not block first paint or count against the LCP element.
- ▮ Each video can carry a "Shop this frame" link to a product.
- ▮ Files served from Supabase Storage with a CDN cache; long videos may be embedded from YouTube instead — admin chooses the source per video.

WRITTEN REVIEWS

- ▮ Star rating, title, body, up to 4 photos.
- ▮ Rating summary with a 5 → 1 star distribution bar and average.
- ▮ Verified-purchase badge when the review links to a delivered order.
- ▮ Sort by recent, highest, lowest, with-photos; paginated.
- ▮ All submissions land in admin as **pending** — nothing is public until approved.
- ▮ Post-delivery review request sent automatically after a configurable number of days.

WHY-US BLOCK

- ▮ Static trust section: production quality, packing, dispatch promise, replacement policy — with the factory video alongside.

SECTION 12

Offers, coupons and merchandising

- ┐ Coupon types: percentage, flat amount, free shipping.
- ┐ Conditions: minimum order value, maximum discount cap, validity window, total usage limit, per-customer limit, applicability to all products / a category / specific products.
- ┐ Auto-applied campaign offers (no code) with the same rule engine.
- ┐ First-order coupon and newsletter-signup coupon supported by configuration.
- ┐ Promotional banners with scheduling and separate mobile artwork.
- ┐ Product badges: new, best seller, limited, festive.
- ┐ Merchandising rails: related products, frequently bought together, best sellers, recently viewed, recommended for you (rule-based — category and view history, not machine learning).
- ┐ Free-shipping threshold and flat shipping charge are settings, not code.

SECTION 13

Personalization engine — upload, edit, live preview

The core module. Everything else is standard e-commerce; this is what makes the platform custom. Build it in isolation with its own test page before wiring it into the product page.

STEP 01 Select variant	STEP 02 Upload photo	STEP 03 Crop & zoom	STEP 04 Rotate	STEP 05 Reposition	STEP 06 Quality check	STEP 07 Confirm & add
---------------------------	-------------------------	------------------------	-------------------	-----------------------	--------------------------	--------------------------

UPLOAD

- ┐ Accepts JPEG, PNG, HEIC/HEIF (converted server-side), WebP. Max 25 MB per file.
- ┐ Sources: file picker, drag-and-drop, direct camera capture on mobile.
- ┐ Client-side downscale to a working copy (max 2,400 px long edge) for smooth canvas performance — **the original is always uploaded and kept** for printing.
- ┐ EXIF orientation applied, EXIF metadata stripped on the server.
- ┐ Upload goes to a private bucket via a signed URL, with progress and retry.
- ┐ Multi-slot products request one photo per slot with slot labels ("centre 8×8", "left 4×4").

CANVAS EDITING

- ┐ The canvas renders the frame mockup, the printable area mask and the photo layer beneath it.
- ┐ **Zoom** — pinch, slider and +/- buttons; range 1×–4× of the cover scale.
- ┐ **Reposition** — drag on desktop, single-finger pan on touch.
- ┐ **Rotate** — free slider ±180° plus 90° step buttons.
- ┐ **Crop** — the printable rectangle is fixed by the variant's aspect ratio; cropping happens by pan and zoom against that fixed window.
- ┐ **Constraint** — the image must always fully cover the printable area. No white gaps; the transform is clamped, not rejected.
- ┐ Reset, undo and re-upload actions.
- ┐ Optional text personalization: name, date, short message, with per-product character limits and a font choice from an admin-defined list.

LIVE PREVIEW

- ┐ Preview updates on every frame of interaction — target **60 fps**, no re-upload, no page reload.
- ┐ Shown inside the actual frame mockup for the selected size and colour, so changing the variant re-renders the preview immediately.
- ┐ A full-screen preview mode and a "how it will look on a wall" mockup shot.

QUALITY / DPI VALIDATION

Effective DPI = pixels of the original image actually used inside the printable area ÷ print size in inches. Evaluated live as the customer zooms.

Effective DPI	Behaviour
≥ 300	Green. "Print quality: excellent."
150–299	Amber warning. Customer may continue after an explicit acknowledgement, which is recorded on the order.
< 150	Red. Blocked — the customer must zoom out, choose a smaller size, or upload a better photo.

Reference resolutions at 300 DPI (shown to the customer in the picture-quality tab):

Frame size (in)	Required pixels	Frame size (in)	Required pixels
8 × 12	2400 × 3600	16 × 24	4800 × 7200
10 × 15	3000 × 4500	20 × 30	6000 × 9000
12 × 18	3600 × 5400	8 × 8	2400 × 2400
14 × 21	4200 × 6300	12 × 12	3600 × 3600

RULES & EDGE CASES

- ┐ Print rendering is queued on payment capture; failures alert admin and are retryable from the order screen.
- ┐ Editor state autosaves to the cart so a dropped connection does not lose the edit.
- ┐ Slow devices: the editor is code-split and lazily imported; a skeleton shows while it loads.
- ┐ Uploads with no completed order are purged after 30 days.
- ┐ Screenshot / social-media images are usually under 150 DPI — the amber path exists precisely for this and must read clearly on a phone.

SECTION 14

Admin panel

Role-based (admin / staff). Everything the client touches weekly must be here — the test is that no operational task requires a developer.

Module	Capabilities
Dashboard	Today's orders, revenue this week/month, pending production count, low-quality-upload flags, recent reviews awaiting approval, top products.

Products	Create, edit, duplicate, archive. Rich text description, highlights, how-it-works steps, badges, dispatch window, photo slot count, SEO fields, active toggle, sort order.
Variants	Bulk-manage the size × colour matrix: SKU, price, compare-at price, stock status, print dimensions, minimum upload pixels, per-combination availability.
Frame templates	Upload the frame mockup, mask and printable rectangle per variant; live test of the preview before publishing.
Categories	Create, nest one level, reorder, category image and SEO fields.
Media library	Product images and videos with alt text, reordering and reuse across products.
Orders	List with filters (status, date, payment, coupon), search by order no / phone; detail view with items, customer previews, one-click download of print files (single or zipped per order), address, payment reference, internal notes.
Order workflow	Advance status, bulk status update, add courier + AWB + tracking link, trigger customer notification, cancel with reason, initiate refund.
Production queue	A print-focused view: all paid orders grouped by size, with the print file and the customer's preview side by side, and a "printed" tick per item.
Customers	List, search, order history, lifetime value, addresses, block flag.
Customer images	Every upload against its order, downloadable, with the effective DPI shown and the low-quality acknowledgement flagged.
Coupons & offers	Full rule set from \$12, usage counts, enable/disable, expiry.
Banners & homepage	Compose homepage sections: add, reorder, schedule, switch off. Separate mobile artwork.
Reviews	Approve, reject, reply, feature on homepage; moderation queue with photo preview.
Videos	Upload or link factory / unboxing / review videos, set poster, placement and product link, reorder rails.
Content pages	Edit About, FAQ, policies, picture-quality guide, announcement bar.
Analytics	Revenue and order trends, best sellers, category performance, coupon performance, conversion funnel, average order value, repeat-customer rate. Date range picker, CSV export.
Settings & users	Shipping thresholds, processing days, WhatsApp number, support hours, staff accounts and roles, activity log.

SECTION 15

Order lifecycle

01 Pending payment	02 Paid	03 In production	04 Printed & packed	05 Shipped	06 Delivered
- Every transition writes an <code>order_events</code> row with actor and timestamp. - On paid: print files render, admin is notified, customer gets an order confirmation. - On shipped: courier, AWB and tracking link are captured and sent to the customer. - Side states: cancelled (with reason), refunded, replacement issued.			- Customer notifications at paid, in production, shipped and delivered — email plus WhatsApp template. - Replacement flow follows the client's policy: report with an unboxing video on the day of delivery, damage or wrong item only. - Cancellation allowed only before production starts, within the configured window.		

SECTION 16–19

Non-functional requirements

16 · PERFORMANCE

- LCP under 2.5 s on a mid-range Android over 4G; CLS under 0.1.
- Product and category pages server-rendered with ISR; product data revalidated on admin save.
- Images served through `next/image`, WebP/AVIF, correct sizes, lazy below the fold.
- Editor bundle code-split and loaded only when personalization opens.
- Editor interaction latency under 100 ms; preview redraw at 60 fps on a mid-range phone.

17 · SEO

- Unique title, meta description, canonical and OG image per product and category.
- JSON-LD: Product, Offer, AggregateRating, Review, BreadcrumbList, Organization.
- Clean slugs, `sitemap.xml`, `robots.txt`, 301s for any changed slug.
- Filter URLs indexable where useful, `noindex` on thin combinations.
- Image alt text managed in admin; heading hierarchy enforced.

18 · SECURITY & PRIVACY

- Supabase RLS on every table; customers can only read their own orders, uploads and addresses.
- Uploads in a private bucket, accessed only through short-lived signed URLs.
- Admin routes behind role checks on the server, not only in the UI.
- Razorpay webhook signature verification; secrets only in server env.
- Rate limiting on upload, OTP, coupon and review endpoints.
- Customer photos are personal data: EXIF stripped, retention documented, deletable on request.
- Daily database backups; storage lifecycle policy for abandoned uploads.

19 · ANALYTICS EVENTS

- `view_item`, `select_variant`, `editor_open`, `photo_upload`, `dpi_warning_shown`, `editor_confirm`, `add_to_cart`, `begin_checkout`, `purchase`, `coupon_applied`, `whatsapp_click`, `review_submitted`.
- GA4 e-commerce parameters on all funnel events; Clarity for session replay on the editor specifically.

SECTION 20

Build order, milestones and definition of done

Stage	Deliverable	Done when
Week 1	Requirements frozen, schema and migrations, seed data, project scaffold, environments	Schema reviewed; categories, 5 products and their variants seeded; preview deploy live.
Week 2–3	UI/UX design for all screens including the editor and admin	Client sign-off on mobile and desktop screens; component tokens agreed.
Week 3–5	Storefront: layout, homepage, category, listing, filters, search, PDP	All pages server-rendered from real data; Lighthouse mobile ≥ 85.
Week 4–6	Personalization engine	Upload → adjust → DPI check → confirm works on iOS Safari and Android Chrome; server-rendered print file matches the preview exactly.
Week 5–7	Cart, checkout, Razorpay, accounts, order tracking	Test order completes end to end; webhook-driven status confirmed; refund path tested.
Week 6–8	Admin panel and production queue	Client performs a full product create, order fulfil and content edit unassisted.
Week 8–9	Reviews, videos, offers, SEO, analytics, performance pass	Events firing in GA4; JSON-LD validates; budgets in \$16 met.
Week 9–10	UAT, bug fixing, deployment, training, handover	Zero open critical or major bugs; admin trained; documentation and credentials handed over.

DEFINITION OF DONE – EVERY FEATURE

- Works on iOS Safari, Android Chrome and desktop Chrome.
- Handles empty, loading and error states.
- Validated server-side, not only in the browser.
- Admin-manageable where the spec says so.
- No console errors; no layout shift; keyboard accessible.

HANDOVER PACKAGE

- Repository access with README and setup steps.
- Environment variable reference and third-party account list.
- Database schema documentation and migration history.
- Admin user guide and a recorded training walkthrough.
- 30 days of bug-fix support after launch.

SECTION 21

Open questions — to close before Week 1 ends

Each of these changes the build. None should be assumed.

- COD** — supported or prepaid only? If yes, partial-COD rules and the risk policy for custom products.
- Courier** — manual AWB entry, or an integration (Shiprocket / Delhivery / Nimbus)? Integration is not in Phase 1 unless added here.
- GST invoice** — is a compliant invoice PDF required per order, and with what fields?
- Product list** — the full catalogue for launch: sizes, colours, materials, photo-slot counts per product.
- Frame mockups** — who produces the mockup and mask images per variant for the preview? These are required before the editor can be finished.
- Text personalization** — which products allow names, dates or quotes, and what are the limits and fonts?
- Shipping rules** — free-shipping threshold, flat charge, and whether charges vary by size or zone.
- WhatsApp** — Cloud API business account available for templated notifications, or link-only in Phase 1?
- Content** — who writes the product copy and policies, and when do photos and videos arrive?
- Accounts** — domain, Razorpay KYC, Supabase and Vercel accounts must be in the client's name.

REMINDER

This document defines Phase 1 only. AI image enhancement, AI background removal, AI recommendations, WhatsApp automation, abandoned-cart recovery, loyalty and referral programs, push notifications, advanced CRM and a mobile app are Phase 2 / Phase 3 and are deliberately excluded here.

SECTION 22

Engagement, working rhythm and compensation

Scope is defined above. This section covers how we work together through the build and how the work is compensated.

WORKING RHYTHM

- ▮ All code lives in the shared repository from day one — feature branches, pull requests, no local-only work.
- ▮ A short written progress update at the end of each week: what shipped, what is in progress, what is blocked.
- ▮ Anything unclear is raised as a question against a section number in this document rather than assumed.
- ▮ A preview deployment is kept live throughout so progress can be reviewed at any point.
- ▮ Scope changes are agreed in writing and added to this document before they are built.

WHAT IS EXPECTED AT HANDOVER

- ▮ Working code against every section of this specification.
- ▮ Migrations, environment reference and setup documented in the README.
- ▮ No open critical or major bugs; all credentials and accounts transferred.

COMPENSATION

A monthly salary will be credited to the developer for the duration of this project, on a fixed date each month.

Additional reward on delivery. On successful completion of the milestones in §20 — and on final handover of a working, deployed platform — the developer will be rewarded for the work delivered, in recognition of quality and on-time delivery.

Amounts, payout dates and all other commercial terms are agreed separately in writing between JASKrypt Techverse and the developer. No financial figures are stated in this document, as this is a technical specification only.

OWNERSHIP

- ▮ All code, assets and database schema created for this project are the property of JASKrypt Techverse and its client.
- ▮ Customer photographs and personal data are handled strictly per §18 and are never copied outside the project environments.