

## **Java Script**

1.Which of the following methods returns the specified attribute value of an element node?

Ans: B- getAttribute

2. Select the number of properties the addEventListener method takes.?

Ans: C-Three parameter

3. What is the correct code to assign an onclick event to a button element ?

Ans : C

4. What is the correct code to assign an onclick event to a button element ?

Ans : C

5. The method that can be used to create new properties and also modify attributes of existing properties is

Ans: C - both a and b

6.Which are valid properties of event object?

Ans:D- all of the above

7. Select the correct statement about prototype object in JavaScript

Ans: option c

8. What will be output of following Javascript code?

```
<script>
```

```
var foo=10; var foo=20;
```

```
alert(foo)
```

```
</script>
```

Ans: option b [ 20]

9. Which function is used to check whether text is numeric or not?

Ans: isNumeric() [ option c]

10. Which of the following methods returns the specified attribute value of an element node?

Ans : option b

11. Which of the following will be useful to attach an event handler named as "handler" to all images on page?

Ans : option b

12. Select the number of properties the addEventListener method takes.

Ans: C. Three parameters

13. Which of the following is a valid async get ajax call syntax?

Ans: C.A&B

14. Which function is used to check whether text is numeric or not? Ans: B. isNaN()

15. What is the correct way to write javascript array?

Ans: C.

16. The keyword or the property that you use to refer to an object through which they were involved is

Ans: C. This

17. What will be the possible output of the following javascript code? `Var a=[1,2,3,4,5]  
console.log(a.slice(0,3));`

Ans: a

18. When does the function name become optional in javascript?

Ans: B. when the function is defined as expression

19. Which of the following is used as format for transferring data?

Ans: B. Javascript/dom

20. The method that can be used to create new properties and also to modify the attributes of existing properties Ans: C (Both A&B)

52. What is the output of below code: `var`

`num=parseInt("1234abc"); alert(num);`

Ans: option c

21. In general event handler is nothing but

Ans: A. Function

22. A function that is defined inside another function adds the containing function's activation object info its

Ans: option c

23. Consider the following JSON string:

`var jsonStr = {"students":{"student1":{"name":"Jayant", "age" 25}}}` How can we fetch the value "Jayant"?

Ans: option c

24. How to invoke the function `showtidedcted()` in the code given below so that the textbox "heo" has value "1"

ends?

Ans: option c

25. `var result= typeof (10*10+5+" value "); alert(result)`

Ans: String

26. Which of the following will be useful to attach an event handler named as "handler" to all images on page?

Ans: Option c (not sure )

27. What will be the output of the following JavaScript code?

```
function output(option)
```

```
return (option? 'yes': 'no');
```

```
var ans=true;
```

```
console.log(output(ans));
```

Ans: B

28. which of the following is an iife

Ans :option a

29. In general, event handler is nothing but

Ans : a

30. When does the function name become optional in JavaScript?

Ans: b

31. what does sam stand for in context of functional interface ?

Ans: a

32. var jsonStr= {"students":{"student1":{"name":"Jayant","age":25}}} how to fetch the value "Jayant"?

Ans:C. jsonStr.students.student1.name

33. var foo=10 var foo=20

```
alert(foo)
```

Ans:B. 20

34. What will happen if name of ajax callback function

Ans: option b

35. Which of the following is true about variable declaration in Javascript?

Ans: Option a

36. Select correct way to add property "num" to the "obj" object ?

Ans: d

37. What is the output of the below code

```
var color=red; function changeColor(X
```

```
var color=green,
```

```
changeColor alert(color)
```

Ans : a

38. What will be the possible output of the following Jevation o console.log(a.slice(0,3)); Ans: a

39. Which of the following operator checks value as well as the type of the variables ?

Ans: a

40. The pop() method of the array does which of the following task?

Ans: a

41. Which method generates a random number in Javascript

Ans: b

42. which of the following is IIFE? Ans: A.(function(x){ return x\*x  
})(10);

43. document.querySelector('#targetDiv') selects?

Ans:A an element by Id:targetDiv

44. Which of the following are the valid properties of event object?

Ans:D. All of the above

45. The method that can be used to create new properties and also to modify the attributes of existing properties is

Ans: c

46. What will be the output of the following Javascript code:

```
var a=5,b=1 var  
obj={a:10}  
with(obj) {  
alert(a)  
}
```

Ans: 10 (A)

47.What will be the output of the below code?

```
<html><<body>
```

```
<script type="text/javascript"><alert("Hello"); //</script> </body></html>
```

Ans: c (not sure)

48. `var num=parseInt("1234abc") alert(num)`

Ans: c.1234

49. Asume there is div id "div!"

Ans: B

50. Select correct way to add property "num" to "obj" object?

Ans: D. All of the above

51. What will be output of following program

```
var result= typeof (10*10+5+" value "); alert(result)
```

Ans : B

52. To send post request in ajax which of the following must be set

Ans: option a

53. `var myNs = {}`

`myNs.name="Michael": myNs.job= 'Manager' alert(name + 'is working as' + + job);` Ans:

C(Error)

54. if we have declared object like below:

```
var obj ={name: 'ABC'}
```

which of the following is/are the correct syntax to access 'name' of 'o

Ans: option b and c [multiple select]

55. Which of the following Ajax ready states is incorrect.

Ans. The request has been declined (C)

56. Assume there is a div with id "div 1" containing few images..

Ans: option b

57 consider the following JSON string:

ANS C

58 which of the following is true about variable declaration in JavaScript?

ANS A

59 what is the correct way to write a javascript array?

ANS C

60 which of the following is a valid async Get ajax call syntax? A

61 THE pop() method of the ... Ans A

62 what will be the output of following program

```
Var result= typeof
```

Ans B

63 What will be the output of the following JavaScript code? `<p id="demo"></p> <script> document.getElementById("demo").innerHTML = typeof "John" </script>`

ANS C STRING

64 The output of below mentioned code will be

```
Var myNs = 0
```

```
myNs.name="Michael"
```

```
myNs.job = 'Manager' alert(name + " is working as + job).
```

Ans C

65 We cannot register more than one event handler for an element using addEventListener method

Ans B false

66 Which of the following methods returns the specified attribute value of an element node?

Ans B

67 which method generates a random number in JavaScript?

Ans B

68 The keyword or the property that you use to refer to an object through which they were

Ans C

69 Which of the following are valid properties of the event object?

1. Target

2 currentTarget

3 type

4. defaultPrevented

Ans D

70 which of the following is an ...FE?

Ans A

71 which property maintains the child element of an element?

Ans B

72 select the statement which is true for javascript?

Ans A

73 What will be output of following Javascript code? <script

Var foo=10;

Var foo=20

Alert(foo)

</script>

Ans B

74 what will happen if the name of the Ajax calltipck function is mis-spelt while registering it on readystate change of an xmlhttpRequest object?

Ans B

75 What will be the possible output of the following JavaScript code? var a= [1,2,3,4,5]: console.log(a.slice(0,3));

Ans A

76 when does the function name become optional in JavaScript?

Ans B

77 what will be the output of the following javascript code?

Ans B yes

78 assume there is a button with id

Ans C

79 if we have to call some function on form submission,

Ans A .capture the "onsubmit"

80 what is the syntax of object.defineProperty() method in JavaScript

Ans A

81 select the correct way to add property "num"

Ans D

82 what will be output of following javascript code?

< script>

Var

Ans B 20

83 which of the following is true about javascript?

Ans D all of abv

84 ,, options 1 2 3 8 >> ans A

85 What will be the function of the following JavaScript code? var scope = "global scope". function checkscope() var scope = "local scope": function f() return scope;

Ans A local scope

86 which of the following is the right way to make an ajax post .... ?

Ans D var request = new blah blah

87 what is the correct code to assign an ... event to a button element?

Ans C

88 how can we fetch all attributes for an HTML element "imgElem"?

Ans A imgElem.attribhtes (not sure) or Option B or C

89 select the correct answer from the from the following that completes the statement

Object keys method \_\_

Ans B

90 when a variable is declared without initialization which value is assigned to it?

Ans A undefined

91 Which of the following Attribute is used to include External JS code inside your HTML Document?

Ans A src

92 The output of below mentioned code will be: var myNs = {} myNs.name="Michael", myNs job = 'Manager' alert(name is working as + job).

Ans c error

93 Select correct way to add property "num" to the "ob" object:

Ans D all

94 if we have declared object like below:

Ans A B C

95 which of the following operator checks vue as well as the type

Ans A ===

96