

```
In [1]: a = 20
        b = 30
        a
        b
```

Out[1]: 30

```
In [2]: a = 50
        b = 60
        print(a)
        print(b)
```

50
60

```
In [3]: print(10)
        print(10,20)
        print('python')
        print(10,20,'python')
```

10
10 20
python
10 20 python

```
In [4]: num1= 20
        num2= 30
        add = num1+num2
        print(add)
```

50

print result with string

```
In [5]: num1 = 70
        num2 = 100
        add = num1 + num2
        print('The addition of', num1,'and', num2, 'is=', add)
```

The addition of 70 and 100 is= 170

```
In [9]: name= 'Kartik'
        age = '23'
        city = 'Betul'
        #hellow my name is python and i am 10 year old from hyderabad
```

```
In [10]: print('my name is', name, 'and i am',age,'year old from',city)
```

my name is Kartik and i am 23 year old from Betul

print Format method

```
In [11]: num1 = 50
        num2 = 100
        add = num1+num2
        print('The addition of {} and {} is = {}'.format(num1,num2,add))
```

The addition of 50 and 100 is = 150

```
In [12]: name='Kartik'
         age=23
         city='Betul'
```

```
In [16]: print('Hello my name is {}, an i am {} year old from {}'.format(name, age, city))
```

Hello my name is Kartik, an i am 23 year old from Betul

```
In [23]: num1=100
         num2=200
         num3=333
         avg=(num1+num2+num3)/3 # or we can use avg=round((num1+num2+num3)/3,2)
         avg1=round((num1+num2+num3)/3,2)
         # The avrage of num1,num2,num3 is = avg
         print('The avrage of {}, {}, and {} is= {} or {}'.format(num1,num2,num3,
         avg,avg1)) # here we can use round(avg,2) also
```

The avrage of 100, 200, and 333 is= 211.0 or 211.0

```
In [24]: round(avg,2)
```

Out[24]: 211.0

```
In [25]: num1 = 60
         num2 = 70
         add = num1+num2
         print(f'The addition of {num1} and {num2} is= {add}')
```

The addition of 60 and 70 is= 130

```
In [26]: name='Kartik'
         age=23
         city='Betul'
```

```
In [27]: print(f'hello my name is {name}, and i am {age} year old, from {city}.')
```

hello my name is Kartik, and i am 23 year old, from Betul.

```
In [28]: num1=100
         num2=25
         num3=333
         avg=round((num1+num2+num3)/3,2)
```

```
In [29]: print(f'The avrage of {num1}, {num2} and {num3} is = {avg}')
```

The avrage of 100, 25 and 333 is = 152.67

```
In [30]: num1=10
         num2=20
         add = num1+ num2
         print('The addition of',num1,'and',num2,'is=',add)
         print('The addition of {} and {} is= {}'.format(num1,num2,add))
         print(f'The addition of {num1} and {num2} is= {add}')
```

The addition of 10 and 20 is= 30

The addition of 10 and 20 is= 30

The addition of 10 and 20 is= 30

END STATEMENT

```
In [31]: print('hello')
         print('good morning')
```

```
hello
good morning
```

```
In [33]: print('Hello', end=' ')
         print('Good Evening' )
```

```
Hello Good Evening
```

SEPRATOR

```
In [34]: print('hello', 'hai', 'how are you', sep='--->')
```

```
hello--->hai--->how are you
```

```
In [35]: print('hello', 'hai', 'how are you', sep='@@@')
```

```
hello@@@hai@@@how are you
```

```
In [36]: print('hello', 'hai', 'how are you', sep='####')
```

```
hello####hai####how are you
```

```
In [37]: print('hello', 'hai', 'how are you', sep='$$$$')
```

```
hello$$$$hai$$$$how are you
```

```
In [38]: print('hello', 'hai', 'how are you', sep='    ')
```

```
hello    hai    how are you
```

```
In [40]: print(1,2, end=' ')
         print(3, '.', sep='')
```

```
1 2 3.
```

OPERATORS IN PYTHON

```
In [2]: a = 5 + 7
         a
```

```
Out[2]: 12
```

```
In [3]: s = 10 - 5
         s
```

```
Out[3]: 5
```

```
In [4]: d = 15/5
         d
```

```
Out[4]: 3.0
```

```
In [5]: d = 20 // 5
         d
```

```
Out[5]: 4
```

```
In [9]: p = 99%5 #remainder  
p
```

Out[9]: 4

```
In [11]: r = 6**3  
r
```

Out[11]: 216

ASSIGNMENT OPERATOR

```
In [12]: x = 2  
x
```

Out[12]: 2

```
In [13]: x += 5  
x
```

Out[13]: 7

```
In [16]: x += 2  
x
```

Out[16]: 33

```
In [18]: x -= 10  
x
```

Out[18]: 13

```
In [19]: x -= 3  
x
```

Out[19]: 10

```
In [20]: x *= 5  
x
```

Out[20]: 50

```
In [21]: x //= 10  
x
```

Out[21]: 5

```
In [22]: x /= 5  
x
```

Out[22]: 1.0

RELATIONAL OPERATOR

```
In [27]: x = 100  
b = 50
```

```
b,x
```

```
Out[27]: (50, 100)
```

```
In [29]: x >= b
```

```
Out[29]: True
```

```
In [30]: b >= x
```

```
Out[30]: False
```

```
In [31]: a = 100  
b = 90  
a,b
```

```
Out[31]: (100, 90)
```

```
In [32]: b <= a
```

```
Out[32]: True
```

```
In [33]: a <= b
```

```
Out[33]: False
```

```
In [34]: a == b
```

```
Out[34]: False
```

```
In [35]: b == a
```

```
Out[35]: False
```

```
In [36]: a != b
```

```
Out[36]: True
```

```
In [37]: b != a
```

```
Out[37]: True
```

LOGICAL OPERATOR

```
In [39]: a = 10  
b = 20  
a,b
```

```
Out[39]: (10, 20)
```

```
In [40]: a < 5 and b > 10
```

```
Out[40]: False
```

```
In [41]: a >= 10 and b >= 20
```

Out[41]: True

In [42]: `a <= 5 and b >= 20`

Out[42]: False

In [43]: `a < 10 or b > 20`

Out[43]: False

In [44]: `a > 5 or b > 20`

Out[44]: True

UNARY OPERATOR

In []: