```
C (gcc 6.3)
                                  Û
                                       Code gets autosaved every second
       #include <stdio.h>
      #include <string.h>
      int main()
      {
           char string[50] = { 0 };
           int length = 0, i = 0, j = 0, k = 0, count = 0;
           printf("Enter the string : ");
  10
           gets(string);
           length = strlen(string);
count = length;
  12
  13
  14
           for (j = 0; j < length;)
  15
  16
                switch (string[j])
                case 'a':
  19
                case 'A':
                case 'e':
  20
                case 'E':
  22
                case 'i':
  23
                case 'I':
 0:0
   Open File
Custom Input
Kartik
 Status Successfully executed Date 2020-06-19 09:31:13
                                                       Time Osec
   Input
    Kartik
   Output
    Enter the string : Final string is : Krtk
```

```
Algorithm
1. Stout
2. Initialize lungth=0; i=0, j=0, k=0, count=0;
3. Inkut string
4. Lugth= Stylin (string1)
5. court = Length
    Repeat Shrough 6.1
     6.1 for (j=0; j < lungth)
6. Smitch (string[i])
      case 'a':
      Cake 'A':
      Case 'e'.
      cake 'E':
       case 'i'
      cake 'I'
      Casu '0';
       case 'o':
       case 'U':
       case 'u':
7. Repeat Morough 7.1
  7-1 for(k=j; kxcaut; k++)
           String [k] - String[x+1];
8. Court -
a. Louak
10. default: j++
```

Maritin 11. string[count]='10' 12. Print string link 1 in Opina manning ! moved, truly of in Lingth - Blue Donal) L. Dollar ( Brange 1 ) ( report > g. - - ) and to be J' I Ti Literate Bright & referral production Many 1 Springs In purity AND THE TOWN !

Lound

Tti March May